

CERAMBYCIDAE OF CZECHIA AND SLOVAKIA (March 2023)

B – Bohemia (Czechia)

? – uncertain/doubtful data

M – Moravia and Silesia (Czechia)

^E – extinct

S – Slovakia

^I – introduction

Subfamilia: **PRIONINAE** Latreille, 1802

Tribus: **Ergatini** Fairmaire, 1864

Genus: *Ergates* Audinet-Serville, 1832

Ergates faber faber (Linnaeus, 1761)

B M S

Tribus: **Aegosomatini** Thomson, 1861

Genus: *Aegosoma* Audinet-Serville, 1832

Aegosoma scabricornis (Scopoli, 1763)

?^{B^E} M S

Tribus: **Prionini** Latreille, 1802

Genus: *Prionus* Geoffroy, 1762

Prionus coriarius (Linnaeus, 1758)

B M S

Tribus: **Meroscelisini** Thomson, 1861

Genus: *Tragosoma* Audinet-Serville, 1832

Tragosoma depsarium (Linnaeus, 1767)

B M S

Subfamilia: **SPONDYLINAE** Audinet-Serville, 1832

Tribus: **Anisarthrini** Mamaev & Danilevsky, 1973

Genus: **Anisarthron** Dejean, 1835

Anisarthron barbipes (Schrank, 1781)

B M S

Tribus: **Saphanini** Gistel, 1856

Genus: **Saphanus** Audinet-Serville, 1834

Saphanus piceus piceus (Laicharting, 1784)

B M S

Tribus: **Asemini** Thomson, 1860

Genus: **Arhopalus** Audinet-Serville, 1834

Arhopalus ferus (Mulsant, 1839)

B M S

Arhopalus rusticus rusticus (Linnaeus, 1758)

B M S

Genus: **Asemum** Eschscholtz, 1830

Asemum striatum (Linnaeus, 1758)

B M S

Genus: **Nothorhina** Redtenbacher, 1845

Nothorhina punctata (Fabricius, 1798)

B M S

Tribus: **Tetropiini** Seidlitz, 1891

Genus: **Tetropium** Kirby, 1837

Tetropium castaneum (Linnaeus, 1758)

B M S

Tetropium fuscum fuscum (Fabricius, 1787)

B M S

Tetropium gabrieli Weise, 1905

B M S

Tribus: **Spondylidini** Audinet-Serville, 1832

Genus: **Spondylis** Fabricius, 1775

Spondylis buprestoides (Linnaeus, 1758)

B M S

Subfamilia: CERAMBYCINAE Latreille, 1802

Tribus: Hesperophanini Mulsant, 1839

Genus: *Trichoferus* Wollaston, 1854

Trichoferus campestris (Faldermann, 1835)

B¹ M¹ S¹

Trichoferus pallidus (Olivier, 1790)

B M S

Tribus: Cerambycini Latreille, 1804

Genus: *Cerambyx* Linnaeus, 1758

Subgenus: *Cerambyx* Linnaeus, 1758

Cerambyx (Cerambyx) cerdo cerdo Linnaeus, 1758

B M S

Cerambyx (Cerambyx) miles Bonelli, 1812

S

Cerambyx (Cerambyx) welensii welensii (Küster, 1845)

S

Subgenus: *Microcerambyx* Mikšić & Georgijević, 1973

Cerambyx (Microcerambyx) scopoli Füssli, 1775

B M S

Tribus: Compsocerini Thomson, 1864

Genus: *Rosalia* Audinet-Serville, 1833

Rosalia alpina alpina (Linnaeus, 1758)

B M S

Tribus: Trachyderini Dupont, 1836

Genus: *Purpuricen* Dejean, 1821

Purpuricen *budensis* (Götz, 1783)

S

Purpuricen *globulicollis* Mulsant, 1839

?S

Purpuricen *kaehleri kaehleri* (Linnaeus, 1758)

B M S

Tribus: Callichromatini Blanchard, 1845

Genus: *Aromia* Audinet-Serville, 1833

Aromia moschata moschata (Linnaeus, 1758)

B M S

Tribus: Graciliini Mulsant, 1839

Genus: *Axinopalpis* Dejean, 1835

Axinopalpis gracilis gracilis (Krynicky, 1832)

B M S

| | |
|--|----------|
| Genus: Gracilia Audinet-Serville, 1834 | |
| Gracilia minuta (Fabricius, 1781) | B M S |
| Tribus: Deilini Faimaire, 1864 | |
| Genus: Deilus Audinet-Serville, 1834 | |
| Deilus fugax (Olivier, 1790) | M S |
| Tribus: Obrini Mulsant, 1839 | |
| Genus: Obrium Dejean, 1821 | |
| Obrium brunneum (Fabricius, 1792) | B M S |
| Obrium cantharinum cantharinum (Linnaeus, 1767) | B M S |
| Genus: Stenhomalus White, 1855 | |
| Subgenus: Obriopsis G. Müller, 1948 | |
| Stenhomalus (Obriopsis) bicolor bicolor (Kraatz, 1862) | M S |
| Tribus: Stenopterini Fairmaire, 1868 | |
| Genus: Callimoxys Kraatz, 1863 | |
| Callimoxys gracilis (Brullé, 1832) | S |
| Genus: Stenopterus Illiger, 1804 | |
| Stenopterus ater (Linnaeus, 1767) | S |
| Stenopterus flavicornis Küster, 1846 | M S |
| Stenopterus rufus rufus (Linnaeus, 1767) | B M S |
| Tribus: Hyboderini Linsley, 1940 | |
| Genus: Callimus Mulsant, 1846 | |
| Subgenus: Callimus Mulsant, 1846 | |
| Callimus (Callimus) angulatus angulatus (Schränk, 1789) | B M S |
| Tribus: Psebiini Lacordaire, 1869 | |
| Genus: Nathrius Brèthes, 1916 | |
| Nathrius brevipennis (Mulsant, 1839) | B' M' S' |

Tribus: **Molorchini** Mulsant, 1863Genus: **Molorchus** Fabricius, 1793Subgenus: **Caenoptera** C.G. Thomson, 1859**Molorchus (Caenoptera) minor minor** (Linnaeus, 1758) B M SSubgenus: **Molorchus** Fabricius, 1793**Molorchus (Molorchus) kiesenwetteri kiesenwetteri** Mulsant & Rey, 1861 B M S**Molorchus (Molorchus) marmottani marmottani** Brisout de Barneville, 1863 B M S**Molorchus (Molorchus) umbellatarum umbellatarum** (Schreber, 1759) B M STribus: **Hylotruperini** Zagajkevich, 1991Genus: **Hylotrupes** Audinet-Serville, 1834**Hylotrupes bajulus** (Linnaeus, 1758) B M STribus: **Callidiini** Mulsant, 1839Genus: **Ropalopus** Mulsant, 1839Subgenus: **Ropalopus** Mulsant, 1839**Ropalopus (Ropalopus) clavipes** (Fabricius, 1775) B M S**Ropalopus (Ropalopus) femoratus** (Linnaeus, 1758) B M S**Ropalopus (Ropalopus) macropus** (Germar, 1824) B M S**Ropalopus (Ropalopus) ungaricus ungaricus** (Herbst, 1784) B M S**Ropalopus (Ropalopus) varini** (Bedel, 1870) B M SGenus: **Pronocera** Motschulsky, 1859**Pronocera angusta** (Kriechbaumer, 1844) B M SGenus: **Leioderes** L. Redtenbacher, 1849**Leioderes kollari kollari** L. Redtenbacher, 1849 B M SGenus: **Callidium** Fabricius, 1775Subgenus: **Callidium** Fabricius, 1775**Callidium (Callidium) violaceum** (Linnaeus, 1758) B M SSubgenus: **Callidostola** Reitter, 1913**Callidium (Callidostola) aeneum aeneum** (De Geer, 1775) B M SSubgenus: **Palaeocallidium** Plavilstshikov, 1940**Callidium (Palaeocallidium) coriaceum** Paykull, 1800 B M SGenus: **Pyrrhidium** Fairmaire, 1864**Pyrrhidium sanguineum** (Linnaeus, 1758) B M S

| | |
|--|-------|
| Genus: Semanotus Mulsant, 1839 | |
| <i>Semanotus ruscicus ruscicus</i> (Fabricius, 1776) | B S |
| <i>Semanotus undatus</i> (Linnaeus, 1758) | B M S |
| Genus: Phymatodes Mulsant, 1839 | |
| Subgenus: Paraphymatodes Plavilstshikov, 1934 | |
| <i>Phymatodes (Paraphymatodes) fasciatus</i> (Villers, 1789) | M S |
| Subgenus: Phymatodellus Reitter, 1913 | |
| <i>Phymatodes (Phymatodellus) rufipes rufipes</i> (Fabricius, 1776) | B M S |
| Subgenus: Phymatoderus Reitter, 1913 | |
| <i>Phymatodes (Phymatoderus) glabratus</i> (Charpentier, 1825) | B M S |
| <i>Phymatodes (Phymatoderus) pusillus pusillus</i> (Fabricius, 1787) | B M S |
| Subgenus: Phymatodes Mulsant, 1839 | |
| <i>Phymatodes (Phymatodes) testaceus</i> (Linnaeus, 1758) | B M S |
| Subgenus: Poecilium Fairmaire, 1864 | |
| <i>Phymatodes (Poecilium) alni alni</i> (Linnaeus, 1767) | B M S |
| Genus: Lioderina Ganglbauer, 1885 | |
| <i>Lioderina linearis</i> (Hampe, 1870) | S |
| Tribus: Anaglyptini Lacordaire, 1869 | |
| Genus: Anaglyptus Mulsant, 1839 | |
| <i>Anaglyptus (Anaglyptus) mysticus</i> (Linnaeus, 1758) | B M S |
| Tribus: Clytini Mulsant, 1839 | |
| Genus: Neoclytus Thomson, 1860 | |
| <i>Neoclytus acuminatus acuminatus</i> (Fabricius, 1775) | S |
| Genus: Cyrtoclytus Ganglbauer, 1881 | |
| <i>Cyrtoclytus capra</i> (Germar, 1824) | S |
| Genus: Clytus Laicharting, 1784 | |
| Subgenus: Clytus Laicharting, 1784 | |
| <i>Clytus (Clytus) arietis arietis</i> (Linnaeus, 1758) | B M S |
| <i>Clytus (Clytus) lama</i> Mulsant, 1847 | B M S |
| <i>Clytus (Clytus) rhamni temesiensis</i> (Germar, 1824) | B M S |
| [<i>Clytus (Clytus) rhamni</i> Germar, 1817] | |
| <i>Clytus (Clytus) tropicus</i> (Panzer, 1795) | B M S |
| Genus: Isotomus Mulsant, 1863 | |
| <i>Isotomus speciosus speciosus</i> (Schneider, 1787) | M S |

Genus: ***Xylotrechus*** Chevrolat, 1860

Subgenus: ***Rusticoclytus Vives, 1977***

Xylotrechus (Rusticoclytus) pantherinus (Savenius, 1825) B M S

Xylotrechus (Rusticoclytus) rusticus (Linnaeus, 1758) B M S

Subgenus: ***Xylotrechus*** Chevrolat, 1860

Xylotrechus (Xylotrechus) antilope (Schönherr, 1817)

Xylotrechus (Xylotrechus) arvicola (Olivier, 1800) B M S

Xylotrechus (Xylotrechus) capricornus (Gebler, 1830) M S

Tribus: **Chlorophorini** Zamoroka, 2021

Genus: ***Chlorophorus*** Chevrolat, 1863

Chlorophorus varius varius (O.F.Müller, 1766) B M S

Chlorophorus figuratus (Scopoli, 1763) B M S

Chlorophorus herbsti (Brahm, 1790) B M S

Chlorophorus hungaricus (Seidlitz, 1891) M S

Chlorophorus sartor (O.F.Müller, 1766) B M S

Genus: ***Echinocerus*** Mulsant, 1863

Echinocerus floralis (Pallas, 1773) M S

Genus: ***Plagionotus*** Latreille, 1829

Plagionotus arcuatus arcuatus (Linnaeus, 1758) B M S

Plagionotus detritus detritus (Linnaeus, 1758) B M S

Subfamilia: **Necydalinae** Latreille, 1825

Tribus: **Necydalini** Latreille, 1825

Genus: ***Necydalis*** Linnaeus, 1758

Subgenus: ***Necydalis*** Linnaeus, 1758

Necydalis (Necydalis) major Linnaeus, 1758 B M S

Necydalis (Necydalis) ulmi Chevrolat, 1838 B M S

Subfamilia: Lepturinae Latreille, 1802

Tribus: **Rhamnusiini** Sama, 2009

Genus: **Rhamnusium** Latreille, 1829

Rhamnusium bicolor bicolor (Schrank, 1781) B M S

Genus: **Akimerus** Audinet-Serville, 1836

Akimerus schaefferi (Laicharting, 1784) B M S

Tribus: **Oxymirini** Danilevsky, 2014

Genus: **Oxymirus** Mulsant, 1863

Oxymirus cursor (Linnaeus, 1758) B M S

Tribus: **Stenocorini** Thomson, 1861

Genus: **Stenocorus** Fabricius, 1775

Subgenus: **Anisorus** Mulsant, 1863

Stenocorus (Anisorus) quercus quercus (Götz, 1783) B M S

Subgenus: **Stenocorus** Fabricius, 1775

Stenocorus (Stenocorus) meridianus (Linnaeus, 1758) B M S

Tribus: **Rhagiini** Kirby, 1837

Genus: **Pachyta** Dejean, 1821

Pachyta lamed (Linnaeus, 1758) B M S

Pachyta quadrimaculata (Linnaeus, 1758) B M S

Genus: **Rhagium** Fabricius, 1775

Subgenus: **Hagrium** Villiers, 1978

Rhagium (Hagrium) bifasciatum Fabricius, 1775 B M S

Subgenus: **Megarhagium** Reitter, 1913

Rhagium (Megarhagium) mordax (De Geer, 1775) B M S

Rhagium (Megarhagium) sycophanta (Schrank, 1781) B M S

Subgenus: **Rhagium** Fabricius, 1775

Rhagium (Rhagium) inquisitor inquisitor (Linnaeus, 1758) B M S

Tribus: **Evodiniini** Zamoroka, 2022Genus: **Brachyta** Fairmaire in Jacquelin du Val, 1864

| | |
|--|---|
| <i>Brachyta (Brachyta) interrogationis eitschbergeri</i> Danilevsky & Peks, 2015 | B |
| <i>Brachyta (Brachyta) interrogationis gabzdili</i> Danilevsky & Peks, 2015 | S |
| <i>Brachyta (Brachyta) interrogationis interrogationis</i> (Linnaeus, 1758) | S |

Genus: **Evodinellus** Plavilstshikov, 1915Subgenus: **Brachytodes** Planet, 1924

| | |
|---|-------|
| <i>Evodinellus (Brachytodes) clathratus</i> (Fabricius, 1792) | B M S |
| Subgenus: Evodinellus Plavilstshikov, 1915 | |
| <i>Evodinellus (Evodinellus) borealis</i> (Gyllenhal, 1827) | S |

Tribus: **Cariliini** Zamoroka, 2022Genus: **Acmaeops** LeConte in Agassiz, 1850

| | |
|--|-------|
| <i>Acmaeops marginata</i> (Fabricius, 1781) | B M S |
| <i>Acmaeops septentrionis</i> (C.G. Thomson, 1866) | B M S |

Genus: **Gnathacmaeops** Linsley & Chemsak, 1972

| | |
|--|------|
| <i>Gnathacmaeops pratensis</i> (Laicharting, 1784) | M? S |
|--|------|

Genus: **Gaurotes** LeConte in Agassiz, 1850Subgenus: **Carilia** Mulsant, 1863

| | |
|---|-------|
| <i>Gaurotes (Carilia) virginea thalassina</i> (Schrank, 1781) | B |
| <i>Gaurotes (Carilia) virginea virginea</i> (Linnaeus, 1758) | B M S |

Genus: **Pseudogaurotina** Plavilstshikov, 1958

| | |
|---|---|
| <i>Pseudogaurotina excellens</i> (Brancsik, 1874) | S |
|---|---|

Genus: **Dinoptera** Mulsant, 1863

| | |
|--|-------|
| <i>Dinoptera collaris</i> (Linnaeus, 1758) | B M S |
|--|-------|

Genus: **Cortodera** Mulsant, 1863

| | |
|--|-------|
| <i>Cortodera femorata</i> (Fabricius, 1787) | B M S |
| <i>Cortodera flavimana flavimana</i> (Waltl, 1838) | ?S |
| <i>Cortodera holosericea holosericea</i> (Fabricius, 1801) | S |
| <i>Cortodera humeralis humeralis</i> (Schaller, 1783) | B M S |
| <i>Cortodera villosa</i> Heyden, 1876 | S |

Tribus: **Pidoniini** Zamoroka, 2022Genus: ***Pidonia*** Mulsant, 1863Subgenus: ***Pidonia*** Mulsant, 1863***Pidonia (Pidonia) lurida*** (Fabricius, 1792)

B M S

Tribus: **Lepturini** Latreille, 1802Genus: ***Grammoptera*** Audinet-Serville, 1835Subgenus: ***Grammoptera*** Audinet-Serville, 1835***Grammoptera (Grammoptera) abdominalis*** (Stephens, 1831)

B M S

Grammoptera (Grammoptera) ruficornis ruficornis (Fabricius, 1781)

B M S

Grammoptera (Grammoptera) ustulata ustulata (Schaller, 1783)

B M S

Genus: ***Alosterna*** Mulsant, 1863Subgenus: ***Alosterna*** Mulsant, 1863***Alosterna (Alosterna) ingraca*** (Baeckmann, 1902)?S^E***Alosterna (Alosterna) tabacicolor tabacicolor*** (De Geer, 1775)

B M S

Genus: ***Pseudovadonia*** Lobanov, Danilevsky & Murzin, 1981***Pseudovadonia livida livida*** (Fabricius, 1776)

B M S

Pseudovadonia livida pecta (Daniel, 1891)

B M S

Genus: ***Nivellia*** Mulsant, 1863***Nivellia sanguinosa*** (Gyllenhal, 1827)

B S

Genus: ***Cornumutilla*** Letzner, 1844***Cornumutilla lineata*** (Letzner, 1844)

M S

Genus: ***Etorofus*** Matsushita, 1933Subgenus: ***Etorofus*** Matsushita, 1933***Etorofus (Etorofus) pubescens*** (Fabricius, 1787)

B M S

Genus: ***Pedostrangalia*** Sokolov, 1897Subgenus: ***Pedostrangalia*** Sokolov, 1897***Pedostrangalia (Pedostrangalia) revestita*** (Linnaeus, 1767)

B M S

Genus: ***Lepturobosca*** Reitter, 1913***Lepturobosca virens*** (Linnaeus, 1758)

B M S

Genus: ***Judolia*** Mulsant, 1863***Judolia sexmaculata*** (Linnaeus, 1758)

B M S

| | |
|---|--------|
| Genus: Pachytodes Pic, 1891 | |
| <i>Pachytodes cerambyciformis</i> (Schrank, 1781) | B M S |
| <i>Pachytodes erraticus</i> (Dalman, 1817) | B M S |
| Genus: Vadonia Mulsant, 1863 | |
| <i>Vadonia unipunctata unipunctata</i> (Fabricius, 1787) | M S |
| Genus: Anoplodera Mulsant, 1839 | |
| Subgenus: Anoplodera Mulsant, 1839 | |
| <i>Anoplodera (Anoplodera) rufipes rufipes</i> (Schaller, 1783) | B M S |
| <i>Anoplodera (Anoplodera) sexguttata</i> (Fabricius, 1775) | B M S |
| Genus: Anastrangalia Casey, 1924 | |
| <i>Anastrangalia dubia dubia</i> (Scopoli, 1763) | B M S |
| <i>Anastrangalia reyi reyi</i> (Heyden, 1889) | B ?M S |
| <i>Anastrangalia sanguinolenta</i> (Linnaeus, 1761) | B M S |
| Genus: Stictoleptura Casey, 1924 | |
| Subgenus: Melanoleptura Miroshnikov, 1998 | |
| <i>Stictoleptura (Melanoleptura) scutellata</i> (Fabricius, 1781) | B M S |
| Subgenus: Stictoleptura Casey, 1924 | |
| <i>Stictoleptura (Stictoleptura) cordigera cordigera</i> (Füssli, 1775) | ?M ?S |
| <i>Stictoleptura (Stictoleptura) erythroptera</i> (Hagenbach, 1822) | B M S |
| <i>Stictoleptura (Stictoleptura) rubra rubra</i> (Linnaeus, 1758) | B M S |
| Genus: Paracorymbia Miroshnikov, 1998 | |
| Subgenus: Batesiata Miroshnikov, 1998 | |
| <i>Paracorymbia (Batesiata) tesserula</i> (Charpentier, 1825) | B ?M S |
| Subgenus: Paracorymbia Miroshnikov, 1998 | |
| <i>Paracorymbia (Paracorymbia) fulva</i> (De Geer, 1775) | S |
| <i>Paracorymbia (Paracorymbia) maculicornis</i> (De Geer, 1775) | B M S |
| Genus: Lepturalia Reitter, 1913 | |
| <i>Lepturalia nigripes nigripes</i> (DeGeer, 1775) | S |
| Genus: Macroleptura Nakane & Ohbayashi, 1957 | |
| <i>Macroleptura thoracica</i> (Creutzer, 1799) | S |
| Genus: Leptura Linnaeus, 1758 | |
| Subgenus: Leptura Linnaeus, 1758 | |
| <i>Leptura (Leptura) aethiops</i> Poda von Neuhaus, 1761 | B M S |
| <i>Leptura (Leptura) annularis</i> Fabricius, 1801 | B M S |
| <i>Leptura (Leptura) aurulenta</i> Fabricius, 1793 | M S |
| <i>Leptura (Leptura) quadrifasciata quadrifasciata</i> Linnaeus, 1758 | B M S |

Genus: ***Rutpela*** Nakane et Ohbayashi, 1959

Subgenus: ***Nigromacularia*** Zamoroka, Trócoli, Shparyk & Semaniuk, 2022

Rutpela (Nigromacularia) septempunctata septempunctata (Fabricius, 1792) B M S

Subgenus: ***Nigrostenurella*** Özdikmen, 2013

Rutpela (Nigrostenurella) nigra nigra (Linnaeus, 1758) B M S

Subgenus: ***Rutpela*** Nakane & Ohbayashi, 1959

Rutpela (Rutpela) maculata maculata (Poda, 1761) B M S

Genus: ***Stenurella*** Villiers, 1974

Subgenus: ***Priscostenurella*** Özdikmen, 2013

Stenurella (Priscostenurella) bifasciata bifasciata (O.F. Müller, 1776) B M S

Subgenus: ***Stenurella*** Villiers, 1974

Stenurella (Stenurella) melanura melanura (Linnaeus, 1758) B M S

Genus: ***Strangalia*** Audinet-Serville, 1835

Strangalia attenuata (Linnaeus, 1758) B M S

Subfamilia: **LAMIINAE** Latreille, 1825Tribus: **Dorcadionini** Swainson, 1840Genus: ***Dorcadion*** Dalman, 1817Subgenus: ***Carinatodorcadion*** Breuning, 1943***Dorcadion (Carinatodorcadion) cervae*** Frivaldszky, 1892? ?S^E***Dorcadion (Carinatodorcadion) fulvum fulvum*** (Scopoli, 1763) M S***Dorcadion (Carinatodorcadion) aethiops aethiops*** (Scopoli, 1763) M SSubgenus: ***Cribridorcadion*** Pic, 1901***Dorcadion (Cribridorcadion) pedestre pedestre*** (Poda, 1761) M S***Dorcadion (Cribridorcadion) scopolii*** (Herbst, 1784) ?M^E SGenus: ***Neodorcadion*** Ganglbauer, 1884***Neodorcadion bilineatum*** (Germar, 1824) STribus: **Lamiini** Latreille, 1825Genus: ***Lamia*** Fabricius, 1775***Lamia textor*** (Linnaeus, 1758) B M SGenus: ***Morimus*** Brullé, 1832***Morimus asper funereus*** Mulsant, 1862 ?B ?M S[***Morimus asper*** (Sulzer, 1776)]***Morimus gabzdili*** Danilevsky, 2015 STribus: **Monochamini** Gistel, 1848Genus: ***Monochamus*** Dejean, 1821Subgenus: ***Monochamus*** Dejean, 1821***Monochamus (Monochamus) galloprovincialis galloprovincialis*** (Olivier, 1795) B M S***Monochamus (Monochamus) saltuarius occidentalis*** Sláma, 2017 B S[***Monochamus (Monochamus) saltuarius*** (Gebler, 1830)]***Monochamus (Monochamus) sartor sartor*** (Fabricius, 1787) B M S***Monochamus (Monochamus) sartor urussovii*** (Fischer-Waldheim, 1806) ?B^I***Monochamus (Monochamus) sutor sutor*** (Linnaeus, 1758) B M STribus: **Mesosini** Thomson, 1860

Genus: **Mesosa** Latreille, 1829

Subgenus: **Aplocnemia** Stephens, 1831

Mesosa (Aplocnemia) nebulosa (Fabricius, 1781) B M S

Subgenus: **Mesosa** Latreille, 1829

Mesosa (Mesosa) curculionoides (Linnaeus, 1761) B M S

Tribus: **Desmiphorini** Thomson, 1860

Genus: **Anaesthetis** Dejean, 1835

Anaesthetis testacea testacea (Fabricius, 1781) B M S

Genus: **Deroplia** Dejean, 1835

Deroplia genei genei (Aragona, 1830) ?M^c S

Tribus: **Acanthoderini** Thomson, 1860

Genus: **Aegomorphus** Haldeman, 1847

Aegomorphus clavipes (Schränk, 1781) B M S

Genus: **Oplosia** Mulsant, 1863

Oplosia cinerea (Mulsant, 1839) B M S

Tribus: **Pogonocherini** Mulsant, 1839

Genus: **Pogonocherus** Dejean, 1821

Subgenus: **Pityphilus** Mulsant, 1862

Pogonocherus (Pityphilus) decoratus Fairmaire, 1855 B M S

Pogonocherus (Pityphilus) fasciculatus fasciculatus (De Geer, 1775) B M S

Pogonocherus (Pityphilus) ovatus (Goeze, 1777) B M S

Subgenus: **Pogonocherus** Dejean, 1821

Pogonocherus (Pogonocherus) eugeniae eugeniae Ganglbauer, 1891 M

Pogonocherus (Pogonocherus) hispidulus (Piller & Mitterpacher, 1783) B M S

Pogonocherus (Pogonocherus) hispidus (Linnaeus, 1758) B M S

Tribus: **Tetropini** Portevin, 1927Genus: **Tetrops** Kirby, 1826Subgenus: **Tetrops** Kirby, 1826

| | |
|---|---------|
| <i>Tetrops gilvipes adlbaueri</i> Lazarev, 2012 | B ? M S |
| <i>Tetrops gilvipes mikati</i> Slama, 2019 | S |
| [<i>Tetrops gilvipes</i> Faldermann, 1837] | |
| <i>Tetrops peterkai</i> Skořepa, 2020 | B M S |
| <i>Tetrops praetermitus</i> Sláma, 2020 | B |
| <i>Tetrops praeustus praeustus</i> (Linnaeus, 1758) | B M S |
| <i>Tetrops starkii starkii</i> Chevrolat, 1859 | B M S |

Tribus: **Acanthocinini** Blanchard, 1845Genus: **Acanthocinus** Dejean, 1821Subgenus: **Acanthocinus** Dejean, 1821

| | |
|--|-------|
| <i>Acanthocinus (Acanthocinus) aedilis</i> (Linnaeus, 1758) | B M S |
| <i>Acanthocinus (Acanthocinus) griseus</i> (Fabricius, 1793) | B M S |
| <i>Acanthocinus (Acanthocinus) reticulatus</i> (Razoumowsky, 1789) | B M S |

Genus: **Leiopus** Audinet-Serville, 1835Subgenus: **Leiopus** Audinet-Serville, 1835

| | |
|---|-------|
| <i>Leiopus (Leiopus) linnei</i> Wallin, Nýlander & Kvamme, 2009 | B M S |
| <i>Leiopus (Leiopus) nebulosus nebulosus</i> (Linnaeus, 1758) | B M S |
| <i>Leiopus (Leiopus) punctulatus</i> (Paykull, 1800) | B M S |

Tribus: **Exocentrini** Pascoe, 1864Genus: **Exocentrus** Dejean, 1835Subgenus: **Exocentrus** Dejean, 1835

| | |
|--|---------|
| <i>Exocentrus (Exocentrus) adpersus</i> Mulsant, 1846 | B M S |
| <i>Exocentrus (Exocentrus) lusitanus</i> (Linnaeus, 1767) | B M S |
| <i>Exocentrus (Exocentrus) punctipennis</i> Mulsant & Guillebeau, 1856 | B M S |
| <i>Exocentrus (Exocentrus) stierlini</i> Ganglbauer, 1883 | ? M ? S |

Tribus: **Saperdini Mulsant, 1839**Genus: **Menesia** Mulsant, 1856Subgenus: **Menesia** Mulsant, 1856*Menesia (Menesia) bipunctata* (Zoubkoff, 1829) B M SGenus: **Saperda** Fabricius, 1775Subgenus: **Compsidia** Mulsant, 1839*Saperda (Compsidia) populnea populnea* (Linnaeus, 1758) B M SSubgenus: **Lopezcolonia** Alonso-Zarazaga, 1998*Saperda (Lopezcolonia) octopunctata* (Scopoli, 1772) B M S*Saperda (Lopezcolonia) perforata* (Pallas, 1773) B M S*Saperda (Lopezcolonia) punctata* (Linnaeus, 1767) B M S*Saperda (Lopezcolonia) scalaris scalaris* (Linnaeus, 1758) B M SSubgenus: **Saperda** Fabricius, 1775*Saperda (Saperda) carcharias* (Linnaeus, 1758) B M S*Saperda (Saperda) similis* Laicharting, 1784 B M SGenus: **Stenostola** Dejean, 1835*Stenostola dubia* (Laicharting, 1784) B M S*Stenostola ferrea ferrea* (Schrank, 1776) B M SGenus: **Oberea** Dejean, 1835Subgenus: **Amaurostoma** Müller, 1906*Oberea (Amaurostoma) erythrocephala erythrocephala* (Schrank, 1776) B M S*Oberea (Amaurostoma) euphorbiae* (Germar, 1813) ?M S*Oberea (Amaurostoma) histrionis* Pic, 1917 B M SSubgenus: **Oberea** Dejean, 1835*Oberea (Oberea) linearis* (Linnaeus, 1761) B M S*Oberea (Oberea) oculata* (Linnaeus, 1758) B M S*Oberea (Oberea) pupillata* (Gyllenhal, 1817) B M SGenus: **Phytoecia** Pic, 1892Subgenus: **Cardoria** Mulsant, 1863*Phytoecia (Cardoria) scutellata* (Fabricius, 1792) M SSubgenus: **Musaria** J. Thomson, 1864*Phytoecia (Musaria) affinis affinis* (Harrer, 1784) M S*Phytoecia (Musaria) argus* (Frölich, 1793) M SSubgenus: **Opsilia** Mulsant, 1863*Phytoecia (Opsilia) coeruleascens coeruleascens* (Scopoli, 1763) B M S*Phytoecia (Opsilia) molybdaena* (Dalman, 1817) S*Phytoecia (Opsilia) uncinata* (Redtenbacher, 1842) B M S

Subgenus: **Phytoecia** Pic, 1892

| | |
|--|-------|
| <i>Phytoecia (Phytoecia) caerulea caerulea</i> (Scopoli, 1772) | M S |
| <i>Phytoecia (Phytoecia) cylindrica</i> (Linnaeus, 1758) | B M S |
| <i>Phytoecia (Phytoecia) icterica</i> (Schaller, 1783) | B M S |
| <i>Phytoecia (Phytoecia) nigricornis</i> (Fabricius, 1781) | B M S |
| <i>Phytoecia (Phytoecia) pustulata pustulata</i> (Schrank, 1776) | B M S |
| <i>Phytoecia (Phytoecia) virgula virgula</i> (Charpentier, 1825) | M S |

Genus: **Pilemia** Fairmaire, 1863

Subgenus: **Pseudopilemia** Kasatkin, 2018

| | |
|--|-------|
| <i>Pilemia (Pseudopilemia) hirsutula hirsutula</i> (Frölich, 1793) | ? M S |
|--|-------|

Tribus: **Agapanthiini** Mulsant, 1839

Genus: **Calamobius** Guerin-Ménéville, 1849

| | |
|---------------------------------------|-------|
| <i>Calamobius filum</i> (Rossi, 1790) | B M S |
|---------------------------------------|-------|

Genus: **Theophilea** Pic, 1895

| | |
|--|-----|
| <i>Theophilea subcylindricollis</i> Hladil, 1988 | M S |
|--|-----|

Genus: **Agapanthia** Audinet-Serville, 1835

Subgenus: **Agapanthia** Audinet-Serville, 1835

| | |
|--|---------|
| <i>Agapanthia (Agapanthia) bohemica</i> Sláma, 2017 | B |
| <i>Agapanthia (Agapanthia) cardui</i> (Linnaeus, 1767) | ? B M S |

Subgenus: **Epopetes Gistel, 1857**

| | |
|---|-------|
| <i>Agapanthia (Epopetes) cynarae cynarae</i> (Germar, 1817) | ? M S |
| <i>Agapanthia (Epopetes) dahli dahli</i> (Richter, 1821) | M S |
| <i>Agapanthia (Epopetes) villosoviridescens</i> (De Geer, 1775) | B M S |

Subgenus: **Homoblephara** Pesarini & Sabbadini, 2004

| | |
|--|-----|
| <i>Agapanthia (Homoblephara) maculicornis maculicornis</i> (Gyllenhal, 1817) | ? S |
|--|-----|

Subgenus: **Smaragdula** Pesarini & Sabbadini, 2004

| | |
|--|-------|
| <i>Agapanthia (Smaragdula) intermedia</i> Ganglbauer, 1884 | B M S |
| <i>Agapanthia (Smaragdula) violacea</i> (Fabricius, 1775) | M S |
| <i>Agapanthia (Smaragdula) viti</i> Rapuzzi & Sama, 2012 | M S |

Subgenus: **Synthapsia** Pesarini & Sabbadini, 2004

| | |
|--|------------------|
| <i>Agapanthia (Synthapsia) kirbyi kirbyi</i> (Gyllenhal, 1817) | B ^E S |
|--|------------------|

Genus: **Agapanthiola** Ganglbauer, 1900

| | |
|--|-----------|
| <i>Agapanthiola leucaspis</i> (Steven, 1817) | ? B ? M S |
|--|-----------|