

Updated 19.09.2024

CATALOGUE OF PALAEARCTIC CHRYSOMELOIDEA (Vesperidae, Disteniidae, Cerambycidae)

M.L. Danilevsky

The current version is based on the publication of the Palaeartic Chrysomeloidea Catalogue: Danilevsky M.L. 2020 (ed.). Catalogue of Palaeartic Coleoptera, vol. 6 (1), Chrysomeloidea I (Vesperidae, Disteniidae, Cerambycidae). Revised and updated edition. Leiden / Boston: Brill, i-xxii, 1-712. **All editions and corrections are marked with red.**

South of European Russia includes Orenburg, Saratov, Voronezh and Kursk regions.

Centr of European Russia includes Samara, Penza, Tambov, Lipetsk, Orel and Bryansk, as well as Kirov, Kostroma, Yaroslavl, Tver, Novgorod, Pskov and Kaliningrad regions.

North of European Russia includes Komi, Vologda and Leningrad regions.

I am very grateful to G. Tavakilian for many very important corrections!

The geographical data of the list are consistent with other my lists by Nikolay Anisimov (Blagoveshchensk).

Any comments are welcome to danilevsky@cerambycidae.net

superfamily **CHRYSOMELOIDEA**
family **VESPERIDAE** Mulsant, 1839
subfamily **Vesperinae** Mulsant, 1839
tribe **Vesperini** Mulsant, 1839

genus *Vesperus* Dejean, 1821: 111 type species *Stenocorus strepens* Fabricius, 1793

abeli Verdugo, 2022: 61 **E: SP**

aragonicus Baraud, 1964: 38 **E: FR SP**

barredai Verdugo, 2009: 22 **E: PT SP**

bolivari Oliveira, 1890: 359 **E: PT SP**

reitteri Cameron, 1912: 49

brevicollis Graells, 1858: 89 **E: PT SP**

conicicollis conicicollis Fairmaire, 1866a: 69 **E: SP N: MO**

conicicollis hispalensis Fuente, 1901: 44 **E: PT SP**

baesuriensis Zuzarte, 1985: 99

creticus Ganglbauer, 1886b: 310 **E: GR**

flaveolus Mulsant & Rey, 1863: 169 **N: AG TU**

fuentei Pic, 1905a: 5 **E: SP**

rufescens Pic, 1921a: 4

semiobscurus Pic, 1921a: 4

gomezi Verdugo, 2004: 67 **E: SP**

jertensis Bercedo & Bahillo de la Puebla, 1999: 150 **E: SP**

joanivivesi Vives, 1998: 186 **E: SP**

lucasi Barreda & Mejías García, 2013: 82 **E: SP**

luridus Rossi, 1794: 96 (*Stenocorus*) **E: CR FR IT ME**

graecus Guérin-Méneville, 1833a: pl. 46

solieri Germar, 1836: 20

macropterus Sama, 1999a: 42 **E: IT (Sardegna)**

nigellus Compte Sart, 1963: 183 **E: SP**

ocularis Mulsant & Rey, 1863: 172 **A: TR**

sanzi Reitter, 1895b: 132 **E: PT SP**

saquranus López, Baena, & Castro, 2020: 482 **E: SP**

serranoi Zuzarte, 1985: 97 **E: PT**

strepens Fabricius, 1793: 297 (*Stenocorus*) **E: FR IT**

ligusticus Vitali, 2001: 149

litigiosus Mulsant, 1862: 443

xatarti Dufour, 1839: 219 **E: FR SP**

#362

#463

amori Mendizábal, 1939: 70

subfamily **Philinae** J. Thomson, 1861

tribe Philini J. Thomson, 1861

genus *Heterophilus* Pu, 1988: 302 type species *Heterophilus scabricollis* Pu, 1988

dentitibialis Chiang, B. Chen & Zhang, 1996: 110, 112 A: XIZ

punctulatus Chiang, B. Chen & Zhang, 1996: 109, 111 A: XIZ

scabricollis Pu, 1988: 294, 303 A: XIZ

genus *Mantitheus* Fairmaire, 1889c: lxxxix type species *Mantitheus pekinensis* Fairmaire, 1889

Paraphilus Gahan, 1893a: 255 type species *Paraphilus duplex* Gahan, 1893

acuminatus Pic, 1946d: 155 A: CH

murzini Vives, 2005a: 244 A: SCH

pekinensis Fairmaire, 1889c: xc A: BEI FUJ GUA GUX HEB HEI HEN JIA MG NMO SHA SHN SHX

duplex Gahan, 1893a: 255 (*Paraphilus*)

gracilis Pic, 1924b: 79

taiguensis Wu & Jiang, 2000: 87 A: SHX

genus *Philus* Saunders, 1853: 110 type species *Philus inconspicuus* Saunders, 1853 (= *Stenochorus antennatus* Gyllenhal, 1817)

antennatus Gyllenhal, 1817: 180 (*Stenochorus*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX SHA SHN TAI ZHE

ORR

inconspicuus Saunders, 1853: 110

stuposus Gyllenhal, 1817: 180 (*Stenochorus*)

curticollis Pic, 1930a: 15 A: CE SE SHA SW **ORR**

pallescens pallescens Bates, 1866a: 350 A: FUJ GUA GUI GUX HEN HKG HUN JIX SCH SHA TAI ZHE **ORR #526**

cantonensis Pic, 1930a: 14

pallescens tristis Gressitt, 1940b: 25 A: HAI

genus *Spiniphilus* Lin & Bi, 2011: 54 type species *Spiniphilus spinicornis* Lin & Bi, 2011

spinicornis Lin & Bi, 2011: 55 A: YUN

xiaodongi Bi & Lin, 2015: 576 A: YUN

family **DISTENIIDAE** J. Thomson, 1861

subfamily **Disteniinae** J. Thomson, 1861

tribe Cyrtonopini Gressitt, 1940

genus *Cyrtonops* White, 1853a: 32 type species *Cyrtonops punctipennis* White, 1853

Cladopalpus Lansberge, 1886: 35 type species *Cladopalpus hageni* Lansberge, 1886

asahinai Mitono, 1947a: 77 A: TAI

#400 #526

caliginosus Holzschuh, 2016c: 106 A: SHA

niger Gahan, 1906a: 60 A: XIZ "North India" "Himalaya" **ORR**

#400

punctipennis White, 1853a: 33 A: GUA NP YUN XIZ "Himalaya" **ORR**

#399 #400

hageni Lansberge, 1886: 36 (*Cladopalpus*)

simplicipes Holzschuh, 1991c: 6 A: UP

wuzhishanensis Z. Wang, 2014: 14, 1123 A: HAI

tribe Disteniini J. Thomson, 1861

genus *Clytomelegena* Pic, 1928: 11 type species *Clytomelegena postaurata* Pic, 1928

Noeconia Murzin, 1988: 161 type-species *Noeconia kabakovi* Murzin, 1988

kabakovi Murzin, 1988: 162 (*Noeconia*) A: GUX **ORR**

genus *Distenia* Lepelletier & Audinet-Serville, 1828: 485 type species *Distenia columbina* Lepelletier & Audinet-Serville, 1828

Apheles Blessig, 1872: 165 type species *Apheles gracilis* Blessig, 1872

Basisvallis Santos-Silva & Hovore, 2007: 23 type species: *Distenia agroides* Bates, 1870

Sakuntala Lameere, 1890: ccxiii type species *Sakuntala kalidasae* Lameere, 1890

Thelxiope J. Thomson, 1864: 226 [HN] type species *Thelxiope viridicyanea* J. Thomson, 1864

Thomsonistenia Santos-Silva & Hovore, 2007: 3 [RN] type species: *Thelxiope viridicyanea* J. Thomson, 1864

subgenus *Distenia* Lepelletier & Audinet-Serville, 1828: 485 type species *Distenia columbina* Lepelletier & Audinet-Serville, 1828

ampliata Pu, 1985c: 429 A: ANH

dissimilis Chiang & Wu, 1987: 19 A: SCH

formosana Mitono, 1936: 420 A: TAI

gracilis Blessig, 1872: 168 (*Apheles*) A: FE HEI JIL LIA NC SC

japonica japonica Bates, 1873: 155 A: FE (Kurils) JA

japonica yakushimana Yokoyama, 1966: 54 A: JA

kalidasae Lameere, 1890: ccxiv (*Sakuntala*) A: SD UP **ORR**

mellina Holzschuh, 1995: 5 A: YUN

nigrosarsa Pic, 1914d: 17 A: GUI SCH YUN #400
notabilis Chiang & Wu, 1987: 17 A: XIZ
orientalis Bi & Lin, 2013: 84 A: FUJ GUA JIX SHA SHX ZHE #400
perforans Holzschuh, 1995: 6 A: YUN
picea Chiang & Wu, 1987: 22 A: SCH
pici Villiers, 1958: 264 A: SD #343
punctulatoides Hubweber, 2010: 61 A: SHA
punctulata Chiang & Wu, 1987: 18 [HN]
rufobrunnea Holzschuh, 1995: 6 A: SCH
shennongjiaensis Pu, 1985c: 427 A: HUB
stenola Chiang & Wu, 1987: 21 A: YUN
tricostata Chiang & Wu, 1987: 20 A: SCH
tuberosa Pu, 1985c: 427 A: SCH
wolongensis Chiang & Wu, 1987: 20 A: SCH

genus *Melegena* Pascoe, 1869a: 656 type species *Melegena pubipennis* Pascoe, 1869
fulva Pu, 1990: 234 A: FUJ GUA GUX #400

genus *Nericonia* Pascoe, 1869a: 657 type species *Nericonia trifasciata* Pascoe, 1869
nigra Gahan, 1894a: 30 A: YUN ORR

genus *Noemia* Pascoe, 1857b: 111 type species *Noemia flavicornis* Pascoe, 1857
Nethinius Fairmaire, 1889b: xciv type species *Nethinius sanguinicollis* Fairmaire, 1889
incompta Gressitt, 1935c: 181 A: TAI ORR #400
semirufa Villiers, 1958: 268 A: HAI HKG ORR #400
submetallica Gressitt, 1940b: 29 A: 29 HAI YUN ORR #400

genus *Tengius* Matsushita, 1938: 204 type species *Tengius okuboi* Matsushita, 1938
ohkuboi kurosawai Makihara, 1986c: 275 A: JA #276
ohkuboi ohkuboi Matsushita, 1938: 105 A: JA #276

genus *Typodryas* J. Thomson, 1864: 227 type species *Typodryas callichromoides* J. Thomson, 1864
Psalanta Pascoe, 1869a: 658 type species *Psalanta chalybeata* Pascoe, 1869
brunnicollis Chiang & Wu, 1987: 23 A: GUX
callichromoides J. Thomson, 1864: 227 A: HAI ORR

tribe Dynamostini Lacordaire, 1868

genus *Dynamostes* Pascoe, 1857b: 90 type species *Dynamostes audax* White, 1853
audax Pascoe, 1857b: 90 A: NP SD YUN ORR #400

family CERAMBYCIDAE Latreille, 1802 subfamily Parandrinae Blanchard, 1845 tribe Parandrini Blanchard, 1845

genus *Archandra* Lameere, 1912a: 114 type species *Parandra caspia* Ménétrés, 1832 #519
caspia Ménétrés, 1832: 225 (*Parandra*) A: AB IN #96
genus *Komiyandra* Santos-Silva, Heffern & Matsuda, 2010: 7 type species *Parandra janus* Bates, 1875
formosana Miwa & Mitono, 1939: 92 (*Parandra*) A: TAI #401 #526
lanyuana Hayashi, 1981b: 27 (*Parandra*) A: TAI (Lanyu Is.)
shibatai hidai Fujita, 2018: 20 A: JA (Ryukyus: Amami Isls, Tokuno-shima Is.)
shibatai ogurai Fujita, 2018: 20 A: JA (Ryukyus: Okinawa Isls, Okinawa-honto Is.)
shibatai shibatai Hayashi, 1963a: 50 (*Parandra*) A: JA (Ryukyus: Amami-Oshima Is.)
uenoi Santos-Silva, Heffern & Matsuda, 2010: 11-12, 36 A: JA (Ryukyus: Iriomote-jima Is. & Ishigaki-jima Is.)
genus *Neandra* Lameere, 1912a: 114 type species *Tenebrio brunneus* Fabricius, 1798 #519
brunnea Fabricius, 1798: 49 (*Tenebrio*) Ei: ?GB GE NAR #456 #498
conformis J. Thomson, 1867b: 115 (*Parandra*)
dentata J. Thomson, 1867b: 115 (*Parandra*)
minuta J. Thomson, 1867b: 116 (*Parandra*)
purpurea Herbst, 1799: 21 (*Tenebrio*)
quadricollis J. Thomson, 1867b: 114 (*Parandra*)
sayi J. Thomson, 1867b: 114 (*Parandra*)

subfamily Prioninae Latreille, 1802 tribe Acanthophorini J. Thomson, 1864

genus Anthracocentrus Quentin & Villiers, 1983: 82 type species *Tithoes arabicus* J. Thomson, 1877
arabicus J. Thomson, 1877: 266 (*Tithoes*) N: AG EG LB MO A: AE BA IS JO OM SA SI YE **AFR**
rugosiceps Pic, 1925g: 404 (*Notophysis*)
vicarius Lameere, 1912a: 173 (*Acanthophorus*)
modicus Gahan, 1894b: 222 (*Acanthophorus*) A: PA (Punjab)
rugiceps Gahan, 1894b: 223 (*Acanthophorus*) A: IN PA **ORR**
hardei Heyrovský, 1959: 2 (*Acanthophorus*)

genus Tithoes J. Thomson, 1864: 289 type species *Prionus maculatus* Fabricius, 1793
confinis Laporte, 1840: 395 (*Acanthophorus*) N: EG A: SA YE **AFR**
crassipes Quedenfeldt, 1882: 320 (*Tithoes*)
falcatus Kolbe, 1897: 350 (*Tithoes*)
gnatho Kolbe, 1897: 351 (*Tithoes*)
gularis Kolbe, 1897: 350 (*Tithoes*)
intermedius J. Thomson, 1877: 266 (*Tithoes*)
longicornis Kolbe, 1897: 351 (*Tithoes*)
mandibularis J. Thomson, 1877: 265 (*Tithoes*)

tribe Aegosomatini J. Thomson, 1861

genus Aegolipton Gressitt, 1940b: 22 type species *Cerambyx marginalis* Fabricius, 1775
marginale Fabricius, 1775: 169 (*Cerambyx*) A: ANH AP FUJ GUA GUI GUX HAI HKG HUN JIA JIX SCH TIA YUN **ORR** #123
#280

javanicum L. Redtenbacher, 1868: 202 (*Aegosoma*)
yunnanense Feng & L. Chen, 2007: 718
meiyingae Drumont & Bi, 2015a: 207 A: HAI
sauteri Lameere, 1913: 175 (*Megopis*) A: TAI

#123

genus Aegosoma Audinet-Serville, 1832: 162 type species *Cerambyx scabricornis* Scopoli, 1763
dorei Drumont, Gouverneur, Tavakilian & Collard, 2018: 42 A: YUN **ORR**

drumontii Ripaille, 2020: 36 A: XIZ
fuliginosum Drumont, Ripaille & Collard, 2019: 89 A: YUN **ORR** #519

fulvum Ripaille & Drumont, 2020: 79 A: FUJ GUA JIX
george Do, 2015: 233, 235 A: YUN **ORR** #247

guerryi Lameere, 1916a: 324 (*Megopis*) A: GUX SCH YUN #123
hainanense hainanense Gahan, 1900d: 347 A: FUJ GUA GUX HAI JIA SCH TAI YUN **ORR**

mushense Kano, 1933a: 259 (*Megopis*)
ivanovi Danilevsky, 2011g: 2 A: FE
katsurai Komiya, 2000: 419 (*Megopis*) A: AP GUX SCH XIZ YUN **ORR** #123 #280 #400 #520
ornaticolle White, 1853a: 30 A: AP BT FUJ GAN GUA GUI HAI HUB NP SCH SD SHA SHN TAI XIZ YUN **ORR** #123 #280

pseudornaticolle Ripaille & Drumont, 2017: 99 A: SCH
ripilliei Koshkin & Drumont, 2023: 593 A: YUN **ORR**
scabricorne Scopoli, 1763: 54 (*Cerambyx*) E: AL AU BH BU BY CR CZ FR GB GE GR HU IT **LT** MC MD ME NL RO SB SK SL SP ST
SZ TR UK A: AB AR GG IN IQ LE SY TR #30 #34

sinicum adachii Fujita, 2018: 20 A: JA (Ryukyus: Amami & Okinawa Isls: Honto Is.)
sinicum savoryi Kusui, 1973: 119 (*Megopis*) A: JA (Ogasawara Isls.)
sinicum sinicum White, 1853a: 30 A: ANH BEI FE FUJ GAN GUA GUI HAI HEB HEI HEN HUB HUN LIA JIA JIL JIX LIA NC NMO SC
SCH SHG SHN SHX TAI TIA XIZ YUN ZHE **ORR** #60 #123

amplicolle Motschulsky, 1854a: 48
corniculum Yoshida, 1931: 273 (*Megopis*)
sinicum validicorne Gressitt, 1951b: 205 (*Megopis*) A: JA (Ryukyus: Okinawa Isls: Iriomote & Ishigaki Isls)
ogurai Takakuwa, 1984: 9 (*Megopis*)

genus Baralipton J. Thomson, 1857g: 341 type species *Baralipton maculosum* J. Thomson, 1857
maculosum J. Thomson, 1857g: 342 A: AP GUI GUX HAI HUN SD XIZ YUN **ORR** #123 #280 #520

genus Dinoprionus Bates, 1875: 49 type species *Dinoprionus cephalotes* Bates, 1875
cephalotes Bates, 1875: 50 A: AP SD XIZ YUN **ORR** #116 #520

genus Megobaralipton Lepsme & Breuning, 1952: 140 type species *Aegosoma bicoloripes* Ritsema, 1881d
mandibulare choui Komiya & Drumont, 2014: 196 A: FUJ (Xiamen & Kinmen Isls)
mandibulare mandibulare Fairmaire, 1900: 637 (*Aegosoma*) A: FUJ TAI #400

genus Metaeosoma Komiya & Drumont, 2012b: 182 type species *Megopis pici* Lameere, 1915
pici Lameere, 1915b: 179 (*Megopis*) A: GUI YUN

genus Nepiodes Pascoe, 1867c: 410 type species *Nepiodes cognatus* Pascoe, 1867

bowringi Gahan, 1894b: 226 (*Aegosoma*) A: AP NP PA SD **ORR**
costipennis costipennis White, 1853a: 28 (*Megopis*) A: AP SCH SD XIZ YUN "Himalaya" **ORR** #280 #520
lacertosus Pascoe, 1867c: 413 (*Aegosoma*)
costipennis multicaudatus Fuchs, 1966: 19 (*Megopis*) A: AP FUJ GUA GUI GUX HAI SCH YUN ZHE **ORR** #123 #280 #520
sulcipennis White, 1853a: 31 (*Aegosoma*) A: FUJ NP TAI YUN "North India" **ORR** #122 #123
lineatus Hüdepohl, 1994: 186 (*Megopis*)

genus Palaeomegopis Boppe, 1911a: 29 type species *Palaeomegopis lameerei* Boppe, 1911
Steinkea Hüdepohl, 1993: 321 type species *Steinkea lehmanni* Hüdepohl, 1993 (= *Palaeomegopis lameerei* Boppe, 1911)
komiyai Drumont, 2006b: 282 A: YUN
lameerei Boppe, 1911a: 30 A: GUX SD XIZ YUN **ORR**
lehmanni Hüdepohl, 1993: 322 (*Steinkea*)

genus Rhineimegopis Komiya & Drumont, 2001: 392 type species *Eurypoda cordieri* Lameere, 1916
cordieri Lameere, 1916b: 234 (*Eurypoda*) A: HAI **ORR**

genus Spinimegopis K. Ohbayashi, 1963: 7 type species *Megopis nipponica* Matsushita, 1935
buckleyi Gahan, 1894b: 227 (*Aegosoma*) A: AP HP NP UP
curticornis Komiya & Drumont, 2007: 374 A: GUA
delahayei Komiya & Drumont, 2007: 358 A: AP YUN **ORR**
formosana formosana Matsushita, 1933a: 163 (*Megopis*) A: GAN GUI GUX TAI #123 #400
formosana lanhsuensis Hayashi, 1974a: 2 (*Megopis*) A: TAI (Lanyu Is.)
fujitai Komiya & Drumont, 2007: 357 A: GUI GUX HUB YUN **ORR** #123
guangxiensis Feng & Chen, 2009: 38 (*Megopis*) A: GUX
huai Komiya & Drumont, 2007: 373 A: FUJ HUB SCH SHA
ishigakiana Yoshinaga & Nakayama, 1972: 19 (*Megopis*) A: JA (Ryukyus)
lividipennis Lameere, 1920: 142 (*Megopis*) A: GUX SCH YUN **ORR** #123
nepalensis Hayashi, 1979: 83 (*Megopis*) A: BT NP SD XIZ YUN #123
nipponica hachijoana Fujita, 1980: 11 (*Megopis*) A: JA (Tokara Isls., Izu Isls.) #276
nipponica kawazoei Hayashi, 1961b: 36 (*Megopis*) A: JA (Ryukyus) #276
nipponica nipponica Matsushita, 1935: 538 (*Megopis*) A: JA
nipponica okinawana Fujita, 1980: 5 (*Megopis*) A: JA (Ryukyus) #276
nipponica yakushimana Fujita, 1980: 4 (*Megopis*) A: JA
perroti Fuchs, 1966: 17 (*Megopis*) A: YUN **ORR**
piliventris antennalis Fuchs, 1966: 18 (*Megopis*) A: XIZ YUN **ORR**
piliventris piliventris Gressitt, 1950: 135 (*Megopis*) A: YUN **ORR** #173
tibialis White, 1853a: 32 (*Aegosoma*) A: AP BT HP NP SCH SD XIZ YUN ?ZHE **ORR** #123 #280 #400

tribe Anacolini J. Thomson, 1857

genus Casiphia Fairmaire, 1894a: 223 type species *Casiphia thibeticola* Fairmaire, 1894
subgenus Casiphia Fairmaire, 1894a: 223 type species *Casiphia thibeticola* Fairmaire, 1894
Casiphioptionus Pic, 1916c: 2 type species *Casiphioptionus limbatus* Pic, 1916 (= *Casiphia thibeticola* Fairmaire, 1894)
himalayaensis J.-K. Li & Zhang, 2013: 53 A: NP
inopinata Hüdepohl, 1998: 210 A: GUX YUN **ORR** #123
thibeticola Fairmaire, 1894a: 223 A: SCH XIZ YUN **ORR**
limbatus Pic, 1916c: 2 (*Casiphioptionus*)
subgenus Flabelloptionus Heyrovský, 1933: 133 type species *Flabelloptionus szechuanus* Heyrovský, 1933
szechuana Heyrovský, 1933: 134 (*Flabelloptionus*) A: SCH YUN #123
yunnana Drumont & Komiya, 2002: 31 A: SCH YUN

genus Drumontiana Danilevsky, 2001d: 228 type species *Casiphia lacordairei* Semenov, 1927
amplipennis Gressitt, 1939b: 82 (*Psephactus*) A: ZHE
francottei Komiya & Niisato, 2007: 562 A: YUN
lacordairei Semenov, 1927: 237 (*Casiphia*) A: XIZ YUN **ORR** #400

genus Hystatoderes Lameere, 1917: 146 type species *Hystatoderes vitalisi* Lameere, 1917 (= *Emphiesmenus weissi* Lameere, 1915)
weissi Lameere, 1915a: 56 (*Emphiesmenus*) A: HUN **ORR** #400
vitalisi Lameere, 1917: 147 (*Hystatoderes*)

genus Pedoprionus Komiya, 2021: 1 type species *Pedoprionus uenoi* Komiya, 2021 #604
uenoi Komiya, 2021: 1 A: AP

genus Psephactus Harold, 1879a: 367 type species *Psephactus remiger* Harold, 1879
remiger insularis Hayashi, 1961b: 37 A: JA (Ryukyus)
remiger remiger Harold, 1879a: 368 A: JA SC #400 #526

scabripennis chichijimensis Kusama, 1973: 119 A: JA (Ogasawara Isls.)
scabripennis scabripennis Kusama, 1973: 118 A: JA (Ogasawara Isls.)
taiwanus Kano, 1933a: 260 A: TAI

genus *Sarmydyus* Pascoe, 1867c: 410 type species *Sarmydyus antennatus* Pascoe, 1867
antennatus Pascoe, 1867c: 410 A: ?FUJ ?GUA ?GUX ?HAI ?HUN ?JIA ?SHA ?YUN **ORR** #519
bagh Majumder, Drumont, Bouyer & Chandra, 2020: 544 A: AP BT NP SD UP XIZ **ORR**
cheni Drumont & Bi, 2014: 268 A: XIZ
dulongensis Bi & Drumont, 2017: 125 A: YUN
fujishiroi Drumont, 2006a: 220 A: GUX SCH YUN **ORR**
trichodes Feng & L. Chen, 2006: 610
lii Drumont & Ripaille, 2019: 159 A: TAI #520
loebli Drumont & Weigel, 2010: 67 A: YUN **ORR** #381
panda Drumont & Bi, 2017: 128 A: YUN
subcoriaceus Hope, 1831: 27 (*Prionus*) A: HP NP UP XIZ YUN #123 #248

genus *Vietetropis* Komiya, 1997: 39 type species *Vietetropis viridis* Komiya, 1997
cheni Drumont, Bi & Ripaille, 2019: 4 A: GUX
viridis Komiya, 1997: 40 A: XIZ YUN **ORR**

tribe Callipogonini J. Thomson, 1861

genus *Callipogon* Audinet-Serville, 1832: 140 type species *Prionus barbatus* Fabricius, 1781
subgenus *Eoxenus* Semenov, 1899c: 570 type species *Callipogon relictus* Semenov, 1899
relictus Semenov, 1899c: 563 A: FE GAN HEB HEI JIL LIA NC NMO SC SHA SHX TIA #123

tribe Cantharocnemini J. Thomson, 1861

genus *Cantharocnemis* Audinet-Serville, 1832: 132 type species *Cantharocnemis spondyloides* Audinet-Serville, 1832
subgenus *Cantharocnemis* Audinet-Serville, 1832: 132 type species *Cantharocnemis spondyloides* Audinet-Serville, 1832
Acmene Gistel, 1848a: 129 [unnecessary substitute name]
Cantharofaedus Gilmour, 1956a: 219 type species *Cantharocnemis migsii* Gilmour, 1956 (= *Cantharocnemis spondyloides* Audinet-Serville, 1832)
Hoploscelis Audinet-Serville, 1832: 169 type species *Hoploscelis lucanoides* Audinet-Serville, 1832 (= *Cantharocnemis spondyloides* Audinet-Serville, 1832)
spondyloides Audinet-Serville, 1832: 132 N: EG MO (Western Sahara) A: OM SA YE **AFR**
arabicus Fuchs, 1969: 381
gahani Lameere, 1902: 312
grandidieri Lameere, 1912a: 124
latibula Fairmaire, 1882b: 94
lucanoides Audinet-Serville, 1832: 170 (*Hoploscelis*)
migsii Gilmour, 1956a: 219
modestus Fairmaire, 1897b: 150
obockianus Fairmaire, 1890: 549
variolosus Fairmaire, 1882a: liv
subgenus *Cantharoprion* Lameere, 1902: 314 type species *Cantharocnemis livingstonii* Westwood, 1866
downesii Pascoe, 1858: 236 A: HP NP **ORR** #366
subgenus *Paracantharocnemis* Plavilstshikov, 1933e: 114 type species *Cantharocnemis strandi* Plavilstshikov, 1933
strandi Plavilstshikov, 1933e: 113 A: SA YE

genus *Cantharoctenus* Westwood, 1866: 134 type species *Cantharocnemis burchellii* Westwood, 1866
filippovi Plavilstshikov, 1933h: 263 (*Cantharocnemis*) A: SA YE #774

tribe Ergatini Fairmaire, 1864

genus *Callergates* Lameere, 1904: 47 type species *Ergates gaillardoti* Chevrolat, 1854
gaillardoti Chevrolat, 1854: 481 (*Ergates*) E: GR (Rodas, Samos, Lesbos) N: EGi A: CY LE SY TR #383
akbesianus Pic, 1900n: 81 (*Ergates*)

genus *Ergates* Audinet-Serville, 1832: 143 type species *Prionus serrarius* Panzer, 1793 (= *Cerambyx faber* Linnaeus, 1760)
Caratambyx Gistel, 1856: 375 type species *Cerambyx faber* Linnaeus, 1760
faber faber Linnaeus, 1760: 187 (*Cerambyx*) E: AL AN AU BE BH BU BY CR CT CZ FR GBi GE GR HU IT LA LT ME NL PL PT SB SK
SL SP ST SV SZ TR UK N: MO A: AR ?AB GG IQ SY TR
alkani Demelt, 1968a: 28
bulzanensis Laicharting, 1784: 1 (*Prionus*)
crenatus Fabricius, 1801: 264 (*Prionus*)
grandiceps Tournier, 1872: 257
obscurus Olivier, 1795: 26 (*Prionus*)
portitor Schrank, 1781b: 312 (*Cerambyx*)
serrarius Panzer, 1793b: 6 (*Prionus*)
faber opifex Mulsant, 1851a: 122 E: IT (Sicilia, Calabria) N: AG

tribe Eurypodini Gahan, 1906

genus Eurypoda Saunders, 1853: 109 type species *Eurypoda antennata* Saunders, 1853

subgenus Eurypoda Saunders, 1853: 109 type species *Eurypoda antennata* Saunders, 1853

Zarax Pascoe, 1867c: 410 type species *Zarax eurypodoides* Pascoe, 1867 (= *Eurypoda nigrita* J. Thomson, 1865)

antennata Saunders, 1853: 110 A: ANH GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX QIN SC () SCH SHG TAI TIA YUN ZHE #123

dauidis Fairmaire, 1886b: 355

boninensis Hayashi & Kusama, 1973: 117 A: JA (Ogasawara Isls)

nigrita J. Thomson, 1865: 577 A: GUI GUX YUN **ORR**

#123

eurypodoides Pascoe, 1867c: 410 (*Zarax*)

unicolor ebiharai Fujita, 2018: 20 A: JA (Ryukyus: Yaeyama Isls)

unicolor kamakarii Fujita, 2018: 20 A: JA (Ryukyus: Amami Isls)

unicolor unicolor Hayashi, 1956d: 11 A: JA SC (Geogesi)

#442

tsushimana K. Ohbayashi, 1963: 7

subgenus Neoprion Lacordaire, 1868: 131 type species *Neoprion parandraeformis* Lacordaire, 1868

batesi Gahan, 1894b: 225 A: FUJ GUA GUI GUX HAI HUB HUN JA JIX SC (Jejudo Is.) SCH QIN YUN ZHE **ORR**

parandraeformis Lacordaire, 1868: 132 (*Neoprion*) A: QIN YUN **ORR**

tribe Macrotomini J. Thomson, 1861

subtribe Macrotomina J. Thomson, 1861

#520

genus Anomophysis Quentin & Villiers, 1981: 374 type species *Prionus spinosus* Fabricius, 1787

elliotti C. O. Waterhouse, 1884b: 379 (*Macrotoma*) A: NP SD YUN **ORR**

#400

difformis Nonfried, 1892c: 377 (*Macrotoma*)

elongata Quentin & Villiers, 1981: 380 A: XIZ **ORR**

#123

hainana Gressitt, 1940b: 18 (*Macrotoma*) A: GUA GUI GUX HAI HUN YUN **ORR**

#123

inscripta C. O. Waterhouse, 1884b: 380 (*Macrotoma*) A: AF AP KA NP PA UP **ORR**

#75 #280 #376 #390

katoi Gressitt, 1938b: 149 (*Macrotoma*) A: TAI

plagiata C. O. Waterhouse, 1884b: 381 (*Macrotoma*) A: AF AP HP KA NP PA SD UP **ORR**

#280

vidua Lameere, 1903: 167 (*Macrotoma*)

spinosus Fabricius, 1787: 130 (*Prionus*) A: ?NP UP **ORR**

#85 #520

genus Bandar Lameere, 1912a: 144 type species *Prinobius pascoei* Lansberge, 1884

maedai Komiya 2016: 27 A: AP

pascoei formosae Gressitt, 1938b: 147 (*Macrotoma*) A: JA (Ryukyus) TAI

obscuribrunnea Hayashi, 1962c: 2 (*Macrotoma*)

pascoei gressitti Quentin & Villiers, 1981: 364 A: GUX SCH XIZ YUN

pascoei pascoei Lansberge, 1884: 144 [RN] (*Prinobius*) A: ANH AP BT FUJ GUA GUI GUX HAI HEB HP HUB HUN JIX LIA NMO NP

SCH SD SHA UP XIZ YUN ZHE **ORR**

#123

fisheri C. O. Waterhouse, 1884b: 382 (*Macrotoma*)

genus Macrotoma Audinet-Serville, 1832: 137 [NP] type species *Prionus serripes* Fabricius, 1781

Dapsilus Gistel, 1848a: ix [NO] type species *Prionus serripes* Fabricius, 1781

palmata Fabricius, 1793: 249 (*Prionus*) N: AG EG LB MO A: SA YE **AFR**

bohmi Reitter, 1903a: 46

brevipes Kolbe, 1894a: 49

— *coelaspis* White, 1853a: 38

#567

humeralis White, 1853a: 37

rugulosa Kolbe, 1894a: 49

senegalensis Olivier, 1795: 22 (*Prionus*)

spinipes Illiger, 1805: 107 (*Prionus*)

valida J. Thomson, 1877: 271

genus Mallodon Lacordaire, 1830: 171 type species *Cerambyx spinibarbis* Linné, 1758

#387

#520

arabicum Buquet, 1843: 330 A: YE (Suqutra)

genus Prinobius Mulsant, 1842a: 207 type species *Prinobius myardi* Mulsant, 1842

Prinobius Chevrolat, 1854: 482 [unnecessary emendation]

myardi atropos Chevrolat, 1854: 482 A: CY IS JO LE SY TR

cedri Marseul, 1856: 48

myardi gaubilii Chevrolat, 1859b: cxxxv N: AG ?EG LB ?MO TU

goudotii Chevrolat, 1859c: cxxxx

lethifer Fairmaire, 1859b: cxxxviii

myardi myardi Mulsant, 1842a: 207 [Corse] E: FR PT SP

abscisus Gilmour, 1954: 27 (*Macrotoma*)

germari Mulsant, 1846: 291

myardi proksi Sláma, 1982: 203 E: GR (Crete)
myardi slamorum Danilevsky, 2012: 698 [RN] E: AL BH BU CR GR IT ME TR UK A: GG IN TR
scutellaris Germar, 1817: 219 [HN] (*Prionus*)
samai Drumont & Rejzek, 2008: 4 A: IN TR

#775

subtribe Remphanina Lacordaire, 1868

#520

genus *Remphan* G. R. Waterhouse, 1836: 67 type species *Remphan hopei* G. R. Waterhouse, 1836
hopei G. R. Waterhouse, 1836: 67 A: YUN ORR
alteni Nonfried, 1892c: 376 (*Macrotoma*)
guineensis Lameere, 1893b: 39

genus *Rhaesus* Motschulsky, 1875: 153 [RN] type species *Rhaesus persicus* Motschulsky, 1875 (= *Prionus serricollis* Motschulsky, 1838)
Rhesus J. Thomson, 1861: 291 [HN] type species *Prionus serricollis* Motschulsky, 1838
serricollis Motschulsky, 1838: 187 (*Prionus*) E: AL BU GR MC ME ST TR N: EG I A: AB AR CY GG IN IS LE SY TR
persicus Motschulsky, 1875: 154
robustus C.H.G. Heyden, 1844: 15 (*Aulacopus*)

genus *Rhaphipodus* Audinet-Serville, 1832: 168 type species *Rhaphipodus suturalis* Audinet-Serville, 1832
fatalis Lameere, 1912a: 137 A: GUI GUX YUN ORR
fruehstorferi Lameere, 1903: 74 A: FUJ GUX HAI YUN ORR
gahani Lameere, 1903: 72 A: AP BT GUI GUX NP SD UP YUN
manillae Newman, 1842a: 247 (*Mallodon*) A: TAI ORR

#520

#123

#280 #400

tribe Meroscelisini J. Thomson, 1861

genus *Tragosoma* Audinet-Serville, 1832: 159 type species *Cerambyx depsarius* Linnaeus, 1767
depsarium Linnaeus, 1767: 624 (*Cerambyx*) E: AL AN AU BH BE BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT MC ME NR NT
PL RO SB SK SL SP ST SV SZ UK A: ES FE WS

tribe Prionini Latreille, 1802

genus *Dorysthenes* Vigors, 1826: 514 type species *Prionus rostratus* Fabricius, 1793
subgenus *Baladeva* G. R. Waterhouse, 1840: 225 type species *Dorysthenes walkeri* G. R. Waterhouse, 1840
sternalis Fairmaire, 1902a: 244 (*Cyrtognathus*) A: GAN HEB JIX ?LIA NP SCH YUN ZHE #123 #390
walkeri G. R. Waterhouse, 1840: 226 A: FUJ GUA GUX HAI HUB JIX SCH YUN ORR #123
siamensis Nonfried, 1892c: 375 (*Cyrtognathus*)
subgenus *Cyrtognathus* Dejean, 1835: 316 type species *Prionus paradoxus* Faldermann, 1833
Cyrtognathus J. Thomson, 1861: 328 [unjustified emendation]
hydropicus Pascoe, 1857b: 91 (*Prionus*) A: ANH BEI GAN GUI GUX HAI HEB HEN HKG HUB HUN JIA JIL JIX LIA NMO SHA SHG
SHN TAI TIA ZHE "China Borealis" #123 #526
breviceps Fairmaire, 1900: 637 (*Cyrtognathus*)
chinensis J. Thomson, 1861: 328 (*Cyrtognathus*)
paradoxus Faldermann, 1833: 63 (*Prionus*) A: ANH FE GAN GUA GUI HAI HEB HEI HEN HKG HUB JIA JIL JIX KO LIA MG NIN
NMO QIN SCH SHA SHN SHX TIA ZHE #123 #489
aquilinus J. Thomson, 1865: 577 (*Cyrtognathus*)
tippmanni Heyrovský, 1950: 127
subgenus *Dorysthenes* Vigors, 1826: 514 type species *Prionus rostratus* Fabricius, 1793
davidis Fairmaire, 1886b: 353 A: GUI SCH YUN
rostratus Fabricius, 1793: 243 (*Prionus*) A: PA ORR
subgenus *Lophosternus* Guérin-Méneville, 1844: 209 type species *Lophosternus buquetii* Guérin-Méneville, 1844
Cyrtosternus Guérin-Méneville, 1844: 210 type species *Lophosternus hopei* Guérin-Méneville, 1844
angulicollis Fairmaire, 1886b: 354 (*Cyrtognathus*) A: GUX ?TAI YUN #123
dentipes Fairmaire, 1902a: 243 (*Cyrtognathus*) A: GUX YUN ORR
florentinii Fairmaire, 1895: 175 (*Cyrtognathus*) A: GUX ORR
gracilipes Lameere, 1915a: 58 A: XIZ YUN
huegelii L. Redtenbacher, 1844: 550 (*Cyrtognathus*) A: AF AP HEN HP KA NP PA SD UP YUN ZHE ORR #280 #400
falco J. Thomson, 1877: 262 (*Cyrtognathus*)
palpalis Gahan, 1906a: 12 (*Lophosternus*)
incognitus Hergovits, 2019: 3 ?A: GUX JIX KA NP YUN ORR #457
indicus Hope, 1831: 27 (*Prionus*) A: AP BT HP NP SD XIZ ORR #280 #366
hopei Guérin-Méneville, 1844: 210 (*Lophosternus*)
socius Gahan, 1906a: 11 (*Lophosternus*)
zivetta zivetta J. Thomson, 1877: 263 (*Cyrtognathus*) A: NP SD XIZ YUN "Himalaya" "North India" ORR #123
subgenus *Paraphrus* J. Thomson, 1861: 330 type species *Cyrtognathus granulatus* J. Thomson, 1861
granulatus J. Thomson, 1861: 329 (*Cyrtognathus*) A: FUJ GAN GUA GUI GUX HAI HKG HUB JIX QIN SCH SD SHN TIA YUN ZHE
"India" ORR #123
subgenus *Prionomimus* Lameere, 1912a: 176 type species *Prionus fossatus* Pascoe, 1857
elegans elegans N. Ohbayashi, 1981: 45 A: TAI

elegans ishigakiensis N. Ohbayashi, 1981: 46 A: JA (Ryukyus)
fossatus Pascoe, 1857b: 90 (*Prionus*) A: ANH FUJ GAN GUA GUI HAI HEN HUB HUN JIX QIN SCH SHA YUN ZHE #123
igai Matsushita, 1941: 151 (*Prionus*) A: TAI
pici Lameere, 1912a: 176 A: TAI

genus *Lobarthron* Semenov, 1900: 333 type species *Prionus balassogloi* Jakovlev, 1885
balassogloi balassogloi Jakovlev, 1885a: 91 (*Prionus*) A: UZ (Tashkent env., Chimgan Mt., West of Chatkal Range)
breve Semenov, 1888: 157 (*Prionus*)
nadari Fairmaire, 1892b: cxxiv (*Prionus*)
balassogloi brevispinum Jakovlev, 1885a: 92 (*Prionus*) A: KI KZ UZ (Khumsan env., Sidzhak)

genus *Macroprionus* Semenov, 1900: 324 type species *Prionus heros* Semenov, 1900
heros Semenov, 1900: 320 (*Prionus*) A: GAN XIN #123

genus *Mesoprionus* Jakovlev, 1887c: 323 type species *Prionus asiaticus* Faldermann, 1837
abaii Holzschuh, 2007: 177 A: IN
angustatus Jakovlev, 1887c: 327 (*Prionus*) A: AF IN KI KZ TD TM UZ
angheri Brancsik, 1899: 102 (*Prionus*)
bucharicus Semenov, 1900: 328 (*Prionus*)
asiaticus Faldermann, 1837: 263 (*Prionus*) E: KZ ST A: AB AR GG IN KZ TR #400
areschanus Fairmaire, 1905: 79 (*Prionus*)
henkei Schaufuss, 1879: 475 (*Prionus*)
besikanus Fairmaire, 1855: 318 (*Prionus*) E: AL BU GR MC SB TR A: CY TR #778
batelkai Sláma, 1996: 75 (*Prionus*)
consimilis Holzschuh, 1981: 92 (*Prionus*) A: IN
lefebvrei Marseul, 1856: 47 (*Prionus*) A: IS JO LE SI SY TR #182 #778
persicus L. Redtenbacher, 1850: 49 (*Prionus*) A: IN IQ TR
compressicornis Semenov, 1933: 293 (*Prionus*)
jakowlewi Semenov, 1899a: 105 (*Prionus*)
petrovitzi Holzschuh, 1981: 91 (*Prionus*) A: IN
tangerianus Sláma, 1996: 76 (*Prionus*) N: MO #78 #778
zarudnii Semenov, 1933: 292 (*Prionus*) A: TDПAMMMMMMMMMMM

genus *Microarthron* Pic, 1900b: 2 type species *Polyarthron komarowi* Dohrn, 1885
komaroffi Dohrn, 1885: 64 (*Polyarthron*) A: KZ TD TM UZ

genus *Miniprionus* Danilevsky, 2000d: 189 type species *Prionus pavlovskii* Semenov, 1935
pavlovskii Semenov, 1935b: 239 (*Prionus*) A: AF TD (Kulyab env.) #233 #345

genus *Monocladum* Pic, 1898e: 28 type species *Polyarthron aegyptiacum* Guérin-Méneville, 1844
aegyptiacum aegyptiacum Guérin-Méneville, 1844: 214 (*Polyarthron*) N: EG LB A: IS JO SI AFR
afrum Baudi di Selve, 1889b: 197 (*Polyarthron*)
baudii Pic, 1898f: 30 (*Polyarthron*)
unipectinatum White, 1853a: 21 (*Polyarthron*)
aegyptiacum arabicum Villiers, 1961b: 449 A: SA YE
aegyptiacum granulipenne Holzschuh, 1993b: 112 [RN] A: SA YE
arabicum Fuchs, 1969: 381[HN] (*Prionus*)
iranicum Villiers, 1961b: 449 A: IN

genus *Opisognathus* J. Thomson, 1861: 330 type species *Prionus forficatus* Fabricius, 1798
forficatus Fabricius, 1798: 141 (*Prionus*) N: MO
favieri Blanchard, 1842: 129 (*Prionus*)

genus *Parapsilotarsus* Danilevsky, 2018c: 484 type species *Prionus potaninei* Lameere, 1912
potaninei Lameere, 1912b: 195 (*Prionus*) A: SCH

genus *Plumiprionus* Lin & Danilevsky, 2017: 50 type species *Prionus boppei* Lameere, 1912
boppei Lameere, 1912b: 195 (*Prionus*) A: XIZ YUN #123
plumicornis Pu, 1987: 90 (*Prionus*) A: XIZ

genus *Pogonarthron* Semenov, 1899e: 257 type species *Polyarthron bedeli* Semenov, 1899
subgenus *Multicladum* Danilevsky, 2014j: 268 type species *Prionus semenovianus* Plavilstshikov, 1936
semenovianum Plavilstshikov, 1936: 92 (*Prionus*) A: AF TD (Kulyab env.)
subgenus *Pogonarthron* Semenov, 1899e: 257 type species *Polyarthron bedeli* Semenov, 1899
bedeli Semenov, 1899e: 249 (*Polyarthron*) A: TD
petrovi ivanovae Pak & Skrylnik, 2014: 7 A: TD
petrovi petrovi Danilevsky, 2004c: 11 A: TD

tschitscherini brunnescens Danilevsky & Shapovalov, 2017: 854 A: KI ?UZ

tschitscherini pallidus Danilevsky & Shapovalov, 2017: 855 A: KI UZ

tschitscherini tschitscherini Semenov, 1889b: 225 (*Polyarthron*) A: KI

tschitscherini Semenov, 1935b: 240 (*Prionus*) [unjustified emendation]

subgenus *Pseudomonocladum* Villiers, 1961b: 445 type species *Polyarthron minutum* Pic, 1905

minutum loeffleri Fuchs, 1956: 75 [= 1957: 289] (*Prionus*) A: IN

minutum minutum Pic, 1905d: 300 (*Polyarthron*) A: IN

minutum obenbergeri Heyrovský, 1939a: 27 (*Prionus*) A: IN

semenowi Lameere, 1912b: 224 (*Prionus*) A: IQ

genus *Polyarthron* Audinet-Serville, 1832: 189 type species *Prionus pectinicornis* Fabricius, 1793

Neynis Gistel, 1848a: xi [unnecessary substitute name]

pectinicornis desvauxii Fairmaire, 1868b: 499 N: AG (north)

moissoni Pic, 1893f: cclx [= 1893b: 107]

pici Lameere, 1912b: 229 (*Prionus*)

separatum Pic, 1901: 15

group *fairmairei*

pectinicornis fairmairei Pic, 1893b: 110 [RN] N: AG LB TU **AFR**

nat. *fairmairei* Pic, 1893b: 110 [RN] - north

barbarum Fairmaire & Coquerel, 1866: 67 [HN]

nat. *chatanayi* Lameere, 1915a: 59 (*Prionus*) - south

pectinicornis jolyi Pic, 1895g: ccclxxxv N: AG MO

nat. *jolyi* Pic, 1895g: ccclxxxv - north

filali Kocher, 1956: 124

nat. *lothei* Villiers, 1946: 35 (*Prionus*) - south-west of the area

saharensis Pic, 1898e: 27

nat. *reymondi* Kocher, 1956: 124 - west - Dra

pectinicornis pectinicornis Fabricius, 1793: 251 (*Prionus*) N: MO (Western Sahara) **AFR** #778

nat. *pectinicornis* Fabricius, 1793: 251 (*Prionus*) - marginal west of the area (Senegal)

nat. *faurebigueti* Pic, 1898l: 165 - central part of the area - Tombouctou, Mali (from Akjoujt to Sokoto)

nat. *gaillardii* Lameere, 1912b: 231 (*Prionus*) - marginal east of the area - Chad (to Ennedi)

philbyi Villiers, 1968: 846 A: SA

genus *Polybarthron* Semenov, 1899e: 258 type species *Polyarthron margelanicum* Théry, 1896

margelanicum Théry, 1896: 108 (*Polyarthron*) A: KI KZ UZ

semirufum Pic, 1900b: 3 (*Polyarthron*)

unionis Pic, 1898e: 34 (*Polyarthron*)

genus *Prionoblemma* Jakovlev, 1887b: 318 type species *Prionoblemma przewalskyi* Jakovlev, 1887

Usprion Plavilstshikov, 1915e: 133 type species *Usprion semenovianum* Plavilstshikov, 1915

prezvalskyi Jakovlev, 1887b: 319 A: XIN

semenovianum Plavilstshikov, 1915e: 134 (*Usprion*)

genus *Prionomma* White, 1853a: 19 type species *Prionus orientalis* Olivier, 1795 (= *Prionus atratus* Gmelin, 1790) #520

subgenus *Ancyloprotus* White, 1853a: 19 type species *Ancyloprotus bigibbosus* White, 1853

bigibbosum White, 1853a: 19 A: AP GUX HAI NP SD YUN **ORR** #626

genus *Prionus* Geoffroy, 1762: 198 type species *Cerambyx coriarius* Linnaeus, 1758

Prionellus Casey, 1924: 209 type species *Prionus pocularis* Dalman, 1817

antonkozlovi Drumont & Komiya, 2021: 127 A:FUJ

coriarius Linnaeus, 1758: 389 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MD M

NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG ?MO TU A: AB AR GG IN KZ SY TR WS #428 #655

burdajewiczii Bodemeyer, 1927b: 74

prionus DeGeer, 1775: 59 (*Cerambyx*)

schaufussi Jakovlev, 1887c: 326

tridentatus Linnaeus, 1758: 354 (*Scarabaeus*)

vicinus Jakovlev, 1887c: 325

corpulentus Bates, 1878b: 720 A: AF KA NP PA

delavayi delavayi Fairmaire, 1887a: 130 A: SCH YUN

delavayi lorenci Drumont & Komiya, 2006: 11 A: FUJ HUB GUA GUI JIX SCH SHA XIZ YUN ZHE #123

elegans Demelt, 1972b: 89 A: PA

elliotti Gahan, 1906a: 16 A: AF PA

evae Demelt, 1972b: 89 A: PA

dacatrai Pesarini & Sabbadini, 1997: 98

gahani Lameere, 1912b: 189 A: CHQ GAN SCH YUN #123

galantorum Drumont & Komiya, 2006: 27 A: SCH YUN

insularis insularis Motschulsky, 1858a: 36 A: ANH BEI ES FE FUJ GAN HEB HEI HEN HKG ?HUB HUN JA JIA JIL JIX LIA NC NMO

SC ?SCH SHA SHN SHX TIA ?XIN ?YUN ZHE #123 #526
ichikii Nishiguchi, 1941: 31
tetanicus Pascoe, 1867c: 412
insularis yakushmanus K. Ohbayashi, 1964: 19 A: JA
komyai Lorenc, 1999: 13 A: LE SY TR
kucerai Drumont & Komiya, 2006: 22 A: GAN HEN NIN SHA SHX
lameerei Semenov, 1927: 235 A: SCH YUN
laminicornis Fairmaire, 1897e: 254 A: HEB SCH SHA TIA "North China" #123 #225
 heterotarsus Lameere, 1915a: 58
mali Drumont, Xi & Rapuzzi, 2015: 104 A: YUN
murzini Drumont & Komiya, 2006: 23 A: YUN
nakamurai N. Ohbayashi & Makihara, 1985: 11 A: TAI
puae Drumont & Komiya, 2006: 20 A: GUX YUN
scabripunctatus Hayashi, 1971: 1 A: TAI
sejunctus Hayashi, 1959a: 4 A: JA
sifanicus Plavilstshikov, 1934f: 220 A: CHQ SCH #123
siskai Drumont & Komiya, 2006: 15 A: SCH XIZ YUN ORR
vartianorum Fuchs, 1967: 431 A: AF PA #274
 genus *Prionus*, species incertae sedis
sterbai Heyrovský, 1950: 128 A: IN

genus *Priotyranus* J. Thomson, 1857b: 120 type species *Prionus mordax* White, 1853
subgenus *Chollides* J. Thomson, 1877: 264 type species *Chollides closteroides* J. Thomson, 1877
 Cnethocerus Bates, 1878a: 273 type species *Cnethocerus messi* Bates, 1878 (= *Priotyranus closteroides* J. Thomson, 1877)
 Derechinus Fairmaire, 1902c: 317 type species *Derechinus delatouchii* Fairmaire, 1902 (= *Priotyranus closteroides* J. Thomson, 1877)
 Prionacus Fairmaire, 1896a: 127 type species *Prionacus strigicornis* Fairmaire, 1896 (= *Priotyranus closteroides* J. Thomson, 1877)
closteroides closteroides J. Thomson, 1877: 265 (*Chollides*) A: ANH FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX LIA NMO
 SCH SHA TAI TIA YUN ZHE ORR #123
 delatouchii Fairmaire, 1902c: 317 (*Derechinus*)
 messi Bates, 1878a: 273 (*Cnethocerus*)
 rabieri Lameere, 1912a: 174
 strigicornis Fairmaire, 1896a: 127 (*Prionacus*)
 testaceus Kano, 1933b: 130
closteroides lutauensis N. Ohbayashi & Makihara, 1985: 13 A: TAI (Ludau Is.)
hueti Drumont, 2008: 4 A: YUN ORR

genus *Pseudoprionus* Pic, 1898e: 33 type species *Polyarthron bienerti* Heyden, 1885
altimontanus Kabakow & Dolin, 1996: 45 (*Prionus*) A: AF
bienerti bienerti Heyden, 1885c: 311 (*Polyarthron*) A: IN TM
 banghaasi Pic, 1901i: 32 (*Polyarthron*)
 pluschewskyi Jakovlev, 1887a: 157 (*Polyarthron*)
bienerti waitzbaueri Adlbauer & Drumont, 2010: 73 A: JO

genus *Psilotarsus* Motschulsky, 1860e: 537 [1861c: 443] type species *Prionus brachypterus* Gebler, 1830
 Brachyprionus Jakovlev, 1887c: 324 type species *Prionus brachypterus* Gebler, 1830
 Otiartes J. Thomson, 1864: 283 type species *Prionus asiaticus* Faldermann, 1837 *sensu* J. Thomson, 1864 (= *Prionus brachypterus* Gebler, 1830)
 Prionoxyis Semenov, 1899a: 104 [RN] type species *Prionus brachypterus* Gebler, 1830
 Psilopus Gebler, 1860: 504 [HN] type species *Prionus brachypterus* Gebler, 1830
 Psilopus Motschulsky, 1875: 152 [HN] type species *Prionus brachypterus*, Faldermann, 1836 (= *Prionus brachypterus* Gebler, 1830)
brachypterus alpherakii Semenov, 1900: 324 (*Prionus*) A: XIN
brachypterus aralensis Danilevsky, 2000a: 8 A: KZ UZ
brachypterus brachypterus Gebler, 1830: 179 (*Prionus*) A: KZ XIN #123 #400
 latidens Motschulsky, 1860e: 537 [1861c: 443]
brachypterus hemipterus Motschulsky, 1845a: 90 (*Prionus*) E: KZ ST A: KZ UZ WS
 longipennis Motschulsky, 1860e: 537 [1861c: 443]
brachypterus pubiventris Semenov, 1900: 332 (*Prionus*) A: KZ #278
 hypogymna Semenov, 1900: 331 (*Prionus*)
heydeni alatauensis Danilevsky, 2014i: 54 A: KZ
heydeni arkitensis Danilevsky, 2000a: 27 A: KI
heydeni heydeni Ganglbauer, 1888b: 265 (*Prionus*) A: KI UZ
 minusculus Semenov, 1935b: 249 (*Prionus*)
heydeni talassicus Danilevsky, 2000a: 29 A: KI
hirticollis auliensis Danilevsky, 2000a: 19 A: KI KZ UZ #278
hirticollis hirticollis Motschulsky, 1860e: 537 [1861c: 443] A: KZ TD UZ #400
hirticollis nudicollis Danilevsky, 2000a: 19 A: KZ
lesnei Semenov, 1933: 293 (*Prionus*) A: IN
turkestanicus Semenov, 1888: 157 (*Prionus*) A: TD TM UZ
 curticornis Ganglbauer, 1888b: 266 (*Prionus*)

ruficornis Fairmaire, 1892b: cxxiii (*Prionus*)

genus *Unilaprionus* Lin & Danilevsky, 2017: 46 type species *Prionus unilamellatus* Pu, 1987
unilamellatus Pu, 1987: 90 (*Prionus*) A: XIZ

subfamily **Lepturinae** Latreille, 1802

tribe Caraphiini N. Ohbayashi, Lin & Yamasako, 2016

genus *Caraphia* Gahan, 1906a: 75 type species *Caraphia cribrata* Gahan, 1906

Neosalpinia Matsushita, 1933b: 303 type species *Neosalpinia lepturoides* Matsushita, 1933

Noctileptura Chemsak & Linsley, 1984: 281 type species *Noctileptura squamosa* Chemsak & Linsley, 1984

#163

ebenina Holzschuh, 1989: 361 A: GUX **ORR**

#163

granulifera Holzschuh, 1984a: 141 A: NP

huai N. Ohbayashi & Lin, 2016: 195 A: GUA HAI

laticeps Pic, 1922c: 10 (*Microrhabdium*) A: YUN

lepturoides babai Makihara, 1982b: 127 A: JA (Ryukyus)

lepturoides lepturoides Matsushita, 1933b: 304 (*Neosalpinia*) A: JA

paulastoni N. Ohbayashi & Lin, 2016: 199 A: HKG

taiwana Chou & N. Ohbayashi, 2008: 136 A: HAI TAI

#163

thailandica Hayashi & Villiers, 1987: 2 A: HAI YUN **ORR**

#163

tribe Encyclopini LeConte, 1873

genus *Encyclops* Newman, 1838a: 392 type species *Encyclops pallipes* Newman, 1838 (= *Leptura caerulea* Say, 1827)

Microrhabdium Kraatz, 1879c: 99 type species *Microrhabdium macilentum* Kraatz, 1879

concinnus Holzschuh, 1991c: 7 A: SCH

gongshanus Viktora, 2022a: 476 A: YUN

hubeiensis N. Ohbayashi & W.-K. Wang, 2004: 454 A: HUB

luteoscelis Chou & N. Ohbayashi, 2010: 360 A: TAI

macilentum Kraatz, 1879c: 99 (*Microrhabdium*) A: CH FE ?NC SC

#63

parallelus Pic, 1914e: 17 (*Microrhabdium*)

ussuricus Tsherepanov, 1975b: 42

obscurellus Holzschuh, 2015a: 42 A: YUN

olivaceus Bates, 1884a: 211 A: FE (Kunashir) JA

jocanensis Matsushita, 1933b: 169 (*Microrhabdium*)

viridipennis Makihara, 1978: 49 A: TAI

tribe Enoploderini Danilevsky, 1997

#704

genus *Enoploderes* Faldermann, 1837: 309 type species *Enoploderes sanguineus* Faldermann, 1837

subgenus *Enoploderes* Faldermann, 1837: 309 type species *Enoploderes sanguineus* Faldermann, 1837

Pyrotrichus LeConte, 1862: 41 type species *Pyrotrichus vitticollis* LeConte, 1862

Xylostylon Reitter, 1879b: 82 [1880: 484] type species *Xylostylon lederi* Reitter, 1879 (= *Enoploderes sanguineus* Faldermann, 1837)

breviantennatus Seunghyun Lee, 2023: 341 A: SC

sanguineus Faldermann, 1837: 310 E: AL ST UK A: AB AR GG IN TR

#767

lederi Reitter, 1879b: 82 [1880: 484] (*Xylostylon*)

subgenus *Pyrenoploderes* Hayashi, 1960: 12 type species *Enoploderes bicolor* K. Ohbayashi, 1941

bicolor K. Ohbayashi, 1941a: 1 A: JA ?SC

#63 #522

tribe Lepturini Latreille, 1802

#704

genus *Acanthoptura* Fairmaire, 1894a: 224 type species *Acanthoptura spinipennis* Fairmaire, 1894

denticollis Holzschuh, 1993a: 17 A: SCH

impressicollis Pic, 1920f: 117 (*Leptura*) A: SCH YUN

sericeicollis Holzschuh, 1993a: 18 A: SCH

simplicicollis Holzschuh, 1993a: 16 A: SCH

spinipennis Fairmaire, 1894a: 224 A: SCH XIZ

truncatipennis Holzschuh, 1993a: 16 A: YUN

genus *Alosterna* Mulsant, 1863: 576 type species *Leptura tabacicolor* DeGeer, 1775

Alosterna Stierlin, 1898: 479 [unjustified emendation]

anatolica Adlbauer, 1992: 490 A: TR

barimani Danilevsky, 2010f: 3 A: IN

chalybeella Bates, 1884a: 216 (*Grammoptera*) A: FE (Sakhalin, Kunashir) JA

japonica Pic, 1935d: 11 (*Grammoptera*)

diversipes Pic, 1929b: 9 (*Grammoptera*) A: FE HEI JIL NC SC

perpera Danilevsky, 1988c: 367

ingrica Baeckmann, 1902: 280 (*Grammoptera*) E: BY CT EN LA **LT** NT PL SK ST UK WS

#517

libani Márkus & Németh, 2016: 24 A: LE

pauli Pesarini, Rapuzzi & Sabbadini, 2004: 158 E: GR
scapularis Heyden, 1879a: 325 [1879b: 69] (*Strangalia*) A: AB IN TM TR
talyschensis Reitter, 1885: 391
tabacicolor azerbaijanica Danilevsky, 2014i: 386 A: AB
tabacicolor erythropus Gebler, 1841b: 612 (*Leptura*) A: ES FE JA KZ MG NE WS #276
bivittis Motschulsky, 1860b: 146 (*Grammoptera*)
plavilstshikovi Podaný, 1963b: 49
testacea Motschulsky, 1860b: 146 (*Grammoptera*)
tabacicolor hirayamai Fujita, 2018: 21 A: JA
tabacicolor sachalinensis Danilevsky, 2012m: 904 A: FE (North Sakhalin)
tabacicolor subvittata Reitter, 1885: 391 E: ST A: AB AR GG IN TR
caucasica Plavilstshikov, 1936: 305
tabacicolor tabacicolor DeGeer, 1775: 139 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS
LT LU MC MD ME NE NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: KZ TR WS
bicoloripes Pic, 1914e: 65 (*Allosterna*)
chrysoloides Schrank, 1781a: 158 (*Leptura*)
dispar Pic, 1892i: 140
genii Gmelin, 1790: 1877 (*Leptura*)
laevis Fabricius, 1793: 340 (*Leptura*)
solstitialis Herbst, 1784: 103 (*Leptura*)
tabacicolor tenebris Danilevsky, 2012m: 904 A: FE ?NC NE SC
tabacicolor tokatensis Pic, 1901n: 59 A: TR

genus *Anastrangalia* Casey, 1924: 280 type species *Leptura sanguinea* LeConte, 1859
Marthaleptura K. Ohbayashi, 1963: 9 type species *Leptura scotodes* Bates, 1873
dissimilis dissimilis Fairmaire, 1900: 639 (*Leptura*) A: FUJ HUN QIN SCH SHA YUN #400
dissimilis niitakana Kano, 1933a: 264 (*Leptura*) A: TAI #526
hirayamai Matsushita & Tamanuki, 1943: 80 (*Leptura*) (“Inokashira bei Tokyo” - wrong locality) #526
dubia dubia Scopoli, 1763: 47 (*Leptura*) E: AL AN AU BH BU ?BY CR CZ FR GE GR HU IT LS LU MC ME PL RO SB SK SL SP SZ
UK N: AG A: TR #752
basinotata Pic, 1932d: 31 (*Leptura*)
birubronotata Pic, 1941b: 1 (*Leptura*)
chamomillae Fabricius, 1801: 359 (*Leptura*)
cincta Fabricius, 1801: 356 (*Leptura*)
curierensis Pic, 1945b: 6 (*Leptura*)
graeca Pic, 1932d: 31 (*Leptura*)
limbata Laicharting, 1784: 166 (*Leptura*)
luctuosa Mulsant, 1839: 278 (*Leptura*)
notata Olivier, 1800: 11 (*Leptura*) #373
planeti Pic, 1945b: 5 (*Leptura*)
dubia moreana Pic, 1906h: 96 (*Leptura*) E: GR (Peloponnese)
atrovittata Pic, 1941b: 1 (*Leptura*)
~~*birubrosignata* Pic, 1941b: 1 (*Leptura*)~~
inbasalis Pic, 1917g: 4 (*Leptura*)
dubia melanota Faldermann, 1837: 315 (*Leptura*) E: ST A: AB AR GG IN TR
dereensis Pic, 1932d: 31 (*Leptura*)
distincta Tourmier, 1872: 347 (*Leptura*)
circascutellaris Pic, 1945b: 6 (*Leptura*)
~~*curierensis* Pic, 1945b: 6 (*Leptura*)~~
curtelimeata Pic, 1941e: 5 (*Leptura*)
ratchaensis Pic, 1911: 4 (*Leptura*)
starcki Schilsky, 1892: 205 (*Leptura*)
triangulifera Reitter, 1898d: 195 (*Leptura*)
kasaharai Makihara, 2002: 339 A: JA (Ryukyus)
montana montana Mulsant & Rey, 1863: 179 (*Leptura*) E: GR (Samos) A: CY LE SY TR #591
bogasana Pic, 1932d: 31 (*Leptura*)
claudiusi Pic, 1941b: 1 (*Leptura*)
juliae Pic, 1941b: 1 (*Leptura*)
leuthneri Ganglbauer, 1886c: 516 (*Leptura*)
mulsanti Pic, 1941b: 1 (*Leptura*)
nigerrima Pic, 1892v: 415 (*Leptura*)
pernigra Reitter, 1898d: 193 (*Leptura*)
semisanguinea Reitter, 1898d: 193 (*Leptura*)
victoris Pic, 1941b: 1 (*Leptura*)
montana steineri Sama, 1994a: 10 E: GR (Crete)
renardi Gebler, 1848: 420 (*Leptura*) E: NT A: ES FE KZ MG NC (Deoknip) NMO WS XIN #63
mongolica Pic, 1922d: 18 (*Leptura*)
reyi Heyden, 1889a: 203 (*Leptura*) [RN] E: AU BY CT CZ EN FI FR GE HU IT LA LS LT NR NT PL RO SK SL SP ST SV SZ UK A: KZ
WS #752
inexpectata Jansson & Sjöberg, 1928: 212 (*Leptura*)

ochracea Rey, 1885b: 277 (*Leptura*) [HN]
rubriola Bates, 1878b: 720 (*Leptura*) A: AF FUJ KA NP PA **ORR**
kashmirica Plavilstshikov, 1927b: 105
sanguinolenta Linnaeus, 1760: 196 (*Leptura*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT MC MD ME
NL NR NT PL RO SB SK SL SP ST SV SZ UK A: AB AR GG KZ TR WS **iNTR** **#400**
bonaeriensis Burmeister, 1865: 177 (*Leptura*) [Argentina]
ignita Geoffroy, 1785: 89 (*Stenocorus*)
— *melanura* Ström, 1765: 394 (*Leptura*) [HN] **#568**
sandoeensis Palm, 1953: 124 (*Leptura*)
variabilis DeGeer, 1775: 137 (*Leptura*)
scotodes continentalis Plavilstshikov, 1936: 371 (*Leptura*) A: FE NC NE SC SCH SHA **#400**
scotodes scotodes Bates, 1873: 194 (*Leptura*) A: FE JA
kongoensis Matsushita, 1933b: 201 (*Leptura*)
rufonotata Pic, 1953a: 14 (*Leptura*)
sequensi Reitter, 1898d: 194 (*Leptura*) A: ES FE FUJ HEB HEI JA JIL KZ MG NC NMO SC WS XIN
baikalensis Pic, 1907a: 6 (*Leptura*)
baicalica Pic, 1911a: 4 (*Leptura*)
diversenotata Pic, 1907a: 6 (*Leptura*)
pulchrina Reitter, 1898d: 194 (*Leptura*)
rufopaca Reitter, 1898d: 194 (*Leptura*)
sachalinensis Matsushita, 1933a: 104 (*Leptura*)
tristina Reitter, 1898d: 194 (*Leptura*)

genus Anoplodera Mulsant, 1839: 285 type species *Leptura sexguttata* Fabricius, 1775
subgenus Anoplodera Mulsant, 1839: 285 type species *Leptura sexguttata* Fabricius, 1775
atramentaria Ganglbauer, 1889a: 59 (*Leptura*) A: GAN NMO
corvina Holzschuh, 1993a: 11 A: GAN
fokienensis Pic, 1922a: 7 (*Leptura*) A: FUJ
kingana Pic, 1903e: 105 (*Leptura*) A: SCH
septemnotata Pic, 1928e: 143 (*Leptura*)
sexnotatipennis Pic, 1928e: 143 (*Leptura*)
peregrina Holzschuh, 1993a: 12 A: GAN
porphyrophora Fairmaire, 1889a: 64 (*Leptura*) A: SCH
przewalskii Miroshnikov, 2000c: 186 A: NMO
rufihumeralis Tamanuki, 1938b: 167 (*Leptura*) A: CH FE NC **#400**
rufipes astrabadensis Pic, 1900n: 82 A: AB IN **#142**
rufipes izzilloi Sama, 1999a: 45 E: IT (Basilicata)
rufipes krueperi Ganglbauer, 1882: 707 (*Leptura*) E: GR **#142**
rufipes lucidipes Sama, 1999a: 46 A: TR
rufipes rufipes Schaller, 1783: 296 (*Leptura*) [HN] E: AL AU BH BU ?BY CR CZ ?EN FR GE GB GR HU IT LA LT LU MC MD ME ?NT
PL RO SB SK SL SP SV SZ UK **#11 #64 #142 #752**
atra Fabricius, 1775: 197 (*Leptura*) [NO] **#142**
bursensis Jureček, 1931: 124 (*Leptura*)
fuscipes Mulsant, 1839: 287
villosa Schoenherr, 1817a: 486 (*Leptura*)
rufipes ventralis Heyden, 1886a: 85 [RN] E: BY CT **KZ** ST UK A: AB AR GG ES KZ TR **WS** **#142**
medea Pic, 1909: 99 (*Leptura*)
rufiventris Tourmier, 1872: 348 (*Leptura*) [HN]
sergeii Miroshnikov, 2000c: 188 A: SCH
shamaevi Miroshnikov, 2000c: 188 A: QIN
sexguttata Fabricius, 1775: 198 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU **MC** MD NL
NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG A: GG TR **WS** **#11 #133**
atrata Schilsky, 1889: 339
biguttata Mulsant, 1839: 285
exclamationis Fabricius, 1793: 343 (*Leptura*)
guttata Pic, 1898a: 4
punctomaculata Marsham, 1802: 357 (*Leptura*)
pyrenaica Pic, 1917a: 5 (*Leptura*)
semicolon Schrank, 1798: 694 (*Leptura*)
vastatorum Pic, 1917a: 5 (*Leptura*)
uddmanniana Harrer, 1784: 225 (*Leptura*)

subgenus Falsojudolia Pic, 1935c: 11 type species *Judolia lunatipennis* Pic, 1935
lunatipennis Pic, 1935c: 11 (*Judolia*) A: GAN

genus Anoploderomorpha Pic, 1901m: 59 type species *Leptura excavata* Bates, 1884a **#526 #302**
carbonaria Holzschuh, 1993a: 13 A: SHA
cyanea Gebler, 1832: 70 (*Leptura*) A: ES FE HEB HEI HUB JA JIL MG NC NMO SC
densepunctata Hayashi & Villiers, 1994: 60 A: TAI
diplosa Holzschuh, 2003a: 161 A: YUN

excavata Bates, 1884a: 217 (*Leptura*) A: ?ZHE JA #400
formosana Matsushita, 1933b: 198 (*Leptura*) A: HAI TAI
izumii Mitono & Tamanuki, 1939: 209 (*Leptura*) A: FUJ GUA TAI YUN ZHE #400 #499
monticola Nakane, 1955: 11 A: JA
kishii Nakane, 1955: 12
rubripennis Pic, 1927f: 8 (*Leptura*) A: FUJ GUA ORR #400
granata Holzschuh, 1989b: 366 #404
sepulchralis Fairmaire, 1889a: 63 (*Leptura*) A: FUJ SCH ORR
tenebraria Holzschuh, 1995: 10 A: YUN
villigera Holzschuh, 1991c: 17 A: YUN ORR

genus *Carlandrea* Sama & Rapuzzi, 1999: 467 type species *Strangalia syriaca* Pic, 1891
syriaca Pic, 1891a: 1 (*Strangalia*) A: TR

genus *Corennys* Bates, 1884a: 224 type species *Corennys sericata* Bates, 1884a
Pseudocorennys Pic, 1953d: 41 type species *Pyrocalymma diversicornis* Pic, 1946 (= *Pyrocalymma conspicua* Gahan, 1906
caduca Holzschuh, 1998: 28 A: HUB
cardinalis Fairmaire, 1887a: 131 (*Ephies*) A: YUN
circellaris Holzschuh, 1992b: 12 A: SCH
conspicua Gahan, 1906a: 89 (*Pyrocalymma*) A: BT HAI HEB SCH SHA XIZ YUN ORR
diversicornis Pic, 1946c: 17 (*Pyrocalymma*)
sanguinea Kano, 1933a: 271 A: HAI TAI
sensitiva Holzschuh, 1998: 29 A: YUN
sericata Bates, 1884a: 225 A: HEB FE (Kunashir) JA NE SC (Mt. Myeongjisan) #212
taiwana Hayashi, 1963d: 130 A: TAI

genus *Cornumutila* Letzner, 1844: 173 type species *Leptura lineata* Letzner, 1844
Letzneria Kraatz, 1879a: 63 type species *Leptura lineata* Letzner, 1844
lineata Letzner, 1844: 173 (*Leptura*) E: AU CZ FR IT NT PL RO SK SZ UK A: ES WS
weisi Heyden, 1892c: 389 (*Letzneria*)
quadrivittata Gebler, 1830: 193 (*Leptura*) E: ?CT A: ES FE NC (Mt. Duryusan) WS #63 #648
semenovi Plavilstshikov, 1936: 313

genus *Dokhtouroffia* Ganglbauer, 1886a: 129 type species *Dokhtouroffia turkestanica* Ganglbauer, 1886 (= *Stenura nebulosa* Gebler, 1845)
Dochturovia Jakobson, 1924c: 238 [unjustified emendation]
Dokhturovia Semenov, 1926: 48 [unjustified emendation]
baeckmanni Jankowski, 1934: 109 [= 1935b: 181] (*Dochturovia*) A: KI UZ
nebulosa Gebler, 1845: 105 (*Stenura*) A: KI KZ ?MG ?SCH XIN ?XIZ
turkestanica Ganglbauer, 1886a: 129
vittata Pic, 1941b: 1 (*Dokhtouroffia*)

genus *Elacomia* Heller, 1916: 298 type species: *Elacomia collaris* Heller, 1916
Acantholeptura Gressitt, 1935h: 274 type species: *Acantholeptura glabropleura* Gressitt, 1935 (= *Leptura femorata* Pascoe, 1869)
michiōi Tippmann, 1955: 95 (*Strangalia*) A: FUJ #405
semiannulata Pic, 1916d: 5 (*Leptura*) A: GUX SCH YUN ORR #403 #526
clytoides Pesarini & Sabbadini, 2015: 34 #526

genus *Emeileptura* Holzschuh, 1991c: 22 type species *Emeileptura conspecta* Holzschuh, 1991
bicuspis N. Ohbayashi, Tichý & Bi, 2018: 32 A: YUN
conspecta conspecta Holzschuh, 1991c: 22 A: SCH
conspecta fanjingshana N. Ohbayashi, Tichý et Bi, 2018: 32 A: GUI
conspecta leishanica N. Ohbayashi, Tichý et Bi, 2018: 32 A: GUI
conspecta nagahatai N. Ohbayashi, Tichý et Bi, 2018: 30 A: SCH

genus *Ephies* Pascoe, 1866d: 506 type species *Ephies cruentus* Pascoe, 1866
apicalis Kano, 1933a: 270 A: TAI
coccineus Gahan, 1906a: 87 A: BT FUJ GUX HAI YUN ORR #400 #526
gahani Gressitt, 1940b: 31 A: HAI
japonicus japonicus Nakane & K. Ohbayashi, 1961: 6 A: JA
japonicus okinawanus Hayashi, 1968a: 21 A: JA (Ryukyus)
schwarzeri Hayashi, 1968a: 22 A: TAI
sulcipennis Bates, 1891a: 22 A: HP (Kulu)
thailandensis Hayashi, 1989: 24 A: YUN ORR

genus *Etorofus* Matsushita, 1933a: 204 type species *Etorofus variicornis* Matsushita, 1933 (= *Etorofus nemurensis* Matsushita, 1933)
subgenus *Etorofus* Matsushita, 1933b: 204 type species *Etorofus variicornis* Matsushita, 1933 (= *Etorofus nemurensis* Matsushita, 1933)

nemurensis Matsushita, 1933a: 205 A: FE JA
circaocularis Pic, 1934c: 18 (*Strangalia*)
niger Matsushita, 1933a: 205
variicornis Matsushita, 1933a: 205 [HN]
pubescens Fabricius, 1787: 158 (*Leptura*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR IT **KZ** LA LT MC ME NR NT PL RO SB
SK SL SP ST SV SZ UK A: ?GG TR #481
anticemaculata Pic, 1933h: 5 (*Strangalia*)
carinthiaca Pic, 1933h: 16
holosericea Fabricius, 1801: 358 (*Leptura*)
obscura Thunberg, 1787: 56 (*Leptura*)
ottoi Pic, 1907a: 6 (*Leptura*)
perobscura Reitter, 1901a: 77 (*Strangalia*)
subgenus *Nakanea* K. Ohbayashi, 1963: 9 type species *Leptura vicaria* Bates, 1884a
vicarius Bates, 1884a: 218 (*Leptura*) A: FE JA
adumbratus Bates, 1884: 220 (*Leptura*)
biluteomaculatus Pic, 1943c: 1 (*Strangalia*)
lajoyei Pic, 1943c: 1 (*Strangalia*)

genus *Eustrangalis* Bates, 1884a: 221 type species *Eustrangalis distenioides* Bates, 1884a
subgenus *Eustrangalis* Bates, 1884a: 221 type species *Eustrangalis distenioides* Bates, 1884a
anticeeducta Hayashi, 1958b: 46 A: JA
distenioides Bates, 1884a: 222 A: FE (Kunashir) JA
fuscisuturalis Wang Y., Xie G. [Xie G.-L.] & Wang W.-K. [Wenkai], 2024: 561 A: HUB SHA
latericollis W.-K. Wang & Jiang, 1994: 193 A: ?HUB SHA #114
subgenus *Metalleustrangalis* Ohbayashi & Lin, 2023: 112 type species *Stenura aeneipennis* Fairmaire, 1889
aeneipennis aeneipennis Fairmaire, 1889a: 63 (*Stenura*) A: HUB SCH SHA #776
aeneipennis notaticollis Pic, 1927f: 8 A: YUN **ORR**
viridipennis choui Ohbayashi & Lin, 2023: 116 A: GUX
viridipennis viridipennis Gressitt, 1935f: 380 A: TAI #526

genus *Formosopyrrhona* Hayashi, 1957a: 37 type species *Corennys cinnabarina* Gressitt, 1951 (= *Pyrocalymma hozanensis* Matsushita, 1933)
hozanensis Matsushita, 1933a: 231 (*Pyrocalymma*) A: ?HAI TAI #400
cinnabarina Gressitt, 1951a: 122 (*Corennys*)
longula Holzschuh, 1999: 20 A: HUB
satoi Hayashi, 1957b: 45 (*Pyrocalymma*) A: JA (Ryukyus)
semilaeticolor Hayashi, 1974a: 13 A: TAI

genus *Gahanaspia* N. Ohbayashi, 2014: 17 type species *Leptura miniacea* Gahan, 1906
miniacea Gahan, 1906a: 82 (*Leptura*) A: GUX NP **ORR** #27

genus *Gnathostrangalia* Hayashi & Villiers, 1985: 13 type species *Strangalia aurivillei* Pic, 1903
Pygostrangalia Pic, 1957: 76 [HN] type species *Strangalina invittaticollis* Pic, 1957 (= *Strangalia kwangtungensis* Gressitt, 1939b) #526
aurivillei Pic, 1903c: 29 (*Strangalia*) A: GUX HAI **ORR** #169
testaceipes Pic, 1943c: 1 (*Strangalia*)
valeria Pic, 1930b: 14 (*Parastrangalia*)
bilineatithorax Pic, 1922b: 22 (*Leptura*) A: FUJ GUX HUN **ORR** #169 #526
nigriventralis Chiang & W.-K. Wang, 1993: 55
tonkinea Murzin, 1988: 162 (*Strangalia*)
brevioripennis Pic, 1955a: 10 (*Strangalia*) A: ? #526
castaneonigra Gressitt, 1935g: 567 (*Leptura*) A: FUJ GUA HUN ZHE #526
elliptica L. Chen & Chiang, 1996: 188, 191 A: GUX
kurodai Hayashi, 1976: 5 (*Pygostrangalia*) A: TAI #526
kwangtungensis Gressitt, 1939b: 9 (*Strangalia*) A: FUJ GUA GUI HAI HUN JIX #400 #526
invittaticollis Pic, 1957: 76 (*Strangalina*)
rufovittata Pic, 1922c: 10 (*Strangalia*) A: GUX **ORR** #169
silvestrii Tippmann, 1955: 99 (*Strangalia*) A: FUJ HUB ZHE #114 #526
simianshana Chiang & L. Chen, 1993: 54 A: CHQ ?SCH #169
tienmushana Gressitt, 1939b: 93 (*Strangalia*) A: GUI ZHE #400 #526

genus *Gramera* Holzschuh, 2017d: 64 type species *Gramera amoena* Holzschuh, 2017d
amoena Holzschuh, 2017d: 66 A: AP

genus *Grammoptera* Dejean, 1835: 356 type species *Leptura praeusta* Fabricius, 1787 (= *Leptura ustulata* Schaller, 1783)
subgenus *Grammoptera* Dejean, 1835: 356 type species *Leptura praeusta* Fabricius, 1787 (= *Leptura ustulata* Schaller, 1783)
Fallaciomorpha Pic, 1900f: 37 type species *Grammoptera angustata* Pic, 1892
abdominalis Stephens, 1831: 262 (*Leptura*) E: AL AU BE BH BU BY CR **CT(Kaliningrad)** CZ DE FR GB GE GR HU IR IT LT LU MC NL

PL PT RO SK SL SP ST SV SZ TR UK A: AB AR GG IN TR #461
analis Herrich-Schäffer, 1833: Heft 118 (6) (*Leptura*)
nigrescens Weise, 1884: 424
variegata Germar, 1824: 522 (*Leptura*) [HN] #506
andrei Holzschuh, 1999: 10 A: QIN
angustata Pic, 1892j: 289 N: AG
bicoloricornis Pic, 1935d: 12
auricollis auricollis Mulsant & Rey, 1863: 183 N: AG
auricollis basicornis Pic, 1924c: 26 E: GR (Crete)
auricollis bipustulata Steiner, 1975: 22 E: GR
auricollis samai Sláma, 1997: 512 N: AG TU
baudii baudii Sama, 1985c: 97 A: CY
baudii pistacivora Sama, 1996b: 94 A: IS JO LE SY TR
coerulea Jureček, 1933: 128 A: FE ?NC SC #63
fulgidipennis Holzschuh, 1991c: 16 A: GAN
geniculata Kraatz, 1886: 234 (“Sierra Jaen in Andalusien”) E: ?FR PT SP #517
gracilis Brancsik, 1914: 58 A: FE NC NE SC
semenovi Baeckmann, 1924: 231
grammopteroïdes Pic, 1892d: 44 [= 1892l: clxxxv] (*Leptura*) A: LE SY
matsudai Hayashi, 1974a: 8 A: TAI
merkli Frivaldszky, 1884: 4 A: TR
ruficornis flavipes Pic, 1892h: 139 E: IT (Sicilia) #20
ruficornis holomelina Donisthorpe, 1905: 182 E: GB
ruficornis obscuricornis Kraatz, 1886: 234 A: AB (Talysh) IN
ruficornis ruficornis Fabricius, 1781: 247 (*Leptura*) [NP] E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT
LU MC MD ME NL NR PL PT RO SB SK SL SP ST SV SZ TR UK A: TR
clavipes Geoffroy, 1785: 87 (*Stenocorus*)
laevis Herbst, 1784: 103 (*Leptura*)
pallipes Stephens, 1831: 263 (*Leptura*) #20
parisina Thunberg, 1784: 16 (*Leptura*)
pumila Schaller, 1783: 299 (*Leptura*)
rufipes Goeze, 1777: 501 (*Leptura*) [NO]
semimetallica Pic, 1939b: 2 A: GAN
solai Rapuzzi & Sama, 2014a: 2 A: TR
ustulata tibialis Kraatz, 1886: 234 A: AB AR IN TR
ustulata ustulata Schaller, 1783: 298 (*Leptura*) E: AL AU BE BH BU ?BY CR CT CZ DE FR GB GE GR HU IR IT LA LU MC MD ME NL
NR PL RO SB SK SL ?SP ST SV SZ TR UK A: TR #752
adusta Gmelin, 1790: 1872 (*Leptura*)
barrosi Pic, 1900c: 6
praeusta Fabricius, 1787: 159 (*Leptura*)
semirufescens Pic, 1947a: 4
splendida Herbst, 1784: 103 (*Leptura*)
viridipennis Pic, 1893c: 111 E: IT (Sicilia)
subgenus *Neoencyclops* Matsushita & Tamanuki, 1940: 3 type species *Grammoptera cyanea* Tamanuki, 1933
brezinai Holzschuh, 1998: 18 (*Neoencyclops*) A: GAN
cyanea Tamanuki, 1933: 73 A: FE NE NC (Ompo) #400 #526
plavilstshikovi Heyrovský, 1965a: 101
debilipes Holzschuh, 1991c: 15 (*Neoencyclops*) A: SCH
elongata Pic, 1941b: 1 A: CH
lenis Holzschuh, 1999: 10 (*Neoencyclops*) A: SHA
paucula Holzschuh, 1999: 10 (*Neoencyclops*) A: SHA
querula Danilevsky, 1993e: 476 A: NC (Mt. Baekdusan)

genus *Gerdianus* Holzschuh, 2011: 270 [RN] type species *Gerdianus gracilus* Holzschuh, 2009
Gerdianus Holzschuh, 2009: 276 [HN] type species *Gerdianus gracilus* Holzschuh, 2009
zhujianqingi Bi & N. Ohbayashi, 2019: 87 A: FUJ ZHE

genus *Houzhentzia* N. Ohbayashi & Lin, 2012: 17 type species *Houzhentzia cheni* N. Ohbayashi & Lin, 2012
cheni N. Ohbayashi & Lin, 2012: 18 A: FUJ SHA

genus *Huanshengia* Wang Ch.-B. & Liu, 2021: 5 type species *Huanshengia hainana* Wang Ch.-B. & Liu, 2021
hainana Wang Ch.-B. & Liu, 2021: 6 A: HAI

genus *Idiostrangalia* Nakane & K. Ohbayashi, 1957: 49 (A243) type species *Strangalia contracta* Bates, 1884a
akiyamai Hayashi, 1978a: 86 A: TAI
albopreterminalis Hayashi & Villiers, 1989: 2 A: TAI
angustissima Gressitt, 1935d: 261 (*Strangalina*) A: TAI

atrocincta Pic, 1928b: 17 (*Strangalina*) A: SE SW **ORR**
auricoma Holzschuh, 2007: 197 A: YUN **ORR**
bilineaticollis Pic, 1915c: 12 (*Strangalina*) A: NP XIZ #390 #526
quadrisignata Hayashi & Makihara, 1981: 187
contracta Bates, 1884a: 223 (*Strangalia*) A: JA JIX
lineatocollis Gressitt, 1937b: 319 (*Strangalina*)
mediolineata Pic, 1954: 13 (*Strangalia*)
ohbayashii Matsushita, 1933b: 220 (*Strangalia*)
tamanukii Hayashi, 1959b: 61 (*Pygostrangalia*)
fukienensis Pic, 1957: 77 (*Strangalina*) A: FUJ
fukiensis Tippmann, 1955: 98 (*Strangalia*) A: ANH FUJ
hakonensis Matsushita, 1933b: 218 (*Strangalia*) A: JA
maruokai Hayashi, 1963a: 52 (*Pygostrangalia*) A: JA (Ryukyus)
nigrobaltea Holzschuh, 2016a: 76 A: YUN
rarasanensis Mitono, 1938: 19 (*Strangalia*) A: TAI
shimomurai N. Ohbayashi & Takahashi, 1985: 89 A: JA
sozanensis Mitono, 1938: 17 (*Strangalia*) A: FUJ GUA GUX HUN JIX TAI ZHE
~~*lineatocollis* Gressitt, 1937b: 319 (*Strangalina*)~~
simillima Hayashi & Villiers, 1989: 1 #135
vittatipennis Pic, 1914d: 16 (*Strangalia*) A: TAI
marginalis Kano, 1933a: 269 (*Strangalia*)
suturalis Gressitt, 1935d: 262 (*Strangalina*)

genus *Ischnostrangalis* Ganglbauer, 1889a: 53 type species *Leptura semenowi* Ganglbauer, 1889 (= *Stenura stricticollis* Fairmaire, 1889)
antennalis Holzschuh, 1991c: 21 A: SCH
apicata Holzschuh, 1992b: 8 A: SCH
davidi Pic, 1934g: 83 (*Leptura*) A: SCH
fasciolata Holzschuh, 2011: 273 A: XIZ
frugalis annulicornis Holzschuh, 2011: 274 A: SCH
frugalis frugalis Holzschuh, 1991a: 7 A: SCH
manipurensis Gahan, 1906: 86 (*Leptura*) A: YUN **ORR**
ohbayashii Tichý & Lin, 2021: 3 A: YUN
rhododendri Holzschuh, 2011: 271 A: YUN
semenowi Ganglbauer, 1889a: 53 (*Leptura*) A: SCH YUN #400
stricticollis Fairmaire, 1889a: 62 (*Stenura*) A: SCH #523
tibetensis N. Ohbayashi & Lin, 2013: 48 A: XIZ
wenhsini N. Ohbayashi & Lin, 2013: 45 A: XIZ

genus *Japanostrangalia* Nakane & K. Ohbayashi, 1957: 50 (A244) type species *Leptura dentatipennis* Pic, 1901
argodi Théry, 1896: 109 (*Strangalia*) A: SHX ANH ZHE #789
basiplicata Fairmaire, 1889a: 60 (*Stenura*) A: HEN SHX GAN HUB JIX HUN FUJ GUA HAI GUX CHQ SCH GUI YUN #789
apicicornis Pic, 1916h: 313 (*Strangalia*) #789
elegans Tippmann, 1955: 94 (*Strangalia*)
plavilstshikoviana Heyrovský, 1934c: 171 (*Strangalia*) #789
savioi Pic, 1936d: 16 (*Leptura*) #789
clermonti Pic, 1927b: 26 (*Parastrangalis*) A: GUX **ORR** #789
dentatipennis Pic, 1901m: 60 (*Leptura*) A: JA
nigricornis Ohbayashi, Bi & Lin M.-Y., 2024: 68 A: ZHE
thibetana Blanchard, 1871: 812 (*Stenura*) A: SCH #789
yamasakii Mitono, 1936: 421 (*Strangalia*) A: TAI #789
miwai Mitono, 1943: 587 (*Strangalia*)

genus *Judolia* Mulsant, 1863: 496 type species *Leptura sexmaculata* Linnaeus, 1758
dentatofasciata Mannerheim, 1852b: 308 (*Grammoptera*) E: NT A: ES FE HEI JA JIL MG NC NMO SC WS XIN #316 #400
abbreviata Motschulsky, 1875: 143 (*Grammoptera*)
dentatofasciata Motschulsky, 1859a: 571 [1859b: 232] [HN]
multidisjuncta Pic, 1914b: 5
parallelopeda Motschulsky, 1860b: 146 (*Grammoptera*)
rostiana Pic, 1902f: 19 (*Judolia*)
rufimembris Pic, 1917g: 3 (*Leptura*)
shirarakensis Matsumura, 1911: 137 (*Leptura*)
japonica Tamanuki, 1943: 179 (*Strangalia*) A: JA
miyatakei N. Ohbayashi & Bi, 2020: 96 A: ZHE
sexmaculata Linnaeus, 1758: 398 (*Leptura*) E: AN AU BY CT CZ EN FI FR GB GE GR HU IR IT LA LT NR NT PL RO SK SP ST SV SZ
 UK A: KZ
alpestris Pic, 1914b: 5
helvetica Pic, 1914b: 5

milliati Pic, 1945b: 6
x-flava Roubal, 1937: 81
testaceofasciata DeGeer, 1775: 133 (*Leptura*)
trifasciata Fabricius, 1793: 349 (*Leptura*)
tyrolensis Reineck, 1913: 300

genus *Judolidia* Plavilstshikov, 1936: 399 type species *Judolidia znojkoii* Plavilstshikov, 1936
bangi bangi Pic, 1901k: 340 (*Leptura*) A: JA #276
akitensis Matsushita, 1931a: 42 (*Leptura*)
stygica Gressitt, 1935b: 168 (*Leptura*)
bangi kyushuensis Kusakabe & N. Ohbayashi, 1992: 28 A: JA #276
znojkoii Plavilstshikov, 1936: 400 A: FE HEI JIL NC SC

genus *Kanekoa* Matsushita & Tamanuki, 1943: 79 type species *Leptura azumensis* Matsushita & Tamanuki, 1943
Acmaeopidonia Tippmann, 1955: 91 type species *Acmaeopidonia aerifera* Tippmann, 1955
aerifera Tippmann, 1955: 92 (*Acmaeopidonia*) A: FUJ #526
azumensis Matsushita & Tamanuki, 1943: 79 (*Leptura*) A: JA SC (Jejudo Is.)
lalashana Shimomura, 1980: 115 (*Anoplodera*) A: TAI #406 #526
lirata Holzschuh, 1991c: 17 A: SCH
lucidula Holzschuh, 1999: 12 A: XIZ
piligera Holzschuh, 2003a: 162 A: SCH SHA

genus *Katarinia* Holzschuh, 1991c: 18 type species *Katarinia cephalota* Holzschuh, 1991
belousovi Mirosnikov, 2015b: 289 A: YUN
cephalota Holzschuh, 1991c: 18 A: SCH
consanguinea Holzschuh, 2006a: 211 A: YUN
murzini Mirosnikov, 2015b: 287 A: SHA
teledapoides Holzschuh, 1998: 21 A: SCH

genus *Kirgizobia* Danilevsky, 1992c: 203 type species *Kirgizobia bohnei* Danilevsky, 1992
bohnei Danilevsky, 1992c: 204 A: KI

genus *Konoa* Matsushita, 1933b: 196 type species *Nivellia valida* Matsushita, 1933 (= *Leptura granulata* Bates, 1884a)
granulata Bates, 1884a: 217 (*Leptura*) A: FE JA
valida Matsushita, 1933b: 196 (*Nivellia*)

genus *Laoleptura* N. Ohbayashi, 2008: 427, 434 type species *Laoleptura phupanensis* N. Ohbayashi, 2008 #176
phupanensis N. Ohbayashi, 2008: 428, 434 A: GUX YUN ORR

genus *Leptostrangalia* Nakane & K. Ohbayashi, 1959: 64 type species *Strangalia hosohana* K. Ohbayashi, 1952
hosohana K. Ohbayashi, 1952: 414 (*Strangalia*) A: JA
nakamurai Hayashi, 1960a: 17 A: TAI
marginipennis Hayashi & Villiers, 1989: 3 (*Strangalomorpha*) [HN] #135
rufithorax J.-H. Huang & Vives, 2019: 433 A: GUX
shaanxiana Holzschuh, 1992b: 10 A: SHA
shirakii Mitono & Tamanuki, 1939: 213 (*Strangalina*) A: TAI #499 #526

genus *Leptura* Linnaeus, 1758: 397 type species *Leptura quadrifasciata* Linnaeus, 1758
subgenus *Leptura* Linnaeus, 1758: 397 type species *Leptura quadrifasciata* Linnaeus, 1758
Bothrioleptura Pesarini & Sabbadini, 2015: 27 type species *Leptura alticola* Gressitt, 1948a #526 #541
Rhytidoleptura Pesarini & Sabbadini, 2015: 29 type species *Leptura christinae* Pesarini, Rapuzzi & Sabbadini, 2015 #526
adami Hergovits, 2020a: 17 A: SCH
aethiops Poda von Neuhaus, 1761: 38 E: AL AU BE BH BY CH CR CT CZ DE EN FR GE GR HU IT LA LS LT LU MD NL NT PL RO SB
SK SL SP ST SZ UK A: ?AR ?AB ES FE FUJ ?GG GUX HEB HEI JA JIL JIX KZ MG NC QIN SC SHA WS YUN #225 #372
adustipennis Solsky, 1871a: 404 (*Strangalia*)
akitai Fujita, 2018: 23 #517 #526 #736
aterrima Motschulsky, 1860b: 147 (*Stenura*)
atra Scopoli, 1772: 100 (*Prionus*)
beckeri Pic, 1911a: 4
chihiroae Fujita, 2018: 24 #518 #526 #736
coreana Matsushita, 1933a: 104 (*Strangalia*) [HN]
letzneri Gabriel, 1895: 437
melanaria Herbst, 1784: 101
semibicolor Pic, 1912i: 90
unicolor Olivier, 1797: 518
alticola Gressitt, 1948a: 43 A: SCH XIZ YUN #400
amamiana amamiana Hayashi, 1960d: 22 A: JA (Ryukyus) #276

amamiana watanabei Hayashi, 1962c: 2 A: JA (Ryukyus) #276
ambulatrix Gressitt, 1951a: 96 A: ANH FUJ GUA GUX HUN JIX SCH YUN ZHE #176 #400 #489
annularis annularis Fabricius, 1801: 363 E: AN AU BH BY CR CT CZ ~~CZ~~ EN FR GE HU IT LA LT MD NT PL RO ?SB SK SL ST SZ UK
A: BEI ES FE GAN HEB HEI JIL JIX KZ LIA MG NC NMO SC SCH SHN SHX WS ZHE #214
arcuata Panzer, 1793a: 12 [HN]
mediodisjuncta Pic, 1902d: 10 (*Strangalia*)
annularis mimica Bates, 1884a: 219 A: FE JA #214 #276
harmandi Pic, 1901m: 61
annularis modicenotata Pic, 1901m: 61 (*Strangalia*) A: JA #276 #425
infernalis Pic, 1901m: 61 (*Strangalia*)
kinhokuana Matsushita, 1932: 191 (*Strangalia*)
naganoensis Pic, 1956: 650 (*Strangalia*)
onsenensis Pic, 1956: 650 (*Strangalia*)
quadriluteonotata Pic, 1953a: 14 (*Strangalia*) #425
semisuturalis Pic, 1953a: 14 (*Strangalia*) #425
tokioensis Pic, 1915f: 11 (*Strangalia*)
tsumagurohana K. Ohbayashi, 1955: 61
annularis nagahatai Fujita, 2018: 24 A: SC [Ulleung-do Is. = Ulleungdo Is.]
aurifera Blanchard, 1871: 812 (*Strangalia*) A: GUI SCH YUN
auratopilosa Matsushita, 1931a: 42 (*Strangalia*) A: TAI
piyanan Kano, 1933a: 267 (*Strangalia*)
quadranthoracica Tamanuki, 1943: 145 (*Strangalia*)
segregata Tamanuki, 1943: 146 (*Strangalia*)
aureopubescens Hayashi, 1974b: 12 A: JA #611
aurosericans Fairmaire, 1895: 177 A: FUJ GUA GUI GUX HEN HUB HUN JIX SCH SHA ZHE ORR #225 #526
mausonensis Pic, 1903c: 29
meridiosinica Gressitt, 1951a: 99
rufimembris Pic, 1923a: 11 (*Parastrangalis*)
sericea Pic, 1903c: 29
aurulenta Fabricius, 1793: 348 E: AL AN AU BE BH ?BY BU CR CT CZ FR GE GB GR IR HU IT LU MC MD ME PL PT RO SB SK SL
SP ST SZ TR UK N: AG TU A: TR #104 #482 #630 #752
algerica Pic, 1898a: 6 (*Strangalia*)
kitanensis Dayrem, 1922a: 17 (*Strangalia*)
lugdunensis Pic, 1916a: 2: (*Strangalia*)
mesmini Pic, 1916b: 5 (*Strangalia*)
subreducta Pic, 1915a: 5 (*Strangalia*)
viturati Pic, 1914e: 18 (*Strangalia*)
barkamica Holzschuh, 1998: 22 A: SCH
bocakorum Holzschuh, 1998: 23 A: YUN
christinae Pesarini, Rapuzzi & Sabbadini, 2015: 29 A: SCH
daliensis Holzschuh, 1998: 23 A: YUN
dellabrunai Pesarini & Sabbadini, 2015: 30 A: SCH
dembickyi Hergovits, 2020a: 18 A: SCH
dimorpha Bates, 1873: 195 A: JA
doii Matsushita, 1933a: 105 (*Strangalia*) A: FE (Iturup) #371
duodecimguttata Fabricius, 1801: 363 A: BEI ES FE FUJ HEB HEI HEN JA JIL KZ MG NC NMO QIN SC SCH SHX WS ZHE #60
bisijuncta Pic, 1904d: 14
kupfereri Pic, 1912i: 89
medijuncta Pic, 1902d: 10 (*Strangalia*)
mediosemijuncta Pic, 1927e: 13 (*Strangalia*)
subobliterata Pic, 1927e: 10 (*Strangalia*)
formosomontana Kano, 1933a: 268 (*Strangalia*) A: TAI
gorodinskii Hergovits, 2020a: 20 A: GUN
gradatula Holzschuh, 2006a: 216 A: GAN GUX SCH SHA #225
grahamiana Gressitt, 1938a: 46 A: SCH XIZ YUN
guerryi Pic, 1902i: 28 (*Strangalia*) A: SCH XIZ YUN #176 #400
jendeki Hergovits, 2020: 22a A: SHA
kabateki Hergovits, 2020: 23a A: GUN
kubani Holzschuh, 2006a: 214 A: YUN XIZ #176
kusamai keiichii N. Ohbayashi, 1999: 51 A: JA
kusamai kusamai K. Ohbayashi & Nakane, 1955: 17 A: JA
latipennis Matsushita, 1933b: 214 (*Strangalia*) A: FE JA
trigonata Hayashi, 1955: 33
lavinia Gahan, 1906a: 83 A: NP SCH SD XIZ YUN ORR #526
gibbosa Pesarini & Sabbadini, 2015: 27 #541
linwenhsini N. Ohbayashi & Chou, 2013: 30 A: TAI
longeattenuata Pic, 1939b: 1 A: GUI GUX YUN #176
masegakii Kano, 1933a: 269 (*Strangalia*) A: TAI

naxi Holzschuh, 1998: 21 A: XIZ YUN #60
nigroguttata Pic, 1927b: 27 (*Parastrangalis*) A: GUX XIZ YUN ORR #176 #385
fruhstorferi Hayashi & Villiers, 1985: 19
pubevirens Gressitt, 1935g: 568
ochraceofasciata chujoi Hayashi, 1961a: 21 A: JA
ochraceofasciata iijimai Fujita, 2018: 25 A: JA
ochraceofasciata ochraceofasciata Motschulsky, 1862: 21 (*Stenura*) A: FE FUJ GAN HEI JA JIL NC (Mt. Gwanmobong) NMO XIN ZHE
integra Pic, 1901g: 28 (*Strangalia*) [= 1943d: 6]
isolata Fujimura, 1956: 3
ochraceofasciata ochrotela Bates, 1873: 196 A: JA #120 #526
quadrifasciata lederi Ganglbauer, 1882: 697 E: ST A: AB AR GG IN TR
caucasica Plavilstshikov, 1924: 226 (*Strangalia*)
notatipennis Pic, 1897b: 5 (*Strangalia*) #569
suramensis Pic, 1915e: 5 (*Strangalia*)
quadrifasciata quadrifasciata Linnaeus, 1758: 398 E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE ?GR HU IR IT KZ LA
LS LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: ES FE JA (Hokkaido) KO KZ MG NE QIN SCH SHA
WS XIN #526
apicalis Curtis, 1831: 362
apicata Stephens, 1839: 278
bidivisa Schmidt, 1951: 13 (*Strangalia*)
guillemoti Desbrochers des Loges, 1895: 130 (*Stenura*)
interrupta Heyden, 1877a: 397 (*Strangalia*)
martialis Pic, 1941c: 1 (*Strangalia*)
melgunowi Jakobson, 1895: 523 (*Strangalia*)
mosquensis Pic, 1915e: 5 (*Strangalia*)
— *notatipennis* Pic, 1897b: 5 (*Strangalia*) #569
octomaculata DeGeer, 1775: 132
quadrupustulata Fabricius, 1793: 345
suramensis Pic, 1915e: 5 (*Strangalia*)
rufoannulata Pic, 1933b: 26 (*Strangalia*) A: FUJ HUB SCH
fisheriana Gressitt, 1938a: 45
semicornis Holzschuh, 2003a: 166 A: SCH
spinosula Pesarini & Sabbadini, 2015: 32 A: SCH
subtilis Bates, 1884a: 219 A: JA #120 #526
ohishii Matsushita & Tamanuki, 1940: 5 #526
taranan Kano, 1933a: 267 (*Strangalia*) A: TAI #60
tatsienlua Gressitt, 1948a: 45 A: XIZ SCH
tattakana Kano, 1933a: 266 (*Strangalia*) A: TAI
horishana Matsushita, 1933b: 214
mushana Tamanuki, 1939a: 144 (*Strangalia*)
viktorai Hergovits, 2020a: 24 A: XIZ
yakushimana Tamanuki, 1943: 153 (*Strangalia*) A: JA #526
yokoyamai Hayashi, 1961a: 21 A: JA
yulongshana Holzschuh, 1991c: 20 A: YUN
zonifera Blanchard, 1871: 812 (*Stenura*) A: FUJ GUI HUB NE SCH YUN ZHE
subgenus *Macroleptura* Nakane & K. Ohbayashi, 1957: 47 (241) type species *Leptura thoracica* Creutzer, 1799 #526
thoracica Creutzer, 1799: 125 E: BH BY CR CT EN FI LA ?LT NT PL RO SB SK SL ST UK A: ES FE FUJ GUI HEB HEI HUB JIL JA
KZ LIA MG NC NMO SC WS XIN ZHE #63 #276 #535
altaica Gebler, 1817: 331 (*Leptura*)
maculiceps Schmidt, 1951: 13 (*Strangalia*)
mixtepilosa Schmidt, 1951: 12 (*Strangalia*)
obscurissima Pic, 1900i: 17 (*Strangalia*) #276 #736
pliginskii Schmidt, 1951: 13 (*Strangalia*)
ussurica Pic, 1902c: 8 (*Strangalia*)
subgenus *Noona* Sama, 2007c: 102 [RN] type species *Strangalia regalis* Bates, 1884a
Nona Sama, 2002: 25 [HN] type species *Strangalia regalis* Bates, 1884
quadrizonia Fairmaire, 1902a: 244 (*Strangalia*) A: SCH YUN ORR #400
anticejuncta Pic, 1943c: 1 (*Strangalia*)
magdelainei Pic, 1937b: 6 (*Strangalia*)
regalis Bates, 1884a: 223 (*Strangalia*) A: FE JA KO
coreana Pic, 1907c: 20
maindroni Pic, 1901m: 61
genus *Lepturalia* Reitter, 1913a: 20 type species *Leptura nigripes* DeGeer, 1775
nigripes nigripes DeGeer, 1775: 136 (*Leptura*) E: AU BY CT EN FI-GI KZ LA ?LT NR NT PL RO SK SL ST SV UK A: ES KZ WS #535
intermedia Chevrolat, 1882: 59 (*Vadonia*)
nigripes rufipennis Blessig, 1873: 251 (*Strangalia*) A: ES FE KZ MG NE WS XIN
genus *Lepturobosca* Reitter, 1913a: 17 type species *Leptura virens* Linnaeus, 1758

virens Linnaeus, 1758: 397 (*Leptura*) E: AU BE BH BU BY CR CT CZ EN FI FR GB GE HU IT LA ?LT ME NR NT PL RO SB SK SL SP ST SV SZ UK A: ES FE KZ MG NE NMO WS XIN #535
fuscopubens Reitter, 1890a: 164 (*Leptura*)
kenteiensis Pic, 1900a: 4 (*Leptura*)

genus *Metalloleptura* Gressitt & Rondon, 1970: 36 type species *Strangalia virescens* Aurivillius, 1911 #400
gahani Plavilstshikov, 1921b: 110 (*Leptura*) [RN] A: GUX YUN ORR
aureoviridis Gressitt, 1941b: 332 (*Ocalemia*)
cribripennis Gahan, 1906a: 85 (*Leptura*) [HN]
laosensis Gressitt & Rondon, 1970: 36
viridescens Pic, 1923a: 12 (*Ocalemia*)
rahoarei Kano, 1933a: 264 (*Strangalia*) A: TAI

genus *Metastrangalis* Hayashi, 1960a: 16 type species *Eustrangalis albicornis* Tamanuki, 1943
albicornis Tamanuki, 1943: 119 (*Eustrangalis*) A: TAI
ochraceoventra Gressitt, 1935d: 256 (*Leptura*) A: TAI
uenoi Chou & N. Ohbayashi, 2007: 231 A: TAI

genus *Mimostrangalia* Nakane & K. Ohbayashi, 1957: 49 type species *Strangalia kurosonensis* K. Ohbayashi, 1936
kurosonensis K. Ohbayashi, 1936a: 11 (*Strangalia*) A: JA
lateripicta Fairmaire, 1895: 178 (*Leptura*) A: FUJ ORR

genus *Munamizoa* Matsushita & Tamanuki, 1940: 4 type species *Nivellia maculata* Matsushita & Tamanuki, 1935
maculata Matsushita & Tamanuki, 1935: 1 (*Nivellia*) A: JA

genus *Nanostrangalia* Nakane & K. Ohbayashi, 1959: 65 type species *Strangalia chujoi* Mitono, 1938
abdominalis Pic, 1927b: 28 (*Strangalina*) A: FUJ ORR
atayal Chou & N. Ohbayashi, 2014: 347 A: TAI
binhana Pic, 1928a: 26 (*Leptura*) A: SCH ORR
binodula Holzschuh, 2016a: 78 A: HAI
chujoi Mitono, 1938: 20 (*Strangalia*) A: TAI
comis Holzschuh, 1998: 27 A: NIN SCH #400
emeishana Holzschuh, 1991c: 25 A: SCH
modicata Holzschuh, 2008: 153 A: YUN
semichujoi Hayashi, 1974a: 11 A: TAI
sternalis Holzschuh, 1992b: 11 A: YUN
tenuicornis Holzschuh, 2016a: 77 A: FUJ
torui Holzschuh, 1989a: 155 A: NP #224
trinotata Pic, 1928: 26 (*Leptura*) A: YUN ORR

genus *Neopiciella* Sama, 1988: 32 type species *Leptura sicula* Ganglbauer, 1886
kabyliana Pic, 1896a: 103 (*Leptura*) N: AG TU
chobauti Dayrem, 1924a: 28 (*Leptura*)
suberis Chobaut, 1900: 265 (*Leptura*)
sicula Ganglbauer, 1886c: 515 (*Leptura*) E: IT (Sicilia)
stefaniae Bellavista, Rapuzzi & Sparacio, 2020: 1002 E: IT (Sicilia)

genus *Nivellia* Mulsant, 1863: 564 type species *Leptura sanguinosa* Gyllenhal, 1827
extensa extensa Gebler, 1833: 305 (*Leptura*) E: FI NT SB A: ES FE JA MG NC NE SC WS #705
extensa umbratilis Shimomura & Toyoshima, 1988: 130 A: FE JA
extensa yuzawai Shimomura & Toyoshima, 1988: 128 A: JA
sanguinosa Gyllenhal, 1827: 21 (*Leptura*) E: AU BY CT CZ ?EN FI GE LA NR NT PL RO SB SK SV UK A: ES FE GAN HEB HEI HEN #705
JA JIL KZ LIA MG NC NMO SC WS
kratteri Hampe, 1852a: 67 (*Leptura*)
rubripennis Matsumura, 1911: 139 (*Leptura*)
sacheri Wolfner, 1852: 93 (*Grammoptera*)

genus *Nivelliomorpha* Boppe, 1921: 86 type species *Leptura inequalithorax* Pic, 1902
inequalithorax Pic, 1902i: 28 (*Leptura*) A: BEI HEB LIA NIN NMO SHA SHX
rufobasalis Pic, 1939b: 2 (*Leptura*)

genus *Nustera* Villiers, 1974b: 214 type species *Leptura distigma* Charpentier, 1825
distigma Charpentier, 1825: 227 (*Leptura*) E: FR PT SP N: AG MO TU
bimaculata Pic, 1891b: 15 (*Strangalia*)
diversesignata Pic, 1917g: 4 (*Strangalia*)
indistigma Pic, 1917g: 4 (*Strangalia*)
lopezbayoi Lauffer, 1904: 374 (*Leptura*)

medioconexa Pic, 1945b: 6 (*Strangalia*)
microstigma Rungs, 1947: 98 (*Strangalia*)
neglecta Chobaut, 1895a: cccx (*Strangalia*)
notata Pic, 1891b: 15 (*Strangalia*)
peyerimhoffi Dayrem, 1922a: 18 (*Strangalia*)
sedilloti Pic, 1937c: 6 (*Strangalia*)
subscutellaris Pic, 1901o: 67 (*Strangalia*)
talarahnensis Dayrem, 1922a: 17 (*Strangalia*)
tenietensis Pic, 1890c: 157 (*Strangalia*)
lindbergi Villiers, 1943: 233 (*Strangalia*) N: MO
baudoni Villiers, 1960a: 7 (*Strangalia*)

genus *Oedecnema* Dejean, 1835: 355 type species *Leptura dubia* Fabricius, 1781 (= *Oedecnema gebleri* Ganglbauer, 1889)
gebleri Ganglbauer, 1889c: 470 [RN] E: BY CT NT ST UK A: ES FE FUJ HEB HEI JA JIL KZ MG NC NMO SC WS XIN
decemmaculata Matsumura, 1911: 136 (*Leptura*) [Hokkaido] #276 #665
dubia Fabricius, 1781: 249 (*Leptura*) [HN]

genus *Ohbayashia* Hayashi, 1958a: 4 type species *Strangalomorpha nigromarginata* Hayashi, 1953
fuscoaenea Hayashi, 1974a: 7 A: TAI
nigromarginata nigromarginata Hayashi, 1953: 40 (*Strangalomorpha*) A: JA
nigromarginata rufoflava Hayashi, 1968c: 12 A: JA

genus *Pachypidonia* Gressitt, 1935b: 166 type species *Pachypidonia crassicornis* Gressitt, 1935 (= *Leptura bodemeyeri* Pic, 1934)
bodemeyeri Pic, 1934c: 17 (*Leptura*) A: JA
crassicornis Gressitt, 1935b: 168
kochiana Matsushita, 1935: 308 (*Leptura*)
rubrida rubrida Hayashi, 1971: 4 A: TAI
tavakiliani Miroshnikov, 2015b: 285 A: YUN

genus *Pachytodes* Pic, 1891g: 65 type species *Leptura cerambyciformis* Schrank, 1781
bottcheri Pic, 1911a: 5 (*Leptura*) A: WS ES MG NMO
orthotrichus Plavilstshikov, 1936: 393 (*Judolia*)
cerambyciformis Schrank, 1781a: 154 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE ?EN FR GB GE GR HU IR IT LA LS LT LU MC
MD ME NL NT PL PT RO SB SK SL SP ST SZ ?TR UK A: ?TR #583
anticeundulatus Pic, 1915a: 29 (*Leptura*)
beskidicus Pic, 1915g: 18 (*Leptura*)
bisbistigma Pic, 1906g: 67 (*Leptura*)
bisquadristigma Pic, 1915a: 29 (*Leptura*)
breveseparatus Pic, 1953a: 9
decempunctatus Olivier, 1800: 26 (*Leptura*) #373
digoniensis Pic, 1915a: 29 (*Leptura*)
efasciatus Pic, 1916: 9 (*Leptura*) ["Hongrie"]
externeonotata Pic, 1923g: 13
hoverlanus Roubal, 1937: 81 (*Judolia*)
humerifer Pic, 1915g: 18 (*Leptura*)
lateseparatus Pic, 1953a: 9
multiinterruptus Pic, 1915a: 30 (*Leptura*)
octomaculatus Schaller, 1783: 297 [wrongly numbered as 299] (*Leptura*) [HN]
parvonotatus Pic, 1916: 10 (*Leptura*) ["Europe"]
quadrimaculatus Scopoli, 1763: 47 (*Leptura*) [HN]
salbachi Reitter, 1908: 216 (*Pachyta*)
sempunctatus Mulsant, 1839: 244 (*Pachyta*)
transylvanicus Pic, 1916: 9 (*Leptura*)
urbisensis Pic, 1915a: 29 (*Leptura*)
valesiacus Pic, 1915a: 29 (*Leptura*)
cometes Bates, 1884a: 218 (*Leptura*) A: FE JA SC
connectus Nishio, 1950: 20 (*Strangalia*)
erraticus Dalman, 1817a: 490 (*Leptura*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT KZ MC MD ME PL RO SB SK SL SP ST ?SZ
TR UK A: AB AR GG ES IN KZ SY TR WS XIN #115 #752
akbesianus Pic, 1898a: 6
anticedivisus Pic, 1914c: 14 (*Leptura*)
anticonotatus Pic, 1914c: 13 (*Leptura*)
~~*atrosuturalis* Pic, 1915a: 38 (*Leptura*)~~
eibesanus Pic, 1914c: 13 (*Leptura*)
erythrurus Küster, 1848b: 90 (*Pachyta*)
heyrovskyi Pic, 1924c: 26 (*Leptura*)
hungaricus Pic, 1913b: 186 (*Leptura*)
italicus Pic, 1916b: 4
kalavritanus Pic, 1913b: 186 (*Leptura*)
quinquepunctatus Pic, 1915g: 18 (*Leptura*)
ragusai Pic, 1923d: 3

rosinae Pic, 1901b: 11 (*Leptura*)
rufoapicalis Pic, 1913b: 186 (*Leptura*)
rufonotatus Pic, 1913b: 186 (*Leptura*)
russicus Pic, 1898h: 54
septemsignatus Küster, 1848b: 89 (*Pachyta*)
siculus Pic, 1916b: 4
subapicalis Pic, 1914c: 15 (*Leptura*)
testaceofasciatus Pic, 1913b: 186 (*Leptura*)
unijunctus Pic, 1914c: 14 (*Leptura*)
longipes Gebler, 1832: 67 (*Pachyta*) A: ES FE MG NC NE NO SC
amurianus Pic, 1902f: 19
bodoi Pic, 1914b: 5 (*Leptura*)
guttulatus Motschulsky, 1875: 141 (*Pachyta*)
nigrosuturalis Pic, 1917g: 3 (*Leptura*)
octoguttatus Pic, 1914b: 5 (*Leptura*)

genus *Paranaspia* Matsushita & Tamanuki, 1940: 5 type species *Leptura anaspidoidea* Bates, 1873
anaspidoidea Bates, 1873: 196 (*Leptura*) A: JA NE #400 #525
mikadoi Pic, 1906d: 16 (*Leptura*)
coccinea Mitono, 1936: 423 (*Strangalia*) A: TAI
erythromelas Holzschuh, 2003a: 165 A: SHA
frainii Fairmaire, 1897d: 239 (*Strangalia*) A: BT NP SD #390
inadai N. Ohbayashi, 2001a: 95 A: JA (Ryukyus)
muneaka Mitono & Tamanuki, 1939: 212 (*Strangalia*) A: TAI #526
reductipennis Pic, 1928f: 158 (*Leptura*) A: YUN ORR
ruficollis Pesarini & Sabbadini, 2015: 41 A: YUN
yayeyamensis Hayashi & Yokoyama, 1974: 12 A: JA (Ryukyus)

genus *Parastrangalis* Ganglbauer, 1889a: 57 type species *Leptura potanini* Ganglbauer, 1889
Strangaliella Hayashi, 1976: 3 type species *Strangalia shikokensis* Matsushita, 1935 (= *Strangalia tenuicornis* Motschulsky, 1862)
addenda Holzschuh, 2011: 274 A: FUJ HAI
andrei Holzschuh, 2007: 192 A: SCH
aurigena Holzschuh, 2007: 185 A: YUN ORR #176
bisbidentata Holzschuh, 2007: 190 A: SHA
chekianga Gressitt, 1939b: 90 (*Strangalia*) A: FUJ SHA ZHE #526
communis Holzschuh, 1993a: 19 A: SCH ORR
congesta Holzschuh, 1995: 11 A: YUN
congruens Holzschuh, 2016a: 73 A: YUN
crebrepunctata Gressitt, 1939b: 91 (*Strangalia*) A: FUJ GUX HUB HUN SCH YUN ZHE
dalihodi Holzschuh, 1999: 13 A: TAI
denticulata Tamanuki, 1939a: 145 (*Strangalomorpha*) A: TAI
diffluata Holzschuh, 1999: 15 A: SCH
emotoi Hayashi & Makihara, 1981: 186 (*Strangaliella*) A: NP
eucera Holzschuh, 1995: 12 A: YUN
holzschuhi Chou & N. Ohbayashi, 2014: 349 A: HUB TAI #717
houhensis N. Ohbayashi & W.-K. Wang, 2004: 456 A: HUB
impressa Holzschuh, 1991a: 8 A: YUN
inarmata Holzschuh, 1991c: 27 A: SCH ORR #400
insignis Holzschuh, 1998: 25 A: HUB NIN #400
ishigakiensis Hayashi, 1971: 5 A: JA (Ryukyus)
jaroslavi Holzschuh, 2008: 158 A: TAI
lateristriata Tamanuki & Mitono, 1939: 209 (*Strangalomorpha*) A: TAI ORR
lesnei Pic, 1901m: 60 (*Leptura*) A: JA
batesi Tamanuki, 1943: 134 (*Strangalomorpha*)
lineigera Fairmaire, 1889a: 61 (*Stenura*) A: SCH XIX ORR
maridae Tichý & Viktora, 2017: 506 A: HUB
meridionalis Gressitt, 1942e: 205 (*Strangalia*) A: FUJ GUA HUB
mitonoi Hayashi & Iga, 1951: 75 (*Strangalomorpha*) A: TAI
munda Holzschuh, 1992b: 9 A: YUN
negligens Holzschuh, 1991c: 30 A: SCH
nymphula Bates, 1884a: 220 (*Leptura*) A: JA
palleago Holzschuh, 1998: 25 A: HUB
pallescens Holzschuh, 1993a: 20 A: GAN SHA
palpalis Holzschuh, 1991c: 29 A: HUB SCH #717
phantoma Holzschuh, 1999: 15 A: TAI
potanini Ganglbauer, 1889a: 57 (*Leptura*) A: GAN
protensa Holzschuh, 1991c: 28 A: SCH

puliensis Hayashi, 1976: 4 (*Strangaliella*) A: TAI
sculptilis Holzschuh, 1991c: 30 A: SCH SHA **ORR** #469
shaowuensis Gressitt, 1951a: 112 (*Strangalia*) A: FUJ GUA HUB SCH
shennongjiaensis Gu, Wang P., Xie & Wang W. 2023: 282 A: HUB
subapicalis Gressitt, 1935d: 263 (*Strangalina*) A: TAI
taiwanensis Chou & N. Ohbayshi, 2010: 364 A: TAI
tenuicornis Motschulsky, 1862: 20 (*Strangalia*) A: JA #178
shikokensis Matsushita, 1935: 309 (*Strangalia*) #178
tomentosa Tamanuki, 1943: 129 (*Strangalomorpha*) A: TAI #526
yanoi Tamanuki, 1939a: 146 (*Strangalina*) A: TAI #135

genus *Pedostrangalia* Sokolov, 1897: 461 type species *Pedostrangalia kassjanowi* Sokolov, 1897 (= *Leptura imberbis* Ménétré, 1832)
subgenus *Neosphenalia* Löbl, 2010: 60 type species *Leptura verticalis* Germar, 1822
Sphenalia K. Daniel, 1904b: 355 [HN] type species *Leptura verticalis* Germar, 1822
adaliae Reitter, 1885: 390 A: CY TR
ariadne K. Daniel, 1904b: 355 (*Leptura*) E: GR (Crete)
emmipoda Mulsant, 1863: 531 (*Strangalia*) E: GR (Rodas) A: ?IN LE SY TR #634
adanensis Pic, 1917a: 6 (*Strangalia*)
cheshirensis Pic, 1933d: 6 (*Strangalia*)
insuturata Pic, 1891b: 15 (*Strangalia*)
perroudi Pic, 1933d: 6 (*Strangalia*)
subsignata Pic, 1901j: 235 (*Strangalia*)
tambei Pic, 1917a: 6 (*Strangalia*)
femoralis Motschulsky, 1861b: 40 (*Stenura*) A: ES FE JA JIL NC SC
diversipes Heyden, 1884: 298 (*Leptura*)
murayamai Matsushita, 1937: 102 (*Strangalia*)
xanthoma Bates, 1873: 195 (*Leptura*)
gongshana Viktora, 2022a: 479 A: YUN
kurda Sama, 1996c: 104 A: AR GG IN IQ TR #181
raggii Sama, 1992b: 300 A: CY
riccardoi carmelita Sama, 1996b: 94 A: IS LE #177
riccardoi riccardoi Holzschuh, 1984c: 344 A: JO SY
verticalis Germar, 1822: 9 (*Leptura*) E: AL BH BU CR GR IT MC ?MD ME RO SB SL A: TR
graeca Pic, 1901l: 52 (*Strangalia*)
taygetana K. Daniel, 1904b: 366 (*Leptura*)
verticenigra Pic, 1892v: 416 (*Leptura*) E: GR (Samos) A: GG TR
erinnys K. Daniel, 1904b: 356 (*Leptura*)
subgenus *Pedostrangalia* Sokolov, 1897: 461 type species *Pedostrangalia kassjanowi* Sokolov, 1897 (= *Leptura imberbis* Ménétré, 1832)
afghanistana Satô & N. Ohbayashi, 1976: 485 A: AF
bicolorata Holzschuh, 2019c: 80 A: GUA
imberbis Ménétré, 1832: 231 (*Leptura*) A: AB AF IN TM #85
angulicollis Heyden, 1879a: 323 [1879b: 67] (*Strangalia*)
kassjanowi Sokolov, 1897: 461
quadriceps Holzschuh, 2019c: 80 A: UP
quadrinaculata L. Chen & Chiang, 1996: 189, 191 A: SCH
revestita corsica Vartanis, 2024b: 73 E: FR #750
revestita revestita Linnaeus, 1767: 638 (*Leptura*) E: AL AU BE BH BU CR CZ DE FR GB GE GR HU IT LU MD NL PL PT RO SB SK SL
 SP SV SZ TR UK
barbanti Pic, 1933f: 5 [Saint-Barbant dans la Haute-Vienne] (*Strangalia*)
bicoloraticeps Pic, 1911c: 17 [Provance] (*Leptura*)
brevenoticollis Pic, 1933d: 14 [France : Digoïn] (*Strangalia*)
discicollis W. G. H. Scriba, 1867: 32 [Frankfurt] (*Strangalia*)
diversipennis Pic, 1911c: 16 (*Leptura*)
ferruginea Mulsant, 1839: 254 (*Strangalia*)
fulvilabris Mulsant, 1839: 254 (*Strangalia*)
fuscicornis Marsham, 1802: 357 [Brittania] (*Leptura*)
gabilloti Pic, 1911c: 18 (*Leptura*)
lectorica Dayrem, 1916: 17 [Miremonde, Lectoure (Gers)] (*Leptura*)
labiata Mulsant, 1839: 254 (*Strangalia*)
marsolanensis Dayrem, 1916: 17 [Rieste, Marsolan (Gers)] (*Leptura*)
rubra Geoffroy, 1785: 89 [Paris] (*Stenocorus*)
rufomarginata Mulsant, 1839: 254 (*Strangalia*)
rufonotata Pic, 1914e: 18 [Fontainebleau] (*Strangalia*)
schleicheri Pic, 1934g: 38 [Allemagne] (*Leptura*)
villica Fabricius, 1775: 196 [toute la France] (*Leptura*)
vitticollis Mulsant, 1839: 254 (*Strangalia*)
signifera Holzschuh, 1999: 13 A: HUB #629
tokatensis Sama, 1996c: 103 A: GG TR
tricolorata Holzschuh, 1991c: 19 A: SCH **ORR** #400

ulmi Holzschuh, 1982b: 147 A: PA

genus *Pseudalosterna* Plavilstshikov, 1934e: 131 type species *Pseudalosterna orientalis* Plavilstshikov, 1934 (= *Grammoptera elegantula* Kraatz, 1879)

aritai K. Ohbayashi & N. Ohbayashi, 1965: 1 (*Pseudalosterna*) A: JA (Ryukyus)

aureola Holzschuh, 2006a: 208 A: YUN

binotata *binotata* Gressitt, 1935d: 259 (*Anoplodermorpha*) A: TAI

#526

binotata tippmanni Hayashi, 1984: 17 [RN] A: FUJ

#400

orientalis Tippmann, 1955: 93 (*Anoplodera*) [HN]

breva Gressitt, 1935d: 260 (*Anoplodermorpha*) A: TAI

cyanea Tamanuki, 1943: 27 (*Pidonia*)

cuneata Holzschuh, 1999: 11 A: HUB SHA

#225

discalis Gressitt, 1935g: 569 (*Anoploderomorpha*) A: HAI SCH

#400

elegantula Kraatz, 1879c: 105 (*Grammoptera*) A: FE JA (Tsushima Is.) NC NE SC

#276

orientalis Plavilstshikov, 1934e: 132

rufomaculata Pic, 1915e: 5 (*Leptura*)

fuscopurpurea N. Ohbayashi & Shimomura, 1986: 48 A: TAI

gorodinskii Holzschuh, 2003a: 160 A: GAN

imitata Holzschuh, 2003a: 157 A: GUI

jitkae Tichý & Viktora, 2017: 501 A: HUB

longigena Holzschuh, 2003a: 159 A: SHA

misella Bates, 1884a: 216 (*Leptura*) A: JA

#276 #400

mupinensis Gressitt, 1935g: 570 (*Anoploderomorpha*) A: FUJ SCH

#400

obliquata Holzschuh, 1989b: 364 A: GUX **ORR**

#315

pullata Matsushita, 1933b: 198 (*Leptura*) A: TAI

submetallica Hayashi, 1974a: 9 (*Anoplodera*) A: TAI

takagii Hayashi, 1961b: 38 (*Pseudalosterna*) A: JA (Ryukyus)

tryznai Holzschuh, 1999: 11 A: SHA

wolongana Holzschuh, 2003a: 157 A: SCH

genus *Pseudovadonia* Lobanov, Danilevsky & Murzin, 1981: 787 type species *Leptura livida* Fabricius, 1777

livida bicarinata N. Arnold, 1869: 137 (*Grammoptera*) E: BY CT EN ?FI KZ LA LT NT PL ST SV UK A: AB AR GG ES FE IN KI KZ TR
WS XIN #477 #517

livida desbrochersi Pic, 1891k: xvi (*Vadonia*) A: AB AR GG TR

corallipes Reitter, 1894e: 247 (*Leptura*)

livida hatayensis Özdikmen, 2015d: 319 A: TR

livida irakensis Özdikmen & Ali, 2017: 376 A: IQ ?SY

#553

livida livida Fabricius, 1777: 233 (*Leptura*) E: AL AU BE BU BH ?BY CR CZ DE FR GB GE HU IR IT LU MC ME NL ?PL PT SB SK SL
?SP SV SZ TR UK #752

pastinacae Panzer, 1795: 275 (*Leptura*)

livida pecta K. Daniel & J. Daniel, 1891: 38 (*Leptura*) E: IT

livida setosa Danilevsky, 2013h: 29 E: BU ?BY GR MD RO TR UK A: ?IS ?LE TR ~~?SY~~

#553 #752

genus *Pygostrangalia* Pic, 1954: 13 type species *Strangalia vittaticollis* Pic, 1926a

Insularestrangalia Hayashi, 1961b: 40 type species *Strangalia longicornis* Gressitt, 1935

cornix Holzschuh, 2007: 196 (*Mimostrangalia*) A: FUJ

#526

dulcis Bates, 1884a: 222 (*Strangalia*) A: JA

#400 #526

kinoshitai Kano, 1933a: 265 (*Strangalia*)

kappanzanensis Kano, 1933a: 265 (*Strangalia*) A: SCH TAI

#526

mitonoana Gressitt, 1953a: 28 (*Strangalia*) [RN]

mitonoi Gressitt, 1951a: 117 (*Strangalia*) [HN]

kiangsiensis Hayashi & Villiers, 1985: 51 (*Mimostrangalia*) A: GUA JIX

#526

kurosawai Hayashi, 1966a: 4 A: TAI

loimailia Gressitt, 1940b: 33 (*Strangalia*) A: FUJ HAI JIL

#526

longicornis longicornis Gressitt, 1935f: 382 (*Strangalia*) A: JA (Ryukyus)

#526

longicornis obscuricolor Gressitt, 1951a: 117 (*Strangalia*) [RN] A: GUI HAI HUB ZHE

#526

obscura Gressitt, 1940b: 34 (*Strangalia*) [HN]

vittaticollis Pic, 1926a: 22 (*Strangalia*) A: FUJ **ORR**

phungi Pic, 1930a: 15 (*Strangalina*)

subbrevelineata Pic, 1928a: 27 (*Strangalia*)

genus *Pyrocalymma* J. Thomson, 1864: 159 type species *Pyrocalymma pyrochroides* J. Thomson, 1864

pyrochroides J. Thomson, 1864: 160 A: NP SCH SD XIZ YUN **ORR**

#400

genus *Pyrocorennyis* N. Ohbayashi & Niisato, 2009: 160 type species *Pyrocalymna latipennis* Pic, 1927

latipennis latipennis Pic, 1927b: 26 (*Pyrocalymna*) A: GUX YUN **ORR**

brevipennis Pic, 1947c: 17 (*Pyrocalymna*)

latipennis taiwanensis Hayashi, 1969a: 61 (*Formosopyrrhona*) A: TAI

genus *Pyrrhona* Bates, 1884a: 224 type species *Pyrrhona laeticolor* Bates, 1884
laeticolor laeticolor Bates, 1884a: 224 A: JA #400
laeticolor takakuwai Kusama, 1971: 24 A: JA

genus *Rapuzziana* Danilevsky, 2006b: 2 type species *Rapuzziana hangaiensis* Danilevsky, 2006
hangaiensis Danilevsky, 2006b: 2 A: MG

genus *Robustanoplodera* Pic, 1954: 13 type species *Anoplodera bicolorimembris* Pic, 1954 #403 #526

Koichius Hayashi, 1966a: 2 [RN] type species *Anoplodera tricolor* Gressitt, 1935

Tamanukia Hayashi, 1960a: 9 [HN] type species *Anoplodera tricolor* Gressitt, 1935

bicolorimembris Pic, 1954: 13 (*Anoplodera*) A: FUJ YUN ORR

albopubescens Hayashi & Villiers, 1985: 41, 44 #470

lepesmei Pic, 1956b: 649 (*Leptura*) #400 #526

inauraticollis Pic, 1933b: 26 (*Leptura*) A: SCH

taiyal Shimomura, 1993: 228 A: TAI

tricolor Gressitt, 1935d: 258 (*Anoplodera*) A: TAI

genus *Rutpela* Nakane & K. Ohbayashi, 1957: 48 (A242) type species *Leptura maculata* Poda von Neuhaus, 1761 #703

inermis K. Daniel & J. Daniel, 1898a: 74 (*Strangalia*) A: AB AF IN TM #334 #345

elboursensis Pic, 1905e: 390 (*Strangalia*)

maculata irmananica Sama, 1996c: 105 A: TR

maculata maculata Poda von Neuhaus, 1761: 37 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA

?LT LU MC MD ME NL NR NT PL RO SB SK SL ST SV SZ TR UK A: KZ TR #535

alsatica Pic, 1906g: 67 (*Leptura*)

armata Herbst, 1784: 101 (*Leptura*)

bifenestrata Pic, 1933d: 2 (*Strangalia*)

binotata Mulsant, 1839: 258 (*Strangalia*)

calcarata Olivier, 1800: 14 (*Leptura*) #373

dayremi Pic, 1903a: 4 (*Strangalia*)

discoininterrupta Pic, 1945a: 13 (*Strangalia*)

disconotata Pic, 1908b: 3 (*Leptura*)

dromensis Pic, 1945a: 13 (*Strangalia*)

elongata DeGeer, 1775: 134 (*Leptura*)

externepunctata Mulsant, 1839: 258 (*Strangalia*)

fasciata Scopoli, 1763: 54 (*Cerambyx*)

impunctata Mulsant, 1839: 258 (*Strangalia*)

nicodi Pic, 1933d: 6 (*Strangalia*)

pacifica Pic, 1945a: 13 (*Strangalia*)

punctatofasciata Mulsant, 1839: 258 (*Strangalia*)

quinquemaculata Gmelin, 1790: 1868 (*Leptura*)

rubea Geoffroy, 1785: 86 (*Stenocorus*)

scopoliana Laicharting, 1784: 145 (*Leptura*)

sinuata Fabricius, 1793: 347 (*Leptura*)

subspinosa Fabricius, 1793: 347 (*Leptura*)

undulata Mulsant, 1839: 259 (*Strangalia*)

wuenschi Roubal, 1937: 81 (*Strangalia*)

maculata manca Schaufuss, 1863: 121 (*Strangalia*) E: BU FR IT PT SP ST TR UK A: AB AR GG IN TR SY #133 #134

kricheldorfii Wagner, 1928: 121 (*Leptura*)

nigricornis Stierlin, 1864: 153 (*Strangalia*) #20

nigrofasciata V. Petagna, 1792: 247 (*Leptura*) [HN]

genus *Saligranta* Chou & N. Ohbayashi, 2011: 9 [RN] type species *Pseudostrangalia puyuma* Chou & N. Ohbayashi, 2010

Pseudostrangalia Chou & N. Ohbayashi, 2010: 368 [HN] type species *Pseudostrangalia puyuma* Chou & N. Ohbayashi, 2010

puyuma Chou & N. Ohbayashi, 2010: 368 (*Pseudostrangalia*) A: TAI

svihlai Holzschuh, 1989b: 368 (*Strangalia*) A: GUX ORR

genus *Sinostrangalis* Hayashi, 1960a: 13 type species *Strangalia ikedai* Mitono & Tamanuki, 1939 #499

ikedai Mitono & Tamanuki, 1939: 211 (*Strangalia*) A: CHQ FUJ GUI GUX NE SCH TAI ZHE ORR #489 #499

collaris Holzschuh, 1991c: 31 (*Elacomia*) [HN]

simianshana L. Chen & Chiang, 2000: 33, 36

genus *Solaia* Sama, 2003: 69 type species *Solaia antonellae* Sama, 2003

antonellae Sama, 2003: 71 A: TR

genus *Stenoleptura* Gressitt, 1935h: 269 type species *Stenoleptura sandakana* Gressitt, 1935

flavovittata Aurivillius, 1911a: 149 (*Leptura*) A: CH ORR #407

genus *Stenurella* Villiers, 1974b: 214 type species *Leptura melanura* Linnaeus, 1758 #703 #778

subgenus *Crassostenurella* Özdikmen, 2013c: 526 type species *Strangalia approximans* Rosenhauer, 1856 #703 #778
approximans Rosenhauer, 1856: 305 (*Strangalia*) E: PT SP N: MO
purpuripennis Mulsant, 1863: 515 (*Strangalia*)
edmundi Pic, 1901j: 237 (*Strangalia*)

subgenus *Iberostenurella* Özdikmen, 2013c: 527 type species *Strangalia hybridula* Reitter, 1902c #703 #778
hybridula Reitter, 1902c: 188 (*Strangalia*) E: PT SP
atriventris Pic, 1905a: 8 (*Leptura*) [DA]
atronotata Pic, 1918d: 5

subgenus *Nigrostenurella* Özdikmen, 2013c: 525 type species *Leptura nigra* Linnaeus, 1758 #778
nigra maesta Danilevsky, 2013a: 172 E: ST A: AB AR GG ?IN TR
nigra nigra Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT KZ LA LS LT LU MC
MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK A: TR #7
giraudi Pic, 1946a: 14 (*Strangalia*)
picea Geoffroy, 1785: 87 (*Stenocorus*)
varicollis Schaefer, 1932: 31 (*Stenura*)

subgenus *Priscostenurella* Özdikmen, 2013c: 516 type species *Leptura bifasciata* O.F.Müller
Eduardvivesia Zamoroka, Trócoli, Shparyk & Semaniuk, 2022: 131 type species *Leptura vaucheri* Bedel, 1900 #703
Nigromacularia Zamoroka, Trócoli, Shparyk & Semaniuk, 2022 132 type species *Leptura septempunctata* Fabricius 1793 #703
bifasciata bifasciata O. F. Müller, 1776: 93 (*Leptura*) E: AU BE BH BY CR CT CZ EN FR GE HU IT KZ LA LS LT LU MD ME NL NT
PL PT RO SB SK SL SP ST SZ ?TR UK A: AB AR ES GG IN IQ KZ ?TR WS XIN #400
albarracina Wagner, 1927a: 45 (*Leptura*)
cruciata Olivier, 1800: 7 (*Leptura*) #373
immaculata Pic, 1889b: 55 (*Strangalia*)
nigriventris Pic, 1891b: 15 (*Strangalia*)
sedakovii Mannerheim, 1852b: 307 (*Stenura*)
ustulata Laicharting, 1784: 157 [HN] (*Leptura*)

bifasciata ferruginipes Pic, 1895c: 76 (*Strangalia*) [“Bitlis”] A: TR
solaris Rapuzzi & Sama, 2012a: 665 [“Bitlis: 35km E Tatvan”]

bifasciata intermedia Holzschuh, 2006a: 219 E: AL BU GR MC
bifasciata lanceolata Mulsant & Rey, 1863: 177 (*Strangalia*) E: FR SP
bifasciata limbiventris Reitter, 1898a: 21 (*Strangalia*) A: GG TR
bifasciata nigrosuturalis Reitter, 1895a: 88 (*Strangalia*) A: LE SY TR
bifasciata sabineae Rapuzzi & Sama, 2012a: 664 [“Hakkari”] A: IN TR #1
bifasciata safronovi Danilevsky, 2011b: 2 A: TR
septempunctata latenigra Pic, 1915e: 5 (*Strangalia*) [“Asie Mineure”] E: BU ST TR A: AR GG TR
anatolica Heyrovský, 1961a: 45 (*Strangalia*)
roberti Pic, 1915a: 38 (*Leptura*) [“Transsylvanie et Turquie”]

septempunctata septempunctata Fabricius, 1793: 346 (*Leptura*) E: AL AU BH BU CR CZ GE GR HU IT MC MD ME PL RO SB SK SL ST
?SZ UK #115
atrosuturalis Pic, 1915a: 38 (*Leptura*)
coreyrica Pic, 1915e: 5 (*Strangalia*)
dobiachi Pic, 1916b: 4 (*Strangalia*)
gasturica Pic, 1915a: 38 (*Leptura*)
holtzi Pic, 1916b: 5 (*Strangalia*)
montandoni Pic, 1915e: 5 (*Strangalia*)
notaticollis Pic, 1915e: 5 (*Strangalia*)
pallidicolor Pic, 1915e: 5 (*Strangalia*)
rubronotata Pic, 1916b: 5 (*Strangalia*)
semireducta Pic, 1915e: 5 (*Strangalia*)
suturata Reiche & Saulcy, 1858: 22 (*Strangalia*) [“Péloponèse”]
velebitica Pic, 1916b: 4 (*Strangalia*)

vaucheri Bedel, 1900: 336 (*Leptura*) E: SP N: MO

subgenus *Stenurella* Villiers, 1974c: 214 type species *Leptura melanura* Linnaeus, 1758 #778
melanura melanura Linnaeus, 1758: 397 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU
MC MD ME NL NT NR PL PT RO SB SK SL SP ST SV SZ UK KZ A: ?GG ?AR ?AB ES FE JA KZ MG TR WS XIN
diversiventris Dufour, 1843: 103 (*Leptura*)
georgiana Pic, 1891g: 63 (*Strangalia*)
latesuturata Pic, 1891g: 63 (*Strangalia*)
melanurella Reitter, 1901a: 78 (*Strangalia*)
rubellata Reitter, 1901a: 77 (*Strangalia*)
semicrassa Pic, 1901n: 58 (*Leptura*)
sennii Sama, 2003: 40 #1 #20
similis Herbst, 1784: 101 (*Leptura*)
suturanigra DeGeer, 1775: 138 (*Leptura*)

melanura pamphylicae Rapuzzi & Sama, 2010: 182 A: IN TR #3
melanura samai Rapuzzi, 1995: 617 E: BU GR TR A: TR #3
melanura zehrae Özdikmen, Mercan & Cihan, 2012a: 18 A: TR #1

subgenus *Stenurelloides* Özdikmen, 2013c: 523 type species *Leptura jaegeri* Hummel, 1825 #703 #778
jaegeri Hummel, 1825: 68 (*Leptura*) E: CT ST UK A: AB AR GG IN SY TR
fenestrata Reitter, 1901a: 79 (*Strangalia*)
jekeli Pic, 1901j: 236 (*Strangalia*)
mingrelica Tourmier, 1872: 344 (*Strangalia*)
oxyptera Faldermann, 1837: 318 (*Stenura*)
novercalis Reitter, 1901a: 78 E: ST A: GG TR

genus *Stictoleptura* Casey, 1924: 280 type species *Leptura cribripennis* LeConte, 1859

subgenus *Aredolpona* Nakane & K. Ohbayashi, 1957: 50 (A244) type species *Leptura rubra* Linnaeus, 1758
Corymbia Gozis, 1886: 33 [HN] type species *Leptura rubra* Linnaeus, 1758
dichroa Blanchard, 1871: 812 (*Leptura*) A: ANH ES FE FUJ GUI HEB HEI HEN HUB HUN JA JIL JIX NC SC SCH SHA SHN SHX ZHE #400
muliebris Heyden, 1886c: 276 (*Leptura*) #400
succedanea Lewis, 1879b: 464 (*Leptura*) #400
rufonotaticollis Pic, 1915f: 12 (*Leptura*)
theryi Pic, 1915f: 12 (*Leptura*)
trisignaticollis Pic, 1915f: 12 (*Leptura*)
rubra numidica Peyerimhoff, 1918a: 331 (*Leptura*) N: AG
rubra rubra Linnaeus, 1758: 397 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MD #655
ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK A: ES KZ WS
dufourii Lecomte, 1926: 168 (*Leptura*)
maculiceps Gabriel, 1910: 556 (*Leptura*)
occipitalis Mulsant, 1839: 268 (*Leptura*)
planata Swaine & Hopping, 1928: 62 (*Anoplodera*)
rubrotestacea Illiger, 1805: 122 (*Leptura*)
salzmanni Hubenthal, 1902: 291 (*Leptura*)
sattleri Bickhardt, 1902: 362 (*Leptura*)
semimarginata Pic, 1916a: 22 (*Leptura*)
testacea Linnaeus, 1760: 196 (*Leptura*)
umbellatarum Laicharting, 1784: 161 (*Leptura*)

subgenus *Batesiata* Miroshnikov, 1998: 594 type species *Leptura tesserula* Charpentier, 1825 #1 #635
tesserula tesserula Charpentier, 1825: 227 (*Leptura*) E: AL BU CZ GR HU ME PL RO SB SK ST UK A: AB AR GG IN TR
abchastica Rost, 1893: 344 (*Leptura*)
bisignata Ménétrés, 1832: 232 (*Leptura*)
bisignata Faldermann, 1837: 313 (*Leptura*) [HNh]
dejeani Ganglbauer, 1889c: 469 (*Leptura*) [RN]
impunctata Heyden, 1877b: 420 (*Leptura*)
tesserula orientalis Vartanis, 2019a: 14 A: TR #517

subgenus *Cribroleptura* Vives, 2000: 266 type species *Leptura stragulata* Germar, 1824
otini Peyerimhoff, 1949: 293 (*Leptura*) E: SP N: MO
tizifrensis Cobos, 1961: 94 (*Leptura*)
stragulata Germar, 1824: 523 (*Leptura*) E: FR PT SP #506
hispanica Pic, 1910a: 27 (*Leptura*)
iberica Pic, 1950a: 15
nadari Pic, 1950a: 15
nigrina Schaufuss, 1863: 121 (*Leptura*)
variventris Schaufuss, 1863: 121 (*Leptura*)

subgenus *Hesperoleptura* Vives, 2021: 1 type species *Leptura palmi* Demelt, 1972a
palmi Demelt, 1972a: 74 (*Leptura*) N: CI

subgenus *Maculileptura* Danilevsky, 2014i: 274 type species: *Leptura maculicornis* DeGeer, 1775 #622 #83
maculicornis DeGeer, 1775: 139 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT LU MC MD ME NR NT
PL RO SB SK SL SP ST SV SZ TR UK A: ?GG WS #83
maculosa Gmelin, 1790: 1874 (*Leptura*)
ondreji Sláma, 1993: 59 (*Brachyleptura*) E: GR
pallens Brullé, 1832: 264 (*Leptura*) E: AL BU BH CR GR MC ME RO SB TR A: TR
picticornis Reitter, 1885: 390 (*Leptura*) E: GR
simplonica Fairmaire, 1885: 317 (*Leptura*) E: FR IT SZ

subgenus *Melanoleptura* Miroshnikov, 1998: 594 type species *Leptura scutellata* Fabricius, 1781 #1 #778
arabica Vartanis, 2924d: 102 A: SY
scutellata inscutellata Pic, 1892b: 415 (*Leptura*) A: TR
scutellata maritima Sláma, 2015b: 1118 E: FR #79 #778
scutellata melas P. H. Lucas, 1847: pl. 43 (*Leptura*) E: IT (Sicilia) N: AG TU
scutellata miroshnikovi Danilevsky, 2012m: 915 A: AB IN
scutellata ochracea Faust, 1878: 135 (*Leptura*) E: ST A: AB AR GG TR #78 #635
scutellata scutellata Fabricius, 1781: 247 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT LA LU MC MD ME
PL PT RO SB SK SL SP ST SV SZ TR UK
?carbonaria Scopoli, 1763: 56 (*Cerambyx*) [NO] #174

chrysothyreos Schrank, 1798: 697 (*Leptura*)
funerea Geoffroy, 1785: 89 (*Stenocorus*)
nigra V. Petagna, 1787: 17 (*Rhagium*)
ochraceipennis Pic, 1897c: 31 (*Leptura*)

subgenus *Miroshnikovia* Danilevsky, 2014i: 275 type species *Leptura deyrollei* Pic, 1895b
deyrollei Pic, 1895b: 40 (*Leptura*) A: GG TR

subgenus *Paracorymbia* Miroshnikov, 1998: 587 type species *Leptura fulva* DeGeer, 1775 #1
benjamini benjamini Sama, 1993e: 470 (*Corymbia*) A: IS
benjamini ehdenensis Sama & Rapuzzi, 2000: 10 (*Paracorymbia*) A: LE SY
excisipes K. Daniel & J. Daniel, 1891: 6 (*Leptura*) A: SY TR
fulva DeGeer, 1775: 137 (*Leptura*) E: AL AU BE BH BU ~~BY~~ CR CT CZ FR GB GE GR HU IR IT LS LU MC ME NL PL PT RO SB SK SL
 SP ST SZ TR UK A: TR #133 #482 #517 #752
affinis Marsham, 1802: 353 (*Leptura*)
apicalis Motschulsky, 1875: 142 (*Leptura*)
corsica Pic, 1894c: 206 (*Leptura*)
fulvoapicalis Plavilstshikov, 1932f: 174 (*Leptura*)
lutescens Geoffroy, 1785: 87 (*Stenocorus*)
tomentosa Fabricius, 1793: 340 (*Leptura*)

hybrida Rey, 1885b: 277 (*Leptura*) E: FR IT SP SZ
nadezhdae Plavilstshikov, 1932c: 182 (*Leptura*) E: ST
pallidipennis Tournier, 1872: 346 (*Leptura*) E: ST A: AB GG TR
circassica K. Daniel & J. Daniel, 1891: 31 (*Leptura*)
sambucicola Holzschuh, 1982a: 65 (*Brachyleptura*) A: SY TR
tonsa K. Daniel & J. Daniel, 1891: 31 (*Leptura*) E: ST ?UK A: AB AR GG IN TR
menetriesti Ganglbauer, 1889c: 469 [RN] [NO]
ustulata Ménétré, 1832: 231 (*Leptura*) [HN]

subgenus *Pyrrholeptura* Lazarev, 2016d: 15 type species: *Leptura pyrrha* Bates, 1884 #635
pyrrha Bates, 1884a: 216 (*Leptura*) A: JA
bouvieri Pic, 1901m: 59 (*Leptura*)

subgenus *Stictoleptura* Casey, 1924: 280 type species *Leptura cribripennis* LeConte, 1859
cardinalis K. Daniel & J. Daniel, 1898a: 76 (*Leptura*) A: KI TD UZ
rubidiventris Jankowski, 1934: 104 (*Leptura*)
cordigera anojiaensis Sláma, 1982: 207 (*Brachyleptura*) E: GR (Crete) A: TR
cordigera cordigera Fuessly, 1775: 14 (*Leptura*) E: BE BH BU CR CZ DE FR GB GE GR (north-east) IT MC NL RO SB SP SZ RO ST TR
 UK N: LB A: AB AR CY GG IN IQ IS LE SY TR #121
auricollis Chobaut, 1895a: cccx (*Leptura*)
epipleuralis Schaefer, 1932: 31 (*Leptura*)
hastata Sulzer, 1776: 46 (*Leptura*)
immaculata Ragusa, 1889: 236 (*Leptura*)
inhastata Pic, 1902c: 8 (*Leptura*)
lamed Geoffroy, 1785: 86 [HN] (*Stenocorus*)

cordigera illyrica G. Müller, 1948: 63 (*Leptura*) E: AL BH CR GR IT (north-east) MC SL
eckweileri Holzschuh, 1989a: 154 (*Vadonia*) A: PA
erythroptera Hagenbach, 1822: 7 (*Leptura*) E: AL AU BH BU CR CZ FR GE GR HU IT MC ME RO SB SK SP ST SZ UK A: AB AR GG
 IN TR
rufipennis Mulsant, 1839: 272 (*Leptura*)
fontenayi Mulsant, 1839: 271 (*Leptura*) E: AZ FR PT SP N: AG CI MO TU
erythrodera Chobaut, 1896: 201 (*Leptura*)
nigrovittata Chobaut, 1896: 201 (*Leptura*)
pici Chobaut, 1896: 201 (*Leptura*)

gladiatrix Sama, 2008: 220 N: MO
heydeni Ganglbauer, 1889c: 469 (*Leptura*) A: IS LE SY TR
silbermanni Lefebvre, 1835: 303 (*Leptura*) [NO] ["Syrie Mont Liban"]
incisipennis Reitter, 1895a: 85 (*Leptura*)
maceki Holzschuh, 1991c: 19

igai Tamanuki, 1943: 93 (*Leptura*) A: JA
ivoroberti Sama, 2010: 920 E: GR
oblongomaculata Buquet, 1840: 396 (*Leptura*) E: IT (Sardegna, Sicilia) N: AG ?MO TU
biparadoxa Dayrem, 1922a: 17 (*Leptura*)
extrema Dayrem, 1930: 70 (*Leptura*)
latedecorata Pic, 1898i: 64 (*Leptura*)
obliterata Pic, 1898i: 64 (*Leptura*)
obscurithorax Pic, 1898a: 4 (*Leptura*)
trinitaticollis Pic, 1934e: 20 (*Leptura*)
uxoria Dayrem, 1927: 67 (*Leptura*)

olympicola Vartanis, 2023c: 1720 E: GR
rufa attaliensis K. Daniel & J. Daniel, 1891: 11 (*Leptura*) A: TR
gevneensis Özdikmen & Turgut, 2008b: 549
rufa dimidiata K. Daniel & J. Daniel, 1891: 11 (*Leptura*) A: IQ TR

rufa excelsa Costa, 1863: 24 (*Leptura*) E: IT
rufa nigropicta Fairmaire, 1866b: 278 (*Leptura*) A: TR
rufa realis Danilevsky, 2012m: 912-913 E: ST A: AB AR GG TR
rufa rubromarginata Plavilstshikov, 1932f: 174 (*Leptura*) A: IN
rufa rufa Brullé, 1832: 263 (*Leptura*) E: AL BH BU CR GR IT MC ME RO ?SB A: TR
slamai Sama, 2010: 49 E: GR (Crete)
martini Sláma, 1985: 17 (*Brachyleptura*) [HN]
tangeriana Tournier, 1875: 475 (*Leptura*) N: MO
atlasica Escalera, 1914a: 496
birufonotata Pic, 1919a: 22 (*Leptura*)
maroccana Heyden, 1886a: 85 (*Leptura*) [RN]
nigromaculata Pic, 1913b: 138 (*Leptura*)
olcesei Pic, 1894f: 108
rufonotata Pic, 1913b: 138 (*Leptura*)
tangeriana Heyden, 1881b: 251 (*Leptura*) [HN]
tripartita Heyden, 1889b: 329 (*Leptura*) A: IN IQ TR
morgani Pic, 1905d: 300 (*Leptura*)
tresignata Fairmaire, 1852a: 92 (*Leptura*) E: FR PT SP
martini Pic, 1945b: 6 (*Leptura*)
semirufula Kraatz, 1880: 376 (*Leptura*)
subgenus Variileptura Danilevsky, 2014i: 267 type species: *Leptura variicornis* Dalman, 1817
variicornis Dalman, 1817a: 482 (*Leptura*) E: BY CT EN LA **LT** NT PL ST UK A: ES FE GUX HEB HEI JA JIL KZ MG NC NE NMO SC
SHA WS XIN #400 #517
tsuyukii Fujita, 2018: 22 #526 #736

genus Strangalia Dejean, 1835: 355 type species *Leptura luteicornis* Fabricius, 1775
Ophistomis J. Thomson, 1861: 154 type species *Ophistomis flavocinctus* J. Thomson, 1861
Ophiostomis Gemminger, 1872: 2875 [unnecessary emendation]
Strangalina Aurivillius, 1912: 228 type species *Leptura attenuata* Linnaeus, 1758
Sulcatostrangalia K. Ohbayashi, 1961a: 17 type species *Strangalia gracilis* Gressitt, 1935
attenuata Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR ?GB GE GR HU ~~HR~~ IT LA LS LT LU MC MD
ME NL NR NT ~~NE~~ PL RO **SB** SK SL SP ST SV SZ TR UK **KZ** A: AB AR ES FE HEB GG JA (Hokkaido) JIX KZ MG NC NE SC SW
TR WS XIN
balcanica Pic, 1915e: 6 (*Typocerus*)
brunnescens Balbi., 1892: 49 (*Leptura*)
grenieri Pic, 1912c: 3 (*Leptura*)
imperfecta Gerhardt, 1910: 556 (*Leptura*)
obscuriventris Pic, 1901n: 59 (*Typocerus*)
ucranica Laxman, 1770: 596
varcanica, Ohbayashi, 2023: 67 (misspelling)
fortunei Pascoe, 1858: 265 A: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX LIA SCH SHA ZHE #225
obscuricornis Pic, 1925f: 188
fujitai Shimomura, 1994: 345 A: TAI
gracilis Gressitt, 1935f: 381 A: JA (Ryukyus) #526 #736
matsumurai Fujita, 2018: 25
klapperichi Pic, 1957: 76 A: FUJ
koyaensis Matsushita, 1933b: 219 A: JA
haraguro K. Ohbayashi, 1958b: 18
linsleyi Gressitt, 1951a: 116 A: FUJ GUX HAY HUN JIX ZHE #489
nigrocaudata Fairmaire, 1887a: 135 A: GUX JIX
takeuchii Matsushita & Tamanuki, 1935: 2 A: FE (Kunashir) JA

genus Strangalomorpha Solsky, 1873: 253 type species *Strangalomorpha tenuis* Solsky, 1873
austera Holzschuh, 2003a: 164 A: YUN
cavernosa Holzschuh, 1998: 27 A: HUB
multiguttata Pic, 1914d: 16 (*Strangalia*) A: YUN
?senensis Pic, 1938: 134 (*Leptura*) #266
platyfaciata Chiang, 1963: 64 (*Strangalia*) A: YUN
signaticornis Ganglbauer, 1889a: 52 (*Leptura*) A: GAN SHA
tenuis aenescens Bates, 1884a: 221 A: JA
atricolor Kano, 1933b: 130
tenuis tenuis Solsky, 1873: 254 A: FE GAN HEI JA (Tsushima Is.) JIL NC NMO SC
virididorsalis Chou & N. Ohbayashi, 2010: 362 A: GUX TAI

genus Teratoleptura N. Ohbayashi, 2008: 419 type species *Strangalia mirabilis* Aurivillius, 1902
mirabilis mirabilis Aurivillius, 1902: 207 (*Strangalia*) A: FUJ GUA GUX HAI **ORR**
carpo Pic, 1903c: 28 (*Ocalemia*)
gigantia Chiang, 1981: 78 (*Strangalia*)

genus *Thrangalia* Holzschuh, 1995: 10 type species *Thrangalia diaboliella* Holzschuh, 1995
diaboliella Holzschuh, 1995: 11 A: YUN

genus *Turnaia* Holzschuh, 1993a: 14 type species *Turnaia opaca* Holzschuh, 1993
furva Holzschuh, 2006a: 209 A: SCH
opaca Holzschuh, 1993a: 15 A: GAN

genus *Unicornileptura* Bi, Chen & N. Ohbayashi, 2022: 146 type species *Unicornileptura emeiensis* Bi, Chen & N. Ohbayashi, 2022
emeiensis Bi, Chen & N. Ohbayashi, 2022: 146 A: SCH
laticollis Bi, Chen & N. Ohbayashi, 2022: 148 A: HUB

genus *Vadonia* Mulsant, 1863: 559 type species *Leptura unipunctata* Fabricius, 1787

Neovadonia Kaszab, 1938: 151 type species *Leptura unipunctata* Fabricius, 1787
bicolor L. Redtenbacher, 1850: 50 (*Leptura*) A: AB IN TR
tuerki Heyden, 1879a: 326 [1879b: 70] (*Leptura*)
bipunctata adusta Kraatz, 1859: 97 (*Leptura*) E: HU MK RO SK SL
litigiosa Mulsant, 1863: 564
rufonotata Pic, 1926d: 10 (*Leptura*)
bipunctata aralensis Danilevsky, 2019: 83 A: KZ
bipunctata bipunctata Fabricius, 1781: 245 (*Leptura*) E: CT ST KZ A: KZ WS
beckeri Pic, 1941d: 14 (*Leptura*) [HN]
fischeri Zubkov, 1829: 168 (*Leptura*)
bipunctata globicollis Desbrochers des Loges, 1870: 127 (*Leptura*) E: MD RO ST UK
mulsantiana Plavilstshikov, 1936: 341 (*Leptura*)
bilitigiosa Pic, 1941d: 15
bipunctata laterimaculata Motschulsky, 1875: 141 (*Leptura*) E: UK (Crimea)
puchneri Holzschuh, 2007: 183
bipunctata sareptana Pic, 1941d: 15 E: KZ ST A: KZ #1
bipunctata steveni Sperk, 1835: 158 (*Leptura*) E: HU MD RO SK SL ST UK
bipunctata teberdensis Danilevsky, 2014i: 247 E: ST
bipunctata urdensis Danilevsky, 2014i: 244 E: KZ A: KZ
bitlisiensis Chevrolat, 1882: 59 A: AB AR IN TR
armeniaca Pic, 1903a: 4 (*Leptura*)
bistigmata Pic, 1890e: clxxvi
cribricollis Pic, 1889a: 20 [mispaginated: 5] (*Leptura*)
bolognai Sama, 1982: 207 A: TR
ciliciensis K. Daniel & J. Daniel, 1891: 13 A: TR
danielorum Holzschuh, 1984a: 142 A: TR
dojranensis dojranensis Holzschuh, 1984c: 343 [Macedonia] E: AL GR MC SB
dojranensis mahri Holzschuh, 1986a: 121 [Philippi bei Kavala] E: BU GR #504
frater Holzschuh, 1981: 96 A: TR
grandicollis grandicollis Mulsant & Rey, 1863: 182 [Smirne] E: AL BU GR MC TR A: TR #11
bisignata Brullé, 1832: 264 (*Leptura*) [HN]
inapicalis Pic, 1897c: 31 (*Leptura*) [DA]
grandicollis laurae Pesarini & Sabbadini, 2007a: 25 E: GR
gusmii Pesarini & Sabbadini, 2009: 16 E: GR
hirsuta K. Daniel & J. Daniel, 1891: 6, 18 (*Leptura*) E: BU ?MD RO ?UK #272 #363
imitatrix K. Daniel & J. Daniel, 1891: 6 (*Leptura*) E: CR IT SB
insidiosa Holzschuh, 1984a: 143 E: GR
instigmata Pic, 1890e: clxxvi A: IN TR #152
ispirensis Holzschuh, 1993a: 14 A: TR
klichai Vartanis, 2017: 341 A: GR
mainoldii Pesarini & Sabbadini, 2004d: 162 E: GR
moesiaca K. Daniel & J. Daniel, 1891: 6 (*Leptura*) E: AL BU GR MC RO SB TR UK A: TR #648
beali Pic, 1926d: 13 [1927j: 157] [DA]
bipunctata Kraatz, 1859: 97 [HN]
monostigma Ganglbauer, 1882: 29 (*Leptura*) A: TR
parnassensis Pic, 1925d: 6 (*Leptura*) E: GR
aspoeckorum Holzschuh, 1975a: 84
persica Vartanis, 2017: 343 A: IN
resli Vartanis, 2023: 1840 E: CR
samosensis Vartanis, 2016: 678 E: GR
saucia Mulsant & Godart, 1855b: 282 [= 1855a: 182] (*Leptura*) E: BU RO UK (Crimea) #272 #351
soror soror Holzschuh, 1981: 95 A: TR
soror tauricola Holzschuh, 1993a: 14 A: TR
unipunctata albanica Vartanis, 2019b: 104 E: AL

unipunctata dalmatina J. Müller, 1907: 662 (*Leptura*) E: CR
unipunctata gallica Podaný, 1963a: 9 E: FR #78
unipunctata ikariaensis Danilevsky & Vartanis, 2015: 225 E: GR #83
unipunctata makedonica Holzschuh, 1989a: 154 ["Lekanis-Gebirge"] E: BU GR #768
unipunctata occidentalis K. Daniel & J. Daniel, 1891: 17 (*Leptura*) E: FR IT SP ?N: MO AG
xambeui Pic, 1931c: 6 (*Leptura*)
unipunctata ohridensis Holzschuh, 1989a: 154 E: AL GR MC #11
unipunctata syricola Holzschuh, 1993a: 13 A: LE SY TR #584
unipunctata unipunctata Fabricius, 1787: 157 (*Leptura*) [NP] E: AU BH BU CR CT CZ FR GR HU IT KZ MD ?PL RO SB SK SL SP ST TR
UK A: AB AR GG IN KZ TR WS
obscuripilosa Pic, 1892p: lxxxiv (*Leptura*)
pilosa Forster, 1771: 44 (*Leptura*) [NO]
uninstigmata Pic, 1891b: 9 (*Leptura*)
vartanisi Danilevsky, 2014e: 259 A: TR
genus *Xenoleptura* Danilevsky, Lobanov & Murzin, 1981: 787 type species *Leptura hecate* Reitter, 1896
hecate Reitter, 1896: 48 (*Leptura*) A: KI KZ TD UZ XIN
auliensis Pic, 1901d: 19 (*Strangalia*)

genus *Xenophyrama* Bates, 1884a: 210 type species *Xenophyrama purpureum* Bates, 1884
purpureum Bates, 1884a: 210 A: JA

genus *Xestoleptura* Casey, 1913: 248 type species *Xestoleptura corusca* Casey, 1913
baeckmanni Plavilstshikov, 1936: 333 (*Leptura*) A: CH FE JIL NC (Mt. Maisan) #63
changbaishanensis Gao, Meng & Yan, 2011: 400 (*Munamizoa*) #517
nigroflava Fuss, 1852a: 75 (*Grammoptera*) E: RO
rufiventris Gebler, 1830: 193 (*Leptura*) [HN] A: ES FE KZ MG NMO WS XIN #400
jenseni Gressitt, 1951a: 83 (*Anoploclera*)
maculata Gebler, 1841b: 614 (*Leptura*) [HN]
theresae Pic, 1912c: 2 (*Leptura*)

tribe Lepturini, incertae sedis
Leptura miaoi Z. Wang & L.-Y. Zheng, 2003: 95, 398 A: JIL

tribe Oxymirini Danilevsky, 1997
genus *Neoxymirus* Miroshnikov, 2013b: 455 type species *Toxotus mirabilis* Motschulsky, 1838 #1
mirabilis Motschulsky, 1838: 183 (*Toxotus*) E: ST A: AR AB GG IN TR
atripes Pic, 1935d: 7

genus *Oxymirus* Mulsant, 1862: 464 type species *Cerambyx cursor* Linnaeus, 1758
cursor Linnaeus, 1758: 393 (*Cerambyx*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LS LT LU MC MD NL
NR NT PL RO SB SK SL SP ST SV SZ UK A: WS #359 #517
luctuosus Latreille, 1804: 310 (*Leptura*)
niger Olivier, 1800: 19 (*Stenocorus*) #373
noctis Linnaeus, 1767: 630 (*Cerambyx*)
semiobscurus Pic, 1900m: 62
spaceki Roubal, 1934b: 140
verneulii Mulsant, 1839: 233 (*Toxotus*)
vittatus Gmelin, 1790: 1865 (*Cerambyx*)

tribe Rhagiini Kirby, 1837 #704
Cariliiii Zamoroka, 2022b #704
Evodinini Zamoroka, 2022b #704
Pidoniini Zamoroka, 2022b #704
genus *Acapnolymma* Gressitt & Rondon, 1970: 34 type species *Capnolymma sulcaticeps* Pic, 1923 #400
sulcaticeps Pic, 1923a: 12 (*Capnolymma*) A: YUN ORR

genus *Akimerus* Audinet-Serville, 1835b: 212 type species *Rhagium cinctum* Fabricius, 1787 (= *Leptura schaefferi* Laicharting, 1784)
Acimerus Fairmaire, 1865: 184 [unjustified emendation]
ariannae Pesarini & Sabbadini, 2007a: 19 E: GR #209 #782
berchmansii Breit, 1915: 353 A: TR
schaefferi Laicharting, 1784: 130 (*Leptura*) E: AU BH BU CR CT CZ FR GE GR HU MD PL PT RO SK SP ST ?SZ UK #115
cinctus Fabricius, 1787: 146 (*Rhagium*)
dentipes Mulsant, 1842a: 209 [1842b: (3)] (*Toxotus*)

genus *Apiocephalus* Gahan, 1898: 42 type species *Apiocephalus punctipennis* Gahan, 1898
licheneus Gahan, 1906a: 74 A: UP

genus *Brachyta* Fairmaire, 1865: 185 type species *Leptura interrogationis* Linnaeus, 1758
subgenus *Brachyta* Fairmaire, 1865: 185 type species *Leptura interrogationis* Linnaeus, 1758
amurensis Kraatz, 1879b: 69 (*Pachyta*) A: FE NC NE SC
bisbioculata Pic, 1910a: 18
inapicalis Pic, 1910a: 18
korbi Pic, 1910a: 18
semilunata Pic, 1910a: 18
danilevskyi danilevskyi Tshernyshev & Dubatolov, 2005: 49 A: FE (Sakhalin, Kunashir) JA
danilevskyi hanabusa Hirayama, 2018b: 28 [RN] A: JA
japonica Fujimura, 1956: 2 (*Evodinus*) [HN]
interrogationis duodecimmaculata Fabricius, 1781: 248 (*Leptura*) [“Sibiria”] A: FE HEI JIL MG NC NMO XIN #128 #400
kraatzi Ganglbauer, 1889c: 468 #1
interrogationis ebenina Mulsant, 1839: 240 (*Pachyta*) E: FR #95
bimaculata Mulsant, 1839: 240 (*Pachyta*)
curvilineata Mulsant, 1839: 239 (*Pachyta*)
dorensis Pic, 1933d: 2 (*Evodinus*) [“France: Monte-Dore”]
flavonotata Mulsant, 1839: 239 (*Pachyta*)
interrogationis eitschbergeri Danilevsky & Peks, 2015: 1085 E: GE CZ
interrogationis gabzdili Danilevsky & Peks, 2016: 178 E: PL SK ?UK
interrogationis interrogationis Linnaeus, 1758: 398 (*Leptura*) E: FI NR NT SV #128
interrogationis lederi Lazarev, 2011: 861 E: ST (Dagestan)
interrogationis mannerheimii Motschulsky, 1860b: 148 (*Evodinus*) A: ES MG WS #1
bioculata Kraatz, 1879b: 68 (*Pachyta*)
cruciata Kraatz, 1879b: 69 (*Pachyta*)
crucifera Kraatz, 1879b: 68 (*Pachyta*)
externereducta Pic, 1926d: 10
marginalis Motschulsky, 1875: 139 (*Pachyta*)
mulsanti Pic, 1934f: 31 (*Evodinus*) #95
multiguttata Pic, 1934f: 31 (*Evodinus*) #95
obsidiana Motschulsky, 1875: 140 (*Pachyta*)
plavilstshikovi Pic, 1934f: 31 (*Evodinus*) #95
prescutellaris Pic, 1934f: 31 (*Evodinus*) #95
reducta Pic, 1926d: 10
suturalis Pic, 1926d: 10
interrogationis marginella Fabricius, 1793: 346 (*Leptura*) [“Italia”] E: AU GE FR IT LS LU SZ #95
immaculata Pic, 1934f: 28 (*Evodinus*) [“Suisse: Lac Chambex”]
mesmini Pic, 1933d: 2 (*Evodinus*) [“Sarna”]
milliati Pic, 1934f: 24 (*Evodinus*) [“Hautes Alpes: Monétier”]
modanensis Pic, 1933d: 2 (*Evodinus*) [“France: Modane”]
perroudi Pic, 1933d: 2 (*Evodinus*) [“Chamonix”]
subinterrupta Pic, 1934f: 24 (*Evodinus*) [“Briançon”, “Monétier”]
interrogationis miroshnikovii Lazarev, 2011: 860 E: ST A: GG
interrogationis russica Herbst, 1784: 102 (*Leptura*) [“Rußland”] E: ?BY CT EN KZ LA ?LT MD NT ST UK A: KZ WS #128 #535 #752
altaiensis Pic, 1900n: 82
interrogationis shapsugorum Lazarev, 2011: 860 E: ST
interrogationis zubovi Lazarev, 2016a: 196 E: NT A: WS
punctata lazarevi Danilevsky, 2014i: 137 A: CH FE NC
punctata punctata Faldermann, 1833: 67 (*Pachyta*) A: ES MG NMO
quadrinotatus Pic, 1916b: 3 (*Evodinus*)
reductemaculata Pic, 1915a: 41 (*Evodinus*)
sajanensis Pic, 1916b: 3 (*Evodinus*)
sochondensis Tshernyshev & Dubatolov, 2005: 45
subunicolor Pic, 1916b: 3 (*Evodinus*)
turanensis Pic, 1927e: 13
sachalinensis Matsumura, 1911: 135 A: FE JA JIL NC SC
subgenus *Fasciobrachyta* Danilevsky, 2014i: 113 type species: *Leptura bifasciata* Olivier, 1800
balcanica Hampe, 1871: 336 E: AL BU CR GR RO SB ?TR A: TR #534
bifasciata bifasciata Olivier, 1795: 23 (*Leptura*) [HN] A: ES FE GAN HEB HEI JIL LIA MG NC NMO QIN SC SCH XIZ #373 #770
daurica Gebler, 1817: 329 (*Leptura*)
quadripunctata Schoenherr, 1817a: 491 (*Leptura*)
reducta Pic, 1907a: 6 (*Evodinus*)
ussurica Pic, 1913b: 98
bifasciata japonica Matsushita, 1933a: 178 (*Evodinus*) A: ?FE (Sakhalin) JA
bifasciata plasoni Breit, 1915: 353 (*Evodinus*) A: ?ES ?FE HEB MG NMO #1 #400
bifasciata tibetana Pic, 1907a: 5 (*Evodinus*); 1907d: 104 (*Evodinus*) [“Kuku-Nor”] A: QIN #1
bifasciata wanga Z. Wang, 2014: 122, 1123 A: NMO #1
bureschi Kantardjiewa-Minkowa, 1957: 542 (*Evodinus*) A: BU RO #534
caucasica caucasica Rost, 1892a: 309 [1892b: 81] A: GG ST

conjuncta Rost, 1893: 344
caucasica kubanica Miroshnikov, 1990a: 26 E: GG ST
delagrangei Pic, 1891h: 102 A: TR
pettriccionei Rapuzzi, Bologna & Poloni, 2019: 96 E: IT
subgenus *Variobrachyta* Danilevsky, 2014i: 117 type species: *Leptura variabilis* Gebler, 1817
borni Ganglbauer, 1903: 151 (*Evodinus*) E: FR (Alpes de Haute-Provence)
guerryi Pic, 1906h: 86 (*Evodinus*)
notatipennis Pic, 1906h: 86 (*Evodinus*)
rosti alexeevi Lazarev, 2010b: 193 E: ST
rosti baksaniense Lazarev, 2010b: 193 E: ST
rosti rosti Pic, 1900n: 82 E: ST A: GG
brevinotata Pic, 1901e: 16
caucasicola Plavilstshikov, 1936: 197 (*Evodinus*)
variabilis aberrans Villiers, 1960a: 6 (*Evodinus*) A: FE NC NE #316
variabilis basarukini Danilevsky, 2014i: 124 A: FE (Sakhalin)
variabilis chukotensis Danilevsky, 2014i: 123 A: FE
variabilis dongbeiensis Z. Wang, 2003: 127, 398 (*Evodinus*) A: HEI #131
variabilis ivlievi Danilevsky, 2014i: 123 A: FE
variabilis kurayensis Danilevsky, 2014i: 128 A: WS
variabilis phlaesa Z. Wang, 2003: 127, 398 (*Evodinus*) A: HEI
variabilis scapularis Mannerheim, 1849: 245 (*Pachyta*) A: ES FE MG NE NMO
cincta Villiers, 1960a: 6 (*Evodinus*)
comosa Solsky, 1871a: 400 (*Pachyta*)
heyrovskiyi Pic, 1926d: 10
instriolata Pic, 1912c: 2 (*Evodinus*)
intermedia Pic, 1916b: 3 (*Evodinus*)
multisignata Pic, 1915a: 41 (*Evodinus*)
mutabilis Motschulsky, 1859a: 571 (*Pachyta*) [1859a: 233 (*Pachyta*)]
obscuripennis Pic, 1900c: 6 (*Evodinus*)
pici Villiers, 1960a: 6 (*Evodinus*)
preapicalis Pic, 1902c: 8
prescutellaris Pic, 1902c: 8
reductesignatus Pic, 1915a: 41 (*Evodinus*)
semifulva Pic, 1900n: 82
sinuatosignata Pic, 1915e: 4 (*Evodinus*)
solskyi Kraatz, 1879b: 71 (*Pachyta*)
subfasciata Pic, 1926d: 10
subjuncta Pic, 1926d: 10
sublineata Pic, 1916b: 3 (*Evodinus*)
variabilis shapovalovi Lazarev, 2014a: 273 A: KZ
variabilis sinuatolineata Pic, 1915a: 41 (*Evodinus*) A: ES MG #1
breitii Tippmann, 1946: 126 [= 1951: 304] (*Evodinus*)
discobilineata Pic, 1928c: 2
variabilis striatiformis Plavilstshikov, 1936: 196 (*Evodinus*) A: MG #1
variabilis striolata Gebler, 1817: 330 (*Leptura*) A: ES #1
brevilineata Pic, 1926d: 10
eurinensis Tsherepanov, 1978a: 97 (*Evodinus*)
variabilis testaceimembris Pic, 1916b: 2 (*Evodinus*) A: FE #316
rufimembris Pic, 1926d: 13
variabilis tungusensis Danilevsky, 2014i: 121 A: ES
variabilis tuvensis Danilevsky, 2014i: 127 A: ES ?MG ?NMO WS
variabilis variabilis Gebler, 1817: 320 (*Leptura*) E: CT NT A: ES KZ WS ?XIN #400
constricta Germar, 1824: 520 (*Leptura*) #506
variabilis yakutensis Danilevsky, 2014i: 122 A: ES

genus *Capnolymma* Pascoe, 1858: 265 type species *Capnolymma stygia* Pascoe, 1858
brunnea Gressitt & Rondon, 1970: 33 A: YUN ORR
laotica Gressitt & Rondon, 1970: 33 A: YUN ORR

genus *Carilia* Mulsant, 1863: 489 type species *Leptura virginea* Linnaeus, 1758
Neogaurotes Podany, 1962: 225 type species *Leptura virginea* Linnaeus, 1758
adelpha Ganglbauer, 1889a: 47 (*Gaurotes*) A: NMO QIN SCH
aeneovirens Holzschuh, 1993a: 6 (*Gaurotes*) A: SCH
atricornis Pu, 1992b: 591, 617 (*Gaurotes*) A: YUN XIZ
atripennis Matsushita, 1933: 76 (*Gaurotes*) A: JA
aureopurpurea Hayashi, 1955: 24 (*Gaurotes*)
hayashii Podany, 1962: 225 (*Gaurotes*)
kurosawai Hayashi, 1951b: 75 (*Gaurotes*)
tamanukii K. Ohbayashi, 1949: pl. 3 (*Gaurotes*)

cuprifera Holzschuh, 1993a: 10 (*Gaurotes*) A: GAN
filiola Holzschuh, 1998: 5 (*Gaurotes*) A: SHA
glabrata Holzschuh, 1998 (*Gaurotes*): 6 [RN] A: SCH
glabricollis Holzschuh, 1993a: 8 (*Gaurotes*) [HN]
oligothrix Chiang, 2001: 77 (*Gaurotes*) [RN]
glabricollis Pu, 1992b: 592, 618 (*Gaurotes*) A: YUN
latiuscula Holzschuh, 1993a: 8 (*Gaurotes*) A: SCH
lucidivirens Holzschuh, 1998: 6 (*Gaurotes*) A: SHA
otome K. Ohbayashi, 1959: 1 (*Gaurotes*) A: JA
flaviventris Hayashi, 1960a: 6 (*Gaurotes*)
kinugasai Hayashi, 1960a: 6 (*Gaurotes*)
wakejimai Fujita, 2018: 21 #526 #736
perforata Holzschuh, 1993a: 11 (*Gaurotes*) A: GAN
pictiventris Pesarini & Sabbadini, 1997: 100 (*Gaurotes*) A: YUN
pilipennis Holzschuh, 2016a: 73 (*Gaurotes*) A: SCH
spinipennis Pu, 1992b: 590, 617 (*Gaurotes*) A: SCH
tibetana Podaný, 1962: 227 (*Gaurotes*) A: XIZ
tuberculicollis Blanchard, 1871: 812 (*Pachyta*) A: FUJ HEI HEN HUB NMO SCH SHA XIZ
dauidis H. C. Deyrolle, 1878: 133 (*Gaurotes*)
obscuripes Pic, 1939b: 1 (*Gaurotes*)
virginea aemula Mannerheim, 1852b: 306 (*Pachyta*) E: CT ST A: ES FE HEI HUB JIL KZ MG NMO SHX WS
ruficollis Solsky, 1871a: 403 (*Pachyta*)
virginea komensis Tamanuki, 1938b: 167 (*Gaurotes*) A: HEI JIL NC SC #317
coreana Tamanuki, 1939b: 101 (*Gaurotes*)
nigriventris Tamanuki, 1938b: 167 (*Gaurotes*) [HN]
virginea kozhevnikovi Plavilstshikov, 1915c: 105 (*Gaurotes*) A: FE HEI JIL
nigriventris Jureček, 1921: 25 (*Gaurotes*)
sibirica Podaný, 1962: 236 (*Gaurotes*)
virginea thalassina Schrank, 1781a: 160 (*Leptura*) E: AU BE FR LU IT SL
nupta Mulsant, 1839: 241 (*Pachyta*)
virginea virginea Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT MC MD ME NR
NT PL RO SB SK SL SV SZ ST UK A: WS
brunnescens Schmidt, 1951: 11 (*Gaurotes*)
notaticollis Pic, 1916a: 10 (*Gaurotes*)
sanguinaria Pic, 1917g: 4 (*Gaurotes*)
vidua Mulsant, 1839: 242 (*Pachyta*)
violacea DeGeer, 1775: 144 (*Leptura*) [HN]
violacea Pallas, 1773: 724 (*Leptura*)

genus *Cortodera* Mulsant, 1863: 572 type species *Grammoptera spinosula* Mulsant, 1839: 290 (= *Leptura humeralis* Schaller, 1783)
Acmaeopsilla Casey, 1913: 240 type species *Acmaeops falsus* LeConte, 1860
Leptacmaeops Casey, 1913: 219 type species *Leptura longicornis* Kirby, 1837
Taiwanocarilia Hayashi, 1983: 30 type species *Gaurotes ater* Tamanuki, 1943 #18
alpina alpina Ménétris, 1832: 230 (*Pachyta*) ["Alpes du Caucase"] E: ST (Dagestan) A: AB GG
beckeri Desbrochers des Loges, 1875: 51 (*Pachyta*) ["Daghestan"]
confusa Reitter, 1891b: 34 (*Cortodera*) ["Von Schalbus-Dagh"]
alpina armeniaca Pic, 1898k: 114 ["Caucase"] A: AR TR (Artvin, Ardahan, Kars, Erzerum, Igdır)
alpina baksaniensis Danilevsky, 2014i: 199 E: ST (Kabardino-Balkaria, above Tyrnyauz)
alpina fischensis Starck, 1894: 11 E: ST (NW Caucasus: Mt. Fisht)
alpina gudissensis Danilevsky, 2013h: 28 A: GG (S Ossetia)
alpina matusiaki Danilevsky, 2014i: 200 [Mt. Kazbek] E: ST (N Ossetia) A: GG
alpina prosvirovi Danilevsky, 2022b: 509 A: GG (Abkhazia)
alpina psebayensis Danilevsky, 2014i: 180 E: ST (NW Caucasus: Psebay) #423
alpina rosinae Pic, 1902c: 8 ["Anatolie: Ak-Chehir"] A: TR #17
alpina rosti Pic, 1892p: lxxxiii ["Elbrouz (Caucase)"] E: ST (Mt. Elbrus, Mt. Beshtau, Teberda) A: GG (above Sukhumi) #777
parallela Pic, 1898k: 111 ["Caucase"]
alpina starcki Reitter, 1888b: 280 E: ST (NW Caucasus) A: GG (Avadkhara)
alpina svanorum Danilevsky, 2014i: 203 A: GG (Svanetia: Latpari Pass)
alpina tatvanensis Danilevsky, 2015d: 1065 A: TR
alpina umbripennis Reitter, 1890d: 245 ["Araxesthal bei Ordubad"] E: ST A: AB AR GG IN
alpina xanthoptera Pic, 1898k: 114 [RN] A: TR (Ankara)
alpina zekarensis Danilevsky, 2014i: 203 A: GG (Zekari Pass above Abastimani)
amanusensis Danilevsky, 2016d: 268 A: TR
analis Gebler, 1830: 189 (*Pachyta*) ["Riddersk"] A: KZ (Ridder) WS (Altai) ?XIN
haemorhoidalis Pic, 1898k: 114 ["Sibéria"] #5
hirta Gebler, 1830: 190 (*Pachyta*) ["Semel in montibus altaicis"]
ruficornis Pic, 1926d: 6 ["Altai"]
atra Tamanuki, 1943: 214 (*Gaurotes*) A: TAI #18

baltea Holzschuh, 2003a: 154 A: NMO QIN #273
bamiyana Danilevsky, 2014d: 256 A: AF
cartinii Rapuzzi & Sama, 2018: 6 A: TR
ciliata ciliata Danilevsky, 2001a: 13 A: KZ (NE Kazakhstan: Ust-Kamenogorsk env.)
ciliata milaenderi Danilevsky, 2001a: 15 E: CT (Ufa env.: Alkino)
ciliata sakmarensis Danilevsky, 2006b: 3 E: ST (Orenburg env.: Kuvandyk)
cirsii Holzschuh, 1975a: 82 A: TR
colchica aestiva Sama & Rapuzzi, 1999: 466 A: TR (Kars)
colchica aishkha Danilevsky, 2014i: 180 E: ST (NW Caucasus, Aishkha Mt.)
colchica aksarayensis Özdikmen & Özbek, 2012: 931 A: TR
colchica bulungensis Danilevsky, 2014i: 181 E: ST (Kabardino-Balkaria: Bulungu)
colchica colchica Reitter, 1890d: 246 ["Araxesthal"] ~~E: ST~~ A: AB AR ~~TR~~
atropyga Pic, 1929c: 119 [DA]
distincta Pic, 1933d: 6
lederi Pic, 1933d: 6
ordubadensis Reitter, 1890d: 246
pygidialis Reitter, 1890d: 246
rutilipes Reitter, 1890d: 246
truncatipennis Pic, 1929c: 119 [DA]
colchica danczenkoi Danilevsky, 1985: 139 [1987: 615] A: AB (Talysh) IN
colchica deyrollei Pic, 1894a: 66 ["Persath" - Персати] A: GG #1
colchica dilizhanica Danilevsky, 2014i: 178 A: AR (Dilizhan env.)
colchica erevanica Danilevsky, 2014i: 177 [Arailer Mt.] A: AR TR
colchica erzurumensis Danilevsky, 2015d: 1058 A: TR
colchica libanensis Danilevsky, 2017e: 838 A: LE #177
colchica kalashiani Danilevsky, 2000b: 39 A: AR (Megri Pass)
colchica murzini Danilevsky, 2014i: 181 E: ST (N Caucasus: Teberda)
colchica ossetica Danilevsky, 2014i: 181 E: ST (N Ossetia)
colchica ponomarenkoi Danilevsky, 2014i: 179 A: AB (Aşağı Ağcakənd)
colchica porsukensis Danilevsky, 2015d: 1060 A: TR
colchica pseudalpina Plavilstshikov, 1936: 278 A: GG (Svanetia) #1
colchica serowensis Danilevsky & Hodek, 2021: 16 A: IN
kukinae Danilevsky & Skrylnik, 2021: 11 A: IN
differens differens Pic, 1898g: 50 E: GR RO
prescutellaris Pic, 1933d: 5
steineri Sama, 1997b: 112
differens magdae Danilevsky, 2012m: 916 E: BU RO TR
discolor ankarensis Danilevsky, 2015d: 1063 A: TR
discolor bitlisiensis Danilevsky, 2015d: 1065 A: TR
discolor discolor Fairmaire, 1866b: 277 A: TR #634
testaceipes Pic, 1898k: 112
discolor gumushanensis Danilevsky, 2015d: 1064 A: TR
farsensis Danilevsky, 2014d: 255 A: IN
femorata Fabricius, 1787: 159 (*Leptura*) E: AU BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT NR NT PL RO SK SL ST SV SZ
UK A: ?KZ WS
affinis Schilsky, 1892: 204
fusca Gmelin, 1790: 1868 (*Leptura*)
flavipennis Reitter, 1890d: 243
griseipes Pic, 1889b: 55 (*Grammoptera*)
monticola Abeille de Perrin, 1870: 88
suturifera Reitter, 1890d: 243
flavimana angorensis Danilevsky, 2015d: 1051 A: TR
neslihanae Özdikmen, 2016a: 5 #517
flavimana corallipes Pesarini & Sabbadini, 2009: 17 [Ascale in Erserum] A: ?GG TR #6 #147
flavimana flavimana Waltl, 1838: 471 (*Leptura*) [Istanbul env.] E: AL AU BU GR HU MC RO SB SK TR A: TR #11 #648
flavimana inonuensis Danilevsky, 2015d: 1045 A: TR
flavimana karsensis Danilevsky, 2015d: 1052 A: TR
flavimana oezdikmeni Danilevsky, 2015d: 1053 A: TR
flavimana rufipes Kraatz, 1876b: 344 (*Grammoptera*) [Izmir env.] A: TR #4 #94 #147
flavimana schurmanni Sama, 1997b: 107 [Peloponnese] E: GR #94
flavimana sergeyi Danilevsky, 2015d: 1053 A: TR
flavimana sultanensis Danilevsky, 2015d: 1055 A: TR
flavimana torosensis Danilevsky, 2015d: 1055 A: TR
flavimana zoiai Pesarini & Sabbadini, 2009: 16 [north of Izmir vil., Kozak, about 39°15'N, 27°06'E] A: TR #94
goriensis Danilevsky & Hodek, 2016: 55 A: GG
hodeki Danilevsky, 2018b: 584 A: IN
holosericea holosericea Fabricius, 1801: 366 (*Leptura*) [HN] E: AU BH BU ?BY CR CZ GR HU IT RO SB SK SL ST UK #752

pilosa Pic, 1898g: 50
rubripes Pic, 1898k: 114
semitestacea Pic, 1898g: 50
holosericea pseudoholosericea Rapuzzi & Sama, 2018: 7 E: AL GR #517
holosericea velutina Heyden, 1876a: 318 E: AL AU BH CR GR IT SL #11
birnbacheri Pic, 1898k: 114
hroni Danilevsky, 2012f: 1 E: BU
humeralis aspromontana G. Müller, 1948: 61 E: IT
humeralis humeralis Schaller, 1783: 297 (*Leptura*) E: AU BE BH BU BY CR CZ FR GE GR HU IT LU MC MD NL PL RO SB SK SP
ST SZ TR UK A: TR
apicenotata Schmidt, 1951: 12
discoidalis Pic, 1931c: 6
inhumeralis Pic, 1892i: 140
quadriguttata Herbst, 1786: 171 (*Leptura*)
quadrinotata Gmelin, 1790: 1873 (*Leptura*)
schalleri Gmelin, 1790: 1874 (*Leptura*)
spinusula Mulsant, 1839: 290 (*Grammoptera*)
suturalis Fabricius, 1787: 159 (*Leptura*)
humeralis moreensis Danilevsky, 2015d: 1035 E: GR
imrasanica Sama & Rapuzzi, 1999: 464 A: TR
ivanovi Danilevsky, 2013b: 218 A: KZ (Emba River)
kadleci Danilevsky, 2015d: 1061 A: TR
kaphanica Danilevsky, 1985: 137 A: AR IN
kareli Danilevsky, 2018b: 588 A: IN #517
kazaryani Danilevsky, 2014i: 163 A: AR
khatchikovi Danilevsky, 2001b: 13 E: ST (Rostov Region: Kalitva River)
kiesenwetteri gusakovi Danilevsky, 2013d: 425 A: KZ (Kazakhstan: Mugodzhary Mts)
kiesenwetteri kiesenwetteri Pic, 1898g: 49 [“d’Astrakan”] E: ST
kiesenwetteri subtruncata Pic, 1934e: 19 [“Samara”] E: CT (Zhiguli; Syzran env.; Ulyanovsk Region)
subtruncata Danilevsky, 2001a: 13 [HN]
kochi Pic, 1935d: 4 A: IS
kokpektensis Danilevsky, 2007d: 47 A: KZ
komarovi komarovi Danilevsky, 1996c: 63 [“NW Kazakhstan, Uralsk Area, Furmanovo”] A: KZ
komarovi romantzovi Danilevsky, 2013b: 213 [“Aktobe (Aktjubinsk) Region, Temir river Valley near Pokrovskiy”] A: KZ
komarovi sarysuensis Danilevsky, 2013b: 215 [“Karaganda Region, valley of Taldy-Manak river”] A: KZ
komarovi solodovnikovi Danilevsky, 2013b: 213 [“West Kazakhstan, Aktolagay Ridge”] A: KZ
longipilis Pic, 1898g: 50 A: TR
rubrofemorata Pic, 1898k: 113
tauricola Pic, 1908b: 3
lowlakanensis Danilevsky, 2018b: 586 A: IN
metallica Holzschuh, 2003a: 152 A: SCH
moldovana Danilevsky, 1996c: 64 E: MD (Dubossary env.) #648
napolovi Danilevsky, 2015d: 1061 A: TR
neali Danilevsky, 2004a: 2 A: IN IQ #94
obscurans Pic, 1894h: 116 [“Syrie. Akbès”] A: ?SY TR
omophloides Holzschuh, 1975a: 77 [Namrun, İçel] A: TR
pseudomophlus Reitter, 1889a: 40 A: AR AB IN TM TR
pumila crataegi Holzschuh, 1986a: 121 A: IN
pumila meltemae Özdikmen, Mercan & Cihan, 2012d: 746 A: TR #94
pumila pumila Ganglbauer, 1882: 710 E: ST A: AB AR GG
caucasica Pic, 1898k: 79
nigripennis Pic, 1898g: 49
pumila sarigolensis Danilevsky, 2016d: 266 A: TR
pumila tournieri Pic, 1895c: 75 A: AR GG TR
ranunculi Holzschuh, 1975a: 80 A: TR [Muş]
reitteri reitteri Pic, 1891d: 43 [“Sarepta”] E: CT ST UK
alexandri Danilevsky, 1996c: 63 [“Volgograd env., Olkhovka”]
obscuripennis Pic, 1898g: 49 [“Sarepta”]
separata Pic, 1898k: 111 [“Sarepta”]
reitteri taurica Plavilstshikov, 1936: 280 [Simferopol] E: UK (Crymea)
beckeriana Plavilstshikov, 1936: 285 [from Simferopol to Volga]
rubenyani Danilevsky, 2018b: 587 A: IN
rubripennis Pic, 1891h: 102 A: TR
obscura Pic, 1898g: 49
semilivida nigripta Kasatkin, 2019: 131 A: LE #517
semilivida semilivida Pic, 1892m: cxci [“Syria”] A: ?SY TR #94
orientalis Adlbauer, 1988: 264 #94

sibirica shavrovi Danilevsky, 2001b: 3 ["Minusinsk reg., N Askysz, Abakan"] A: ES
sibirica sibirica Plavilstshikov, 1915f: 347 (*Leptura*) ["Kuznetzkij Alatau: fl. Kondoma"] A: WS
semenovi Plavilstshikov, 1936: 284 [Kondoma River]
simulatrix Holzschuh, 1975a: 83 A: TR
syriaca didemae Özdikmen, 2016a: 8 A: TR #517
syriaca nigroapicalis Holzschuh, 1981: 95 A: IN TR
syriaca syriaca Pic, 1901r: 90 A: AB AR IN LE SY TR
aureopubens Pic, 1913b: 178
korbi Pic, 1914b: 4 [DA]
takabensis Danilevsky, 2018b: 585 A: IN
tatiana Miroshnikov, 2011a: 53 A: AB (Ordubad env.)
tibialis tibialis Marseul, 1876: cii (*Judolia*) ["Sarepta"] E: ST (Volgograd env.)
pallidipes Pic, 1898g: 49 ["Russie M^{co}"]
tibialis rossica Danilevsky, 2001b: 7 ["Kalach-Khoper"] E: UK CT ST #648
tibialis ruthena Plavilstshikov, 1936: 286 [Uralsk] E: ST KZ A: KZ
transcaspica lobanovi Kaziutshitz, 1988: 583 [Nakhichevan: Buzgov] A: AB AR IN TU
transcaspica persica Plavilstshikov, 1936: 291 A: IN ?AF #316
transcaspica transcaspica Plavilstshikov, 1936: 290 A: AB AR IN TM
turgaica Danilevsky, 2001b: 9 [Zharkol Lake near Arkalyk] E: WS(Orenburg) A: KZ #140
uniformis Holzschuh, 1975a: 79 A: TR
ussuriensis Tsherepanov, 1978a: 101 A: FE
vicina Pic, 1914b: 4 A: LE
villosa aktolagaica Miroshnikov, 2007: 214 A: KZ (Aktolagay Mts.) #318
villosa circassica Reitter, 1890d: 245 E: ST (NW Caucasus)
obscuripes Reitter, 1890d: 245
villosa chuvilini Danilevsky, 2012b: 140 [Volgograd Region: Golubinskoe] E: ST
villosa kazakorum Danilevsky, 2014i: 167 [Rostov Region: Novocherkassk env.] E: ST
villosa krasnobaevi Danilevsky, 2010d: 58 [Lugansk Region] E: ST UK
villosa kuvandykensis Danilevsky, 2012b: 139 E: ST (Orenburg Region, Kuvandyk env.)
villosa magdeevi Danilevsky, 2011a: 42 [Zhiguli] E: CT
villosa major Miroshnikov, 2007: 211: E: CT (Bashkiria: Shulgan-Tash)
villosa mariae Danilevsky, 2010d: 59 E: ST (Black Sea Coast: Sukko)
villosa mikhailovi Danilevsky, 2001a: 8 A: WS (Chelyabinsk Region: Arkaim)
villosa miroshnikovi Danilevsky, 2010a: 43 A: GG (Bakuriani)
villosa nakhichevanica Miroshnikov, 2007: 213: A: AB (Ordubad env.)
villosa parfentjevi Miroshnikov, 2007: 215 [Simferopol] E: UK (Crimea: Simferopol; Kerch env.: Chokrak Lake) #318
villosa villosa Heyden, 1876a: 318 E: AU BH BU CR CZ HU MC MD RO SB SK UK
frivaldszkyi Kraatz, 1876b: 344 (*Grammoptera*)
nigrita Heyden, 1876a: 318 [DA]
umbriventris Roubal, 1931b: 131
villosa zhuravlevi Miroshnikov, 2007: 214 E: ST (Orenburg env.) A: KZ (NW Kazakhstan: Rozhkovo, Uralsk) #318
wewalkai Holzschuh, 1995: 9 A: TR
wittmeri akshehirensis Danilevsky, 2015d: 1043 A: TR
wittmeri gevashensis Danilevsky, 2015d: 1046 A: TR
wittmeri malatyaensis Danilevsky, 2015d: 1045 A: TR
wittmeri sivasensis Danilevsky, 2015d: 1044 A: TR
wittmeri wittmeri Holzschuh, 1995: 9 A: TR [Niğde] #94

genus *Dinoptera* Mulsant, 1863: 494 type species *Leptura collaris* Linnaeus, 1758
anthracina Mannerheim, 1849: 246 (*Pachyta*) A: FE ES MG NC NE NMO SE
chrysolina Holzschuh, 2003a: 151 A: SHA
collaris Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT KZ LA LT LU MC MD ME
NE NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR GG ES GAN IN KZ NE NMO SY TR WS
carneola Schrank, 1798: 696 (*Leptura*)
morio Fabricius, 1793: 349 (*Leptura*)
nigricollis Mulsant, 1839: 247 (*Pachyta*) #792
ruficollis DeGeer, 1775: 143 (*Leptura*)
sylvestris Geoffroy, 1785: 88 (*Stenocorus*)
concolor Heyden & Faust, 1888: 45 (*Acmæops*) A: GG (Sukhumi) TR #792
lota Holzschuh, 1998: 8 A: GAN SHA #225
minuta criocerina Bates, 1873: 194 (*Acmæops*) A: JA
japonica Pic, 1907c: 20 (*Acmæops*)
minuta minuta Gebler, 1832: 69 (*Pachyta*) A: BEI ES FE GUX HEB HEI HEN JIL JIX LIA MG NC NIN NMO SC SHA SHN SHX ZHE

genus *Euracmaeops* Danilevsky, 2014i: 147 type species: *Leptura marginata* Fabricius, 1781 #704
angusticollis Gebler, 1833: 304 (*Pachyta*) E: BY CT NT PL A: ES FE JIL MG NC NMO WS XIN #526
amurensis Suvorov, 1915: 346

sachalinensis Tsherepanov, 1978a: 99
subbrachypterus Plavilstshikov, 1915c: 105
viridulus Matsumura, 1911: 134
marginatus Fabricius, 1781: 247 (*Leptura*) E: AU BE BH BY CR CT CZ EN FI FR GE GR HU IT LA ?LT ME NL NR NT PL ?SB SK SL
 SP ST SV SZ UK A: ES FE GAN KZ MG NMO TR WS #535
annulicornis Pic, 1933f: 4
bicoloripes Pic, 1933f: 4
spadiceus Schilsky, 1888: 189
septentrionis C. G. Thomson, 1866: 61 (*Pachyta*) E: AU BU ?BY CT CZ EN FI FR GE IT ?LA LS ?LT NR NT PL RO SK SL ST SV SZ UK
 A: ES FE HEI JA JIL KZ LIA MG NC NMO SC SHA WS XIN #104 #400 #526 #535 #752
alpestris Pic, 1901f: 25
simplonicus Stierlin, 1880: 550 (*Leptura*)
smaragdulus Fabricius, 1793: 342 (*Leptura*) [NP] E: ~~BY~~ CT FI FR ?LT NR NT PL SV ?SZ A: ES FE HEI JIL KZ LIA MG NC NMO SHA
 WS XIN #63 #115 #525 #535 #752
smaragdinus Naezen, 1792: 173 (*Leptura*) [NO]

genus *Evodinellus* Plavilstshikov, 1915g: 355 type species *Leptura borealis* Gyllenhal, 1827
subgenus *Evodinellus* Plavilstshikov, 1915g: 355 type species *Leptura borealis* Gyllenhal, 1827 #758
borealis Gyllenhal, 1827: 36 (*Leptura*) E: BY CT EN FI LA LT NR NT PL SK SV UK A: ES FE JA MG NC NE NMO SC WS
brunneonotatus Pic, 1901b: 11 (*Brachyta*)
grisescens Pic, 1889b: 78 (*Pidonia*)
interruptelumatus Schmidt, 1951: 11
lateobscurus Pic, 1901b: 11 (*Brachyta*)
obscurissimus Pic, 1904a: 3
pallescens Fujimura, 1956: 2
petrovi Danilevsky, 2023b: 465 (*Pidonia*) #723
pictus Mäklin, 1845: 549 (*Pachyta*)
schrammi Pic, 1945b: 6
separatus Pic, 1945b: 6

subgenus *Brachytodes* Planet, 1924: 96 type species *Rhagium clathratum* Fabricius, 1793 #758
clathratum Fabricius, 1793: 306 (*Rhagium*) E: AU BH BU CR CZ FR GE HU IT LS MC MD PL RO SK SL SZ UK
atromultiplicatus Pic, 1945b: 5
atroductus Pic, 1915a: 41
brunnipes Mulsant, 1839: 238
diversesignatus Pic, 1945b: 5
flecki Schmidt, 1958: 77
gallicus Pic, 1945b: 5
holobrunneus Schmidt, 1958: 77
leprieuri Pic, 1945b: 5
morginsius Pic, 1945b: 5
nigerrimus Schmidt, 1958: 74
nigrescens Gredler, 1873: 74 (*Pachyta*)
nigritus Pic, 1891b: 6 (*Brachyta*)
obscuratus Schmidt, 1958: 73
pedemontanus K. Daniel & J. Daniel, 1898b: 87 (*Brachyta*)
reticulatus Fabricius, 1794: 453 (*Leptura*)
semicinctus Drapiez, 1819a: 52 (*Leptura*)
signatus Panzer, 1793a: 13 (*Leptura*)
tricoloratus Schmidt, 1958: 77
vesubiensis Pic, 1945b: 5

genus *Fallacia* Mulsant & Rey, 1863: 180 type species *Fallacia longicollis* Mulsant & Rey, 1863 (= *Grammoptera elegans* Faldermann, 1837)
elegans Faldermann, 1837: 319 (*Grammoptera*) E: ~~CT~~ ST TR A: AB AR GG IN TR
inapicalis Pic, 1901e: 16
lederi Kraatz, 1879f: 280
longicollis Mulsant & Rey, 1863: 180
mingrellica Kraatz, 1879i: 279
subnotata Pic, 1901e: 16

genus *Gaurotina* Ganglbauer, 1889a: 49 type species *Gaurotina superba* Ganglbauer, 1889
flavimarginata Pu, 1992b: 591, 617 (*Gaurotes*) A: NIN SCH #400
labrangica Danilevsky & Rapuzzi, 1996: 10 A: GAN
nigroantennata L. Chen & Chiang, 2000: 31, 35 A: JIL TIA
nitida Gressitt, 1951a: 62 A: GAN NIN SHA #400
piligera Pu, 1992b: 591, 617 (*Gaurotes*) A: SCH
pulchra Holzschuh, 1991c: 8 A: SCH
sichotensis Danilevsky, 1988c: 372 A: FE KO #517
superba Ganglbauer, 1889a: 50 A: GAN JIL QIN SCH SHA YUN #400

genus *Gnathacmaeops* Linsley & Chemsak, 1972: 135 type species *Leptura pratensis* Laicharting, 1784
brachypterus K. Daniel & J. Daniel, 1898a: 73 (*Acmaeops*) A: KI KZ XIN
pratensis Laicharting, 1784: 172 (*Leptura*) E: AL AN AU BH BU BY CR CT CZ EN FI FR GE HU IT **KZ LA ?LT MC MD ?ME NR NT**
 PL RO SB SK SL SP ST SV SZ UK A: AB AR ES FE GG KI KZ MG NC (Bujeongowon) NMO UZ WS XIN **NAR #63 #535**
lateralis Estlund, 1796: 127 (*Leptura*)
obscuripennis Pic, 1901: 24 (*Acmaeops*)
spretus Lentz, 1857: 147 (*Pachyta*)
suturalis Mulsant, 1839: 246 (*Pachyta*)
strigilatus Fabricius, 1793: 341 (*Leptura*)
ustulatus Motschulsky, 1860b: 148 (*Pachyta*)

genus *Rhagium* Villiers, 1978: 85 type species *Rhagium bifasciatum* Fabricius, 1775 #757
bifasciatum Fabricius, 1775: 183 (*Rhagium*) E: AL AU BE BH BU ?BY CR CT CZ DE EN FI FR GB GE GR HU IR IT ?LA LS ?LT LU MC
 MD ME NL NR PL PT RO SB SK SL SP ST SZ TR UK A: AB AR GG IN TR #104 #752
anglicum Gmelin, 1790: 1844 (*Cerambyx*)
bicolor Olivier, 1800: 16 (*Stenocorus*) #373
bimaculatum Marsham, 1802: 343 (*Leptura*)
bistrinotatum Pic, 1914b: 3 (*Rhagium*)
deyrollei Pic, 1909: 123 (*Rhagium*)
ecoffeti Mulsant, 1839: 222 (*Rhagium*)
fasciatum Pic, 1910d: 19 (*Rhagium*)
gravei Hubenthal, 1902: 291 (*Rhagium*)
infasciatum Pic, 1898a: 3 (*Rhagium*)
latefasciatum Pic, 1891b: 2 (*Rhagium*)
litturatum Fügner, 1891: 201 (*Stenocorus*)
maculatum Goeze, 1777: 462 (*Cerambyx*)
medionotatum Pic, 1910d: 20 (*Rhagium*)
nigrolineatum Donovan, 1801: 73 (*Leptura*)
ornatum Fabricius, 1775: 183 (*Rhagium*)
parisinum Geoffroy, 1785: 85 (*Stenocorus*)
rufum Pic, 1910d: 19 (*Rhagium*)
unifasciatum Mulsant, 1839: 222 (*Rhagium*)

genus *Japanocorus* Danilevsky, 2012m: 919 type species *Toxotus caeruleipennis* Bates, 1873
caeruleipennis Bates, 1873: 193 (*Toxotus*) A: FE (Sakhalin, Kunashir) JA
galloisi K. Ohbayashi, 1961a: 16 (*Toxotus*)

genus *Lemula* Bates, 1884a: 211 type species *Lemula decipiens* Bates, 1884a
subgenus *Lemula* Bates, 1884a: 211 type species *Lemula decipiens* Bates, 1884a
aequipilosa N. Ohbayashi & Chou, 2019: 459 A: TAI
brunneipennis Shimomura, 1979: 271 A: TAI
coerulea Gressitt, 1939b: 84 A: FUJ SHA ZHE #225 #526
confusa Holzschuh, 2009a: 268 A: ANH FUJ HEN HUB ZHE #436
crucifera Shimomura, 1979: 274 A: TAI
cyanipennis Hayashi, 1974a: 3 A: TAI #436
longipennis Shimomura, 1979: 278 #436
decipiens Bates, 1884a: 212 A: JA #517
formosana aenea N. Ohbayashi & Chou, 2019: 474 A: TAI
formosana formosana N. Ohbayashi & Chou, 2019: 474 A: TAI
fracta Holzschuh, 1998: 7 A: CHQ SCH SHA #436
gorodinskii gorodinskii Holzschuh, 1999: 8 A: GAN SHA #436
gorodinskii henanica Holzschuh, 2009a: 269 A: HEN
holzschuhi N. Ohbayashi & Chou, 2019: 478 A: HEN HUB
japonica Tamanuki, 1938b: 166 (*Lemura*) A: JA #436
jinfoshana N. Ohbayashi & Chou, 2019: 467 A: CHQ
lata lata Holzschuh, 2009a: 270 A: HEN
lata zhejianga N. Ohbayashi & Chou, 2019: 485 A: ZHE
nishimurai Seki, 1944a: 25 A: JA
hiratai Hayashi, 1944: 23
nitidiuscula N. Ohbayashi & Chou, 2019: 460 A: TAI
par Holzschuh, 1998: 6 A: YUN
pilifera Holzschuh, 1991c: 8 A: SCH
rufithorax Pic, 1901m: 57 A: JA
setigera **Mitono & Tamanuki**, 1939: 207 A: TAI #499
shaanxiensis N. Ohbayashi & Chou, 2019: 482 A: GAN SHA
simillima N. Ohbayashi & Chou, 2019: 477 A: GUA GUI
testaceipennis Gressitt, 1939b: 85 A: FUJ GUA GUX ZHE TAI #436
densepunctata Hayashi, 1974a: 4 #436

inaequalicollis Pic, 1957: 75 #436
obscuripennis Shimomura, 1979: 276 #436
 zhani N. Ohbayashi & Chou, 2019: 466 A: GUA
subgenus *Pseudolemula* N. Ohbayashi & Chou, 2019: 490 type species *Lemula viridipennis* Holzschuh, 1993
tichyi N. Ohbayashi & Chou, 2019: 466 A: HEN SCH
viridipennis Holzschuh, 1993a: 7 A: GAN

genus *Macropidonia* Pic, 1901k: 339 type species *Macropidonia ruficollis* Pic, 1901
Sieversia Ganglbauer, 1887a: 134 [HN] type species *Sieversia bicolor* Ganglbauer, 1887
Sivana Strand, 1942: 391 [RN] type species *Sieversia bicolor* Ganglbauer, 1887
bicolor Ganglbauer, 1887a: 134 (*Sieversia*) A: FE HEB LIA NC SC
ruficollis Pic, 1901k: 340 A: JA JIL

genus *Megarhagium* Reitter, 1913a: 6 type species *Cerambyx sycophanta* Schrank, 1781 #757
causicum causicum Reitter, 1889c: 287 (*Rhagium*) ?E: ?ST A: AB AR GG TR
causicum semicorne Holzschuh, 1974b: 118 (*Rhagium*) A: AB IN
elmaliense Schmid, 1999: 157 (*Rhagium*) A: TR
fasciculatum Faldermann, 1837: 304 (*Rhagium*) E: ST A: AB AR GG IN TR
rufipes Motschulsky, 1838: 184 (*Rhagium*)
iranum Heller, 1940: 842 (*Rhagium*) A: IN
mordax DeGeer, 1775: 124 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU LS MC MD ME
 NL NR NT PL RO SB SK SL SP ST SV SZ UK A: ES KZ TM WS #517
altajense Podany, 1964a: 15 (*Rhagium*)
bifasciatum Schrank, 1781a: 137 (*Leptura*) [HN]
klenkai Pic, 1915e: 4 (*Rhagium*)
linnei Laicharting, 1784: 122 (*Rhagium*)
morvandicum Pic, 1927e: 10 (*Rhagium*)
subdilatum Pic, 1917g: 3 (*Rhagium*)
vulgare Samouelle, 1819: 210 (*Rhagium*)
pruinatum Pesarini & Sabbadini, 2011: 42 (*Rhagium*) E: GR
pygmaeum Ganglbauer, 1882: 718 (*Rhagium*) A: AB (Talysh) IN
pygmaeum Ganglbauer, 1886d: 234 (*Stenocorus*)
rosti Pic, 1898b: 18
sycophanta Schrank, 1781a: 137 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE FI FR GB GE GR HU IR IT LA LT LU MC MD ME
 NL PL PT RO SB SK SL SP ST SV SZ TR UK A: WS
cephalotes Mulsant, 1839: 224 (*Rhagium*)
grandiceps C. G. Thomson, 1866: 50 (*Rhagium*)
scrutator Olivier, 1800: 10 (*Stenocorus*) #373
syriacum phrygium K. Daniel, 1906b: 176 (*Rhagium*) A: TR
syriacum syriacum Pic, 1892r: cxi (*Rhagium*) [= 1893d: 414 (*Rhagium*)] A: SY TR

genus *Pachyta* Dejean, 1821: 112 type species *Leptura quadrimaculata* Linnaeus, 1758
Argaleus LeConte, 1850b: 319 type species *Argaleus nitens* LeConte, 1850 (= *Pachyta liturata* Kirby, 1837)
Linsleyana Podany, 1964b: 43 type species *Pachyta armata* LeConte, 1873a
Neopachyta Bedel, 1906: 93 [RN]
bicuneata Motschulsky, 1860b: 147 A: ES FE GAN HEI JIL NC SC SHA
bisbimaculata Pic, 1900f: 17
bisbinotata Pic, 1907a: 5 (*Neopachyta*)
incolumis Heyden, 1886c: 273
degener Semenov & Plavilstshikov, 1936: 393 A: NMO
erebia Bates, 1884a: 212 A: JA
kusamai Hayashi, 1955: 22
uenoi Makihara, 1995: 451
felix Holzschuh, 2007: 182 A: XIZ YUN #60
gorodinskii Rapuzzi, 2013: 466 A: QIN
lamed Linnaeus, 1758: 391 (*Cerambyx*) E: AU BU BY CT CZ DE EN FI FR GE HU IT LA LT MD NR NT PL RO SK SL SV SZ UK A: ES
 FE GAN JA JIL MG NC NMO QIN SHA WS XIN
pedella DeGeer, 1775: 129 (*Leptura*)
sasakii Fujita, 2018: 21 #526 #736
spadicea Paykull, 1800: 103 (*Leptura*)
mediofasciata Pic, 1936d: 15 A: HEB JIL NMO QIN SHA
nigromarginalis Pic, 1939b: 2
subapicalis Pic, 1939b: 1
perlata Holzschuh, 1991a: 6 A: KA NP
quadrimaculata Linnaeus, 1758: 397 (*Leptura*) E: AU BH BU BY CR CT CZ DEi EN FI FR GE GR HU IT LA LS LT MC MD ME NT PL
 RO SB SK SL SP ST SZ UK A: ES GAN HEB HEI JIL KZ MG NIN QIN SHA WS XIN
basinotata Roubal, 1937: 81
bimaculata Schoenherr, 1817a: 489 (*Leptura*)

mulsanti Pic, 1945b: 5
timida Scopoli, 1763: 53 (*Cerambyx*)

genus *Pachytella* Heyrovský, 1969b: 226 type species *Pachytella mongolica* Heyrovský, 1969
churkini Danilevsky, 2011: 253 A: MG
mongolica Heyrovský, 1969b: 227 A: MG

genus *Paktoxotus* Holzschuh, 1974a: 84 type species *Paktoxotus pallidus* Holzschuh, 1974
pallidus Holzschuh, 1974a: 86 A: ?AF PA

#454

genus *Paragaurotus* Plavilstshikov, 1921b: 116 type species *Gaurotus ussuriensis* Blessig, 1873
doris doris Bates, 1884a: 212 A: JA ?NIN ?SHA
amagisana K. Ohbayashi, 1956a: 7
doris suvorovi Semenov, 1914: 17 A: FE (Sakhalin, Kurils) JA
fairmairei Aurivillius, 1912: 193 (*Gaurotus*) [RN] A: NIN SCH SHA
diversicollis Pic, 1939b: 1 (*Gaurotus*)
donacioides Fairmaire, 1889a: 59 (*Gaurotus*) [HN]
ussuriensis Blessig, 1873: 247 A: ES FE HEB HEI JIL LIA NC SC

#400

#400

genus *Pidonia* Mulsant, 1863: 570 type species *Leptura lurida* Fabricius, 1793
subgenus *Cryptopidonia* Kuboki, 1981: 530 type species *Pidonia lyra* Kuboki & Suzuki, 1978
aenipennis aenipennis Gressitt, 1935c: 253 (*Pseudopidonia*) A: TAI
aenipennis continentalis Tippmann, 1955: 90 (*Pseudopidonia*) A: FUJ
albomaculata Matsushita, 1931c: 401 (*Pseudopidonia*) A: TAI
amentata amentata Bates, 1884a: 215 (*Grammoptera*) A: JA

breuningi Pic, 1955: 12 (*Pseudopidonia*)

oculata Matsushita, 1933b: 191 (*Pseudopidonia*)

staudingeri Pic, 1901c: 12 (*Pseudopidonia*)

#526

amentata awashimana Kuboki, 1993c: 235 A: JA (Awashima Is.)
amentata kurosawai K. Ohbayashi & Hayashi, 1960: 13 A: FE (Kurils) JA
amentata sadoensis Kuboki, 1993d: 261 A: JA (Sado Is.)

#276

anmashana Kuboki, 1993a: 33 A: TAI
approximata Kuboki, 1977b: 65 A: JA
chiaomui Kuboki, 1995b: 747 A: TAI
chui Chou, 1998: 434 A: TAI
dealbata Kuboki, 1981: 535 A: JA
fushani Kuboki, 1993a: 37 A: TAI
hamadryas Kuboki, 1977c: 268 A: JA
hayashii Koike, 1971: 25 A: JA
hohuanshana Chou, 1998: 438 A: TAI
hylophila affinis Kuboki, 1982b: 118 A: JA
hylophila hylophila Kuboki, 1977b: 67 A: JA
ohdaisana Mizuno, 1978: 39
insuturata Pic, 1901m: 59 A: JA
brevinotata Pic, 1902g: 24 (*Pseudopidonia*)

***kaguyahime* Kuboki, 2020: 252 A: JA**

luna Chou & Wu, 2005: 407 A: TAI
lyra Kuboki & Suzuki, 1978: 297 A: JA
masakii Hayashi, 1955: 28 A: JA
hiurai K. Ohbayashi & Hayashi, 1960: 15
lepesmei Pic, 1956: 647 (*Pseudopidonia*)

***simillima* K. Ohbayashi & Hayashi, 1960: 14**

#600

miwai Matsushita, 1933b: 190 (*Pseudopidonia*) A: JA
pilushana S. Saito, 1979: 211 A: TAI
subaenea Gressitt, 1935c: 254 (*Pseudopidonia*) A: JIL TAI
taipingshana Kuboki, 1995b: 753 A: TAI
takahashii Kuboki, 1983: 25 A: TAI
yushana Chou & Wu, 2005: 403 A: TAI

subgenus *Mumon* Hayashi, 1968b: 15 type species *Grammoptera debilis* Kraatz, 1789

aegrota aegrota Bates, 1884a: 214 (*Grammoptera*) A: JA
aegrota kubokii Hayashi, 1984: 22 [RN] A: JA (Tsushima Is.)
spectabilis Kuboki, 1982b: 120 [HN]

#400

#526

aegrota telephia Kuboki, 1996b: 805 A: JA (Sado Is.)
aestivalis Kuboki, 1994a: 37 A: TAI
alsophila Kuboki, 1997a: 19 A: TAI
amabilis Kuboki, 1980: 58 A: TAI

#276

binigrosignata Hayashi, 1974a: 5 A: TAI
chienhsingi Kuboki, 1995a: 5 A: TAI
confusa S. Saito, 1980: 294 A: TAI
debilis Kraatz, 1879c: 104 (*Grammoptera*) A: FE HEI NC SC
formosana Tamanuki & Mitono, 1939: 208 A: TAI #526
formosissima Kuboki, 1980: 55 A: TAI #400
pudica Kuboki, 1994a: 33 A: TAI
sacrosancta Kuboki, 1995a: 9 A: TAI
subgenus *Omphalodera* Solsky, 1873: 244 type species *Omphalodera puziloi* Solsky, 1873
changii Hayashi, 1971: 3 A: SHA
heudei Gressitt, 1939b: 86 (*Pseudopidonia*) A: SHA ZHE #225
nakabayashii Kuboki, 2014: 181 A: JA
ogasawarai Kuboki, 2015: 469 A: JA
puziloi Solsky, 1873: 245 (*Omphalodera*) A: FE HEI JA MG NC SC
flaviventris Bates, 1884a: 212 (*Omphalodera*)
sakimori Kuboki, 2015: 466 A: JA (Tsushima Is)
testacea Matsushita, 1933b: 184 (*Omphalodera*) A: JA
warusawadakensis K. Ohbayashi, 1959: 1 A: JA
subgenus *Paleopidonia* Kuboki, 2003: 1 type species *Pidonia fujisana* Obika & Kusama, 1971
chujoi K. Ohbayashi & Hayashi, 1960: 13 A: JA
fujisana Obika & Kusama, 1971: 233 A: JA
oyamae Oyama, 1908: 19 (*Grammoptera*) A: JA
quadrimaculata Matsushita, 1933b: 192 (*Pseudopidonia*)
subgenus *Pidonia* Mulsant, 1863: 570 type species *Leptura lurida* Fabricius, 1793
lurida Fabricius, 1793: 343 (*Leptura*) E: AU BE BH BU BY CR CZ FR GE GR HU IT LA LS LT MD PL RO SB SK SL SZ UK #472
ganglbaueri Omay, 1888: 168
notaticollis Pic, 1941d: 15
rufithorax Pic, 1902g: 23
subgenus *Pseudopidonia* Pic, 1900n: 81 type species *Pseudopidonia amurensis* Pic, 1900 #400
alpina An & Kwon, 1991: 43 A: SC
alticollis Kraatz, 1879c: 103 (*Grammoptera*) A: CH FE NC SC
rubricollis Pic, 1931b: 257 (*Pseudopidonia*)
rufiventris Plavilstshikov, 1932f: 87 (*Pseudopidonia*)
tristricula Kraatz, 1879c: 104 (*Grammoptera*)
amurensis Pic, 1900n: 81 (*Pseudopidonia*) A: FE HEI JIL NC SC SHA #400
quelpartensis Hayashi, 1983: 32
unifasciata Plavilstshikov, 1915c: 106 (*Pseudopidonia*)
angustata Kuboki, 1994c: 185 A: TAI
armata Holzschuh, 1991c: 9 A: SCH
atripennis Hayashi, 1978a: 85 A: TAI
atritarsis Holzschuh, 2013b: 92 A: SCH
balteata Holzschuh, 2013b: 88 A: SCH
benesi Holzschuh, 1998: 15 A: SCH
bispina Holzschuh, 1998: 12 A: HUB
bivittata S. Saito, 1980: 291 A: TAI
bouvieri Pic, 1901k: 339 A: JA
businskyorum Holzschuh, 1998: 13 A: HUB
chairo Tamanuki, 1943: 38 A: JA
chinensis Hayashi & Villiers, 1985: 17 A: BEI #400
compta Holzschuh, 1998: 16 A: GAN
cuprescens Holzschuh, 1991c: 10 A: SCH
dentipes Holzschuh, 1998: 8 A: SHA
deodara Kuboki, 1986: 63 A: TAI
determinata Holzschuh, 1998: 14 A: SCH
discoidalis Pic, 1901m: 58 A: JA
amagisanus Hayashi, 1953: 39
japonica Pic, 1953a: 14 (*Pseudopidonia*) [HN]
muneaka Hayashi, 1955: 26
tamanukii Hayashi, 1969b: 71
effracta Holzschuh, 1998: 17 A: SCH
elegans An & Kwon, 1991: 47 A: SC
erlangshana Holzschuh, 2013b: 91 A: SCH
exilis Holzschuh, 1991c: 13 A: SCH
falcata Kuboki, 1997b: 25 A: JA
flaccidissima Kuboki, 1994c: 181 A: TAI
foveolata Holzschuh, 1998: 17 A: YUN
frivola Holzschuh, 1998: 14 A: SCH

fumaria Holzschuh, 2003a: 155 A: SCH
gibbicollis Blessig, 1873: 258 (*Leptura*) A: FE HEI JA (Tsushima Is.) JIL LIA NC SC #60
marginata Pic, 1931b: 258 (*Pseudopidonia*)
gloriosa Kuboki, 1993b: 155 A: TAI
gorodinskii Holzschuh, 1998: 13 A: GAN
grallatrix Bates, 1884a: 214 (*Grammoptera*) A: JA
harmandi Pic, 1901m: 58
hamifera Holzschuh, 1998: 10 A: SHA
hayakawai Kuboki, 2001: 23 A: JA
himehana S. Saito, 1992: 12 A: JA
ignobilis Holzschuh, 1991c: 14 A: SCH
indigna Holzschuh, 1991c: 12 A: SCH
infuscata Gressitt, 1939b: 88 (*Pseudopidonia*) A: FUJ ZHE
jasha S. Saito & A. Saito, 1989: 194 A: JA
kanwonensis Danilevsky, 1993d: 111 A: NC (Mt. Geumgangsán)
koreana An & Kwon, 1991: 49 A: SC (Jejudo Is.)
kyushuensis Yamawaki, 1959: 85 A: JA
leucanthophila Kuboki, 1978a: 33 A: JA
limbaticollis limbaticollis Pic, 1902g: 27 (*Pseudopidonia*) A: JA
naganoensis Pic, 1956: 648 (*Pseudopidonia*)
nikkokensis K. Ohbayashi & Hayashi, 1957: 7
limbaticollis ohbayashii Matsushita, 1933b: 191 (*Pseudopidonia*) A: JA
tokugoana Matsushita, 1933b: 194 (*Pseudopidonia*)
limbaticollis stephani Hayashi, 1982b: 152 [RN] A: JA
breuningi K. Ohbayashi & Hayashi, 1957: 5 [HN]
longipalpis Kuboki, 1985: 115 A: TAI
longipennis An & Kwon, 1991: 50 A: SC
lucida Holzschuh, 1991c: 15 A: SCH
ludmilae Holzschuh, 1998: 12 A: HUB
luridaria Holzschuh, 1998: 16 A: SCH
maai Gressitt, 1951a: 73 A: FUJ
maculithorax Pic, 1901k: 338 A: JA
lineatocollis Pic, 1902g: 24
rufithorax Pic, 1956: 647 (*Pseudopidonia*) [HN] #625
major S. Saito, 1979: 214 A: TAI
malthinoides Kraatz, 1879c: 104 (*Grammoptera*) A: FE NC SC
quercus Tsherepanov, 1975b: 38 (*Pseudopidonia*)
maoxiana Holzschuh, 2013b: 89 A: SCH
matsushitai K. Ohbayashi, 1958d: 62 [RN] A: JA
ruficollis Matsushita, 1933b: 193 (*Pseudopidonia*) [HN]
maura Danilevsky, 1996b: 19 A: SC (Samjeongri)
meridionalis Kuboki, 1978b: 85 A: TAI
michinokuensis Hayashi, 1981b: 28 [RN] A: JA
japonica K. Ohbayashi & Hayashi, 1960: 15 [HN]
satoi K. Ohbayashi & Hayashi, 1960: 16
mimica Holzschuh, 2017b: 3 A: SCH #400
misenina S. Saito & A. Saito, 1992: 19 A: JA
mitis Holzschuh, 1992b: 8 A: SCH
moderata Holzschuh, 2017b: 4 A: SCH #400
modesta Kuboki, 1997c: 421 A: JA
murzini Holzschuh, 2013b: 86 A: SCH
mutata Bates, 1884a: 215 (*Grammoptera*) A: JA
shikokensis K. Ohbayashi & Hayashi, 1957: 6 [HN]
shikokuana Hayashi, 1968b: 53 [RN]
neglecta hizena Imasaka & Amano, 2001: 337 A: JA
neglecta neglecta Kuboki, 1982a: 7 A: JA
nobuoi Chou, 2009: 110 A: GUX
obfuscata Holzschuh, 1991c: 14 A: SCH
obscurior hakusana K. Ohbayashi & Hayashi, 1960: 14 A: JA
yokoyamai Hayashi, 1968b: 34
obscurior obscurior Pic, 1901k: 338 A: JA
bisignata Pic, 1935d: 12 (*Pseudopidonia*)
nagayamai Hayashi, 1968b: 37
occipitalis Gressitt, 1935e: 255 (*Pseudopidonia*) A: TAI
ohminesana Mizuno, 1987: 111 A: JA
orientalis Matsushita, 1933a: 103 A: JA
orophila Holzschuh, 1991a: 6 A: GUI YUN #400

- palleola* Holzschuh, 1991c: 11 A: SCH SHA #225
- pallida* K. Ohbayashi & Hayashi, 1960: 14 A: JA
- pallidicolor* Hayashi, 1983: 31 A: JA
- palligera* Holzschuh, 1995: 8 A: YUN
- palposa* Holzschuh, 2017b: 2 A: SCH #400
- paradisiacola* Kuboki, 1977a: 31 A: TAI
- pauperula* Holzschuh, 1999: 8 A: SCH
- picta* Ganglbauer, 1889a: 51 A: GAN NMO
- propinqua* Danilevsky, 1993e: 477 A: NC SC
- pullata* Holzschuh, 1998: 11 A: HUB NIN #400
- qinlingana* Holzschuh, 1998: 11 A: SHA
- rutila* Holzschuh, 1998: 9 A: HUB
- semiobscura* Pic, 1901k: 338 A: ?FE (Sakhalin Is.) JA #526
- diversenotata* Pic, 1956: 648 (*Pseudopidonia*) #625
- nipponensis* Matsushita, 1933b: 190
- rufoscutellata* Matsushita, 1933b: 192 (*Pseudopidonia*)
- seorsa* Holzschuh, 1991c: 11 A: NIN SCH #400
- sertata* Holzschuh, 1998: 18 A: SCH
- seungmoi* An & Kwon, 1991: 51 A: SC
- shikokensis amanoi* Hayashi, 1969b: 71 A: JA
- shikokensis shikokensis* Chūjō & Hayashi, 1951: 4 A: JA
- sichuanica* Holzschuh, 1992b: 7 A: SCH
- signata* Matsushita, 1933b: 185 A: JA
- signifera* Bates, 1884a: 215 (*Grammoptera*) A: JA #400
- similis* Kraatz, 1879c: 102 (*Grammoptera*) A: FE HEI JIL NC SC
- rosti* Pic, 1954: 3 (*Pseudopidonia*)
- subobliterata* Pic, 1954: 3 (*Pseudopidonia*)
- sororia* Holzschuh, 1992b: 6 A: SCH
- straminea* Holzschuh, 1992b: 6 A: SCH
- striolata* Holzschuh, 2013b: 84 A: SCH
- submetallica* Hayashi, 1974a: 6 A: TAI
- subsuturalis* Plavilstshikov, 1915c: 107 (*Pseudopidonia*) A: JIL
- suvorovi* Baeckmann, 1903a: 115 A: FE NC SC
- suzukii* Kuboki, 1983: 113 A: JA
- sylvicola* Kuboki, 1977c: 264 A: JA
- takakuwai* Chou, 2009: 113 A: GUX
- trilineata* Pic, 1954: 3 (*Pseudopidonia*) A: JA #625
- takechii* Kuboki, 1986: 297 #625
- tsukamotoi* Mizuno, 1978: 39 A: JA
- tsushimana* S. Saito & A. Saito, 1988: 120 A: JA (Tsushima Is.)
- tsutsuii* Kuboki, 1996a: 368 A: JA
- tsuyukii* Kuboki, 1994b: 132 A: JA
- weolseonae* An & Kwon, 1991: 55 A: SC
- yamato* Hayashi & Mizuno, 1953: 38 A: JA #526
- higeshiro* Yamawaki, 1977: 61
- genus *Pseudodinoptera* Pic, 1900n: 82** type species *Acmaeops daghestanicus* Pic, 1897
- daghestanica* Pic, 1897g: 262 (*Acmaeops*) E: ST (Dagestan)
- genus *Pseudogaurotina* Plavilstshikov, 1958b: 722** type species *Gaurotes splendens* Jakovlev, 1893 #704
- excellens* Brancsik, 1874: 230 (*Pachyta*) E: PL RO SK UK
- magnifica* Plavilstshikov, 1958b: 720 (*Gaurotes*) A: FE
- robertae* Pesarini & Sabbadini, 1997: 99 A: SCH
- splendens* Jakovlev, 1893a: 444 (*Gaurotes*) A: ES ?MG
- genus *Pseudosieversia* Pic, 1902f: 19** type species *Pidonia rufa* Kraatz, 1879
- Macrorhabdium* Plavilstshikov, 1915c: 103 type species *Macrorhabdium ruficolle* Plavilstshikov, 1915 (= *Pidonia rufa* Kraatz, 1879)
- japonica amanoi* Hayashi, 1971: 2 A: JA
- japonica japonica* K. Ohbayashi, 1937: 5 (*Microrhabdium*) A: JA
- japonica shikokensis* Hayashi, 1959b: 55 A: JA
- rufa* Kraatz, 1879c: 101 (*Pidonia*) A: FE JIL NC SC #400
- bicolor* Heyden, 1886c: 276 (*Pidonia*)
- coreana* Matsushita, 1935: 539 [HN]
- coreana* Okamoto, 1927: 67 (*Sieversia*)
- ruficollis* Plavilstshikov, 1915c: 104 (*Macrorhabdium*)
- spectabilis* Kraatz, 1879e: 228 (*Pidonia*)

genus *Rhagium* Fabricius, 1775: 182 type species *Cerambyx inquisitor* Linnaeus, 1758 #757
Allorhagium Kolbe, 1884: 270 type species *Cerambyx inquisitor* Linnaeus, 1758
Hargium Leach, 1819: 210 type species *Cerambyx inquisitor* Linnaeus, 1758
femorale N. Ohbayashi, 1994: 175 A: JA
fortecostatum Jureček, 1933: 129 A: SCH YUN
heyrovskyi hayakawai Takakuwa, 1984: 9 A: JA
heyrovskyi heyrovskyi Podaný, 1964a: 28 A: FE JA
inquisitor cedri Reymond, 1953: 201 E: SP N: MO #778
inquisitor fortipes Reitter, 1898e: 357 A: TR
inquisitor inquisitor Linnaeus, 1758: 393 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR KZ IT LA LS
LT LU MD ME ~~NE~~ NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: ES KZ MG ~~NE~~ TR WS #778
exile Gmelin, 1790: 1844 (*Cerambyx*)
indagator Fabricius, 1787: 145
iberonis Ericson, 1916: 240
investigator Mulsant, 1839: 227
minutum Fabricius, 1787: 146
nubecula Bergsträsser, 1778: 26 (*Cerambyx*)
inquisitor rugipenne Reitter, 1898e: 357 A: ES FE GAN HEI JIL JIX LIA MG NC NMO SC SHA XIN YUN ZHE
sibiricum Pic, 1905a: 5
inquisitor schtschukini Semenov, 1898: 601 E: ST A: AB AR GG ~~IN~~ TR
minimum Podaný, 1964a: 19
stshukini Plavilstshikov, 1915a: 35 [unjustified emendation]
japonicum Bates, 1884a: 209 A: FE (Sakhalin, Kunashir) JA #400
morrisonense Kano, 1933a: 262 A: TAI
pseudojaponicum Podaný, 1964a: 25 A: JA (Tsushima) SC
qinghaiense L. Chen & Chiang, 2000: 32, 36 A: QIN
sinense Fairmaire, 1900: 638 (*Hargium*) A: HEB FUJ SCH #400

genus *Rhondia* Gahan, 1906a: 79 type species *Leptura pugnax* Dohrn, 1878
Fairmairia Podaný, 1964b: 43 type species *Pachyta oxyoma* Fairmaire, 1889
Rhondiomorpha Matsushita, 1933b: 180 type species *Rhondia formosa* Matsushita, 1931
attelaboides Pesarini & Sabbadini, 1997: 101 A: YUN
bicoloripes Pic, 1957: 75 A: FUJ
bispinosa Holzschuh, 1998: 7 A: SCH
formosa Matsushita, 1931c: 400 A: TAI
cyanea Tamanuki & Mitono, 1939: 207
fragosa Holzschuh, 1998: 8 A: HUB
kabateki Viktora & Liu, 2018d: 222 A: YUN
maculithorax Pu, 1992b: 592, 618 A: HUB NIN SCH SHA #225 #400
hubeiensis W.-K. Wang & Jiang, 1994: 192
oxyoma Fairmaire, 1889a: 58 (*Pachyta*) A: SCH
petrae Viktora & Liu, 2018d: 224 A: YUN
placida Heller, 1923b: 72 A: HUB ~~MG~~ NMO SCH SHA #490
pugnax Dohrn, 1878: 459 (*Leptura*) A: GUA GUX SCH "North India" XIZ ~~ORR~~ #60 #400

genus *Sinopidonia* Holzschuh, 1999: 9 type species *Sinopidonia splendida* Holzschuh, 1999
splendida Holzschuh, 1999: 9 A: SCH

genus *Stenocorus* Geoffroy, 1762: 221 type species *Leptura meridiana* Linnaeus, 1758
subgenus *Anisorus* Mulsant, 1862: 467 type species *Cerambyx quercus* Götze, 1783
brunnescens Holzschuh, 1991a: 5 (*Anisorus*) [Hakkari] A: TR
heterocerus Ganglbauer, 1882: 139 (*Toxotus*) A: SY TR
nigripennis Pic, 1896c: 141 (*Anisorus*)
homocerus K. Daniel, 1900: 139 (*Toxotus*) A: TR
latus Pic, 1892r: cxi [= 1893d: 414] (*Toxotus*) ["Haute Syrie"] A: TR #57 #517
guveni Özdikmen, 2014: 702 ["Osmaniye prov., Boğaz plateau"] #517
quercus aureopubens Pic, 1908b: 2 (*Stenochorus*) A: AB AR GG IN TR
aureopubescens Pic, 1912a: 26 [unnecessary RN]
quercus quercus Götze, 1783: 74 (*Cerambyx*) E: AU BE BH BU ?BY CR CT CZ DE FR GE GR HU IT LU MC MD NL PL RO SB SK SL SP
ST SZ UK A: ES MG TR WS #752
bajus Schrank, 1798: 692 (*Leptura*)
discolor Fleischer, 1887a: 237 (*Toxotus*)
dispar Panzer, 1794: 2
humeralis Fabricius, 1787: 158 (*Leptura*) [HN]
magdalenae Pic, 1891b: 4 (*Toxotus*)
punctipennis Reitter, 1914: 178 (*Stenochorus*)

unicolor Fleischer, 1887b: 272 (*Toxotus*) [unnecessary RN]
subgenus *Stenocorus* Geoffroy, 1762: 221 type species *Leptura meridiana* Linnaeus, 1758
Endemus Gistel, 1848a: xi [unnecessary RN]
Minaderus Mulsant, 1862: 467 type species *Leptura meridiana* Linnaeus, 1758
Toxotus Dejean, 1821: 112 type species *Leptura meridiana* Linnaeus, 1758
amurensis Kraatz, 1879c: 100 (*Toxotus*) A: BEI FE HEI JIL LIA NC SC #60
diversipennis Pic, 1915e: 4 (*Stenochorus*)
lateobscurus Pic, 1904d: 13
obscurissimus Pic, 1900f: 15 (*Toxotus*) [“sous variété”]
sachalinensis Matsumura, 1911: 133 (*Toxotus*)
auricomus Reitter, 1890e: 250 (*Toxotus*) [“Külek (Silicischer Taurus)”] A: TR #634
biformis Tournier, 1872: 342 (*Toxotus*) A: GG
fuscodorsalis L. Chen & Chiang, 1996: 189, 191 A: JIL
gorodinskii Holzschuh, 1999: 7 A: GAN
insitivus *insitivus* Germar, 1824: 520 (*Leptura*) E: ST UK A: AB AR GG IN SY TR #506
brevivittatus Pic, 1945b: 5 (*Stenochorus*)
lividipennis Pic, 1945b: 5 (*Stenochorus*)
nigriventris Pic, 1908b: 2 (*Toxotus*)
obscuripennis Pic, 1900f: 15 (*Toxotus*)
rubriventris Pic, 1915e: 4 (*Stenochorus*)
insitivus persicus Faldermann, 1837: 307 (*Toxotus*) A: AB (Talysh) IN
bicoloratus Pic, 1915e: 4
lepturoides Reitter, 1914: 181 (*Stenochorus*) [“Amur”] A: FE ?NE
longevittatus Fairmaire, 1887c: 329 A: BEI HEB QIN SHA SHX #400
meridianus Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC MD #466
ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: ES KZ WS
bilineatus Pic, 1908d: 58 (*Stenochorus*)
brevilineatus Pic, 1941e: 5
brevesignatus Pic, 1941e: 5
cantharinus Herbst, 1784: 93 (*Rhagium*)
chrysogaster Schrank, 1781a: 132 (*Cerambyx*)
geniculatus Geoffroy, 1785: 86
glabratus Latreille, 1804: 311 (*Leptura*)
grandis Poda von Neuhaus, 1761: 38 (*Leptura*)
lacordairii Pascoe, 1867d: lxxxiv (*Toxotus*)
laevis Olivier, 1800: 21 #373
luteolus L. Petagna, 1819: 37
postsignatus Pic, 1941a: 13
ruficrus Scopoli, 1763: 48 (*Leptura*)
rufiventris Marsham, 1802: 341 (*Leptura*)
sericeus Olivier, 1800: 20 #373
splendens Laicharting, 1784: 137 (*Leptura*)
minutus Gebler, 1841a: 375 (*Toxotus*) A: KZ MG WS XIN #400
obscuripes Pic, 1901e: 15 (*Toxotus*)
tataricus Gebler, 1841a: 375 (*Toxotus*)
schizotarsus L. Chen & Chiang, 2002: 125, 127 A: GAN
serratus Holzschuh, 1974a: 86 A: TR
vittatus Fischer von Waldheim, 1842: 19 (*Toxotus*) [HN] A: KZ XIN #87
obliquus Motschulsky, 1845a: 86 (*Toxotus*)
suvorovi Semenov, 1910: 27 (*Toxotus*) [unjustified emendation]
suvorowi Reitter, 1907a: 208 (*Toxotus*)
turkestanicus Ganglbauer, 1889b: 280 (*Toxotus*)
vittidorsum Reitter, 1890e: 250 (*Toxotus*) A: AB AR GG TR
subgenus *Toxotochorus* Reitter, 1907a: 208 type species *Toxotus tataricus* sensu Reitter, 1907 (= *Toxotus validicornis* Pic, 1900) #278
validicornis alaiensis Pic, 1906b: 6 (*Toxotus*) A: KI
validicornis karatauensis Danilevsky, 2012m: 920 A: KZ
validicornis mediocris Danilevsky, 2012m: 920 A: KZ UZ KI
validicornis milkoii Danilevsky, 2014i: 106 A: KI
validicornis shapovalovi Danilevsky, 2019: 82 A: KI
validicornis tarbinskyi Danilevsky, 2014i: 106 A: KI
validicornis univittatus Reitter, 1914: 183 A: KZ KI
validicornis validicornis Pic, 1900f: 16 (*Toxotus*) A: KI UZ #278

genus *Toxotinus* Bates, 1884a: 213 type species *Toxotinus longicornis* Bates, 1884 (= *Toxotus reinii* Heyden, 1879)
reinii Heyden, 1879c: 359 (*Toxotus*) A: JA
longicornis Bates, 1884a: 213
nikkoensis Matsushita, 1933b: 175

Rhamnusiini, Sama, 2009

genus *Neorhamnusium* Hayashi, 1976: 1 type species *Neorhamnusium taiwanum* Hayashi & Ando, 1976
melanocephalum Miroshnikov & Lin, 2015: 294 A: YUN
rugosipenne Pic, 1939b: 2 (*Rhamnusium*) A: SHA SHX #225
shaanxiense Miroshnikov & Lin, 2015: 298 A: SHA
taiwanum Hayashi & Ando, 1976: 2 A: TAI
wuchaoi Miroshnikov & Lin, 2015: 300 A: BEI

genus *Rhamnusium* Latreille, 1829: 130 type species *Callidium salicis* Fabricius, 1787 (= *Cerambyx bicolor* Schrank, 1781)

algericum Pic, 1896a: 102 N: AG TU
nigrum Pic, 1906e: 27
testaceum Pic, 1896a: 30
bicolor bicolor Schrank, 1781a: 132 (*Cerambyx*) E: AL AU BE BH BU CR CZ ~~EN~~ FI FR GE GR HU IT LU MC ~~MD~~ NL ~~NT~~ PL RO SB SK
SL SP SZ UK
atripenne Bedel, 1897: 43
aubei Pic, 1929b: 9
capitale Pic, 1898a: 2
etruscum Rossi, 1790: 149 (*Rhagium*)
glaucopterum Schaller, 1783: 284 (*Cerambyx*)
gracilicornis Théry, 1895: cclxv
humerale Bedel, 1897: 43
inapicale Pic, 1901h: 31
rubroviolaceum Geoffroy, 1785: 86 (*Cerambyx*)
ruficolle Herbst, 1784: 92 (*Stenocorus*)
rufotestaceum Pic, 1913b: 138
salicis Fabricius, 1787: 154 (*Callidium*)
schrunkii Laicharting, 1784: 118 (*Rhagium*)
bicolor constans Danilevsky, 2012e: 48 E: BY CT EN FI KZ LA LT NT ST UK A: KZ WS
bicolor demaggi Tippmann, 1956: 484 E: IT
bicolor graecum Schaufuss, 1862: 311 E: GR TR
limbatum Pic, 1897c: 30
bicolor italicum G. Müller, 1966: 4 E: IT
bicolor juglandis Fairmaire, 1866b: 276 A: TR
anatolicum Pic, 1901a: 10
delagrangei Pic, 1901a: 10
geniculatum Pic, 1901a: 10
obscuripes Pic, 1903j: 163
rufotibiale Pic, 1917g: 3
bicolor lenkoranum Danilevsky, 2012e: 53 A: AB AR (Megri) ?GG IN
bicolor pesarinii Rapuzzi, Sama & Sabbadini, 2018: 4 A: TR
bicolor praeustum Reitter, 1895a: 85 A: SY TR #209
bicolor testaceipenne Pic, 1897h: 299 E: ST UK A: AR GG TR
mesmini Pic, 1931c: 6

tribe Sachalinobiini Danilevsky, 2010a

genus *Sachalinobia* Jakobson, 1899: 39 type species *Sachalinobia relata* Jakobson, 1899 (= *Brachyta koltzei* Heyden, 1887)
Pseudopachyta Swaine & Hopping, 1928: 16 type species *Pachyta rugipennis*, Newman, 1844 (= *Toxotus rugipennis* Newman, 1844)
koltzei Heyden, 1887a: 304 (*Brachyta*) A: ES FE GUA HEI JA LIA NC NMO SC #400
relata Jakobson, 1899: 40

tribe Teledapini Pascoe, 1871

genus *Teledapalus* Miroshnikov, 2000a: 38 type species: *Teledapalus murzini* Miroshnikov, 2000
cremarius Holzschuh, 1999: 6 (*Teledapus*) A: SHA
daliensis Miroshnikov, 2021a: 242 A: YUN
hospes Holzschuh, 1999: 6 (*Teledapus*) A: GAN
linyiejiei Huang, Li & Zhang, 2021: 441 (*Teledapus*) A: YUN
lobanovi Miroshnikov, 2021a: 242 A: SCH
murzini Miroshnikov, 2000a: 41 A: SCH
picatus Holzschuh, 2003a: 149 (*Teledapus*) A: SCH #593
pilosellus Holzschuh, 2007: 181 A: SCH
transitivus Miroshnikov, 2021a: 242 A: YUN
uenoi Ohbayashi & Chu, 2021: 200 A: YUN
zamotajlovi Miroshnikov, 2000a: 41 A: SCH
zotichini Miroshnikov, 2000a: 41 A: SHA

genus *Teledapus* Pascoe, 1871: 268 type species *Teledapus dorcadioides* Pascoe, 1871
celsicola Holzschuh, 1999: 5 A: XIZ

dorcadoides Pascoe, 1871: 269 A: HP UP
ocularis Holzschuh, 1981: 94 A: PA
querceti Holzschuh, 2007: 180 A: UP

#

tribe Xylosteini Reitter, 1913

genus *Chiangshunania* Bi & N. Ohbayashi, 2014: 6 type species *Encyclops x-signata* Chiang, 1981
comata Bi & Ohayashi, 2020: 258 A: GUA GUX HUN
polita Bi & Ohayashi, 2020: 261 A: YUN
x-signata Chiang, 1981: 78 (*Encyclops*) A: ?HUN SCH

genus *Leptorhabdium* Kraatz, 1879d: 118 type species *Xylosteus gracilis* Kraatz, 1873 (= *Xylosteus illyricum* Kraatz, 1871)
Psilorhabdium Kraatz, 1879d: 118 type species *Psilorhabdium caucasicum* Kraatz, 1879
caucasicum Kraatz, 1879d: 118 (*Psilorhabdium*) E: ST A: AB AR GG IN TR
illyricum Kraatz, 1871d: 415 (*Xylosteus*) E: AL BH CR ME GR IT MC SL
gracile Kraatz, 1873b: 202 (*Xylosteus*)
lividipenne Pic, 1906b: 4
nitidum Holzschuh, 1974a: 83 E: GR MC

genus *Notorhabdium* N. Ohbayashi & Shimomura, 1986: 283 type species *Notorhabdium immaculatum* N. Ohbayashi & Shimomura, 1986
bangzhui N. Ohbayashi & W.-K. Wang, 2004: 452 A: HEN HUB ORR #335 #646
fengae Ch.-B. Wang, 2024: 2 A: YUN - ("Dehong Prefecture, Yingjiang County, Pingyuan Town")
holzschuhi Bi et N. Ohbayashi, 2020: 265 A: HEN
rufiscapus Bi et N. Ohbayashi, 2020: 263 A: SCH
wenhsini Bi et N. Ohbayashi, 2014: 14 A: HAI

genus *Palaeoxylosteus* N. Ohbayashi & Shimomura, 1986: 288 type species *Palaeoxylosteus kurosawai* N. Ohbayashi & Shimomura, 1986
kucerai Holzschuh, 2015c: 471 A: NP
kurosawai N. Ohbayashi & Shimomura, 1986: 288 A: SD
motuoensis Bi et N. Ohbayashi, 2014: 11 A: XIZ
yadongensis Bi et N. Ohbayashi, 2014: 10 A: XIZ

genus *Peithona* Gahan, 1906a: 71 type species *Peithona prionoides* Gahan, 1906
prionoides Gahan, 1906a: 72 A: FUJ GUA SD TAI ORR

genus *Xylosteus* Frivaldszky von Frivald, 1837: 180 type species *Xylosteus spinolae* Frivaldszky von Frivald, 1837
bartoni Obenberger & Mařan, 1933: 131 [RN] E: BU GR MC
merkli Pic, 1913b: 178 [Rhilo Dagh] [HN]
migliaccioi Rapuzzi & Sama, 2018: 2
caucasicola Plavilstshikov, 1936: 496 E: ST A: GG TR (Artvin)
kadleci Miroshnikov, 2000a: 38 A: TR
spinolae Frivaldszky von Frivald, 1837: 180 E: AU BH BU CR IT MC RO SB SL TR
merkli Pic, 1910h: 66
rufiventris Germar, 1844: 16 (*Rhagium*)

subfamily Necydalinae Latreille, 1825

genus *Necydalis* Linnaeus, 1758: 421 type species *Necydalis major* Linnaeus, 1758
subgenus *Eonecydalis* Ohbayashi, 1961: 17 type species *Necydalis formosana* Kano, 1933
bicolor Pu, 1992a: 219, 221 A: GUX ORR
formosana Kano, 1933a: 270 A: TAI
maculipennis Pu, 1992a: 219, 221 A: XIZ
niimurai Hayashi, 1949b: 14 A: JA #276
matsudai Hayashi, 1949b: 16

subgenus *Necydalis* Linnaeus, 1758: 421 type species *Necydalis major* Linnaeus, 1758
Gymnopterion Schrank, 1798: 373 type species *Necydalis major* Linnaeus, 1758
chariessa Niisato & Liu, 2020: 270 A: YUN
choui Niisato, 2004: 430 A: GUX
christinae Rapuzzi & Sama, 2014a: 2 A: TR
esakii Miwa & Mitono, 1937: 161 A: TAI
fujianensis Niisato & Pu, 1998: 446 A: FUJ
gigantea akiyamai Hayashi, 1978a: 87 A: JA
gigantea gigantea Kano, 1933a: 271 A: FE (Kunashir) JA
marginalis K. Ohbayashi, 1948: 14
hirayamai flava Niisato, 2008a: 261 A: YUN
hirayamai flemona Takakuwa & Niisato, 1996: 78 A: HAI ORR #570
hirayamai hirayamai K. Ohbayashi, 1948: 13 A: TAI
inermis Pu, 1992a: 218, 221 A: GAN QIN

lateralis Pic, 1939b: 2 A: BEI HEB NIN NMO SHA #400
major Linnaeus, 1758: 421 E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT KZ LA LT LU MD ME NL NR NT PL RO #400
 SB SK SP ST SV SZ UK A: AB GG ES FE ?IN JA KZ MG NC SHA TR WS XIN #400
abbreviata Fabricius, 1775: 199 (*Leptura*)
aino Kusama, 1974: 54
altaica Pic, 1941b: 2
duponti Mulsant, 1839: 299 (*Molorchus*)
ichneumonea DeGeer, 1775: 148
majus Schrank, 1798: 688 (*Gymnopterion*)
populi Büttner, 1818: 245 (*Molorchus*)
rufiventris Pic, 1941b: 2
salicis Mulsant, 1839: 112
subnotata Pic, 1941b: 1
xantha Semenov, 1899b: 132
marginipennis Gressitt, 1948a: 47 A: SCH
mizunumai Kusama, 1974: 51 A: TAI
moriyai moriyai Kusama, 1970: 73 A: JA (Ryukyus)
moriyai tamakii Ikeda & Matsumura, 2014: 32 A: JA (Ryukyus) #276
nanshanensis Kusama, 1974: 52 A: TAI
nigra Pu, 1992a: 217, 220 A: HAI #400 #524
niisatoi Holzschuh, 2003a: 167 A: SCH YUN
rufiabdominis S.-C. Chen, 1991: 345 A: HUB
sabatinellii Sama, 1994a: 10 A: TR
sericella Ganglbauer, 1889a: 46 A: SCH XIZ
shinborii hainana Niisato & Yagi, 2005: 143 A: HAI
[shinborii shinborii] Takakuwa & Niisato, 1996: 81 ORR (N. Vietnam)
sirexoides Reitter, 1902a: 82 A: IN
siricoides Semenov, 1902: 287 [unjustified emendation]
strnadi similis Pu, 1992a: 220 A: HAI #524
[strnadi strnadi] Holzschuh, 1989a: 156 ORR (N. Vietnam)
uenoi Niisato, 2004: 425 A: SCH
ulmi Chevrolat, 1838: 76 (*Molorchus*) [NP] E: AU BH BU ?BY CR CZ FR GE GR HU IT LA LT MC MD ME PL RO SB SK SP ST SZ TR
 UK A: AB AR GG ?IN TR #752
annulata L. Petagna, 1819: 19 (*Molorchus*) [NO]
mesembrina Plavilstshikov, 1936: 467
hadullai Szallies, 1994: 260
panzeri Harold, 1876: 174
xizangia Bi & Niisato, 2017: 477 A: XIZ
yakushimensis Kusama, 1975: 22 [RN] A: JA
brevicornis Yokoyama, 1971: 93 [HN]
subgenus *Necydalisca* Plavilstshikov, 1936: 462 type species *Necydalis ebenina* Bates, 1884a (= *Necydalis pennata* Lewis, 1879)
harmandi Pic, 1901k: 340 A: JA
ogasawarai Fujita, 2018: 25 #524
indica Pic, 1912d: 19 A: PA
indicola Gardner, 1941: 57 [RN] A: UP
indica Gardner, 1936: 128 [HN]
kucerai Niisato, 2007a: 20, 23 A: UP
nepalensis Niisato & Weigel, 2006: 491 A: NP
oblonga Niisato, 2008a: 257 A: YUN
odai Hayashi, 1951b: 76 A: JA
pennata Lewis, 1879b: 464 A: FE HUB JA ?NC NE SC #400
ebenina Bates, 1884a: 225
eo Plavilstshikov, 1936: 470
morio Kraatz, 1879c: 106
pacifica Plavilstshikov, 1936: 472
semenovi Plavilstshikov, 1936: 475
ussuriensis Plavilstshikov, 1936: 473
sachalinensis Matsumura & Tamanuki, 1927: 176 A: CH FE JA SC (Seoul) #524 #736
akitai Fujita, 2018: 25
solida Bates, 1884a: 225 A: JA
galloisi Matsumura & Tamanuki, 1927: 176
nikkoensis Matsumura & Tamanuki, 1927: 175
towadensis Matsumura & Tamanuki, 1927: 176
genus *Ulochaetes* LeConte, 1854: 82 type species *Ulochaetes leoninus* LeConte, 1854
vacca Holzschuh, 1982a: 65 A: BT SCH SHA YUN XIZ #293
fulvus Pu, 1988: 295, 303

subfamily **Spondylidinae** Audinet-Serville, 1832

tribe Anisarthrini Mamaev & Danilevsky, 1973

genus Anisarthon Dejean, 1835: 331 type species *Cerambyx barbipes* Schrank, 1781

Falsanoeme Villiers, 1971: 154 type species *Falsanoeme cyrus* Villiers, 1971

barbipes Schrank, 1781a: 148 (*Cerambyx*) E: AL AU BH BU CR CZ FR GE HU IT MC ME PL RO SB SK SZ UK A: TR

cyrus Villiers, 1971: 154 (*Falsanoeme*) A: AB (Talysh) IN

genus Alocerus Mulsant, 1862: 127 type species *Alocerus fulvus* Mulsant, 1862 (= *Callidium moesiacus* Frivaldszky von Frivald, 1837)

Cyamophthalmus Kraatz, 1863: 99 type species *Cyamophthalmus ferrugineus* Kraatz, 1863 = *Callidium moesiacus* Frivaldszky von Frivald, 1837)

marcoi Sama, 1987: 46 N: MO

moesiacus Frivaldszky von Frivald, 1837: 177 (*Callidium*) E: BH BU CR GR ITi MC PT SP TR N: AG MO TU A: CY IN IQ IS JO LE SY TR

ferrugineus Kraatz, 1863: 100 (*Cyamophthalmus*)

fulvus Mulsant, 1862: 128

nitidus Fairmaire, 1864b: 340 (*Cyamophthalmus*)

syriacus Chevrolat, 1882: 59 (*Smodicum*)

genus Schurmannia Sama, 1979a: 369 type species *Schurmannia sicula* Sama, 1979

sicula Sama, 1979a: 369 E: IT (Sicilia)

tribe Asemini J. Thomson, 1861

genus Arhopalus Audinet-Serville, 1834b: 77 type species *Cerambyx rusticus* Linnaeus, 1758

#778

Criocephalus Mulsant, 1839: 63 type species *Cerambyx rusticus* Linnaeus, 1758

Criocephalum Dejean, 1835: 328 type species *Cerambyx rusticus* Linnaeus, 1758

Hylescopus Gistel, 1856: 376 [unnecessary substitute name]

angustus Gressitt, 1951a: 36 A: JIA SHA SHG

#400

biarcuatus Pu, 1981: 418, 427 A: XIZ

brunneus Gardner, 1942: 67 (*Criocephalus*) A: UP

cavatus Pu, 1981: 419, 428 A: XIZ

coreanus Sharp, 1905a: 153 (*Criocephalus*) A: JA KO NE

deceptor Sharp, 1905a: 151 (*Criocephalus*) A: NP XIZ

#390

exoticus Sharp, 1905a: 159 (*Criocephalus*) A: NP SHA TAI YUN ORR

ferus Mulsant, 1839: 64 (*Criocephalus*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MA MC MD

ME NL NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG MO MR TU A: AB AR ES CY FE GG IS JO KZ LE NO NE SY TR WS

AURi

#11 #182

dichrous Mandl, 1972: 159

epibatus Schiödt, 1864: 521 (*Criocephalum*)

polonicus Motschulsky, 1845a: 88 (*Criocephalum*)

foveatus Chiang, 1963: 64 A: FUJ XIZ YUN

pinetorum Wollaston, 1863: 103 N: CI

rusticus rusticus Linnaeus, 1758: 395 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT

LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR ES FE FUJ GAN GG GUI HAI HEB HEI HUB IN

JA JIL JIX KZ LIA MG NMO NC SC SCH SHA SHN TD TR WS YUN ZHE N: MO AURi NTRi

#160

coriaceus Motschulsky, 1845a: 89 (*Criocephalum*)

lugubris Gmelin, 1790: 1847 (*Cerambyx*)

hispanicus Sharp, 1905a: 157 (*Criocephalus*)

pachymerus Mulsant, 1839: 64 (*Criocephalus*)

tristis Fabricius, 1787: 154 (*Callidium*)

tibetanus Sharp, 1905a: 159 (*Criocephalus*) A: BT HP KA NP PA UP XIZ

#281 #344 #366 #375

tobirensis Hayashi, 1968a: 20 A: JA

genus Asemum Eschscholtz, 1830: 66 type species *Cerambyx striatus* Linnaeus, 1758

Liasemum Casey, 1912: 262 type species *Asemum nitidum* LeConte, 1873a

Onychoplectes Gistel, 1856: 376 type species *Cerambyx striatum* Linnaeus, 1758

arisanum Kano, 1930: 42 A: TAI

lucidulum Pesarini & Sabbadini, 1997: 99 A: SCH

punctulatum Blessig, 1872: 182 A: FE HEI JA LIA ?NC SC XIN

#400

striatum Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MC

MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK A: AB AR BEI ES FE GAN GG HEB HEI HUB JA JIL KI KZ LIA MG NC

NIN NMO QIN SC SCH SHA SHN SHX WS TIA TR XIN YUN ZHE NAR NTR

#60 #400 #706

agreste Fabricius, 1787: 152 (*Callidium*)

amputatum Casey, 1912: 259

amurense Kraatz, 1879c: 97

atrum Eschscholtz, 1830: 66

brevicorne Casey, 1912: 261

brunneum Haldeman, 1847: 35

buprestoides Savenius, 1825: 64 (*Callidium*)

carolinum Casey, 1924: 227

- costulatum* Casey, 1912: 260
curtipenne Casey, 1912: 258
dichroum Gmelin, 1790: 1846 (*Cerambyx*)
ebenum Casey, 1912: 258
fulvipenne Casey, 1912: 260
fuscum Haldeman, 1847: 36
gracilicorne Casey, 1912: 258
ishidai Fujita, 2018: 21 [Hokkaido]
japonicum Matsushita, 1933b: 235 [Honshu] #276
juvencum Haldeman, 1847: 36
limbatipenne Pic, 1916a: 10
moestum Haldeman, 1847: 35
obsoletum Haldeman, 1847: 35
parvicorne Casey, 1912: 260
pugetanum Casey, 1912: 261
stocktonense Casey, 1924: 227
substriatum Haldeman, 1847: 36
subsulcatum Motschulsky, 1860b: 152 [Nord de la Siberie]
tomentosum Plavilstshikov, 1915c: 108
theresae Pic, 1945b: 6
- tenuicorne tenuicorne* Kraatz, 1879c: 97 E: GR IT PL RO SP ST SV (Gotska Sandön) UK A: ?GG ?TR #393
tenuicorne claricostulatum Özdikmen & Aydar, 2012c: 1253 A: TR
- genus *Cephalallus* Sharp, 1905a: 148** type species *Cephalallus oberthueri* Sharp, 1905
oberthueri Sharp, 1905a: 148 A: AP FUJ GUX HUB JIX TAI XIZ YUN #280
unicolor ryukyensis Makihara, 2003: 353 A: JA (Ryukyus) #276
unicolor unicolor Gahan, 1906a: 97 (*Criocephalus*) A: FUJ GUA GUI HAI HEN HKG HUB HUN JA JIA JIL JIX NC SC SCH TAI YUN
 ZHE ORR
projectus Okamoto, 1927: 63 (*Megasemum*)
sharpi Reitter, 1913a: 43 (*Megasemum*)
- genus *Cephalocrius* Sharp, 1905a: 148** type species *Criocephalus syriacus* Reitter, 1895 #778
syriacus Reitter, 1895a: 86 (*Criocephalus*) E: AL AZ BH CR FR GR IT ME PT SP SZ N: AG CI MO MR TU A: CY IS JO LE SY TR
 AURi NTRi
- genus *Megasemum* Kraatz, 1879c: 97** type species *Megasemum quadricostulatum* Kraatz, 1879
quadricostulatum Kraatz, 1879c: 98 A: FE FUJ HEI HUB JA JIL JIX LIA NC SC SHA ?TAI XIZ #400
brevior Pic, 1901c: 11
- tribe Atimiini LeConte, 1873
- genus *Atimia* Haldeman, 1847: 56** type species *Atimia tristis* Haldeman, 1847 (= *Clytus confusus* Say, 1827)
Myctus Semenov & Plavilstshikov, 1937: 252 type species *Myctus maculipunctus* Semenov & Plavilstshikov, 1937
- chinensis* Linsley, 1939: 76 A: BEI NMO SHG ZHE #400
esakii Hayashi, 1974a: 15 A: TAI
juniperi Holzschuh, 1984c: 340 A: NP
maculipuncta Semenov & Plavilstshikov, 1937: 253 (*Myctus*) A: MG NMO (Alashan Mts.) #400
nadezhdae Tsherepanov, 1973: 80 A: FE HEI ?NC SC #63 #389 #400
okayamensis Hayashi, 1972: 26 A: JA
fujimurai Hayashi, 1972: 26
truncatella Holzschuh, 2007: 179 A: SHA YUN
- genus *Proatimia* Gressitt, 1951a: 41** type species *Proatimia pinivora* Gressitt, 1951 #573
pinivora Gressitt, 1951a: 42 A: YUN
- tribe Nothorhinini Zagaikevich, 1991
- genus *Nothorhina* L. Redtenbacher, 1845: 109** type species *Callidium muricatum* Dalman, 1817
gardneri Plavilstshikov, 1934b: 1 A: UP
punctata Fabricius, 1798: 149 (*Callidium*) E: AL AU BH BY BU CR CT CZ EN FI FR GE GR IT LA LT NR NT PL PT SK SP ST SV UK
 A: JA KZ SC TR WS #616
muricata Dalman, 1817b: 193 (*Callidium*)
scabricollis W. Redtenbacher, 1842: 24 (*Callidium*)
- tribe Saphanini Gistel, 1848
- genus *Drymochares* Mulsant, 1847a: 518** type species *Drymochares truquii* Mulsant, 1847
cavazzutii cavazzutii Sama & Rapuzzi, 1993: 288 A: AR GG TR
 ? *pubescens* Pic, 1907e: 111 (*Drymochares*) [Trébizonde] (see Danilevsky, 2014i: 360)
cavazzutii ivani Sama & Rapuzzi, 1993: 287 E: TR

cylindraceus Fairmaire, 1849: 475 (*Saphanus*) E: PT SP
starcki Ganglbauer, 1888c: 398 E: ST A: GG
truquii Mulsant, 1847a: 519 E: FR IT
rufipes Pic, 1930c: 6

genus *Oxypleurus* Mulsant, 1839: 57 type species *Oxypleurus nodieri* Mulsant, 1839 #573 #648
nodieri Mulsant, 1839: 57 E: CR BH FR GR IT PT SP UK N: AG CI MO MR TU A: GG IS LE TR #554
bewickii Wollaston, 1857: 126 (*Blabinotus*)
pinicola Wollaston, 1863: 102
scutellaris Costa, 1855: 38

genus *Saphanus* Audinet-Serville, 1834b: 81 type species *Callidium spinosum* Fabricius, 1793 (= *Callidium piceum* Laicharting, 1784)
kadlecii Rapuzzi & Sama, 2014a: 4 A: TR [Sakarya]
piceus bartolonii Sama & Rapuzzi, 1993: 283 E: GR
piceus ganglbaueri Brancsik, 1886: 71 E: AL BH BU GR MC ME TR
piceus perovici Rapuzzi & Koren, 2020: 589 E: CR (Pag Is.)
piceus piceus Laicharting, 1784: 56 (*Callidium*) E: AU BH BU CR CZ FR GE GR HU IT PL RO SB SK SL SZ UK
rufipes Pic, 1908i: 72
spinosus Fabricius, 1793: 320 (*Callidium*)
sudeticus C. F. W. Richter, 1820: pl. 10 (*Prionus*)

tribe Spondylidini Audinet-Serville, 1832

genus *Spondylis* Fabricius, 1775: 159 type species *Attelabus buprestoides* Linnaeus, 1758
Sphondyla Illiger, 1804: 115 [unjustified emendation]
Sphondylis Gistel, 1848a: 129 [unnecessary substitute name]
buprestoides Linnaeus, 1758: 388 (*Attelabus*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT KZ LA LT LU MC MD
ME NL NR NT PL PT RO SB SK ST SL SP SV SZ TR UK N: MO A: AB AF ANH AR ES FE FUJ GG GUA GUI HAI HEB HEI HEN
HKG HUB JA JIA JIX KZ MG NMO NC SC SCH SHA ~~TAI~~ TR WS YUN ZHE
elongatum Latreille, 1829: 107
maxillosus DeGeer, 1775: 84 (*Cerambyx*)
sinensis Nonfried, 1892a: 92 #400
zwergeri Bodemeyer, 1927b: 43

tribe Tetropiini Seidlitz, 1891

genus *Tetropium* Kirby, 1837: 174 type species *Tetropium cinnamopterum* Kirby, 1837
Criomorphus Mulsant, 1839: 58 [HN] type species *Callidium aulicum* Fabricius, 1775 (= *Cerambyx castaneus* Linnaeus, 1758)
aquilonium Plavilstshikov, 1940a: 37 E: FI NT SV A: WS #400
castaneum Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU
MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK A: AB AR ES FE FUJ GAN GG HEB HEI JA JIL KZ MG NC NIN NMO QIN
SC SHA SHX TR WS XIN YUN ZHE
atricorne Pic, 1931b: 258
aulicum Fabricius, 1775: 190 (*Callidium*)
curiale Panzer, 1789: 29 (*Callidium*)
fulcratum Fabricius, 1793: 320 (*Callidium*)
impressum Paykull, 1800: 84 (*Callidium*)
luridum Linnaeus, 1767: 634 (*Cerambyx*)
parcum Sharp, 1905b: 272 #164
ruficrum Schrank, 1789: 77 (*Callidium*)
rufomarginatum Roubal, 1917: 64 [Bosnien]
confragosum Holzschuh, 1981: 93 A: BT
danilevskiyi Sláma, 2005: 1 A: ES
fuscum fuscum Fabricius, 1787: 154 (*Callidium*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IT KZ LA LS LT MD NL NR
NT PL RO SB SK SL ST SV SZ UK A: GG KZ TR WS XIN NAR #28
arvense Panzer, 1789: 30 (*Callidium*)
fuscum lapponicum Sláma M. 2015c: 1126 E: FI
gabrielii Weise, 1905: 136 E: AU BE ?BY ?CT(Kaliningrad Reg.) CZ DE FR GB GE HU IT IR LA LT LS LU NL PL SL SV SK SZ UK
NARi #599 #752
crawshayi Sharp, 1905b: 271
gracilicorne ~~*gracilicorne*~~ Reitter, 1889c: 287 E: CT NT A: ES FE JA KZ MG NC NE NMO WS XIN #63 #730
altajense Pic, 1902c: 9
rubripes Pic, 1902c: 9
gracilicum Hayashi, 1983: 29 A: FE HEI JA
laticolle Podaný, 1967: 38 A: SCH #2
morishimaorum Kusama & Takakuwa, 1984: 149 A: JA NC
oreinum Gahan, 1906a: 95 A: HP KA NP PA SCH UP XIN XIZ ORR #127 #400
lobbichleri Harde, 1959: 1
scabriculum Holzschuh, 1993a: 7 A: SCH

staudingeri Pic, 1901b: 11 A: BT KI KZ TIA UZ XIN #400
tjanshanicum Semenov, 1907c: 263
takakuwai Hirayama, 2018a: 21 A: JA #524 #730
tauricum Shapovalov, 2007: 71 E: UK (Crimea) #648

subfamily **Apatophyseinae** Lacordaire, 1869 #778

tribe **Apatophyseini** Lacordaire, 1869

genus *Agastophysis* Miroshnikov, 2014a: 25 type species *Toxotus griseopubens* Pic, 1957 #400
griseopubens Pic, 1957: 75 (*Toxotus*) A: YUN
meiyingae Miroshnikov, 2014d: 196 A: XIZ
genus *Apatophysis* Chevrolat, 1860a: 95 type species *Apatophysis toxotoides* Chevrolat, 1860 (= *Polyarthron barbarum* P. H. Lucas, 1858)
subgenus *Angustephytis* Pic, 1956a: 2 type species *Apatophysis richteri* Pic, 1956
danczenkoi Danilevsky, 2006c: 5 A: IN
farsicola Sama, Fallahzadeh & Rapuzzi, 2005: 124 A: IN
margiana Semenov & Shchegoleva-Barovskaya, 1936: 77 A: AF KZ TM UZ #234 #345
plavilstshikovi Miroshnikov, 1992: 392
modica Gahan, 1906a: 71 A: AF IN PA
richteri Pic, 1956a: 2 A: IN
subgenus *Apatophysis* Chevrolat, 1860a: 95 type species *Apatophysis toxotoides* Chevrolat, 1860 (= *Polyarthron barbarum* P. H. Lucas, 1858)
afghanica Miroshnikov, 2014a: 14 A: AF PA #517
anatolica Heyrovský, 1938: 93 A: TR
mucurensis Özdikmen & Tezcan, 2020b: 321 (*Stenocorus*) #517
baeckmanniana Semenov, 1907a: 223 A: KI KZ UZ
barbara P. H. Lucas, 1858: clxxix (*Polyarthron*) N: AG TU
ocularis Pic, 1901b: 9
toxotoides Chevrolat, 1860a: 96
caspiaca Semenov, 1901: 31 E: ST A: AB AF GG IN KZ TM UZ
centralis Semenov, 1901: 32 A: XIN
hotanica Danilevsky, 2008b: 35 A: XIN
insolita Miroshnikov et Lin, 2017: 208 A: HEN HUN JIA SCH ZHE
kadleci Danilevsky, 2008b: 29 A: TR
karsica Danilevsky, 2008b: 28 A: TR
kashgarica Semenov, 1901: 29 A: XIN
katbehi Rapuzzi & Sama, 2013: 682 A: JO SY
komarowi Semenov, 1889a: 401 A: AB TD TM
niisatoi Miroshnikov et Lin, 2017: 202 A: SCH
pavlovskii Plavilstshikov, 1954: 470 A: TD UZ
roborowskii Semenov, 1901: 29 A: XIN
serricornis Gebler, 1843: 39 (*Pachyta*) A: GUA KI KZ MG NMO XIN #196
kadyrbekovi Kadlec, 2006a: 1
mongolica Semenov, 1901: 28
obusicollis Motschulsky, 1860e: 538 [1861c: 444] (*Psilotarsus*)
tomentosa Gebler, 1845: 105 (*Toxotus*)
sieversi Ganglbauer, 1887c: 21 A: BEI HEB HEN LIA SCH SHN #196
sinica Semenov, 1901: 30 A: SCH
vedica Danilevsky, 2008b: 26 A: AR TR
xizangensis Miroshnikov et Lin, 2017: 188 A: XIZ

genus *Formosotoxotus* Hayashi, 1960a: 1 type species *Artelida asiatica* Matsushita, 1933 (= *Toxotinus auripilosus* Kano, 1933)
auripilosus Kano, 1933a: 263 (*Toxotinus*) A: TAI
asiaticus Matsushita, 1933b: 172 (*Artelida*)
gressitti Miroshnikov & Lin, 2014: 117 A: XIZ
kucerai Rapuzzi & Sama, 2014a: 3 A: SHA
masatakai N. Ohbayashi, 2007a: 200 A: SD
nobuoi Vives & Niisato, 2006: 273 A: NP

genus *Protapatophysis* Semenov & Stshchegoleva-Barovskaia, 1936: 26 type species *Apatophysis kashmiriana* Semenov, 1901
hindukushensis Miroshnikov, 2020b: 178 A: PA
kabakovi Danilevsky, 2011e: 102 A: AF
kashmiriana Semenov, 1901: 29 A: KA XIZ #400
montana Gahan, 1906a: 71 A: KA
vartiana Heyrovský, 1971: 81 A: ?HP KA PA #232 #375

genus *Trypogeus* Lacordaire, 1869: 236 type species *Trypogeus albicornis* Lacordaire, 1869
Paranthophylax Gressitt, 1951a: 50 type species *Paranthophylax sericeus* Gressitt, 1951
aureopubens Pic, 1903g: 121 (*Toxotus*) A: YUN **ORR**

guangxiensis Miroshnikov & Liu, 2016a: 255 A: GUX #319
sericeus Gressitt, 1951a: 50 (*Paranthophylax*) A: FUJ SCH #410
superbus Pic, 1922: 22 (*Toxotus*) A: YUN ORR

subfamily **Cerambycinae** Latreille, 1802
tribe **Achrysonini** Lacordaire, 1868

genus *Crotchiella* Israelson, 1985: 475 type species *Crotchiella brachyptera* Israelson, 1985
brachyptera Israelson, 1985: 476 E: AZ

genus *Icosium* P. H. Lucas, 1854: viii type species *Icosium tomentosum* P. H. Lucas, 1854 #7178
Cluvia Stel, 1857b: 63 type species *Cluvia chevrolati* Stel, 1857 (= *Icosium tomentosum* P. H. Lucas, 1854)
tomentosum atticum Ganglbauer, 1882: 743 E: BH BU CR ~~EX~~ FRi GR IT MA ME SB A: AB CY JO IS LE SY TR #74 #554
tomentosum tomentosum P. H. Lucas, 1854: ix E: MA PT SP FR IT N: AG LB MO TU
chevrolati Stel, 1857b: 63 (*Cluvia*)

genus *Neachryson* Fisher, 1940: 201 type species *Neachryson orientalis* Fisher, 1940
orientalis Fisher, 1940: 201 A: UP ORR

tribe **Anaglyptini** Lacordaire, 1868 #778

genus *Anaglyptus* Mulsant, 1839: 91 type species *Leptura mystica* Linnaeus, 1758
subgenus *Aglaophis* J. Thomson, 1857f: 315 type species *Aglaophis fasciatus* J. Thomson, 1857
Epodus Chevrolat, 1863: 335 type species *Epodus humerosus* Chevrolat, 1863
Metaglaophis K. Ohbayashi, 1960b: 10 type species *Aglaophis colobotheoides* Bates, 1884a
colobotheoides Bates, 1884a: 235 (*Aglaophis*) A: FE JA NC NE QIN SC #400
angustefasciatus Heyden, 1884: 297 (*Aglaophis*)
~~— *arakawai* Kano, 1933a: 276 #545~~

decemmaculatus Gressitt, 1935c: 185 (*Aglaophis*) A: FUJ TAI
fasciatus J. Thomson, 1857f: 316 (*Aglaophis*) A: NP SD
humerosus Chevrolat, 1863: 336 (*Epodus*) A: "India"
nokosanus Kano, 1930: 46 (*Aglaophis*) A: TAI #60
producticollis Gressitt, 1951a: 307 A: FUJ GUX ?TAI #400
rufobasalis Tippmann, 1955: 115 (*Anaglyptus*) A: FUJ

zhangjunqii Wang, Zhao & Xie, 2021: 589 A: SCH
subgenus *Akajimatora* Kusama & Takakuwa, 1984: 10 type species *Anaglyptus bellus* Matsumura & Matsushita, 1933 #730
bellus Matsumura & Matsushita, 1933a: 105 A: JA #239
dentatipennis Pic, 1935b: 14 (*Oligoenoplus*)
isolatus Gressitt, 1951a: 304 A: HUB SCH #239
lizhigangi Bi & Niisato, 2018: 75 A: ZHE
meridionalis Matsushita, 1933b: 291 A: TAI
ikadaii Seki, 1939: 309

subgenus *Anaglyptus* Mulsant, 1839: 91 type species *Leptura mystica* Linnaeus, 1758
abieticola Holzschuh, 2003b: 307 A: BT NP XIZ #400
ambiguus Holzschuh, 1992b: 44 A: YUN
annulicornis Pic, 1933f: 6 (*Oligoenoplus*) A: GUI SCH ?YUN #25
arabicus Küster, 1847b: 95 (*Clytus*) E: ST A: ?AB AR GG TR
deyrollei Tournier, 1872: 277

arakawae amamiensis Fujita, 1980: 14 A: JA (Ryukyus)
arakawae arakawae Kano, 1933a: 276 (*Aglaophis*) A: JA
arakawae kumagensis Fujita, 1980: 14 A: JA
arcanus Miroshnikov, Bi et Lin, 2014: 256 A: XIZ
baeticus Verdugo, Lencina & Baena, 2019: 95 E: SP
bicallosus Kraatz, 1882c: 335 (*Clytus*) A: TD UZ
confusus Holzschuh, 1999: 42 A: XIZ
croesus Pesarini & Sabbadini, 1997: 47 A: TR
danilevskii Miroshnikov, 2000b: 77 A: AB AR GG IN TR
dolosulus Holzschuh, 2006c: 484 A: UP
elegantulus Miroshnikov, Bi et Lin, 2014: 256 A: YUN
flavus Viktora, Tichý & Rapuzzi, 2013: 81 A: XIZ
ganglbaueri Reitter, 1886: 67 A: AB (Talysh) IN
natae Lobanov, 1994b: 868
persicus Pic, 1906b: 10
persicus Reitter, 1906b: 298 [HN]
gibbosus Fabricius, 1787: 156 (*Callidium*) E: BH CR FR GR HU IT SB SL SP SZ N: AG MO TU
immaturus Pic, 1898a: 12
mysticoides Wagner, 1927b: 96 [HN]
obscuricornis Pic, 1898a: 12

rufotinctus Pic, 1945b: 7
wagneri Pic, 1928c: 6 [RN]

graphellus Holzschuh, 2011: 318 **A: YUN ORR** #400
gressitti Holzschuh, 1999: 42 **A: FUJ GUA GUX HUB JIX SHX ZHE** #60 #320
higashiyamai Makihara & Hayashi, 1987: 62 [RN] **A: TAI** #400
hirsutus Makihara & Hayashi, 1987: 5 [HN]
kanssuensis Ganglbauer, 1889a: 71 **A: GAN HEN SCH** #320
longispinis Gardner, 1939: 9 (*Aglaophis*) **A: SD**
luteofasciatus Pic, 1905i: 153 **E: GR**
moreanus Demelt, 1970: 30
marmoratus Holzschuh, 1982b: 153 (*Aglaophis*) **A: NP UP**
matsushitai Hayashi, 1955: 52 **A: JA**
miroshnikovi Tichý & Lin, 2021: 6 **A: YUN**
mysticoides mysticoides Reitter, 1894c: 128 [“Centralen Kaukasus”] **A: AB AR GG TR**
mysticoides obscurissimus Pic, 1901n: 59 [“Tokat”] **A: TR** #155 #635
amasinus Pic, 1910a: 10 [“Amasya”]
anatolicus Demelt, 1970: 32 [“Samsun: Kavak”]
subimpresus Pic, 1901a: 9 [“Trébizonde”]
mysticus Linnaeus, 1758: 398 (*Leptura*) **E: AL AU BE BH BU BY CR CZ DE EN FR GB GE GR HU IR IT LA LT LU MC MD ME NL NR**
PL RO SB SK SL SP SV SZ TR UK A: LE TR #554 #752
albofasciatus DeGeer, 1775: 82 (*Cerambyx*)
bequarti Pic, 1910b: 3
hieroglyphicus Herbst, 1784: 99 (*Callidium*)
litteratus Gmelin, 1790: 1857 (*Cerambyx*)
quadricolor Scopoli, 1763: 56 (*Cerambyx*)
ruficornis Pic, 1908d: 35

mucheni Wang, Zhao & Xie 2021: 588 **A: FUJ**
niponensis Bates, 1884a: 234 **A: JA** #525
kamiyai Kano, 1933a: 276
petrae Viktora & Liu, 2018a: 152 **A: YUN**
praecellens Holzschuh, 1981: 101 **E: GR (Crete)**
qijuni Viktora & Liu, 2018a: 154 **A: YUN**
sericellus Holzschuh & Y.-L. Lin, 2015e: 105 **A: TAI**
simplicicornis Reitter, 1906b: 298 **E: ST A: AB AR GG IN TR**
abchasicus Pic, 1911b: 12
prolongatus Pic, 1911b: 12
subapicalis Pic, 1910a: 10
subfasciatus Pic, 1906d: 17 **A: HEN JA**
anticonigris Matsushita, 1933b: 292 #746
rufescens Hayashi, 1955: 49
tersus Viktora & Tichý, 2015a: 10 **A: SCH**
tichyi Miroshnikov, Bi et Lin, 2014: 257 **A: YUN**
ulmiphilus Holzschuh, 1982b: 153 (*Aglaophis*) **A: KA PA**
vicinulus Holzschuh, 1999: 41 **A: BEI GAN HEN HUB NIN SCH SHA SHX** #60 #320
yakushmanus kazukii Fujita, 2023: 25 **A: JA (S. Kyushu)**
yakushmanus yakushmanus Hayashi, 1968c: 14 **A: JA**
zappii Rapuzzi & Sama, 2014a: 7 **E: IT**

genus *Hirticlytus* K. Ohbayashi, 1960b: 9 type species *Anaglyptus comosus* Matsushita, 1941
comosus Matsushita, 1941: 155 (*Anaglyptus*) **A: JA**

genus *Oligoenoplus* Chevrolat, 1863: 337 type species *Oligoenoplus ventralis* Chevrolat, 1863
Borneoclytus Dauber, 2006: 443 type species *Borneoclytus borneanus* Dauber, 2006
gonggashanus Miroshnikov, 2013a: 239 **A: SCH**
modicus Holzschuh, 2011: 320 **A: HEN**
rosti iwatai Ikeda, 1987: 12 **A: JA**
rosti rosti Pic, 1911b: 15 (*Anaglyptus*) **A: FE (Kunashir) JA**
sapporensis Matsushita, 1933: 100 (*Anaglyptus*)

genus *Paracllytus* Bates, 1884a: 234 type species *Paracllytus excultus* Bates, 1884a
albiventris Gressitt, 1937c: 455 (*Aglaophis*) **A: GUX HUN JIX YUN** #93 #400
apicicornis Gressitt, 1937a: 92 (*Aglaophis*) **A: FUJ GAN GUI GUX HUN JIX SCH SHA** #60
assamensis Viktora & Tichý, 2015b: 104 **A: AP**
emili Holzschuh, 2003a: 229 **A: ?SCH YUN**
excellens Miroshnikov et Lin, 2012: 248 **A: YUN ORR** #93
excultus Bates, 1884a: 234 **A: FE (Kurils) JA**
interruptus Pic, 1915f: 13

gongshanus Viktora & Liu, 2018a: 156 A: YUN
helenae Holzschuh, 1993a: 43 (*Anaglyptus*) A: ?SCH YUN
intermedius Viktora & Tichý, 2015a: 14 A: SCH
irenae Holzschuh, 1993a: 43 (*Anaglyptus*) A: YUN
jii Holzschuh, 1992b: 43 (*Anaglyptus*) A: SCH
mengi Viktora & Weigel, 2021: 166 A: YUN
murzini Miroshnikov, 2014b: 82 A: SCH
ochrocaudus Gressitt, 1951a: 305 (*Anaglyptus*) A: FUJ
primus Holzschuh, 1992b: 42 A: ?GAN SCH SHA
raddei Ganglbauer, 1882: 737 [= 1886: 232] (*Anaglyptus*) A: AB IN
bieberi Pic, 1920e: 21 (*Clytus*)
reitteri Ganglbauer, 1882: 737 [= 1886: 232] (*Anaglyptus*) A: AB IN
scolopax Holzschuh, 1999: 40 (*Anaglyptus*) A: GAN SCH
sexguttatus Adams, 1817: 308 (*Clytus*) E: BU ST TR A: AB AR GG TR IN
bruckii Kraatz, 1864: 389 (*Clytus*)
caucasicus Motschulsky, 1839: 54 (*Clytus*)
disjunctus Pic, 1909: 123 (*Anaglyptus*)
shaanxiensis Holzschuh, 2003a: 228 A: HUB SCH SHA
thibetanus Pic, 1914f: 38 (*Anaglyptus*) A: XIZ YUN
wangi Miroshnikov et Lin, 2012: 250 A: SCH
xiongi Huang G.-Q., Yan & Zhang 2020: 406 A: YUN
yao Viktora & Tichý, 2015b: 106 A: GUX

genus *Yoshiakioclytus* Niisato, 2007c: 577 type species *Epiclytus taiwanus* Chang, 1960
breuningii Tippmann, 1955: 110 (*Epiclytus*) A: FUJ HEN #148
qiaoi G.-Q. Huang & L. Chen, 2016: 484 A: HEN SHA #400
ruficaudus Gressitt, 1951a: 257 (*Epiclytus*) A: FUJ GUA #148
stigmaticus Holzschuh, 2003a: 210 (*Epiclytus*) A: GAN SHA #148
taiwanus Chang, 1960: 1 (*Epiclytus*) A: TAI

tribe Brachypteromatini Sama, 2008

genus *Dolocerus* Mulsant, 1862: 230 type species *Dolocerus reichii* Mulsant, 1862
Brachypteroma Heyden, 1863: 128 type species *Brachypteroma ottomanum* Heyden, 1863
holtzi Pic, 1905g: 114 (*Brachypteroma*) A: LE SY TR
magnanii Sama, 1987: 51 (*Brachypteroma*) N: AG
reichii Mulsant, 1862: 231 E: AL BH BU CR FR GR IT ME SZ TR A: AB AR GG TR #133 #670
mulsanti Stierlin, 1866: 30 (*Molorchus*)
ottomanus Heyden, 1863: 128 (*Brachypteroma*)

tribe Callichromatini Swainson & Shuckard, 1840

genus *Anubis* J. Thomson, 1864: 177 type species *Cerambyx sexnotatus* Thunberg, 1787 (= *Saperda clavicornis* Fabricius, 1775)
bipustulatus bipustulatus J. Thomson, 1865: 569 A: YUN ORR #100 #321
viridis Pic, 1923b: 9
bipustulatus fimbriatus Bates, 1879a: 412 A: ?SD ORR #321 #610
thoracicus Podaný, 1980: 232 (*Polyzonus*) #610
cyaneus Pic, 1924a: 15 A: YUN ORR
rugenotatus Pic, 1924: 15
inermis White, 1853a: 171 (*Polyzonus*) A: GUA GUX NP PA SD SE SW "North India" ORR #100
rostratus Bates, 1879a: 412 A: YUN ORR
annamitus Pic, 1946a: 9 #327
subobtusus Pic, 1932c: 22 (*Chelidonium*) A: YUN

genus *Aphrodisium* J. Thomson, 1864: 173 type species *Callichroma cantori* Hope, 1840 (= *Callichroma cantori* Hope, 1839)
subgenus *Aphrodisium* J. Thomson, 1864: 173 type species *Callichroma cantori* Hope, 1840
Tomentaromia Plavilstshikov, 1934a: 52 type species *Callichroma faldermannii* Saunders, 1853
Trichocheilidonium Vives, 2017a: 217 type species *T. niisatoi* Vives, 2017 (= *Aphrodisium schoenmanni* Skale & Weigel, 2017 [RN]) #204
attenuatum Gressitt, 1951a: 625 A: FUJ GUA HUB #100
basifemorale Pic, 1902i: 29 (*Aromia*) A: HUB SCH YUN #100
cantori Hope, 1839: 43 (*Callichroma*) A: GUX NP SD UP YUN ORR #100
cribricolle Neervoort van de Poll, 1890: 157 A: NP SD
delatouchii Fairmaire, 1886c: clxii A: FUJ GUX ORR #610
distinctipes Pic, 1904c: 11 (*Aromia*) A: SCH YUN
faldermannii basale Pic, 1925b: 19 (*Aromia*) A: JIA
faldermannii faldermannii Saunders, 1853: 111 (*Callichroma*) A: ANH ES FUJ GUA GUI HAI HEN HUB HUN JIA JIL JIX KO MG NMO
 SCH SHA SHG YUN ZHE #400

faldermannii horishanense Kano, 1933a: 272 A: TAI #283
insulare Gressitt, 1936: 90 (*Aromia*)
yugaii Kano, 1933a: 272

faldermannii obscurithorax Pic, 1925b: 19 (*Aromia*) A: YUN
faldermannii rufiventre Gressitt, 1940c: 174 (*Aromia*) A: FUJ GUX SCH YUN XIZ ORR #400
faldermannii subnigripenne Gressitt, 1937c: 452 (*Aromia*) A: FUJ JIX
gibbicolle White, 1853a: 160 (*Callichroma*) A: ANH FUJ GUA GUI GUX HAI HUN JIA JIX SCH SHA SHN TAI YUN ZHE ORR #100
gregoryi Podaný, 1971: 265 (*Tomentaromia*) A: YUN
hardwickianum White, 1853a: 162 (*Callichroma*) A: NP SD
holzschuhi Skale & Vitali, 2021: 103 A: YUN ORR
inexpectatum Podaný, 1971: 293 A: NO GUX #100
insolita Skale, 2023: 86: A: CH ORR
major Gressitt & Rondon, 1970: 148 A: GUX YUN ORR #513
metallicolle Gressitt, 1939b: 97 (*Aromia*) A: FUJ HEB HUB HUN JIX YUN ZHE ORR #100
muelleri Tippmann, 1955: 105 A: FUJ GUA
neoxenum White, 1853a: 154 (*Callichroma*) A: GUX HAI HUB SCH SD TAI XIZ ZHE ORR #100
panicolle Neervoort van de Poll, 1890: 155 A: SD
robustum Bates, 1879a: 408 (*Leontium*) A: SD YUN ORR
sauteri Matsushita, 1933b: 256 (*Chelidonium*) A: ANH FUJ GUX HEN HUN JIX SHN SCH TAI ZHE #100
saxosicolle Fairmaire, 1902a: 245 A: YUN ORR
bicoloripes Pic, 1925b: 18
notatipes Pic, 1925b: 18
schwarzeri Podaný, 1971: 292 A: SCH YUN #610
semipurpureum Pic, 1925b: 18 A: YUN ORR #400
sinicum White, 1853a: 159 (*Callichroma*) A: FUJ GAN GUA GUX HUB QIN SCH SHA YUN ZHE ORR #60 #100
implicatum Pic, 1920a: 2 (*Chloridolum*) #204
impressicolle Plavilstshikov, 1934f: 223 (*Chelidonium*) #100 #513
subgibbicolle Pic, 1925b: 17 (*Chelidonium*) #92
thibetanum Pic, 1925b: 18 A: XIZ ORR
tricoloripes Pic, 1925: 18 A: GUI YUN ORR #400
vermiculosum Gressitt, 1942d: 1 A: SD XIZ #610
viridescens Hayashi, 1974a: 26 A: TAI
subgenus *Opacaphrodisium* Pic, 1932c: 24 type species *Callichroma griffithii* Hope, 1839
griffithii Hope, 1839: 43 (*Callichroma*) A: GUA GUX SD YUN ORR #100
zonopteroides Fleutiaux, 1887: 66 (*Pachyteria*)

genus *Aromia* Audinet-Serville, 1834a: 559 type species *Cerambyx moschatus* Linnaeus, 1758
Terambus Gistel, 1848b: [2] [unnecessary substitute name]

bungii Faldermann, 1835: 433 (*Cerambyx*) E: GE IT A: ANH BEI CHQ FUJ GAN GUA GUI GUX HAI HEB HEI HEN HKG HUB HUN JAI JIA JIL JIX JA LIA NC NIN NMO QIN SC SCH SHA SHG SHN SHX TIA XIN YUN ZHE #523 #524
cyanicornis Guérin-Méneville, 1844: 222 (*Callichroma*)
ruficollis L. Redtenbacher, 1868: 149
moschata ambrosiaca Steven, 1809: 40 (*Cerambyx*) E:GR IT PT SP ST TR N: AG MO TU A: AB AR GG IN IQ IS JO LE SY TR #133 #400
melancholica Reitter, 1895d: 210
notaticollis Pic, 1928c: 9
rosara P.H. Lucas, 1847: pl. 41 [1849: 488] N: AG MO TU
thoracica Fischer von Waldheim, 1823: tab. 48, figs 3, 4. [1824: 236] (*Cerambyx*)
moschata cruenta Bogatchev, 1962: 96 A: KI TD #521
moschata jankovskyi Danilevsky, 2007d: 48 A: KI
moschata malukhini Danilevsky, 2019: 84 E: ST (Astrakhan Reg.)
moschata moschata Linnaeus, 1758: 391 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: ES GG KZ MG TR WS
alata Costa, 1855: 25
auctumnalis Westhoff, 1882: 241
chlorophana Fischer von Waldheim, 1823: pl. xviii [= 1824: 237] (*Cerambyx*)
cupricollis Pic, 1941e: 5
odorata DeGeer, 1775: 63 (*Cerambyx*)
perroudi Pic, 1941e: 5
thea Reitter, 1894f: 306
moschata rosara P. H. Lucas, 1847: pl. 41 [1849: 488] N: AG MO TU #517
moschata sumbarensis Danilevsky, 2007d: 48 A: TM (Kopetdag)
moschata vetusta Jankowski, 1934: 107 A: KZ #787
orientalis Plavilstshikov, 1932g: 114 A: BEI CHQ ES FE FUJ GAN HEB HEI HEN HUB JA JIL JIX LIA MG NC NIN NMO SC SCH SHA SHN ZHE #100 #400

genus *Aromiella* Podaný, 1971: 303 type species *Aromiella fruhstorferi* Podaný, 1971

fruhstorferi Podany, 1971: 303 A: CH **ORR**

genus *Cataphrodisium* Aurivillius, 1907: 8 type species *Purpuricenus rubripennis* Hope, 1842

Asiodiphrum Plavilstshikov, 1934f: 221 type species *Asiodiphrum nigrofasciatum* Plavilstshikov, 1934 (= *Purpuricenus rubripennis* Hope, 1842)

castaneae Gressitt, 1951a: 192 A: YUN **ORR**

rubripenne Hope, 1842b: 128 (*Purpuricenus*) A: FUJ GAN GUA GUI HUB JIA SCH SHA SHN TAI YUN ZHE **ORR** #100 #176

fujianensis Hua & She, 1987: 54 (*Embrikstrandia*) #176

latemaculatum Pic, 1902i: 29 (*Pachyteria*) #176

magnificum Pic, 1902i: 29 (*Pachyteria*)

nigrofasciatum Plavilstshikov, 1934f: 224 (*Asiodiphrum*)

simile Podany, 1971: 256 #356

genus *Chelidonium* J. Thomson, 1864: 175 type species *Cerambyx argentatus* Dalman, 1817

Gracilichroma Vives, Bentanachs & Chew, 2008: 5 type species *Chelidonium bryanti* Podany, 1974 #252

Malayanochroma Bentanachs & Drouin, 2013: 97 type species *Malayanochroma cheongae* Bentanachs & Drouin, 2013 #252

argentatum Dalman, 1817b: 151 (*Cerambyx*) A: ANH CHQ FUJ GAN GUA GUX HAI HEN HKG HUB HUN JIA JIX NIN SCH SD SHA

YUN ZHE **ORR**

binotaticolle Pic, 1937d: 108 A: GUA GUI GUX YUN **ORR**

buddleiae Gressitt & Rondon, 1970: 154 A: GUX YUN **ORR**

~~*einctum* Guérin-Ménéville, 1844: 220 (*Callichroma*) A: SCH YUN **ORR**~~ #92 #100 #607

citri Gressitt, 1942b: 2 A: CHQ GUI HAI HUB HUN JIX SCH **ORR** #100

nepalense Hayashi, 1976: 9 A: NP

zaitzevi Plavilstshikov, 1933b: 107 A: FE HEB LIA

~~*flavofasciatum* Blanchard, 1849: pl.12, fig.4 (*Callichroma*) A: YUN~~ #400 #607

~~*binotatum* Brongniart, 1892: 245 (*Leontium*)~~

~~*uninotatum* Pic, 1928b: 17~~

~~*venereum* J. Thomson, 1865: 568~~ #400

genus *Chloridolum* J. Thomson, 1864: 174 type species *Callichroma bivittatum* White, 1853

subgenus *Chloridolum* J. Thomson, 1864: 174 type species *Callichroma bivittatum* White, 1853

[*accensum accensum* Newman, 1842a: 246 (*Callichroma*) A: **ORR**]

accensum kazuoi Hayashi, 1984: 22 A: TAI

addictum Newman, 1842a: 245 (*Callichroma*) A: ?YUN **ORR** #100 #610

~~—*sibuyanum* Schwarzer, 1929: 359~~

~~*violacipes* Schwarzer, 1926b: 97~~ #610

alcmene J. Thomson, 1865: 568 A: SD #523

bivittatum White, 1853a: 162 (*Callichroma*) A: BT SD **ORR** #610

violaceicolle Pic, 1925: 19 #263

cinnyris Pascoe, 1866d: 518 A: ?YUN **ORR** #101 #610

grossepunctatum Gressitt & Rondon, 1970: 170 A: YUN **ORR** #400

hainanicum Gressitt, 1940b: 60 A: HAI

kurosawae kurosawae Hayashi, 1956: 13 A: JA

kurosawae ohsumiense N. Ohbayashi, 1992: 7 A: JA

kwangtungum kwangtungum Gressitt, 1939a: 21 A: GUA GUX ZHE #100

kwangtungum szechuanum Gressitt, 1951a: 205 A: CHQ GUX SCH

lanyuanum Hayashi, 1984: 20 A: TAI

laotium Gressitt & Rondon, 1970: 169 A: GUA HAI SD YUN **ORR** #100 #610

loochooanum chujoyi Makihara, 2005: 121 A: JA (Ryukyus) #734

loochooanum loochooanum Gressitt, 1934: 163 A: JA (Ryukyus) #100

nadleri Skale, 2018a: 234 A: CH **ORR**

jeanvoinei Pic, 1937d: 108 (*Chelidonium*) [HN] #252

nympha White, 1853a: 161 (*Callichroma*) A: AP NP SD #280 #610

ohbayashii Hayashi, 1971: 8 A: TAI

perlaetum White, 1853a: 161 (*Callichroma*) A: GUX SD **ORR**

plicaticolle Pic, 1932c: 24 A: CHQ GUX SCH YUN #100

bicoloratum Pic, 1932c: 24

plicovelutinum Gressitt & Rondon, 1970: 171 A: YUN **ORR** #102

scutellatum Gressitt, 1939a: 22 A: GUA

semipunctatum Gressitt & Rondon, 1970: 171 A: GUX YUN **ORR** #610

shibatai Hayashi, 1971: 7 A: TAI

sieversii Ganglbauer, 1887a: 135 (*Aromia*) A: FE HEI HEN HUB JIL NC SC SHA #100 #225

bangi Reitter, 1895d: 209 (*Aromia*)

coreanum Fairmaire, 1897c: 232 (*Aromia*)

splendidulum Gressitt, 1940c: 176 A: ANH HAI #100

taiwanum Gressitt, 1936: 91 A: HAI TAI #100

thaliodes Bates, 1884a: 226 A: GUX HEI HUB JA JIL LIA NE SC (near Daegu) #100 #400

japonicum Podaný, 1971: 302 (*Aromia*) #332
thomsoni Pascoe, 1859: 24 (*Callichroma*) A: ?TAI **ORR**
thoracicum Gressitt, 1942b: 1 A: SCH
tonguanum Chiang, 1981: 80 A: JIX
variabile Schwarzer, 1926b: 100 A: ?CH **ORR** #610
subgenus *Leontium* J. Thomson, 1864: 175 type species *Leontium viride* J. Thomson, 1864
cupreoviride Gressitt, 1942d: 2 (*Leontium*) A: FUJ YUN #100
cyaneonotatum Pic, 1925b: 18 A: GUA GUI GUX SCH YUN **ORR** #100 #268
jeanvoinei Pic, 1932c: 24 (*Leontium*) A: GUA GUX HAI HKG **ORR** #348
lameeri Pic, 1900i: 18 (*Leontium*) A: ANH FUJ GAN GUX HEN HUB HUN JIX SC SHA SHG SHN TAI YUN ZHE #60 #322
bicolor Kano, 1930: 44 (*Leontium*)
laosense Pic, 1932c: 23 (*Leontium*) A: HAI YUN **ORR** #100
nigroscutellatum Gressitt, 1940b: 62 (*Leontium*) A: GUX HAI #100
punctulatum Pic, 1920f: 119 (*Leontium*) A: YUN **ORR**
robusticolle Pic, 1946a: 10 (*Leontium*) A: CH **ORR** #92
herteli Podaný, 1974: 24 (*Chelidonium*) #252 #400
tenuipes Fairmaire, 1889a: 64 (*Leontium*) A: GUI SCH YUN #496
implicatum Pic, 1925b: 17 (*Leontium*)
touzalini Pic, 1920f: 118 (*Leontium*) A: YUN
viride J. Thomson, 1864: 175 A: CHQ FE (Sakhalin, Kurils) HUB JA JIL LIA NC SC SCH YUN #100
cyaneum Fujimura, 1956: 4 (*Leontium*)
multiplicatum Pic, 1946a: 14 (*Leontium*) #332
tenuatum Bates, 1873: 197 (*Callichroma*)
subgenus *Parachloridolum* Plavilstshikov, 1934a: 67 type species *Callichroma japonicum* Harold, 1879
japonicum Harold, 1879b: 335 (*Callichroma*) A: GUI HEI HUB HUN JA JIL LIA NC NE SC SCH SHN #100
achardi Pic, 1911d: 19 (*Callichroma*)
coreanum Okamoto, 1924: 190 [HN]

genus *Embrikstrandia* Plavilstshikov, 1931: 278 type species *Callichroma bimaculatum* White, 1853
bimaculata White, 1853a: 165 (*Callichroma*) A: CHQ FUJ GAN GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX SCH SHA SHN TAI YUN ZHE #100
angustefasciata Pic, 1933a: 12 (*Callichroma*)
davidis H. C. Deyrolle, 1878: 132 (*Callichroma*)
diversicornis Pic, 1925b: 19 (*Callichroma*)
reducta Pic, 1950b: 3
unifasciata Ritsema, 1896: 376 (*Zonopterus*) A: ANH FUJ GAN GUA GUX HAI HEN HKG HUB HUN JIX SCH SHX TAI ZHE **ORR** #100
vivesi Bentanachs, 2005: 2-3 A: YUN **ORR**

genus *Gestriana* Podaný, 1971: 306 [RN] type species *Pachyteria superba* Gestro, 1888
Tarsalia Podaný, 1968: 50 [HN] type species *Pachyteria superba* Gestro, 1888
pubemaculata J.-H. Huang, Zhou & B. Chen, 2006: 62 (*Embrikstrandia*) #694
superba Gestro, 1888: 128 (*Pachyteria*) A: GUX **ORR**

genus *Helymaeus* J. Thomson, 1866: 179 type species *Helymaeus cyanipennis* J. Thomson, 1866
pedestris Pascoe, 1878: 370 A: SA YE #774
signaticollis Pascoe, 1878: 370 A: SA YE #774

genus *Ipothalia* Pascoe, 1867a: 314 type species *Ipothalia femorata* Pascoe, 1867
~~*esmeralda* Bates, 1879a: 418 A: YUN **ORR** #610~~
micaria Holzschuh, 1990: 188 A: SD
plicicollis Pu, 1981: 420, 428 A: XIZ
pyrrha Pascoe, 1867a: 314 A: FUJ GUX JIX SCH YUN **ORR** #576
bicoloripes Pic, 1920f: 118
cambodgensis Gressitt & Rondon, 1970: 175
semipurpurea Pic, 1927b: 29

genus *Laosaphrodisium* Bentanachs, 2012a: 71 type species *Leontium optimum* Bates, 1879
amadori Bentanachs, 2012a: 75 A: GUX YUN XIZ **ORR** #523
crassum Gressitt, 1939a: 24 (*Aphrodisium*) A: FUJ HUB GUA YUN #100
subplicatum Pic, 1937a: 11 (*Chelidonium*) A: GUI ?YUN **ORR**

genus *Leptochroma* Vives, 2013b: 86 type species *Leptochroma lini* Vives, 2013b
lini Vives, 2013b: 88 A: YUN
paralleloelongatum Hayashi, 1974: 27 (*Chloridolum*) A: TAI #411
shanxianum Vives, 2013b: 90 A: SHX

genus *Mimochelidonium* Bentanachs & Drouin, 2013: 94 type species *Mimochelidonium sinense* Bentanachs, 2013
sinense Bentanachs & Drouin, 2013: 95 A: GUI **ORR**
vietnamicum Vives & Pham, 2017: 197

genus *Odontochroma* Vives 2015b: 115 type species *Odontochroma martinsi* Vives, 2015
niisatoi Vives & Bentanachs, 2007: 635 (*Aphrodisium*) A: YUN **ORR** #426

genus *Osphranteria* L. Redtenbacher, 1850: 50 type species *Osphranteria suaveolens* L. Redtenbacher, 1850
Quettania Schwarzer, 1931a: 62 type species *Quettania coeruleipennis* Schwarzer, 1931
coeruleus L. Redtenbacher, 1850: 50 A: AF IN IQ PA TR #30 #345
inaurata Holzschuh, 1981: 98
coeruleipennis Schwarzer, 1931a: 63 (*Quettania*)
mirabilis Podany, 1980: 231 (*Polyzonus*)
lata Pic, 1956a: 3 A: AF IN PA #274
richteri Heyrovský, 1959: 4
suaveolens L. Redtenbacher, 1850: 50 A: AF IN

genus *Pachyteria* Audinet-Serville, 1834a: 553 type species *Cerambyx fasciatus* Fabricius, 1775
dimidiata Westwood, 1848: 60 A: GUX **ORR**
luteofasciata Pic, 1946a: 7
obertheri Ritsema, 1888a: 190
scheepmakeri Ritsema, 1881b: 38
timorensis Hayashi, 1994: 65
equestris Newman, 1841: 79 (*Niraeus*) A: YUN **ORR**
fasciata Fabricius, 1775: 168 (*Cerambyx*) A: CH NP "Himalaya" **ORR**
populnea Schröter, 1776: 349 (*Cerambyx*)
voluptosa J. Thomson, 1865: 568
semiplicata Pic, 1927: 4 A: YUN **ORR** #282

genus *Paraphrodisium* Bentanachs & Drouin, 2013: 91 type species *Paraphrodisium sinense* Bentanachs, 2013
sinense Bentanachs & Drouin, 2013: 92 A: YUN

genus *Polyzonus* Dejean, 1835: 324 type species *Saperda fasciata* Fabricius, 1781
subgenus *Parapolyzonus* Bentanachs, 2012a: 11 type species *Promeces prasinus* White 1853 #269
drumonti Bentanachs, 2010: 306 A: YUN **ORR**
haraldi Scale, 2020b: 324 A: SD
~~*prasinus* White, 1853a: 170 (*Promeces*)~~ #610
polyzonoides J. Thomson, 1865: 568 (*Chelidonium*) A: FUJ GUA GUX HAI HUB HUN JIX SCH YUN ZHE **ORR** #100 #610
trocolii Bentanachs, 2012a: 21 A: YUN **ORR**
subgenus *Polyzonoides* Podany, 1980: 230 type species *Polyzonus obtusus* Bates, 1879 #269
obtusus Bates, 1879a: 413 A: ?TAI YUN **ORR** #100
interruptus Pic, 1946a: 14
opacus Pic, 1946: 9
reductus Pic, 1946a: 14
subgenus *Polyzonus* Dejean, 1835: 324 type species *Saperda fasciata* Fabricius, 1781 #269
Calliblepharus Gistel, 1848a: x [unnecessary substitute name]
Pseudopolyzonus Bentanachs, 2012a: 67 type species *Polyzonus latefasciatus* Hüdepohl, 1998 #269
auroviridis Gressitt, 1942b: 3 A: GUA GUX SCH YUN **ORR**
balachowskii Gressitt & Rondon, 1970: 157 A: YUN XIZ **ORR**
barclayi Skale, 2018b: 335 A: XIZ **ORR**
?bizonatus White, 1853a: 171 A: GUX SD YUN ZHE **ORR** #60 #610
brevipes Gahan, 1906a: 217 A: SD **ORR**
cuprarius Fairmaire, 1887a: 132 A: SCH XIZ YUN **ORR** #269
democraticus Lameere, 1890: cxxi A: UP
fasciatus Fabricius, 1781: 232 (*Saperda*) A: ANH BEI CHQ ES FE FUJ GAN GUA GUI GUX HAI HEB HEI HEN HKG HUB HUN JIA JIL #100
JIX LIA MG NC NIN NMO QIN SC SHA SHN SHX YUN ZHE
bicinctus Olivier, 1795: no. 67: 46 (*Cerambyx*)
fupingensis Xie & W.-K. Wang, 2009: 58
meridionalis Bates, 1879a: 413
sibiricus Gmelin, 1790: 1840 (*Cerambyx*)
geiseri Skale, 2018b: 342 A: SD **ORR**
latefasciatus Hüdepohl, 1998: 225 (*Polyzonus*) A: FUJ YUN **ORR** #100 #269
laurae Fairmaire, 1887a: 132 A: YUN **ORR**
pakxensis Gressitt & Rondon, 1970: 159 A: YUN **ORR**
russoi Tippmann, 1955: 106 (*Chelidonium*) A: FUJ GUA #269 #283
saigonensis Bates, 1879a: 413 A: YUN **ORR**
laosensis Pic, 1923b: 9

siamensis Podany, 1974: 6, 40 (*Chelidonium*) A: YUN **ORR** #269
sinensis Hope, 1842a: 63 (*Promeces*) A: CHQ FUJ GUA GUX HEI HKG JIL LIA NO SCH SD YUN **ORR** #100 #280
subtruncatus Bates, 1879a: 408 (*Leontium*) A: GUA HAI HKG SCH SHG YUN **ORR** #100 #269
tichyi Skale, 2018b: 352 A: SCH
violaceus Plavilstshikov, 1933c: 111 A: YUN **ORR**
yunnanum Podany, 1974: 39 (*Chelidonium*) #575
subgenus *Striatopolyzonus* Bentanachs, 2012a: 58 type species *Cerambyx tetraspilotus* Hope, 1835
flavocinctus Gahan, 1894a: 17 A: FUJ YUN **ORR** #100 #400 #269
nitidicollis Pic, 1932: 22 A: YUN **ORR**
tetraspilotus Hope, 1835a: 71 (*Cerambyx*) A: BT SD YUN **ORR** #283 #344
latemaculatus Gressitt & Rondon, 1970: 161,
macrospilus Gahan, 1906: 216;
megaspilus Gahan, 1906a: 215
microspilus Gahan, 1906a: 215
quadrimaculatus White, 1853a: 170

genus *Rugosochroma* Vives & Lin, 2013: 68 type species *Schwarzerium yunnanum* Vives & Lin, 2013 #612
yunnanum Vives & Lin, 2013: 68 (*Schwarzerium*) A: YUN

genus *Scalenus* Gistel, 1848a: 130 [RN] type species *Cerambyx hemipterus* Olivier, 1800
subgenus *Coloborhomboides* Hüddepohl, 1983: 117 type species *Coloborhomboides scherereri* Hüddepohl, 1983
drescheri Fisher, 1936: 176 (*Coloborhombus*) A: GUX **ORR** #284
ater Fisher, 1936: 176 (*Coloborhombus*)
flavipes Fisher, 1936: 176 (*Coloborhombus*)
schereri Hüddepohl, 1983: 117 (*Coloborhomboides*)
tibialis Ritsema, 1895: 159 (*Aphrodisium*) A: SD **ORR** #283
subgenus *Scalenus* Gistel, 1848a: 130 [RN] type species *Cerambyx hemipterus* Olivier, 1800
Coloborhombus J. Thomson, 1865: 486 [RN] type species *Cerambyx hemipterus* Olivier, 1800
Colobus Audinet-Serville, 1834a: 554 [HN] type species *Cerambyx hemipterus* Olivier, 1800
Nothopeus Pascoe, 1864c: 287 [RN] type species *Cerambyx hemipterus* Olivier, 1800
fulvus Bates, 1879a: 395 (*Coloborhombus*) A: GUA SD **ORR**
hemipterus Olivier, 1800: 127 (*Cerambyx*) A: FUJ GUA HAI **ORR** #373
~~*ater* Fisher, 1936: 176 (*Coloborhombus*)~~
sericeus Saunders, 1853: 111 (*Colobus*) A: FUJ GUA SHG YUN #100

genus *Schmidiana* Podany, 1971: 306 [RN] type species *Pachyteria ilocana* Schultze, 1920
Luzonia Podany, 1968: 53 [HN] type species *Pachyteria ilocana* Schultze, 1920
testaceicornis Pic, 1926m: 16 (*Pachyteria*) A: SCH YUN **ORR** #460
violaceothoracica Gressitt & Rondon, 1970: 139 (*Pachyteria*) #100

genus *Schwarzerium* Matsushita, 1933a: 251 type species *Aphrodisium semivelutinum* Schwarzer, 1925
Schwarzeriella Plavilstshikov, 1934a: 32 type species *Aphrodisium semivelutinum* Schwarzer, 1925
andrea Skale, 2021b: 299 A: YUN
cyaneipes Pic, 1946a: 9 A: KO #92
holzschuhi Skale, 2021b: 308 A: SHA
provostii Fairmaire, 1887d: liv (*Callichroma*) A: BEI HEB HEI HEN HUB JIL LIA NE NMO SC SHA SHN YUN **ORR** #100
rubrofemorale Pic, 1932c: 24 (*Chelidonium*) #92
manchuricum Matsushita, 1943: 574
quadricolle *quadricolle* Bates, 1884a: 226 (*Chelidonium*) A: HEN HUN JA JIL SC #100 #732
quadricolle *viridicyaneum* Hayashi, 1956d: 14 (*Chelidonium*) A: JA #732
purpureoviolaceum Hayashi, 1956: 14 (*Chelidonium*)
semivelutinum Schwarzer, 1925a: 24 (*Aphrodisium*) A: TAI
sifanicum Plavilstshikov, 1934f: 224 (*Chelidonium*) A: SCH #612

genus *Sinochroma* Bentanachs & Drouin, 2013: 93 type species *Sinochroma sinensise* Bentanachs & Drouin, 2013
martini Skale, 2019: 295 A: YUN **ORR**
purpureipes Gressitt, 1939a: 27 (*Chelidonium*) A: GUA GUX HAI HUB YUN **ORR** #100 #252 #517
violaceimembris Gressitt & Rondon, 1970: 151 #252
sinense Bentanachs & Drouin, 2013: 94 A: YUN

genus *Turkaromia* Danilevsky, 1993a: 38 type species *Aromia pruinosa* Reitter, 1903
gromenkoi Danilevsky, 2000c: 289 A: UZ TD
pruinosa Reitter, 1903b: 233 (*Aromia*) A: KZ XIN

genus *Zonopterus* Hope, 1842b: 110 type species *Zonopterus flavitarsis* Hope, 1842 #523
flavitarsis Hope, 1842b: 128 A: AP SD YUN **ORR** #280

tribe Callidiini Kirby, 1837

- genus *Callidiellum* Linsley, 1940: 254** type species *Semanotus cupressi* Van Dyke, 1923
rufipenne Motschulsky, 1861a: 19 (*Callidium*) **Ei**: BE **BH BU CR DE FR IT NL PT SB SK SL SP ST SV** **A**: GG FE GAN
 HEB HEN JA JIX NC SC SHA TAI **NARi NTRi** **#40**
japonicum Plavilstshikov, 1933f: 126 (*Callidium*) [HN]
nigromaculatum Kano, 1933a: 274 (*Callidium*)
plavilstshikovi Matsushita, 1933b: 439 (*Semanotus*) [RN]
villosulum arisanum Kano, 1930: 44 **A**: TAI
villosulum villosulum Fairmaire, 1900: 639 **Ei**: MA **A**: ANH CHQ FUJ GUA GUI GUX HEN HUB HUN JIA JIX SCH YUN
 ZHE **NARi** **#35 #400**
- genus *Callidium* Fabricius, 1775: 187** type species *Cerambyx violaceus* Linnaeus, 1758
subgenus *Callidium* Fabricius, 1775: 187 type species *Cerambyx violaceus* Linnaeus, 1758
Meridion Gozis, 1886: 32 type species *Cerambyx violaceus* Linnaeus, 1758
cedri Peyerimhoff, 1918a: 332 **N**: AG MO
flavosignatum Pu, 1991d: 343 **A**: QIN
hengduanum Holzschuh, 1999: 39 **A**: SCH YUN XIZ **#400**
libani Sama & Rapuzzi, 2002: 111 **A**: LE
piceonotatum Pic, 1933f: 5 **A**: HUB
przevalskii Semenov & Plavilstshikov, 1936: 389 **A**: NMO SCH **#400**
syriacum Pic, 1892r: cxi **A**: SY TR
orientale Pic, 1893d: 417
violaceum Linnaeus, 1758: 395 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IR IT LA LS LT LU MD ME
 NL NR NT PL RO SB SK SL SP ST SV SZ UK **A**: AB AR ES FE GG HEI JA JIL LIA KZ MG NC NMO TR WS XIN **NAR NTR**
#63
janthinum LeConte, 1851: 34
salessei Pic, 1933d: 1
viridicolle Pic, 1926a: 23 **A**: SD
subgenus *Callidostola* Reitter, 1913a: 37 type species *Cerambyx aeneum* DeGeer, 1775
aeneum aeneum DeGeer, 1775: 89 (*Cerambyx*) **E**: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT LU ME NL NR
 NT PL RO SB SK SL ST SV SZ UK **A**: ES FE HEI JA KZ MG WS
aurichalceum Gmelin, 1790: 1857 (*Cerambyx*)
cognatum Laicharting, 1784: 58
dilatatum Paykull, 1800: 91
semitestaceum Pic, 1945b: 6
variabile Fabricius, 1775: 188
venosum Eschscholtz, 1818: 483
viride Schoenherr, 1817a: 459
viridans Gmelin, 1790: 1846 (*Cerambyx*)
aeneum longipenne Plavilstshikov, 1940: 300 **E**: ST **A**: AB GG TR
aeneum pilosicollis Özdikmen & Aytar, 2014: 599 **A**: TR
subgenus *Palaeocallidium* Plavilstshikov, 1940a: 291 type species *Callidium coriaceum* Paykull, 1800
chlorizans Solsky, 1871a: 384 (*Semanotus*) **A**: ES FE HEI JIL LIA MG NC **#400**
viridescens Motschulsky, 1875: 148
coriaceum Paykull, 1800: 91 **E**: AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LS LT LU **MD** NR NT PL RO SB SK SL ST
 SV SZ UK **A**: ES FE ?HEI ?HEN ?~~KZ-JA~~ MG **NC** ?NMO WS **#81 #481 #631**
aeneipenne Kriechbaumer, 1862: 107
cupripenne Kriechbaumer, 1862: 208
lucidum Scopoli, 1772: 98 (*Stenocorus*) [NO]
kuratai Yokoyama, 1972: 11 (*Palaeocallidium*) **A**: JA
- genus *Dundaia* Holzschuh, 1993a: 33** type species *Dundaia nitens* Holzschuh, 1993
subtuberculata Pu, 1992b: 597, 619 (*Callidium*) **A**: SCH SHA **#293**
nitens Holzschuh, 1993a: 33
- genus *Gerdberndia* Holzschuh, 1982a: 71** type species *Gerdberndia atricolor* Holzschuh, 1982
atricolor Holzschuh, 1982a: 71 **A**: NP
ferrocyanea Hayashi, 1979: 87 (*Prosemanotus*) **A**: BT NP
nubigena Semenov & Plavilstshikov, 1936: 391 (*Rhopalopus*) **A**: NP ?QIN (Gorin-tshu River)
- genus *Leioderes* L. Redtenbacher, 1845: 110** type species *Leioderes kollari* L. Redtenbacher, 1849
kollari jacoboi Rapuzzi & Sama, 2010a: 129 **E**: IT (Sicilia)
kollari kollari L. Redtenbacher, 1849: 482 **E**: AL AU BH BU BY CR CT CZ FR GE GR HU IT LA LT MC MD NR RO PL SB SK SL SP ST
 SV SZ UK **A**: GG **LE** **#554 #665**
tuerki tokatense Özdikmen, 2023: 321 (+var. *amasina* Pic, 1903 - unavailable) **A**: TR **#673**
tuerki tuerki Ganglbauer, 1886c: 517 (*Callidium*) **A**: LE SY TR **#673**
bodemeyeri Reitter, 1903a: 46 (*Callidium*) - Bulghar-Dagh (Bulghar-Maaden), Kleinasien **#673**
karsantianus Pic, 1910b: 2 (*Lioderes*) - M. Taurus : Karsanti **#673**

lateniger Pic, 1917g: 5 (*Lioderes*) - Karsanti dans le Taurus #673
nigripes Pic, 1891h: 102 (*Lioderes*) - "Syrie", Hatay #673
samai Özdikmen, 2023: 321 - Lebanon #673

genus *Lioderina* Ganglbauer, 1886c: 517 type species *Callidium lineare* Hampe, 1871
linearis Hampe, 1871: 335 (*Callidium*) E: AU BH BU CR GR HU MC SK A: TR
henschi Puton, 1888: 23 (*Callidium*)

genus *Oupyrrhidium* Pic, 1900f: 50 type species *Callidium cinnabarinum* Blessig, 1872
Upyrrhidium Plavilstshikov, 1940a: 285 [unjustified emendation]
cinnabarinum Blessig, 1872: 179 (*Callidium*) A: FE HEI HEN JIL LIA NC SC SHA #225
chinense Li, 1992: 178 #225
flavum Z. Wang, 2003: 203

genus *Paraxylocrius* Niisato, 2009: 205 type species *Paraxylocrius testaceus* Niisato, 2009
testaceus Niisato, 2009: 208 A: FE (Sakhalin)
verigai Danilevsky, 2012h: 4 A: FE

genus *Phymatodes* Mulsant, 1839: 47 type species *Cerambyx variabilis* Linnaeus, 1760 (= *Cerambyx testaceus* Linnaeus, 1758)
subgenus *Melasmetus* Reitter, 1913a: 39 type species *Callidium femorale* Ménétré, 1832
femorale demelti Heyrovský, 1962a: 41 E: TR A: TR #133
femorale femorale Ménétré, 1832: 228 (*Callidium*) E: ST A: AB AR GG IN TR
utschderensis Starck, 1889: 312 (*Callidium*)

subgenus *Paraphymatodes* Plavilstshikov, 1934a: 215 type species *Callidium fasciatum* Villers, 1789
albicinctus Bates, 1873: 198 A: JA
albofasciatus Motschulsky, 1866: 174 (*Callidium*) [HN]
fasciatus Villers, 1789: 257 (*Cerambyx*) E: AU BH BU CR CZ FR GR HU IT ?LA MD PL RO SB SK SP SZ UK A: CY IS SY TR #74
#104
unifasciatus Olivier, 1790: 269 (*Callidium*)
unifasciatus Rossi, 1790: 343 (*Callidium*)

hauseri Pic, 1907b: 9 (*Callidium*) A: KZ XIN
mediofasciatus Pic, 1933b: 29 A: FE GUI JIA JIX NC SC SHA #63

subgenus *Phymatodellus* Reitter, 1913a: 40 type species *Callidium rufipes* Fabricius, 1777 #7
Microcallidium Casey, 1912: 283 type species *Callidium amoenus* Say, 1824: 413
Phymatodina Casey, 1912: 281 type species *Phymatodes nitidus* Casey, 1874
Pseudopoecilium Planet, 1924: 226 type species *Callidium rufipes* Fabricius, 1777

infasciatus Pic, 1935b: 36 (*Poecilium*) A: FE FUJ JA JIA JIX ?NC SC SHA SHN SHG #400 #736
ussuricus Plavilstshikov, 1940a: 318
vandykei Gressitt, 1935b: 172 #736
jiangi Z. Wang & L.-Y. Zheng, 2003: 207, 395 A: JIL SC #333
kozlovi Semenov & Plavilstshikov, 1936: 390 A: NMO
magnanii Sama & Rapuzzi, 1999: 468 (*Poecilium*) A: TR
murzini Danilevsky, 1993d: 113 A: FE NC SC #210 #333
rufipes rufipes Fabricius, 1777: 232 (*Callidium*) E: AU BE BH BU CR CZ FR GE GR HU IT LU MC MD PL RO SB SK SL SP ST SZ UK
A: TR

amethystinus Fabricius, 1793: 321 (*Callidium*)
coeruleus Goeze, 1777: 507 (*Leptura*)
cyaneus Geoffroy, 1785: 82 (*Leptura*)
cyanochrysos Gmelin, 1790: 1846 (*Cerambyx*)
erythropus Gmelin, 1790: 1846 (*Cerambyx*)
gallicus Gmelin, 1790: 1877 (*Leptura*)

rufipes syriacus Pic, 1891i: 118 (*Callidium*) A: IS LE SY TR #244 #464
semenovi Plavilstshikov, 1935a: 18 A: GUI
sinensis Pic, 1900i: 17 (*Callidium*) A: JIA SHG
zemplinae Plavilstshikov & Anufriev, 1964: 1565 A: FE HEI ?NC SC SHA #225 #333

subgenus *Phymatoderus* Reitter, 1913a: 39 type species *Callidium pusillum* Fabricius, 1787 #778
Reitteroderus Sama, 1991: 124 [unnecessary substitute name]
abietinus Plavilstshikov & Lurie, 1960: 124 E: CT A: WS
ahenus Holzschuh, 2007: 242 (*Poecilium*) A: SCH
glabratus Charpentier, 1825: 225 (*Callidium*) E: AU BH BU CR CZ FR GE GR HU IT PL RO SB SK SP ST SZ UK A: GG LE #115
#464
castaneus L. Redtenbacher, 1849: 483 (*Callidium*)
deltili Chevrolat, 1856b: 435 (*Callidium*)

gudenzii Sama, 1987: 57 (*Poecilium*) N: AG MO
lividus Rossi, 1794: 98 (*Callidium*) E: BH BU CR CT CZ FR GR IT LU ME NL RO SB SL SP ST SZ UK N: AG ?MO ?TU A: AB GG IS
LE SY TR NARi #115
asperipennis Fairmaire, 1879: 217 (*Callidium*)
brevicollis Dalman, 1817b: 191 (*Callidium*)

melancholicus Fabricius, 1798: 151 (*Callidium*)
thoracicus Comolli, 1837: 44 (*Callidium*)
tristis Pic, 1891b: 20
puncticollis Mulsant, 1862: 99 E: BU CT GR HU KZ MC MD RO ?SB SK ST UK A: KZ #180
macedonicus Pic, 1909: 130
pusillus barbipes Küster, 1847a: 78 (*Callidium*) E: CZ FR GR HU IT SK
pusillus inopinatus Sláma, 2010: 82 (*Poecilium*) E: GR
pusillus pusillus Fabricius, 1787: 155 (*Callidium*) E: AU BE BH BU CR CZ SL FR GE GR HU IT LU MD NR PL RO SL SP SV SZ TR UK
A: TR
abdominalis Bonelli, 1812: 180 (*Callidium*)
humeralis Comolli, 1837: 44 (*Callidium*)
luridus Olivier, 1800: 23 (*Callidium*) #373
pusillus rufipennis Starck, 1889: 312 (*Callidium*) E: ST UK A: AB AR GG IN TR
vandae Danilevsky, 2010g: 67 E: GR (Kefalonia Is.)
wrzecionkoi Rapuzzi & Sama, 2010b: 183 (*Poecilium*) A: SY TR #565
subgenus *Phymatodes* Mulsant, 1839: 47 type species *Cerambyx variabilis* Linnaeus, 1760 (= *Cerambyx testaceus* Linnaeus, 1758)
Merium Kirby, 1837: 172 type species *Merium testaceus* Linnaeus, 1758 [suppressed]
testaceus Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU MC
MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG MO MR TU A: AB AR CY FE GG IN IQ IS JA KZ LE ?NC TR
SC SY WS NAR #64 #177 #322 #788
analis L. Redtenbacher, 1849: 481
barbarorus Pic, 1917g: 5
carniolicus Gmelin, 1790: 1858 (*Cerambyx*)
crassipes Goeze, 1777: 507 (*Leptura*)
deustus Gmelin, 1790: 1850 (*Cerambyx*)
dimidiatipennis Chevrolat, 1882: 58
elongatus Iablokoff-Khnzorian, 1953: 60
fallax Villers, 1789: 276 (*Leptura*)
femoratus Geoffroy, 1785: 83 (*Leptura*)
fennicus Linnaeus, 1758: 396 (*Cerambyx*)
fulvipennis Reitter, 1901c: 101 (*Phymatodes*)
italicus Gmelin, 1790: 1851 (*Cerambyx*)
luridus Paykull, 1800: 87 (*Callidium*) [HN]
melanocephalus Ponza, 1805: 71 (*Cerambyx*)
nigricollis Mulsant, 1839: 49
nigrinus Mulsant, 1839: 47
praeustus Fabricius, 1782: 500 (*Callidium*)
rufipes Costa, 1855: 34
sellae Kraatz, 1868: 338 (*Callidium*)
similaris Küster, 1844: 54 (*Callidium*)
variabilis Linnaeus, 1760: 192 (*Cerambyx*)
ventralis Haldeman, 1847: 375 (*Tessaropa*)
violaceus Rossi, 1790: 154 (*Callidium*)
subgenus *Poecilium* Fairmaire, 1864a: 134 type species *Leptura alni* Linnaeus, 1767
alni alni Linnaeus, 1767: 639 (*Leptura*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU MC MD ME
NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: KZ TR
apicalis Pic, 1915a: 1 (*Poecilium*)
biarcuatus Piller & Mitterpacher, 1783: 112 (*Leptura*)
fauconneti Pic, 1915a: 1 (*Poecilium*)
infuscatus Chevrolat, 1866: 107 (*Poecilium*)
nitidus Chevrolat, 1882: 58 (*Callidium*)
notaticollis Pic, 1945b: 6 (*Poecilium*)
turcicus Geoffroy, 1785: 83 (*Leptura*)
alni lateniger Pic, 1945b: 6 (*Poecilium*) A: AB (Talysh) IN
elburzense Holzschuh, 1977a: 128 (*Poecilium*)
alni picis Aurivillius, 1912: 349 E: ST A: AB AR GG IN TR #565
alnoides Reitter, 1913a: 40
antonini Rapuzzi, Sama & Tichy, 2011: 673 (*Poecilium*) A: SY TR #565
ermolenkoi Tsherepanov, 1980: 88 A: FE ?NC SC #97
eximius Holzschuh, 1995: 35 (*Poecilium*) A: YUN
kasnaki Sama, 2011: 826 (*Poecilium*) A: TR
latefasciatus Sh. Yang, 2013: 12 A: GUI
maaki maaki Kraatz, 1879c: 106 (*Callidium*) A: FE HEI JIX NC SC
maaki sylvaticus Z. Wang, 2003: 206, 394 A: NMO #400
maaki viarius Danilevsky, 1988c: 371 A: FE JA
mizunumai Hayashi, 1974a: 28 A: TAI
quadrimaculatus Gressitt, 1935b: 171 A: JA TAI #400
savioi Pic, 1935b: 35 A: JIA SHA SHG #225

genus *Pronocera* Motschulsky, 1859b: 494 type species *Pronocera daurica* Motschulsky, 1859 (= *Callidium sibiricum* Gebler, 1848)
Gonocallus LeConte, 1873a, 171 type species: *Callidium collare* Kirby, 1837
Protocallidium Csiki, 1904: 99 type species *Callidium angustum* Kriechbaumer, 1844
Pseudophymatodes Pic, 1901c: 12 type species *Phymatodes altaiensis* Pic, 1901 (= *Callidium sibiricum* Gebler, 1848)
angusta Kriechbaumer, 1844: 8 (*Callidium*) E: AU BH CZ GE HU IT PL RO **BU** SK UK
sibirica Gebler, 1848: 391 (*Callidium*) A: ES FE MG NC NE NMO SC WS XIN
altaiensis Pic, 1901c: 12 (*Phymatodes*)
brevicollis Gebler, 1833: 302 (*Callidium*) [HN]
daurica Motschulsky, 1859b: 494

genus *Prosemanotus* Pic, 1933f: 5 type species *Prosemanotus elongatus* Pic, 1933
elongatus Pic, 1933f: 5 A: CH
subnotatus Pic, 1933f: 5

genus *Pyrhridium* Fairmaire, 1864a: 133 type species *Cerambyx sanguineus* Linnaeus, 1758
sanguineum Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE ?EN FI FR GB GE GR HU IR IT ?LA LS LT LU
MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG TU A: AB AR GG IN SY TR #104

genus *Rejzekius* Adlbauer, 2008: 17 type species *Rejzekius bicolor* Adlbauer, 2008
bicolor Adlbauer, 2008: 17 A: YE

genus *Ropalopus* Mulsant, 1839: 40 type species *Callidium clavipes* Fabricius, 1775
subgenus *Pronocerodes* Plavilstshikov, 1940a: 248 type species *Rhopalopus ruficollis* Matsumura, 1911
aurantiicollis Plavilstshikov, 1940a: 250 (*Rhopalopus*) A: FE ?NC SC #517 #638
ruficollis Matsumura, 1911: 138 (*Rhopalopus*) A: FE
subgenus *Prorrhopalopus* Plavilstshikov, 1921b: 121 type species *Rhopalopus signaticollis* Solsky, 1873
signaticollis ohmomi Fujita, 2023: 21 A: JA (Japan: Hokkaido, Honshu, Kyushu) ?FE
signaticollis signaticollis Solsky, 1873: 177 (*Rhopalopus*) A: FE HEI ~~JA~~-JIL LIA NC SC #63 #400
speciosus Plavilstshikov, 1915c: 108 (*Rhopalopus*) A: FE JIL LIA ?NC SC SHA #97 #225 #400
subgenus *Ropalopus* Mulsant, 1839: 40 type species *Callidium clavipes* Fabricius, 1775
Calliopedia Binder, 1915: 186 type species *Rhopalopus reitteri* Binder, 1915 (= *Callidium ungaricum* Herbst, 1784)
Euryoptera Horn, 1860: 571 type species *Euryoptera sanguinicollis* Horn, 1860
Rhopalopus Agassiz, 1846: 325 [unjustified emendation]
carolini Vartanis & Borek, 2019: 610 E: GR
clavipes Fabricius, 1775: 188 (*Callidium*) E: AL AU BE BH BU BY CR CT CZ DE FR GE GR HU IT ~~KZ~~ ~~LA~~ LT LU MA MC MD ME NL
NT PL RO SB SK SL SP ST SZ TR UK A: AB AR GG FE IN KZ IQ SY TR WS #186 #265 #517 #557
nigricans Gmelin, 1790: 1857 (*Cerambyx*)
nigroplanus DeGeer, 1775: 88 (*Cerambyx*)
viduus Geoffroy, 1785: 82 (*Leptura*)
eleonorae Sama & Rapuzzi, 2002: 114 A: LE SY
femoratus Linnaeus, 1758: 395 (*Cerambyx*) E: AU BE BH BU **BY** CR CT CZ FR GE **GR** HU IT LA ?LT LU MD PL RO **SB** SK SL SP ?ST
SV SZ TR UK #503
castaneipennis Roubal, 1934a: 43
punctuosus Geoffroy, 1785: 83 (*Leptura*)
hanae Sama & Rejzek, 2002: 105 A: TR
ledereri ledereri Fairmaire, 1866b: 269 (*Rhopalopus*) A: IS JO TR
ledereri wittmeri Demelt, 1970: 31 A: LE SY TR #464 #678
lederi Ganglbauer, 1882: 747 (*Rhopalopus*) E: ST UK A: AB AR GG TR
nigripes Pic, 1926d: 6 (*Rhopalopus*)
macropus Germar, 1824: 514 (*Callidium*) E: AU BH BU BY CR CT CZ GE HU LA LT MD PL RO SB SK SL ST ?SZ TR UK A: AB AR
GG IN TR #115 #506
caucasicus Desbrochers des Loges, 1873: cxxxvi (*Callidium*)
pilicollis C. G. Thomson, 1866: 29 (*Callidium*)
mali Holzschuh, 1993a: 34 A: KI KZ UZ
nadari Pic, 1894c: 207 (*Rhopalopus*) A: KI TD UZ
nataliyae Danilevsky & Skrylnik, 2014: 690 A: IN #23
~~*nubigena* Semenov & Plavilstshikov, 1936: 391 (*Rhopalopus*) A: XIX~~
ruber Gressitt, 1939c: 212 (*Rhopalopus*) A: ANH JIA ZHE #400
sculpturatus Pic, 1931c: 9 (*Rhopalopus*) A: TR IN
ungaricus boreki Rapuzzi, 2017: 865 E: GR #493
ungaricus creticus Vartanis, 2024c: 88 E: GR (Crete) #751
ungaricus gallicus Vartanis, 2018b: 55 E: FR #493
ungaricus insubricus Germar, 1824: 154 (*Callidium*) E: AL BH BU CR **CT** FR HU IT ?MD RO SB SL ~~?SP~~ **ST** TR UK A: TR #493 #506
fischeri Krynicki, 1829: 197 (*Callidium*) #493
viridipennis Pic, 1926d: 6 (*Rhopalopus*)
ungaricus occidentalis López & Baena, 2022: 558 E: SP
ungaricus olympicus Vartanis, 2024c: 93 E: GR #751

ungaricus ossae Karpiński, Szczepański & Kruszelnicki, 2020: 27 E: GR (Thessaly) #493
ungaricus siculus Stierlin, 1864: 152 (*Callidium*) E: IT (Sicilia) #202 #493
ungaricus ungaricus Herbst, 1784: 96 (*Callidium*) E: AL AU BH BU CR CZ FR GE HU IT MC PL RO SB SK SL SZ UK ?N: AG #493
#778

annulus Costa, 1855: 30
cognatus Laicharting, 1784: 58 (*Callidium*)
pannonicus Gmelin, 1790: 1856 (*Cerambyx*)
reitteri Binder, 1915: 186 (*Rhopalopus*)
vogti Guerry, 1911: 99
varini Bedel, 1870: 94 (*Callidium*) E: AU BH BU CR CZ FR GE GR HU IT MC MD PL RO SB SK SL SP SZ UK
spinicornis Abeille de Perrin, 1869: 42 (*Callidium*) [HN]

genus *Rutjana* 11a: 14 type species *Rutjana kashmirensis* Danilevsky, 2020
kashmirensis Danilevsky, 2020a: 17 A: KA

genus *Semanotus* Mulsant, 1839: 54 type species *Cerambyx undatus* Linnaeus, 1758

Anocomis Casey, 1912: 271 type species *Callidium ligneum* Fabricius, 1787
Hemicallidium Casey, 1912: 273 type species *Physocnemum amethystinum* LeConte, 1853
Sympiezocera P. H. Lucas, 1852: cvi type species *Sympiezocera laurasii* P. H. Lucas, 1852
Xenodorum Marseul, 1856: 48 type species *Xenodorum bonvouloiri* Marseul, 1856 (= *Sympiezocera laurasii* LeConte, 1851)
algericus Pic, 1905e: 99 N: AG MO
magnificus Bedel, 1921: 60
bifasciatus Motschulsky, 1875: 148 (*Hylotrupes*) A: ANH FE FUJ GAN GUA GUI GUX HEB HEN HUB JA JIA JIX NC NMO QIN SC
SCH SHA SHN SHX YUN ZHE
latifasciatus Matsushita, 1933b: 262
sinensis Gahan, 1888b: 61 (*Sympiezocera*)
watanabei Kano, 1933a: 273

japonicus japonicus Lacordaire, 1869: 47 (*Sympiezocera*) A: JA ZHE #732

japonicus yakushimensis Makihara, 2004a: 15 A: JA #732

laurasii corsicus Croissandeau, 1890: 38 (*Sympiezocera*) E: FR (Corse) IT (Sardegna)

laurasii laurasii P. H. Lucas, 1852: cvii (*Sympiezocera*) E: FR SP N: AG MO

bonvouloiri Marseul, 1856: 48 (*Xenodorum*)

verneti Pellet, 1871: 164 (*Callidium*)

nigroalbus Holzschuh, 1984c: 355 A: NP

russicus anatolicus Özdikmen, 2023e: 691 A: TR #679

russicus russicus Fabricius, 1777: 232 (*Callidium*) E: AL AU BU CR CZ GB GR HU IT RO SB SK ST SZ UK A: AB AR GG IN JO LE SY
TR #352

russicus persicus Solsky, 1876: 296 (*Sympiezocera*) A: IN TM (Kopetdag)

semenovi Okunev, 1933: 135 A: KI KZ QIN TD UZ XIN #400

sinoauster Gressitt, 1951a: 222 A: ANH FUJ GUA GUI GUX HEB HUB HUN JIA JIX SHA TAI YUN ZHE ORR

undatus Linnaeus, 1758: 396 (*Cerambyx*) E: AU BH BU BY CR CT CZ EN FI FR GE HU IT LA LS LT NR NT PL RO SB SK SL ST SV

SZ UK A: ES FE KO MG NE NMO WS XIN

genus *Turanium* Baeckmann, 1922: 32 type species *Callidium scabrum* Kraatz, 1882

subgenus *Chalcoturanium* Jankowski, 1934: 100 [= 1935a: 60] type species *Turanium johannis* Baeckmann, 1922

badenkei Danilevsky, 2001e: 587 A: KZ

johannis johannis Baeckmann, 1922: 24 A: KI

johannis juglandis Jankowski, 1934: 100 [= 1935a: 59] A: KI

subgenus *Turanium* Baeckmann, 1922: 32 type species *Callidium scabrum* Kraatz, 1882

hladili Kratochvíl, 1985b: 65 A: UZ

pilosum Reitter, 1891a: 33 (*Pronocera*) A: KI KZ TD UZ XIN

losi Karpiński, Plewa & Hilszczański, 2021: 247 [“4 km N of Arkit”] #595

rauschorum Holzschuh, 1998: 44 A: KI KZ

scabrum Kraatz, 1882a: 115 (*Callidium*) E: ST A: KI KZ TD TM UZ WS XIN

simplarium Heyden, 1885a: 296 (*Callidium*)

tekeorum Danilevsky, 2001e: 584 A: IN TM (Kopetdag)

tribe Callidiopini Lacordaire, 1868

genus *Becvarium* Holzschuh, 2011: 287 type species *Becvarium bioculatum* Holzschuh, 2011

bioculatum Holzschuh, 2011: 288 A: YUN

genus *Ceresium* Newman, 1842d: 322 type species *Ceresium raripilum* Newman, 1842

#409

Diatomocephala Blanchard, 1853: 266 type species *Diatomocephala maculicollis* Blanchard, 1853

Paraceresium Matsushita, 1932: 71 type species *Paraceresium saipanicum* Matsushita, 1932

Raphidera Perroud, 1855: 336 type species *Raphidera gracilis* Perroud, 1855

Raphidodera Gemming, 1872: 2831 [unjustified emendation]

albomaculatum Pic, 1926a: 23 A: HAI **ORR**
declaratum Holzschuh, 1990: 186 A: SD
elongatum elongatum Matsushita, 1933b: 301 A: HKG JA (Ryukyus) TAI **#400**
elongatum tsuchiyai Fujita, 2018: 26 A: JA (Ryukyus)
fallaciosum Holzschuh, 1995: 19 A: YUN **ORR**
flavipes Fabricius, 1793: 327 (*Callidium*) A: GUA HKG SC ?TAI **AFR AUR NTR ORR** **#63**
ambiguum Newman, 1842a: 246 (*Arhopalus*)
simplex Gyllenhal, 1817: 178 (*Stenocorus*)
flavisticum Gressitt & Rondon, 1970: 96 A: YUN **ORR** **#508 #523**
fuscum fuscum Matsumura & Matsushita, 1932: 67 A: JA (Ryukyus)
fuscum hachijoense Matsumura & Matsushita, 1932: 68 A: JA **#276**
fuscum shirakii Hayashi, 1963a: 53 A: JA (Ryukyus)
geniculatum White, 1855: 245 A: GUA HAI HUB YUN **ORR** **#400**
rufipes Pascoe, 1869a: 537
holophaeum Bates, 1873: 153 A: JA
yusai Matsushita, 1937: 312
inaequalicolle Pic, 1933b: 28 A: SHG YUN **#400**
joannisi Pic, 1935f: 171
lepidulum Holzschuh, 1982b: 150 A: SD YUN
leucosticticum White, 1855: 245 A: AP GUA GUI HAI NP PA SD UP YUN **ORR** **#280 #400**
longicorne Pic, 1926a: 24 A: HKG HUB JA JIX SC TAI **ORR**
japonicum Matsushita, 1932: 68
tsushmanum K. Ohbayashi, 1961a: 17
lucifugum Holzschuh, 1982b: 150 A: NP UP
manchuricum Hayashi, 1957a: 39 A: HEI
nilgiriense Gahan, 1906a: 161 A: YUN **ORR**
particulare Pic, 1926a: 24 A: CH
propinquum Holzschuh, 1982b: 149 A: NP SD
quadrimaculatum Gahan, 1900b: 121 A: FUJ GUA GUX HEB HUB HUN JIA JIX SCH YUN ZHE **ORR** **##400**
rufum Lameere, 1890: cexi A: UP
sculpticolle Gressitt, 1942b: 1 A: SCH
senile Holzschuh, 1998: 32 A: YUN
signaticolle Matsumura & Matsushita, 1932: 69 A: JA
simile flavopubescens Kusama & Takakuwa, 1984: 9 A: JA
simile miyamotoi Fujita, 2018: 26 A: JA (Ryukyus)
simile simile Gahan, 1890b: 169 A: JA (Ogasawara Isls.)
sinicum innotaticolle Pic, 1926a: 24 A: CH
sinicum ornatocolle Pic, 1907c: 20 A: FUJ GUA GUI GUX HUB HUN JIA JIX SCH SHA XIZ YUN **ORR**
sinicum sinicum White, 1855: 245 A: BEI FUJ GUA GUI GUX HAI HEN HUB HUN JA JIA JIX SC SCH SHA SHG TAI XIZ YUN ZHE **ORR** **#63**
sakaiense Matsushita, 1933b: 302
subuniforme Schwarzer, 1925a: 22 A: TAI
swatense Holzschuh, 1974a: 82 A: PA
unicolor pseudounicolor Kusama & Komiya, 1972: 42 A: JA (Ryukyus)
unicolor unicolor Fabricius, 1787: 147 (*Saperda*) A: JA (Ogasawara & Volcano Isls.) UP "North India" **AUR** **#127**
~~*ambiguum* Newman, 1842a: 246 (*Arhopalus*)~~
palauense Matsushita, 1932: 169
simplex Gyllenhal, 1817: 178 (*Stenochorus*)
zeylanicum White, 1855: 246 A: HKG **ORR** **#400**
basilanum Pic, 1943d: 6

genus *Cristaphanes* Vives, 2009: 3 type species *Lasiophanes cristulatus* Aurivillius, 1916 **#349**
tysoni Vives, 2017b: 22 A: YUN **ORR** **#349**

genus *Curtoomerus* Stephens, 1839: 275 [NP] type species *Callidium luteum* Stephens, 1831 (= *Callidium flavum* Fabricius, 1775)
Cylindera Newman, 1833: 509 [HN] type species *Cylindera pallida* Newman, 1833 (= *Callidium flavum* Fabricius, 1775)
Cylindrodera Gemminger, 1872: 2922 type species *Cylindera pallida* Newman, 1833 (= *Callidium flavum* Fabricius, 1775)
Lampromerus J. Thomson, 1860: 202 type species *Callidium pilicorne* Fabricius, 1793 (= *Callidium flavum* Fabricius, 1775)
Onchomerus Dejean, 1835: 332 [NO] type species *Callidium pilicorne* Fabricius, 1793 (= *Callidium flavum* Fabricius, 1775)
Sotenus Sharp, 1878: 205 type species *Sotenus setiger* Sharp, 1878 (= *Callidium flavum* Fabricius, 1775)
flavus Fabricius, 1775: 191 (*Callidium*) A: JA (Ogasawara Isls.) **NAR NTR ORR**
barbatus Matsushita & K. Ohbayashi, 1938: 197 (*Trinophylum*)
boninensis Matsumura & Matsushita, 1932: 72 (*Trinophylum*)
impuncticollis Fairmaire, 1881: 473 (*Ceresium*)
luteus Stephens, 1831: 249 (*Callidium*)
pallidus Newman, 1833: 510 (*Cylindera*)
pilicornis Fabricius, 1793: 327 (*Callidium*)
setiger Sharp, 1878: 203 (*Sotenus*)

subflavus Chemsak, 1966: 213

genus *Falsoibidion* Pic, 1922: 24 type species *Falsoibidion fasciatum* Pic, 1922
bipunctatum Lee Seunghyun & Lee Seunghwan, 2016: 64 A: SC
shennongjiaensis P. Wang, Xie & W.-K. Wang, 2020a: 395 A: HUB
venustulum Holzschuh, 2019b: 90 A: GUX

genus *Gelonaetha* J. Thomson, 1878a: 12 type species *Gelonaetha curtipes* J. Thomson, 1878 (= *Stromatidium hirtum* Fairmaire, 1850)
hirta Fairmaire, 1850: 60 (*Stromatidium*) A: TAI YUN ZHE **ORR** #452 #525
curtipes J. Thomson, 1878a: 13
obscura Sharp, 1878: 204 (*Astrimus*)

genus *Parasalpinia* Hayashi, 1962c: 4 type species *Parasalpinia kojimai* Hayashi, 1962
kojimai Hayashi, 1962c: 4 A: JA (Ryukyus) TAI
laosensis Gressitt & Rondon, 1970: 102 (*Salpinia*) A: HAI YUN **ORR**

genus *Stenodryas* Bates, 1873: 153 type species *Stenodryas clavigera* Bates, 1873
Ibidiomimus Pic, 1922e: 28 type species *Ibidiomimus bicoloripes* Pic, 1922
apicalis Gahan, 1906a: 161 (*Ceresium*) A: NP
bicoloripes Pic, 1922e: 28 (*Ibidiomimus*) A: YUN **ORR** #400
clavigera clavigera Bates, 1873: 154 A: JA JIX SC (Mt. Soyosan)
clavigera impuncticollis Hayashi, 1974a: 17 A: TAI
clavigera insularis Yokoyama, 1966: 55 A: JA (Ryukyus)
cylindricollis Gressitt, 1951a: 159 A: HEB SHA YUN #400
fascipennis Holzschuh, 1984c: 347 A: BT SD
nigromaculata Gardner, 1942: 69 (*Ceresium*) A: BT YUN NP **ORR** #42
tripunctata Gressitt & Rondon, 1970: 104
punctatella Holzschuh, 1999: 25 A: HUB SHA #225
suavis Holzschuh, 1998: 33 A: SCH
ventralis Gahan, 1906: 160 A: YUN **ORR** #190

genus *Stenygrinum* Bates, 1873: 154 type species *Stenygrinum quadrinotatum* Bates, 1873
quadrinotatum Bates, 1873: 154 A: ANH FE FUJ GAN GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX LIA NC NMO SC SCH
SHA SHN TAI YUN ZHE **ORR**

genus *Teladum* Holzschuh, 2011: 289 type species *Lasiophanes comosus* Holzschuh, 1989
angustior Holzschuh, 2011: 292 A: YUN

genus *Trinophylum* Bates, 1878b: 720 type species *Trinophylum cribratum* Bates, 1878
cribratum Bates, 1878b: 720 Ei: GB A: HP KA PA UP #366 #375
impressipenne Pic, 1948: 6 (*Callidium*)

tribe Cerambycini Latreille, 1802

genus *Anarchambyx* Sama, 2007b: 101 type species *Anarchambyx pipposamai* Sama, 2007
pipposamai Sama, 2007b: 103 A: SA YE #774

genus *Bulbocerambyx* Lazarev, 2019e: 1194 type species *Neocerambyx grandis* Gahan 1891 #458 #536 #635
grandis Gahan, 1891a: 20 (*Neocerambyx*) A: AP FUJ GUA HAI UP YUN **ORR** #280 #166
katarinae Holzschuh, 2009: 285 (*Neocerambyx*) A: AP GUA GUX HAI **ORR** #227 #400
vitalisi Pic, 1923e: 12 (*Neocerambyx*) A: FUJ **ORR**

genus *Carinolesthes* Vitali, Gouverneur & Chemin, 2017: 53 type species: *Aeolesthes (Pseudaeolesthes) pericalles* Gressitt & Rondon, 1970
aurosignata Pic, 1916i: 325 (*Aeolesthes*) A: FUJ XIZ YUN
dembickyi Miroshnikov, 2019c: 261 A: AP
ningshanensis Chiang, 1981: 79 (*Aeolesthes*) A: SHA
pericalles Gressitt & Rondon, 1970: 61 (*Aeolesthes*) A: YUN **ORR**

genus *Cerambyx* Linnaeus, 1758: 388 type species *Cerambyx cerdo* Linnaeus, 1758 #778
subgenus *Cerambyx* Linnaeus, 1758: 388 type species *Cerambyx cerdo* Linnaeus, 1758
Hamaticherus Dejean, 1821: 105 type species *Cerambyx heros* Scopoli, 1763 (= *Cerambyx cerdo* Linnaeus, 1758)
Hammatocerus Gistel, 1848a: 130 [unjustified emendation] [HN]
apiceplicatus Pic, 1941b: 2 A: IN IQ
carinatus Küster, 1845: 46 (*Hammaticherus*) E: AL BH ME BU CR GR IT MA MC SB A: TR #117
landrieui Pic, 1927j: 158
minor Pic, 1926d: 13

cerdo acuminatus Motschulsky, 1853: 79 ["De la Georgie et des pays limitrophes de la mer Caspienne"] E: ST ~~UK~~ A: AB AR GG IN IQ IS JO LE SY TR #279 #635

cerdo cerdo Linnaeus, 1758: 392 ["Italya"] E: AL AU BE BH BU BY CR ~~CT~~ CZ DE FR GBi GE GR HU IR IT LA ~~LT~~ LU MA MC MD ME NL PL RO SB SK SL ~~ST~~ SV SZ TR UK ~~N-MO~~ A: TR

heros Scopoli, 1763: 51

laevicollis Heyrovsky, 1955: 156 (as morpha - unavailable name)

laevicollis Vartanis, 2024e: 1144 ("the area of Třeboňsk, in the Czech Republic") - unavailable name.

cerdo cyprius Vartanis, 2023a: 760 A: CY

cerdo hispanicus Vartanis, 2024e: 1146 E: SP

cerdo iranicus Heyrovský, 1951a: 156 A: IN #279

cerdo manderstjernae Mulsant & Godart, 1855b: 280 [= 1855a: 180] ["la Crimée"] E: ST UK #517 #635

cerdo masaryki Vartanis, 2018c: 76 E: BU

cerdo mirbeckii P. H. Lucas, 1842: 184 (*Hammaticherus*) E: PT SP N: AG MO TU

tunisticus Pic, 1891b: 18

cerdo nikolaevi Danilevsky, 2024: 211 E: CT ST UK

cerdo pfisteri Stierlin, 1864: 152 (*Hammaticherus*) E: IT GR #279

dux Faldermann, 1837: 264 (*Hammaticherus*) E: BU MC GR ST TR UK A: AB AR GG IN IQ IS JO LE SY TR #582 #584

intricatus Fairmaire, 1848: 167 (*Hammaticherus*)

nodosus Mulsant & Rey, 1863: 144

orientalis Küster, 1845: 45 (*Hammaticherus*)

thirkii Küster, 1845: 47 (*Hammaticherus*)

heinzianus Demelt, 1976: 65 A: TR

klinzigi Podaný, 1964c: 88 ?E: ?ST ?A: ?AR ?AB ?GG #279 #756

kodymi Sláma, 2015c: 1122 A: SY TR

miles Bonelli, 1812: 178 E: AL AU BH BU CR CZ FR GR HU IT MA MC MD ME PT RO SB SK SL SP ST SZ TR UK A: AB AR GG TR #205

IN LE SY N: MO

militaris Latreille, 1829: 116 (*Hammaticherus*)

nodulosus hermoniacus Sláma, 2015c: 1121 A: SY

nodulosus nodulosus Germar, 1817: 220 E: AL BH BU CR GR IT MA MC ME RO SB SL ST TR UK A: AB AR CY GG LE SY TR

nodicornis Küster, 1845: 43 (*Hammaticherus*)

welensii centurio Czwalina, 1891: 99 A: IS JO LE SY TR #795

welensii welensii Küster, 1845: 44 (*Hammaticherus*) E: AL BH BU CR FR GR HU IT MA MC ME PT RO SB SK SL SP TR UK A: AB CY #30 #699

GG IN IQ TR

velutinus Brullé, 1832: 252 [HN]

subgenus *Microcerambyx* Mikšić & Georgijevic, 1973: 22 type species *Cerambyx scopolii* Fuessly, 1775

Mesocerambyx Zagaikevich, 1991: 64 type species *Cerambyx scopolii* Fuessly, 1775

elbursi Jureček, 1924a: 47 A: IN #517

elegans Dohrn, 1873: 74 [HN]

multiplicatus Motschulsky, 1860a: 142 A: AB (Talysh) IN

paludivagus P. H. Lucas, 1842: 185 (*Hammaticherus*) N: AG TU

scopolii scopolii Fuessly, 1775: 12 E: AL AU BE BH BU BY CR CT CZ DE ?EN FR GB GE GR HU IR IT ?LA LT LU MA MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR GG SY TR IN #104

helveticus Stierlin, 1878b: 442

nitidus Pic, 1892r: cxi [= 1893d: 417]

piceus Geoffroy, 1785: 74

scopolii siculus Rapuzzi & Sama, 2010a: 129 E: IT (Sicilia)

genus *Derolus* Gahan, 1891a: 26 type species *Hammaticherus mauritanicus* Buquet, 1840

Capnocerambyx Reitter, 1894g: 356 type species *Hammaticherus mauritanicus* Buquet, 1840

Mimoderolus Pic, 1933a: 11 type species *Aeolesthes (Mimoderolus) uniformis* Pic, 1933 #207

abaii Holzschuh, 2009a: 288 A: IN

argentifer Pic, 1904c: 11 A: YUN #400

diversithorax Pic, 1946b: 109

asiricus Holzschuh, 1993b: 117 A: SA

brevicornis Holzschuh, 1981: 97 A: IN

bulbicornis Gressitt, 1951a: 142 A: XIZ

discicollis Gahan, 1906a: 136 A: IN PA ORR

[incultus incultus] Gerstaecker, 1855: 265 (*Cerambyx*) AFR #774

incultus yemenensis Villiers, 1977: 167 A: OM YE

iranensis arabicus Sama, 2007d: 301 A: AE OM

iranensis iranensis Pic, 1956a: 3 A: AF IN PA

iranensis Lepesme & Breuning, 1958: 179 [HN]

janae Holzschuh, 2009: 286 A: IN

[martini martini] Lepesme & Breuning, 1958: 178 - Djibouti]

martini hajekae Villiers, 1968: 847 A: AE SA YE

mauritanicus Buquet, 1840: 395 ["295"] (*Hammaticherus*) N: AG LB MO TU

nerii Erichson, 1841: 188 (*Hammaticherus*)

pakistanus Holzschuh, 1974a: 81 A: PA
thesigeri Villiers, 1968: 848 A: SA
vastus Holzschuh, 1993b: 118 A: SA YE
volvulus Fabricius, 1801: 271 (*Cerambyx*) A: FUJ GUA HAI HP NP ZHE "India" **ORR** #366
demissus Pascoe, 1859: 21 (*Cerambyx*)
strigicollis Dalman, 1817b: 158 (*Cerambyx*)

genus *Dialeges* Pascoe, 1856: 46 type species *Dialeges pauper* Pascoe, 1856
pauper Pascoe, 1856: 47 A: AP NP PA SD UP YUN **AFR ORR** #280 #369
tenicornis Pascoe, 1869a: 522
undulatus Gahan, 1891a: 23 A: GUA HAI TAI YUN **ORR** #400

genus *Diorthus* Gahan, 1891a: 27 type species *Hammaticherus simplex* White, 1853 (= *Cerambyx cinereus* Fabricius, 1793)
cinereus Fabricius, 1793: 265 (*Cerambyx*) [NP] A: AE AF IN NP PA UP YE **AFR ORR** #127
holosericeus Olivier, 1795: 14 (*Cerambyx*)
inclemens J. Thomson, 1865: 576 (*Pachydissus*)
simplex White, 1853a: 130 (*Hammaticherus*) [W. Africa]
sordidus Pascoe, 1888: 491 (*Neocerambyx*)
vernicosus Pascoe, 1859: 19 (*Cerambyx*)
intricarius Holzschuh, 1984a: 145 A: KA PA #274
pellitulus Holzschuh, 1984a: 144 A: NP

genus *Dissopachys* Reitter, 1886: 68 type species *Dissopachys pulvinatus* Reitter, 1886
pulvinatus Reitter, 1886: 68 A: AB IN TM

genus *Dymasius* J. Thomson, 1864: 234 type species *Dymasius strigosus* J. Thomson, 1864 (= ~~*Cerambyx maeilentus* Pascoe, 1859~~)
#400 #617
angustatus Pic, 1925b: 16 (*Derolus*) A: HAI **ORR** #349
aureofulvescens Gressitt & Rondon, 1970: 80 A: JIX YUN **ORR** #400
duplus Holzschuh, 2017b: 9 A: YUN
gracilicornis Gressitt, 1951a: 147 (*Zegriades*) A: FUJ YUN **ORR**
hirayamai Matsushita, 1941: 153 A: JA (Ryukyus) TAI #618 #684
kisanus Matsushita, 1935: 540 A: TAI #618#684
minutus Gressitt, 1935f: 379 (*Cerambyx*)
miser Holzschuh, 2005: 14 A: SHA
paiwan Niisato & Chou, 2022: 162 A: TAI
querceus Holzschuh, 2015a: 44 A: SCH
simplex Gressitt & Rondon, 1970: 81 A: YUN **ORR** #623
subvestitus Holzschuh, 1984a: 146 A: NP UP

genus *Gibbocerambyx* Pic, 1923e: 12 type species *Gibbocerambyx aureovittatus* Pic, 1923
aureovittatus Pic, 1923e: 12 A: XIZ YUN **ORR** #176
aurovirgatus Gressitt, 1939b: 96 (*Zegriades*) A: ANH GUX HEN HUB HUN SCH ZHE
dulcis Holzschuh, 2019b: 89 A: GUX
fulvescens Gahan, 1894a: 11 (*Dymasius*) A: YUN **ORR** #623
maculicollis Matsushita, 1933b: 248 (*Zegriades*) A: TAI
unitarius Holzschuh, 2003a: 173 A: SHA

genus *Hemadius* Fairmaire, 1889a: 57 type species *Hemadius oenochrous* Fairmaire, 1889
oenochrous Fairmaire, 1889a: 57 A: ANH FUJ GUX HUB HUN JIX SCH TAI XIZ YUN ZHE **ORR**
mushaensis Kano, 1928: 224 (*Neocerambyx*)
stoetzneri Heller, 1923b: 72 (*Neocerambyx*)

genus *Hoplocerambyx* J. Thomson, 1864: 229 type species *Hammaticherus spinicornis* Newman, 1842
spinicornis Newman, 1842a: 245 (*Hammaticherus*) A: AF AP BT HP NP PA SD UP **ORR** #280 #280 #366 #400
minor Pic, 1923e: 8 (*Hoplocerambyx*)
morosus Pascoe, 1857b: 92 (*Cerambyx*)
relictus Pascoe, 1866d: 528

genus *Lachnopterus* J. Thomson, 1864: 231 type species *Hammaticherus auripennis* Newman, 1842
auripennis Newman, 1842a: 245 (*Hammaticherus*) A: TAI(Lanyu Is.) **ORR**
socius Gahan, 1891a: 24 (*Hammaticherus*) A: TAI(Lanyu Is.) **ORR**

genus *Lamellocerambyx* Pic, 1923e: 8 type species *Lamellocerambyx laosensis* Pic, 1923e
laosensis Pic, 1923e: 8 A: YUN **ORR** #277

genus *Margites* Gahan, 1891a: 26 type species *Cerambyx egenus* Pascoe, 1858

subgenus Margites Gahan, 1891a: 26 type species *Cerambyx egenus* Pascoe, 1858 #619
auratonotatus Pic, 1923e: 7 A: FUJ GUA GUI HEN HUB HUN JIA JIX SCH
~~*decepiens* Holzschuh, 1989e: 393 A: BT~~
egenus Pascoe, 1858: 236 (*Cerambyx*) A: GUA NO SCH
fulvidus Pascoe, 1858: 236 (*Pachydissus*) A: FUJ GUA GUI HEN HUB HUN JA JIX NC SC SCH SHA TAI YUN
coreanus K. Saito, 1932: 440 (*Ceresium*)
fuscatus Holzschuh, 2020: 59 A: SHA
lajoyei Pic, 1926f: 76 A: YUN **ORR**
luteopubens Pic, 1926a: 23 A: SHA YUN **ORR** #400
modicus Gahan, 1906a: 138 A: NP UP **ORR**

genus Massicus Pascoe, 1867a: 319 [RN] type species *Cerambyx pascoei* J. Thomson, 1857b #458 #536
Conothorax J. Thomson, 1864: 230 [HN] type species *Cerambyx pascoei* J. Thomson, 1857b
Falsomassicus Pic, 1946a: 7 type species *Falsomassicus theresae* Pic, 1946
pascoei J. Thomson, 1857b: 122 (*Cerambyx*) A: YUN **ORR** #437
taiwanus Makihara & Niisato, 2014: 24 A: TAI
trilineatus Pic, 1933a: 12 (*Dymasius*) A: AP FUJ GUI GUX HAI JIX TAI YUN **ORR** #400
fasciatus Matsushita, 1933b: 243 (*Mallambyx*) #285
venustus Pascoe, 1859: 19 (*Cerambyx*) A: GUI HAI **ORR**
cicatricosus Gardner, 1926: 198 (*Hoplocerambyx*) #286

genus Nadezhdiella Plavilstshikov, 1931a: 71 type species *Hammaticherus cantori*, Hope, 1845 (= *Hammaticherus cantori*, Hope, 1842)
cantori Hope, 1842a: 61 (*Hammaticherus*) A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX SCH SHA TAI YUN ZHE **ORR**
lucasi Brongniart, 1892: 238 (*Cerambyx*)
scabricollis Chevrolat, 1852: 416 (*Hammaticherus*)
fulvopubens Pic, 1933b: 27 (*Plocaederus*) A: CHQ FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX LIA SCH SHA YUN ZHE **ORR** #400
aurea Gressitt, 1937a: 91
conica Chiang, 1942: 254
japonica Hayashi, 1972: 27 A: JA (Ryukyus)

genus Neocerambyx J. Thomson, 1861: 194 type species *Cerambyx paris* Wiedemann, 1821 #458 #536 #635
Mallambyx Bates, 1873: 152 type species *Mallambyx japonicus* Bates, 1873 (= *Neocerambyx raddei* Blessig, 1872)
Mesocerambyx Hitzinger, 1943:
atratus Holzschuh, 2018a: 87 (*Massicus*) A: SD
dierli Heyrovský, 1976: 181 (*Massicus*) A: NP
elenae Lazarev, 2019e: 1195 A: HAI
gracilipes Jacquot, 2020: 22 A: XIZ
katarinae guangxiensis Zhu L., Yafei L. & Li Ch. 2020: 582 A: GUX #623 #765
katarinae katarinae Holzschuh, 2009a: 285 A: GUX **ORR** #623 #765
paris Wiedemann, 1821: 167 (*Cerambyx*) A: NP "North India" YUN **ORR**
raddei Blessig, 1872: 170 A: ANH FE FUJ GUI HEB HEI HUB HUN JA JIA JIX JIL LIA NC SC SCH SHA SHN SHX YUN ZHE **ORR**
japonicus Bates, 1873: 152 (*Mallambyx*)
rugicollis Gressitt, 1948a: 48 A: FUJ GUA GUI HAI HKG HUB HUN JIX SCH YUN #400 #525 #594
theresae Pic, 1946a: 7 (*Falsomassicus*) A: CH

genus Neoplocaederus Sama, 1991: 123 [RN] type species *Plocaederus cyanipennis* J. Thomson, 1861
Plocaederus J. Thomson, 1861: 197 [HN] type species *Plocaederus cyanipennis* J. Thomson, 1861
Plocaederus Gemminger, 1872: 2799 [HN]
bicolor Gressitt, 1942a: 1 (*Plocaederus*) A: GUI HAI HEB HUB HUN JIX SHA TAI XIZ YUN #225
caroli Leprieur, 1876: viii (*Plocaederus*) N: AG LB MO TU AFR
jaffexi Vuillet, 1911b: 217 (*Plocaederus*)
danilevskyi Lazarev, 2009a: 73: A: UZ (Termez)
denticornis Fabricius, 1801: 271 (*Cerambyx*) A: OM SA YE
atlanticus Rungs, 1952: 146 (*Plocaederus*)
cribrithorax Kolbe, 1897: 297 (*Plocaederus*)
~~*serraticornis* Bertoloni, 1855: 440 (*Hamaticherus*)~~
elongatulus Holzschuh, 1993: 113 (*Plocaederus*) A: SA
laszlokotani Kotán & Sama, 2011 A: SY
luristanicus Holzschuh, 1977a: 127 (*Plocaederus*) A: IN
lymphaticus Lameere, 1890: ccx (*Plocaederus*) A: UP
obesus Gahan, 1890a: 51 (*Plocaederus*) A: AP BT GUA GUI GUX HAI HKG HP JIX PA SD UP YUN **ORR** #60 #366
pedestris Cotes, 1889: 91 (*Plocaederus*) [HN]
pedestris White, 1853a: 127 (*Hammaticherus*) A: HP KA "Northern India" **ORR** #274 #366
humeralis White, 1853a: 127
ruficornis Newman, 1842a: 245 (*Hammaticherus*) A: NP YUN **ORR**
scapularis Fischer von Waldheim, 1821: 15 (*Cerambyx*) A: AF IN KI KZ TD TM UZ XIN

- tataricus* Gebler, 1841a: 375 (*Hammacherus*)
spinicornis Fabricius, 1781: 224 (*Lamia*) A: OM SA YE AFR
denticornis Olivier, 1795: 60 (*Cerambyx*)
pubipennis White, 1853a: 126 (*Hammatocherus*)
- genus *Pachydissus* Newman, 1838b: 494** type species *Pachydissus sericus* Newman, 1838
argentatus Pic, 1923b: 8 A: XIZ
murzini Miroshnikov, 2018c: 212 A: YUN
parvicollis Gahan, 1891a: 29 A: HP NP "North India" #366
schmutzenhoferi Holzschuh, 1990: 185 A: BT SD
thibetanus Pic, 1946d 108 A: XIZ
- genus *Plavichydissus* Pic, 1946b: 107** type species: *Pachydissus semiplicatus* Pic, 1926 #277
decipiens Holzschuh, 1989c: 393 (*Margites*) A: BT
- genus *Pseudaolesthes* Plavilstshikov, 1931a: 73** type species *Neocerambyx chrysothrix* Bates, 1873 #207
Niphocerambyx Matsushita, 1933b: 244 type species *Neocerambyx chrysothrix* Bates, 1873
chrysothrix chrysothrix Bates, 1873: 152 (*Neocerambyx*) A: GUI HEB HEN HUB JA SC SHA SHG SHN YUN ZHE #400
batesi Harold, 1875: 295 (*Neocerambyx*)
chrysothrix fukidai Fujita, 2018: 26 A: JA (Ryukyus)
chrysothrix kurosawai Gressitt, 1965: 62 A: JA (Ryukyus)
chrysothrix nakamurai Kusama & Takakuwa, 1984: 9 (*Aeolesthes*) A: JA (Ryukyus)
chrysothrix taiwanensis Hayashi, 1974a: 16 A: TAI #276
chrysothrix tibetana Gressitt, 1942a: 2 A: GUI GUX HAI XIZ YUN
chrysothrix yonaguniensis K. Ohbayashi & N. Ohbayashi, 1965: 1 A: JA (Ryukyus)
mutabiliaurea Chiang, 1951: 21 A: GUI GUX
- genus *Pseudopachydissus* Pic, 1933: 11** type species *Pseudopachydissus rufofemoralis* Pic, 1933 [Tonkin] #68
rufofemoralis Pic, 1933a: 11 A: GUX ORR #68
taiwanensis Hayashi, 1992: 138 (*Neocerambyx*) A: TAI #68
- genus *Rhytidodera* White, 1853a: 132** type species *Rhytidodera bowringii* White, 1853
bowringii White, 1853a: 133 A: ANH AP FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX NP SCH SD YUN ZHE ORR #280
consona Holzschuh, 1995: 18 A: AP NP SD #280
griseofasciata Pic, 1912j: 16 A: AP HEN HUB SHA YUN ORR #166 #400
integra Kolbe, 1886: 237 A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN SC (Seoul) SCH TAI (Jinmen Is.) YUN ORR #400
nebulosa Brongniart, 1892: 240 (*Zatrephus*) [DA]
simulans White, 1853a: 132 (*Hammacherus*) A: NP ORR
- genus *Sinopachys* Sama, 1999b: 48** type species *Neocerambyx mandarinus* Gressitt, 1939
mandarinus Gressitt, 1939c: 209 (*Neocerambyx*) A: HEN HUB HUN SCH SHA SHX
- genus *Taurotagus* Lacordaire, 1868: 249** type species *Taurotagus klugi* Lacordaire, 1868
Lacordairesius Travassos Santos-Dias, 1960: 237 type species *Taurotagus klugi* Lacordaire, 1969
griseus Guérin-Méneville, 1844: 227 (*Cerambyx*) N: EG A: YE
auberti Fairmaire, 1892a: 118 [DA]
greenfieldi Gahan, 1894c: 408
- genus *Trachylophus* Gahan, 1888b: 59** type species *Trachylophus sinensis* Gahan, 1888
chiangi Lu Y., Li Zh. & Chen L. 2019: 584 A: GUX HUN
sinensis Gahan, 1888b: 60 A: FUJ GUA GUI GUX HAI HKG HUB HUN JIX SCH TAI ZHE ORR
piyananensis Kano, 1933a: 261
tianmuensis Lu Y., Li Zh. & Chen L. 2019: 584 A: ZHE
- genus *Trirachys* Hope, 1842: 61** type species *Trirachys orientalis* Hope, 1843 #207
subgenus *Trirachys* Hope, 1842: 61 type species *Trirachys orientalis* Hope, 1843 #207
Trirachis Agassiz, 1846: 378 [unjustified emendation]
Trirrachys Gemminger, 1872: 2801 [unjustified emendation]
holosericeus Fabricius, 1787: 135 (*Cerambyx*) A: AP FUJ GUA GUX HAI HEN HKG HP KA PA SCH SD SHA TAI UP YUN ORR #127
#280
similis Gahan, 1890a: 52 (*Pachydissus*)
velutina J. Thomson, 1865: 576 (*Pachydissus*)
indicolus Bates, 1891a: 21 (*Neocerambyx*) A: AF HP NP SD
indutus Newman, 1842a: 245 (*Hammacherus*) A: ANH FUJ GUA GUI GUX HAI HKG JIX TAI ZHE ORR
inexpectatus Holzschuh, 1982b: 148 A: UP
orientalis Hope, 1843: 64 A: ANH FUJ HEB HEN HUB JA JIA JIX SCH SHA SHN SHX TAI ZHE ORR
formosanus Schwarzer, 1925a: 21

sartus Solsky, 1871b: 150 (*Pachydissus*) A: AF AP HP IN KA KI KZ PA TD TM UZ XIZ #280 #366 #370
sinensis Gahan, 1890c: 255 A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX KZ PA SCH SHA TAI YUN "West Himalaya" **ORR**
subgenus *Parolesthes* Vitali, Gouverneur & Chemin, 2017: 58 type species: *Aeolesthes laosensis* Gressitt & Rondon, 1970 #765
laosensis Gressitt & Rondon, 1970: 64 (*Aeolesthes*) A: YUN **ORR**

genus *Xenoderolus* Sama, 2007b: 98 type species *Microderolus arabicus* Villiers, 1968
arabicus Villiers, 1968: 848 (*Microderolus*) A: OM SA YE #291

genus *Xenopachys* Sama, 1999b: 46 type species *Dissopachys matthiesseni* Reitter, 1907
matthiesseni Reitter, 1907b: 218 (*Dissopachys*) A: AF IN TD TM #345
?schurmanni Sama, 1999b: 46 A: AF

genus *Xoanodera* Pascoe, 1857b: 92 type species *Xoanodera trigona* Pascoe, 1857
Falsoleanodera Pic, 1923e: 8 type species *Falsoleanodera maculata* Pic, 1923e #58
alia Holzschuh, 2003: 174 A: YUN **ORR** #508 #523
maculata Pic, 1923e: 8 (*Falsoleanodera*) A: FUJ GUX HAI HUN SCH TAI YUN **ORR** #58 #60
maculata Schwarzer, 1925a: 21 [HN]
regularis Gahan, 1890a: 52 A: NP YUN "North India" **ORR** #400

genus *Zatrephus* Pascoe, 1857b: 94 type species *Zatrephus pannosus* Pascoe, 1857
longicornis Pic, 1930a: 15 A: GUA **ORR**

tribe Certallini Fairmaire, 1864

genus *Certallum* Dejean, 1821: 111 type species *Saperda ruficollis* Fabricius, 1781 (= *Cerambyx ebulinus* Linnaeus, 1767)
Cartallum Audinet-Serville, 1834b: 94 [unjustified emendation]
ebulinum Linnaeus, 1767: 637 (*Cerambyx*) E: AL BU FR GR IT MA MC PT SP ST TR UK N: AG EG LB MO TU A: AB AR CY GG IN #11 #64
 IQ IS JO LE SY TR
monspeliense Gmelin, 1790: 1842 (*Cerambyx*)
nigricolle Pic, 1891b: 17 (*Cartallum*)
ruficolle Fabricius, 1781: 236 (*Callidium*)
tricolor Chevrolat, 1882: 57 (*Obrium*)
martini Sama, 1990: 287 N: AG MO TU #483
nigricorne Holzschuh, 1991a: 10 (*Cartallum*)
thoracicum *thoracicum* Sharp, 1880: 247 (*Cartallum*) A: ~~IN~~ IQ IS JO LE SY TR #774 #791
diversipes Pic, 1928c: 9 (*Cartallum*) [Aleppo]
thoracicum laevicolle Pic, 1895c: 76 (*Cartallum*) A: ?IN ?IQ TR #791

tribe Cleomenini Lacordaire, 1868

genus *Artimpaza* J. Thomson, 1864: 160 type species *Artimpaza odontocerooides* J. Thomson, 1864
Cleomenida Schwarzer, 1925a: 29 type species *Cleomenida setigera* Schwarzer, 1925
Falsodebilia Pic, 1918a: 9 type species *Falsodebilia metallica* Pic, 1918
Mimistena Pascoe, 1866d: 513 type species *Mimistena femorata* Pascoe, 1866
argenteonotata Pic, 1922c: 10 A: GUA GUX YUN **ORR**
brevilineata Tian & L. Chen, 2012: 43 A: YUN
curtelineata Pic, 1922b: 23 (*Falsodebilia*) A: GUX YUN **ORR**
dehra Gardner, 1939: 13 A: NP UP
lineata Pic, 1927a: 24 (*Falsodebilia*) A: GUX YUN **ORR**
metallica Pic, 1918a: 10 (*Falsodebilia*) A: YUN **ORR**
mimetica Holzschuh, 1989b: 385: A: YUN **ORR**
obscura Gardner, 1926: 207 A: NP SD "India"
patruelis Holzschuh, 1989b: 383 A: YUN **ORR**
pulchella Gressitt, 1935c: 187 (*Cleomenida*) A: TAI
pulchra Gressitt & Rondon, 1970: 292 A: HAI **ORR**
punctigera Holzschuh, 1982a: 72 A: NP **ORR**
sausai Holzschuh, 1995: 31 A: YUN
setigera japonica Pic, 1928a: 27 (*Falsodebilia*) A: JA
nipponica Hayashi, 1956d: 40
setigera setigera Schwarzer, 1925a: 29 (*Cleomenida*) A: TAI
ruficollis Matsushita, 1933a: 107 (*Mimistena*)

genus *Camelocerambyx* Pic, 1922: 32 type species *Camelocerambyx singularis* Pic, 1922
singularis Pic, 1922e: 32 A: YUN **ORR** #310

genus *Cleomenes* J. Thomson, 1864: 161 type species *Cleomenes diammaphoroides* J. Thomson, 1864
apicalis Holzschuh, 1977b: 340 A: BT NP ?XIZ #60
atricornis Holzschuh, 1995: 33 A: BT

auricollis Kano, 1933a: 277 A: TAI
diversevittatus Fuchs, 1961: 21 A: YUN
giganteus Holzschuh, 1995: 34 A: SCH YUN #496
hainanensis Viktora, 2019a: 112 A: HAI
longipennis longipennis Gressitt, 1951a: 313 A: GAN HUB SCH SHA TAI YUN #60 #496
longipennis trilineatus Holzschuh, 2006a: 264 A: YUN #60
modicatus bukejsi Barsevska & Barsevskis, 2020: 66 A: GUA
modicatus modicatus Holzschuh, 1995: 33 A: YUN
multiplagatus Pu, 1992b: 599 A: YUN
nigricollis Fairmaire, 1895: 148 A: GUX YUN ORR
ornatus Holzschuh, 1981: 102 A: NP SD YUN
rufofemoratus Pic, 1914d: 17 A: FUJ YUN
semiargentens Gressitt, 1945a: 127 A: SCH SHA #496
semilineatus Pic, 1957: 77 A: FUJ
takiguchii K. Ohbayashi, 1936a: 14 A: JA SC (Jeobdo Is.)
tenuipes constans Holzschuh, 2019c: 85 A: GUX
tenuipes tenuipes Gressitt, 1939b: 106 A: ?GUX HUB TAI YUN ZHE ORR
trinatithorax Mitono, 1944: 249 A: HAI

genus *Dere* White, 1855: 248 type species *Dere thoracica* White, 1855
 [affinis *affinis* Gahan, 1906a: 316 - Northern India]
affinis macilenta Gressitt, 1940b: 87 A: GUA HAI HKG SCH ORR
femorialis Holzschuh, 1998: 41 A: YUN
grahami Gardner, 1942: 70 A: NP UP
holonigra Holzschuh, 2021a: 102 A: YUN
khatrii Holzschuh, 1984c: 367 A: NP SD
kirai Mitono, 1943: 588 A: TAI
nigripennis Holzschuh, 2015d: 59 A: SHA
opacula Holzschuh, 1984a: 151 A: NP
punctifrons Holzschuh, 1991b: 63 A: YUN ORR
reticulata Gressitt, 1942a: 4 A: BEI HEN HUB SCH SHA XIZ YUN ZHE ORR #60
rufeola Holzschuh, 1998: 40 A: HUN
subtilis Holzschuh, 1991b: 63 A: YUN
thoracica White, 1855: 249 A: FUJ GUA GUI HEB HEN HUN JA JIA JIX HUB NC SC SCH SHN YUN ZHE NAR ORR #700

genus *Diplothorax* Gressitt & Rondon, 1970: 312 type species *Diplothorax paradoxus* Gressitt & Rondon, 1970
brevis Niisato, 2008b: 283 A: HUB
fasciatus Holzschuh, 1982a: 74 A: NP UP
ishihamai Niisato, 1998a: 208 A: YUN
kaiyuni Niisato & Chou, 2014: 159 A: TAI
lucens Holzschuh, 1995: 28 A: SCH
punctator Holzschuh, 2003a: 189 A: SHA
sangayi Holzschuh, 1989c: 394 A: BT CH ORR

genus *Dymorphocosmisoma* Pic, 1918e: 6 type species *Dymorphocosmisoma diversicorne* Pic, 1918 #400
diversicorne Pic, 1918e: 6 A: YUN

genus *Kurarua* Gressitt, 1936: 92 type species *Kurarua constrictipennis* Gressitt, 1936
Cleomenella Fisher, 1940: 203 type species *Cleomenella singhi* Fisher, 1940
Sikimpaza Heyrovský, 1961b: 140 type species *Sikimpaza pedongensis* Heyrovský, 1961
angustissima Pic, 1903e: 105 (*Debilis*) A: SCH YUN
bicolorata Gressitt & Rondon, 1970: 303 A: YUN ORR
brevipes Holzschuh, 1984: 152 A: NP SD
constrictipennis Gressitt, 1936: 93 A: GUX TAI
nacerdoides Pesarini & Sabbadini, 1997: 113 A: YUN
nigrescens Holzschuh, 1999: 31 A: YUN ORR
pedongensis Heyrovský, 1961b: 140 (*Sikimpaza*) A: SD
rhopalophoroides chujoi Makihara, 1982b: 129 A: JA (Ryukyus) TAI #732
rhopalophoroides rhopalophoroides Hayashi, 1951b: 78 A: JA #732
ruficeps Holzschuh, 1991a: 25 A: YUN ORR #400

genus *Nida* Pascoe, 1867a: 312 type species *Nida flavovittata* Pascoe, 1867
championi Gardner, 1926: 208 A: NP SD UP
flavovittata Pascoe, 1867a: 312 A: GUX YUN ORR
vittidorsa Pic, 1904c: 10 (*Ceresium*)

kala Gardner, 1936: 136 A: UP

genus *Paramimistena* Fisher, 1940: 204 type species *Paramimistena polyalthiae* Fisher, 1940
assimilata Holzschuh, 1999: 38 A: SD
enterolobii Gressitt & Rondon, 1970: 308 A: ?SHA **ORR**
gracilicornis Holzschuh, 1999: 38 A: NP
polyalthiae Fisher, 1940: 205 A: SD
subglabra Gressitt & Rondon, 1970: 306 A: SD YUN **ORR**

genus *Procleomenes* Gressitt & Rondon, 1970: 309 type species *Procleomenes elongatithorax* Gressitt & Rondon, 1970
jianfenglingensis Hua, 1986b: 204 A: ?FUJ HAI ?HKG **#400**
medinai Barševskis, 2022: 396 A: GUX
mioleucus Holzschuh, 1998: 39 A: YUN
robustus Niisato, 1981b: 71 A: TAI

tribe Clytellini Miroshnikov, 2014c #640

genus *Clytellus* Westwood, 1854: 240 type species *Clytellus methocoides* Westwood, 1854
akiyamai Niisato, 2015b: 495 A: TAI
methocoides Westwood, 1854: 240 A: GUA GUX HKG JIX **ORR** #60 #99 #400

tribe Clytini Mulsant, 1839 #778
= *Chlorophorini* Zamoroka, 2021 #760

genus *Abacoclytus* Pesarini & Sabbadini, 1997: 110 type species *Abacoclytus felicisrosettae* Pesarini & Sabbadini, 1997
felicisrosettae Pesarini & Sabbadini, 1997: 111 A: SCH
ventripennis Pic, 1908h: 61 (*Clytus*) A: SCH YUN

genus *Amamiclytus* K. Ohbayashi, 1964: 21 type species *Amamiclytus nobuoi* K. Ohbayashi, 1964 **#230**
hirtipes Matsushita, 1940: 52 (*Rhaphuma*) A: TAI
juni Niisato & Han, 2011: 40 A: TAI
limaticollis Gressitt, 1939b: 101 (*Rhaphuma*) A: ZHE **#37**
nobuoi akusekianus Niisato, 2005: 383 A: JA (Tokara Isls.)
nobuoi nobuoi K. Ohbayashi, 1964: 21 A: JA (Ryukyus)
nubilus Niisato & Han, 2011: 37 A: TAI
setiger Niisato & Han, 2011: 35 A: TAI
subnitidus Holzschuh, 1984c: 357 A: TAI
wenshuani Niisato & Han, 2013: 165 A: YUN
wuxingensis Sh. Yang & Wang, 2019: 58 A: GUI
yulongi Niisato & Han, 2011: 43 A: TAI

genus *Brachyclytus* Kraatz, 1879c: 107 type species *Brachyclytus singularis* Kraatz, 1879
monticallius jezoensis Fujita, 2023: 22 A: JA (Hokkaido)
monticallius monticallius Komiya, 1980: 33 (*Cyrtoclytus*) A: GUX JA **SC** **#731**
monticallius sangkyuni Fujita, 2023: 22 A: SC
singularis Kraatz, 1879c: 107 A: FE HEN JA NC SC SHG
fukukii Seki, 1935: 224

genus *Calloides* LeConte, 1873b: 319 type species *Clytus nobilis* Harris, 1837
bicolor Pu, 1991b: 248, 252 A: GUI GUX SCH
magnificus Pic, 1916g: 181 (*Clytus*) A: GAN HEB SCH SHA SHN SHX **#400 #496**
yunnanensis J.-X. Zhang & Chen, 2006: 47 A: YUN

genus *Chaetopsilomerus* Niisato et Han, 2017: 202 type species *Chaetopsilomerus hainanensis* Niisato et Han, 2017
hainanensis Niisato et Han, 2017: 202 A: HAI

genus *Chlorophorus* Chevrolat, 1863: 290 type species *Callidium annulare* Fabricius, 1787 **#517 #653**
subgenus *Basispilus* Özdikmen, 2022: 632 type species *Clytanthus semiformosus* Pic, 1908
semiformosus Pic, 1908f: 14 (*Clytanthus*) A: YUN
subgenus *Bicoloroimmaculatus* Özdikmen, 2022: 633 type species *Chlorophorus aurivillianus* Plavilstshikov, 1921b
touzalini Pic, 1920b: 198 A: YUN
subgenus *Chlorophoroides* Özdikmen, 2022: 637 type species *Leptura varia* O. F. Müller, 1766
aritai K. Ohbayashi, 1964: 22 (*Rhaphuma*) A: JA (Ryukyus)
boninensis boninensis Kano, 1933b: 135 A: JA (Ogasawara Isls.) **#732**
boninensis karubei Fujita, 2023: 22 A: JA (Ogasawara Isls.: Chichi-jima Is., Ani-ima Is., Otôto-jima Is., Minami-jima Is.)
boninensis kusamai Satô, 1999: 47 A: JA (Ogasawara Isls.) **#732**

caragana Xie & W.-K. Wang, 2012: 55 A: MN NIN NMO #60 #614
douei Chevrolat, 1863: 294 (*Anthoboscus*) A: FUJ GUA GUI GUX HAI HUN NP SCH SHA XIZ YUN ORR #225
aei Hayashi, 1979: 90
brevejunctus Pic, 1943a: 1
laharae Gardner, 1942: 72
reductus Pic, 1922c: 13
vageapicatus Pesarini & Sabbadini, 2015: 48
flavopubescens Hayashi, 1968c: 14 A: JA (Ryukyus)
graphus Holzschuh, 1998: 47 A: TAI
?hauseri Pic, 1931r: 258 A: YUN
henriettae Holzschuh, 1984c: 358 A: NP SD
japonicus Chevrolat, 1863: 298 (*Anthoboscus*) A: FE (Sakhalin, Kunashir) GUA GUI GUX HEB HUB JA JIA JIX SC SCH SHN SHX ZHE
ORR
griseobimaculatus Pic, 1924a: 16 (*Clytanthus*)
latepubens Pic, 1924a: 15 (*Clytanthus*)
*multi*punctus Pic, 1943a: 1 (*Clorophorus* - misprint, not available name)
quelpaerti Pic, 1943a: 1 (*Clorophorus* - misprint, not available name)
rufotinctus Pic, 1924a: 16 (*Clytanthus*)
kanekoi Matsushita, 1941: 134 A: TAI
kobayashii kagaorum Fujita, 2023: 23 A: JA (Ogasawara Isls.: Chichi-jima Is., Anijima Is., Otôto-jima Is., Higashi-jima Is.)
kobayashii kobayashii Komiya, 1976: 31 A: JA (Ogasawara Isls.) #732
kobayashii masatakai Niisato & Karube, 2006: 222 A: JA (Ogasawara Isls.) #732
miwai Gressitt, 1936: 100 A: ANH FUJ GUA GUI GUX HEN HUB HUN JIX NE SCH SHA SHN TAI ZHE #400 #525
shirozui Hayashi, 1965: 110
takakuwai Niisato & Chou, 2017: 316 #364
quinquefasciatus hanatanii Fujita, 2023: 23 A: JA (Miyako Isls., Yaeyama Isls.)
quinquefasciatus matsumurai Fujita, 2023: 23 A: JA (Amami Isls., Okinawa Isls., Daito Isls.)
quinquefasciatus quinquefasciatus Laporte & Gory, 1841: 101 (*Clytus*) A: GUA GUX HAI JA SC TAI #400
rufimembris Gressitt & Rondon, 1970: 221, 223 A: YUN ORR #39
yayeyamensis boninonautes Fujita, 2023: 22 A: JA (Ogasawara Isls.: Chichi-jima Is.)
yayeyamensis yakitai Niisato, 2005: 384 A: JA (Senkaku Isls.) #732
yayeyamensis yayeyamensis Kano, 1933b: 137 A: JA #732
dubius Matsushita, 1933b: 281
subgenus *Chlorophorus* Chevrolat, 1863: 290 type species *Callidium annulare* Fabricius, 1787
?acrocarpi Gardner, 1942: 71 A: NP SD
amami Hayashi, 1968a: 24 A: JA (Ryukyus) #400
annularis Fabricius, 1787: 156 (*Callidium*) Ei: BE GE SP A: ANH AP FUJ GUA GUI GUX HAI HEB HEN HKG HP HUB HUN JA JIA
JIL JIX LIA NP SC SCH SD SHA TAI UP XIZ YUN ZHE NARi NTRi ORR #127 #280 #366 #390 #558
bidens Weber, 1801: 90 (*Callidium*)
bisbiinterruptus Pic, 1953c: 11
breveinterruptus Pic, 1953c: 10 (Tonkin)
griseopubens Pic, 1943b: 3
reducticollis Pic, 1953c: 11
subnebulosus Pic, 1953c: 11
annularoides Holzschuh, 1983: 372 A: NP SD YUN ORR
annulatus Hope, 1831: 28 (*Clytus*) A: FUJ GUA GUI GUX HAI HEN HUB JA JIX NP SCH SD SHA TAI YUN ZHE ORR
nigroannularis Hayashi, 1981a: 9
nigroannulatus Pic, 1943a: 1 #508
nigroannulatus Villiers & Chûjô, 1966: 552 [HN]
?oppositus Chevrolat, 1863: 303 (*Anthoboscus*) #508
rufonotatus Pic, 1943a: 1 #508
separatus Gressitt, 1940b: 78 #508
signaticollis Laporte & Gory, 1841: 103 (*Clytus*) #508 #524
viticis Gressitt & Rondon, 1970: 225 #508
insidiosus Holzschuh, 1986a: 124 A: NP SD YUN
nepalensis Hayashi, 1979: 89 A: NP
subgenus *Circularus* Özdikmen, 2022: 635 type species *Clytus sexguttatus* P. H. Lucas, 1847
?amoenus Castelnau & Gory, 1841: 88 (*Clytus*) A: YE AFR #654
sexguttatus P. H. Lucas, 1847: pl. 42 (*Clytus*) A: AG LB MO TU
subgenus *Crassofasciatoides* Özdikmen, 2022: 643 type species *Chlorophorus inhumeralis* Pic, 1918
inhumeralis Pic, 1918b: 4 A: FUJ YUN ORR
karausi Viktora, 2021c: 121 A: HAI ORR
lingnanensis Gressitt, 1951a: 626 A: FUJ GUA GUI HUB HUN #400
subgenus *Crassofasciatus* Özdikmen, 2011a: 538 type species *Callidium trifasciatum* Fabricius, 1781 #778
aegyptiacus Fabricius, 1775: 194 (*Callidium*) E: BU GR MC A: TR
macedonicus Pic, 1935d: 15
magdalenae Théry, 1895: cclxvi (*Clytus*)
nigripes Brullé, 1832: 255 (*Clytus*)

rufifrons Pic, 1917g: 5
convexifrons Holzschuh, 1981: 100 E: GR (Samos) A: TR
cursor Rapuzzi & Sama, 1999: 331 A: TR
hubenyi Viktora, 2019: 143 A: KI (Chauvay)
hungaricus Seidlitz, 1891b: 828 E: AL AU BH BU CR CZ GR HU MC MD ME RO SB SK A: TR
niehuisi Adlbauer, 1992: 497 A: TR
oezdikmeni Sama & Rapuzzi, 2011a: 87 A: TR
robustior Pic, 1900e: 11 (*Clytanthus*) A: TR
trifasciatus Fabricius, 1781: 244 (*Callidium*) E: AL BH BU CR FR GR HU IT PT RO SB SL SP SZ N: AG MO TU A: IS SY TR #11
balearicus Pic, 1908d: 91 (*Clytanthus*)
— *nigrofasciatus* Goeze, 1777: 507 (*Leptura*)
— *ornatus* Herbst, 1784: 98 (*Callidium*)
perfidus Breit, 1915: 355 [DA]
paradoxus Dayrem, 1924b: 78 (*Clytanthus*)
portugallus Gmelin, 1790: 1854 (*Cerambyx*)
subgenus *Eucrassofasciatus* Özdikmen, 2022: 646 type species *Chlorophorus furcillatus* Holzschuh, 1989
furcillatus Holzschuh, 1989a: 166 A: NP SD
ziczac Holzschuh, 2017c A: UP **ORR**
subgenus *Eubrevenotatus* Özdikmen, 2022: 645 type species *Clytus latofasciatus* Motschulsky, 1861 (= *Clytus motschulskyi* Ganglbauer, 1887)
brevenotatus Pic, 1922c: 13 A: GUA **ORR**
proannulatus Gressitt & Rondon, 1970: 220, 225 A: JAI YUN **ORR** #42 #374
sulcaticeps Pic, 1924a: 16 (*Clytanthus*) A: ANH FUJ HUB JIA YUN ZHE
subgenus *Humeromaculatooides* Özdikmen, 2022: 650 type species *Chlorophorus navratili* Holzschuh, 1981
navratili Holzschuh, 1981: 99 A: UZ (Babatag Mt) TD (Dushanbe env.)
subgenus *Humeromaculatus* Özdikmen, 2011a: 536 type species *Cerambyx figuratus* Scopoli, 1763 #778
Sparganophorus Zamoroka, 2021: 208 type species *Clytus diadema* Motschulsky, 1854 #636
albopunctatus Pic, 1916e: 13 (*Clytanthus*) A: YUN
anticemaculatus Schwarzer, 1925a: 27 A: TAI
diadema diadema Motschulsky, 1854a: 48 (*Clytus*) A: ANH BEI FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JIA JIL JIX MG NC
NMO SC SCH SHA SHN SHX YUN ZHE
artemisiae Fairmaire, 1888b: 143 (*Clytus*)
breuningi Heyrovský, 1938: 93
herzianus Ganglbauer, 1887a: 134 (*Clytus*)
itoi Matsushita, 1934a: 240
trijunctus Pic, 1943a: 1 (*Clorophorus* - misprint, not available name)
diadema inhirsutus Matsushita, 1934a: 240 A: FE (Kunashir) JA
kurotora Hayashi, 1961a: 26
minomensis Seki & Suematsu, 1935: 203
dinae Rapuzzi & Sama, 1999: 329 A: SY TR
dominici Sama, 1996c: 110 A: TR
duo Fairmaire, 1888a: 33 (*Clytus*) A: JIA JIX SHA #400
?dureli Pic, 1950e: 507 A: BT NP "India"
ahatodae Chatterjee & Misra, 1971: 91
pseudofiguratus Heyrovský, 1976: 182
?fainanensis Pic, 1918b: 4 A: TAI #508
figuratus Scopoli, 1763: 55 (*Cerambyx*) E: AL AU BH BU ?BY ⇄ CR CT CZ ?EN FR GE GR HU IT KZ LA LS LT LU MC MD ME NT
PL PT RO SB SK SL SP ST SZ TR UK A: AB AR ?ES GG IN KZ TR ?WS #752
conglobatus Fügner, 1891: 201 (*Clytus*)
cordiger Aragona, 1830: 26 (*Clytus*)
funebri Laicharting, 1784: 111 (*Clytus*)
lamda Schrank, 1776: 67 (*Leptura*)
latifasciatus Fischer von Waldheim, 1832: 439 (*Clytus*)
leucozonias Gmelin, 1790: 1846 (*Cerambyx*)
plebejus Fabricius, 1781: 243 (*Callidium*)
rusticus O. F. Müller, 1776: 93 (*Leptura*) [HN]
tapaensis Pic, 1924c: 22 (*Clytanthus*)
hircanus Pic, 1905g: 114 (*Clytanthus*) A: IN
persicus Breit, 1915: 355 [DA]
macaumensis macaumensis Chevrolat, 1845a [1845b]: 98 (*Clytus*) A: GUA GUX HAI HKG HUB HUN SCH SHA YUN #400
motschulskyi Ganglbauer, 1887a: 135 (*Clytus*) A: ES FE FUJ GAN HEB HEI HEN JIL LIA MG NC NMO SC SHA SHN SHX ZHE
chasanensis Tsherepanov, 1982a: 175
latofasciatus Motschulsky, 1861b: 41 (*Clytus*) [HN]
nivipictus Kraatz, 1879c: 91 (*Clytus*) E: GR (Samos) A: IN SY TR
cinctiventris Chevrolat, 1882: 58 (*Clytus*)
pseudosawatensis Holzschuh, 1983: 373 A: PA
rubricollis Laporte & Gory, 1841: 88 (*Clytus*) A: YUN **ORR**
andamanicus Gahan, 1906: 265

strobilicola Champion, 1919: 223 A: UP
tohokensis Hayashi, 1968a: 23 A: FE JA ?NC SC
tsitoensis Fairmaire, 1888b: 144 (*Clytus*) A: FUJ JIX SCH ZHE #364 #400
yachovi Sama, 1996b: 97 A: IS LE
subgenus *Humeromagnomaculatus* Özdikmen, 2022: 654 type species *Chlorophorus alni* Holzschuh, 1982
alni Holzschuh, 1982b: 152 A: UP
arciferus Chevrolat, 1863: 330 (*Amauresthes*) A: ANH BT HAI JIX NP SCH SD SHG YUN ZHE **ORR**
pieli Pic, 1924a: 15 (*Clytanthus*)
rectefasciatus Pic, 1937a: 14 (*Clytanthus*)
dahanshanus Niisato & Chou, 2017: 312 A: TAI #400 #446
emili Viktora, 2021c: 117 A: YUN
hainanicus Gressitt, 1940b: 75 A: HAI
taihorensis Schwarzer, 1925a: 27 A: TAI
verus Holzschuh, 1998: 46 A: TAI
subgenus *Immaculatoides* Özdikmen, 2022: 656 type species *Leptura glabromaculata* Goeze, 1777
apertulus Holzschuh, 1992b: 25 A: SCH SHA
fraternus Holzschuh, 1992b: 23 A: YUN **ORR** #400
glabromaculatus glabromaculatus Goeze, 1777: 507 (*Leptura*) E: BEi BH CR FR GEi GR IT LUi MA SL SP SZ #20
naevius Gmelin, 1790: 1877 (*Leptura*)
quadripunctatus Fabricius, 1793: 337 (*Callidium*)
rugulosus Broun, 1880: 588 (*Clytus*)
sexpunctatus Olivier, 1790: 264 (*Callidium*)
uniformis Pic, 1945b: 7 [HN]
villosus Geoffroy, 1785: 80 (*Leptura*)
glabromaculatus glaucus Fabricius, 1781: 236 (*Callidium*) E: AZ FRi ITi (Sardegna) SP PT N: AG CI MO TU #20 #778
consobrinus P. H. Lucas, 1851a: xxxi (*Clytus*)
griseus Laporte & Gory, 1841: 80 (*Clytus*)
indus Gmelin, 1790: 1854 (*Cerambyx*)
lugens Küster, 1848b: 76 (*Clytus*)
nigrosignatus Fairmaire, 1856b: 531 (*Clytus*)
pilosus, auct.(not Forster, 1771)
quinquepunctatus P. H. Lucas, 1848: xlviii (*Clytus*)
thoracicus Rungs, 1947: 100
unifasciatus Pic, 1898a: 11 (*Clytanthus*)
vittatus Rungs, 1947: 99
webbii Brulle, 1839: 63 (*Clytus*) #20
webbei Laporte & Gory, 1841: 80 (*Clytus*) [HN]
ignobilis Bates, 1878b: 721 (*Clytanthus*) A: KA PA
impressithorax Pic, 1950c: 6 A: "Kashmir"
?kinganus Pic, 1903e: 105 (*Clytanthus*) A: CH
innotatus Pic, 1920a: 2
uniformis Pic, 1920d: 16
montanus Nonfried, 1894: 337 (*Clytus*) A: "Himalaya"
mushanus Matsushita, 1931a: 44 A: TAI
probsti Holzschuh, 1989b: 380 A: TAI
trivialis Holzschuh, 2010: 189 A: CHQ SCH YUN XIZ
ursus Viktora, 2020: 111 A: SCH
zelus Holzschuh, 1989a: 166 A: TAI
subgenus *Immaculatus* Özdikmen, 2011a: 536 type species *Chlorophorus kanoi* Hayashi, 1963 #778
gaudens Holzschuh, 1992b: 26 A: SCH
intactus Holzschuh, 1992b: 25 A: YUN
kanoi Hayashi, 1963d: 134 A: JA #412
praecanus Holzschuh, 2006b: 289 A: YUN
semikanoi Hayashi, 1974a: 29 A: TAI
viridulus Kano, 1933b: 136 A: TAI
parvus Matsushita, 1933b: 284
subgenus *Interruptus* Özdikmen, 2022: 660 type species *Clytus capensis* Laporte & Gory, 1841
capensis Laporte & Gory, 1841 90 (*Clytus*) A: SA YE **AFR**
caffèr Fähræus, 1872a: 66 (*Xylotrechus*)
subgenus *Octomaculatus* Özdikmen, 2022: 635 type species *Anthoboscus quatuordecimmaculatus* Chevrolat, 1863
quatuordecimmaculatus Chevrolat, 1863: 295 (*Anthoboscus*) A: AF FUJ GUA GUI GUX HAI HP HUN NP PA SCH YUN **ORR**
anticeconfluens Plavilstshikov, 1927b:107
guerryi Pic, 1902i: 30 (*Clytanthus*)
taiwanus Matsushita, 1933b: 285 A: FUJ GUA HUB SCH TAI YUN
subgenus *Perderomaculatoides*, 2022:666 type species *Chlorophorus maculatus* Holzschuh, 2006
capillatus Holzschuh, 2006b: 288 A: YUN **ORR** #349
subgenus *Perderomaculatus* Özdikmen, 2011a: 537 type species *Cerambyx sartor* Müller, 1766 #636 #778
adelii Holzschuh, 1974a: 93 A: IN

curvatofasciatus Aurivillius, 1922a: 410 **A: JA TAI ORR** #654
favieri Fairmaire, 1873: 351 (*Clytus*) **N: MO**
golestanicus Vorišek, 2012: 2 **A: IN**
gratiosus Marseul, 1868: 203 (*Clytus*) **A: IS LE TR** #161
?gratiosus sparsus Reitter, 1886: 67 (*Clytus*) **E: GR A: SY TR** #161
grosseri Sama & Rapuzzi, 2011a: 85 **A: TR**
pelletieri Laporte & Gory, 1841: 93 (*Clytus*) **N: AG LB MO TU**
pelleteri Laporte & Gory, 1841: 93 (*Clytus*) [wrong original spelling]
lepeletieri Pic, 1891j: 145 [unjustified emendtion]
solutus Dayrem, 1922a: 18 (*Clytanthus*)
ringenbachi Sama, 2004: 148 **N: LB**
ruficornis Olivier, 1790: 267 (*Callidium*) **E: FR PT SP**
feneoni Chobaut, 1895b: cccxlvii (*Clytanthus*)
obscuriceps Pic, 1917g: 5
sartor O. F. Müller, 1766: 188 (*Cerambyx*) **E: AL AU BH BU ?BY CR CT CZ FR GE GR HU IT KZ ?LA LU MC MD ME PL PT RO SB**
SK SL SP ST SZ TR UK A: AB AR CY ES FE GG IN IS JO KZ LE IQ SY TM TR WS #30 #64 #104 #752
achilleae Brahm, 1790: 141 (*Leptura*)
angusticollis Mulsant, 1851a: 123 (*Clytus*)
fulvicollis Mulsant, 1862: 181 (*Clytus*)
griseus Gabriel, 1910: 556 (*Clytanthus*)
lineola Scopoli, 1786: 44 (*Stenocorus*)
massiliensis Linnaeus, 1767: 1067 (*Leptura*)
mequignoni Pic, 1945a: 13
ruficeps Pic, 1917g: 5
rusticus Geoffroy, 1785: 81 (*Leptura*)
spinosulus Mulsant, 1862: 182 (*Clytus*)
swatensis Holzschuh, 1974a: 92 **A: PA**
wewalkai Holzschuh, 1969: 77 **A: TR**
subgenus *Piopennus* Özdikmen, 2022: 670 type species *Clythantus angustulus* MacLeay, 1886 (Papua-New Guinea
? *oppositus* Chevrolat, 1863: 304 (*Anthoboscus*) A: ?TAI #654
subgenus *Sexnigromaculatus* Özdikmen, 2022: 673 type species *Chlorophorus annulifer* Heller, 1926
annulifer Heller, 1926: 26 **A: NP UP**
eckweileri Holzschuh, 1992b: 24 **A: GAN SCH**
shoreae Gardner, 1941: 55 **A: NP UP** #26 #390
tredecimmaculatus Chevrolat, 1863: 305 (*Anthoboscus*) **A: FUJ GUA NO**
subgenus *Trivittatopennus* Özdikmen, 2022: 675 type species *Chlorophorus muscosus* Bates, 1973
muscosus adachii Fujita, 2023: 24 **A: JA (Danjo Isls.: O-shima Is., Me-shima Is.)**
muscosus fukidai Fujita, 2023: 24 **A: JA (Amami Isls.: Amami-oshima Is., Kikaijima Is.)**
muscosus kogii Fujita, 2023: 24 **A: JA (Izu Isls. (Mikura-jima Is.))**
muscosus ikedai Fujita, 2023: 25 **A: JA (Okinawa Isls.: Okinawa-honto Is., Kume-jima Is.)**
muscosus muscosus Bates, 1873: 198 (*Clytanthus*) **A: JA SC YUN** #413
bifasciatus Kano, 1933b: 135
muscosus ohnoi Fujita, 2023: 25 **A: JA (Amami Isls.: Okinoerabu-jima Is.)**
muscosus ohtsuboi Fujita, 2023: 24 **A: JA (Amami Isls.: Toku-no-shima Is.)**
subgenus *Viridiphorus* Zamoroka, 2021: 207 type species *Callidium herbstii* Brahm, 1790 #636
Brevenotatus Özdikmen, 2022: 635 type species *Clytus distinguendus* Perroud, 1855 (India)
Pseudoimmaculatus Özdikmen, 2022: 671 type species *Chlorophorus elaeagni* Plavilstshikov, 1956
ahmadi Rapuzzi, Fekrat & Mamarabadi, 2024: 137 **A: IN TM** #773
assimilis Hope, 1831: 28 (*Clytus*) **A: BT NP**
copiosus Holzschuh, 1991b: 46 **A: GUI YUN ORR**
elaeagni Plavilstshikov, 1956: 818 **E: KZ ST A: AB KI KZ TD TM UZ**
eleodes Fairmaire, 1889a: 65 (*Clytus*) **A: GUI GUX HUB SCH SHA XIN XIZ YUN**
insignifer Pic, 1902i: 31 (*Clytanthus*)
robustus Pic, 1920d: 16
faldermanni Faldermann, 1837: 269 (*Clytus*) **E: ST A: AB AF AR GG IN KI KZ TD TM ?TR UZ XIN ORR** #525
caucasicus Pic, 1897g: 262 (*Clytanthus*)
?clermonti Pic, 1921a: 13 (*Clytanthus*) - "Anatolie"
mesmini Pic, 1908b: 3 (*Clytanthus*)
punctomaculatus Pic, 1893a: 26 (*Clytus*)
quinquemaculatus Gebler, 1845: 104 (*Clytus*)
furtivus Gressitt & Rondon, 1970: 218, 231 **A: XIZ ORR**
crassipes Pesarini & Sabbadini, 2015: 49
hederatus Heller, 1926: 25 **A: GUX YUN ORR**
herbstii Brahm, 1790: 148 (*Leptura*) **E: AU BH BU BY CR CT CZ GR EN FI FR GE HU KZ LA LS LT MD NR NT PL RO SK SB SP ST**
SV SZ TR UK A: ES KZ TR WS #748
sulphureus Schaum, 1862: 103 (*Clytus*) [RN]
verbasci Fabricius, 1775: 194 (*Callidium*) [HN]
hrabovskyi Kratochvíl, 1985b: 66 **A: TM IN**

ictericus Holzschuh, 1991b: 45 A: YUN **ORR**
kabateki Holzschuh, 1998: 46 A: SCH
minamiwo kitaivo Niisato & Karube, 2002b: 250 A: JA (Volcano Isls.)
minamiwo minamiwo Satô & N. Ohbayashi, 1982: 50 A: JA (Volcano Isls.) #413
moupinensis Fairmaire, 1888a: 33 (*Clytus*) A: GUI GUX HUB SCH YUN ZHE
immaculatithorax Pic, 1933a: 12
obliteratus Ganglbauer, 1889a: 70 (*Clytanthus*) A: ES MG NMO
kaszabi Heyrovský, 1970b: 140
mongolicus Pic, 1943a: 1 (*Clorophorus* - misprint, not available name)
ubsanurensis Tsherepanov, 1971: 14
ostentator Viktora, 2023c: 88 A: XIZ YUN
salicicola Holzschuh, 1993a: 36 A: YUN
simillimus Kraatz, 1879c: 91 (*Clytus*) A: ES FE FUJ GAN GUX HEB HEI HEN HUB HUN JA JIL JIX MG NC NMO QIN SC SCH SHA
SHN XIN YUN ZHE
duodecimmaculatus Kraatz, 1879c: 91 (*Clytus*) [RN]
griseopubens Pic, 1904d: 17 (*Clytanthus*)
joannisi Théry, 1896: 108 (*Clytanthus*)
sexmaculatus Motschulsky, 1859b: 494 (*Clytus*) [HN]
socius Gahan, 1906a: 264 (*Caloclytus*) A: SD
tixieri Pic, 1902i: 31 (*Clytanthus*) A: YUN **ORR** #743
varius damascenus Chevrolat, 1854: 483 (*Clytus*) E: GR (Rodos) TR N: EG A: CY ?IN IS IQ JO LE SY TR #161 #471
varius macedonicus Vartanis, 2023f: 1735 E: GR
varius varius O. F. Müller, 1766: 188 (*Leptura*) E: ~~AF~~ AL AU BH BU BY CR CT CZ FR GBi GE GR HU IT KZ LS LT MA MC MD ME
NL PL RO SB SK SL SP ST SV SZ TR UK A: AB AF AR GG KZ IN TR WS #345 #400
c-duplex Scopoli, 1786: 46 (*Stenocorus*)
ferrugineus Mulsant, 1839: 87 (*Clytus*)
fontanae Hubenthal, 1923: 141 (*Clytanthus*)
gammoides Geoffroy, 1785: 81 (*Leptura*)
incanus Plavilstshikov, 1924: 229
mixtornatus Fleischer, 1908: 211 (*Clytanthus*)
mouinieri Pic, 1950c: 6
nigrofasciatus Goeze, 1777: 507 (*Leptura*)
ornatus Herbst, 1784: 98 (*Callidium*)
strigosus Gmelin, 1790: 1877 (*Leptura*)
venustus Gmelin, 1790: 1856 (*Cerambyx*)
verbasci Linné, 1767 (*Leptura*)
viridicollis Kraatz, 1871b: 410 (*Clytus*)
vartiana Holzschuh, 1974a: 91 A: PA
subgenus *Wnotatus* Özdikmen, 2022: 676 type species *Clytanthus chiuuae* Nakamura, 1974
chiuae Nakamura, 1974a: 14 A: TAI
seniculus Holzschuh, 2006b: 287 A: YUN
siegriedae Holzschuh, 1993a: 36 A: YUN **ORR**
yedoensis Kano, 1933b: 133 (*Clytus*) A: JA
Undetermined species #653
biinterruptus Pic, 1943a: 1 (*Clorophorus* - misprint, not available name) A: CH
butleri Pic, 1920a: 2 (*Clorophorus* - misprint, not available name) A: SD **ORR**
fuscoapicalis Pic, 1949b: 54 (*Clorophorus* - misprint, not available name) ("British Bootang" - Darjeeling)
curtipennis Pic, 1943a: 1 A: CH
externesignatus Pic, 1936b: 13 A: YUN
micheli Pic, 1950c: 11 A: CH **ORR**
nodai Makihara, 1986c: 279 A: JA
semisinuatus Pic, 1949b: 54 (*Clorophorus* - misprint, not available name) A: SD
pluridisjunctus Pic, 1949b: 54 (*Clorophorus*) (Inde)
genus *Clytobius* Gressitt, 1951a: 261 type species *Clytus davidis* Fairmaire, 1878
davidis Fairmaire, 1878: 132 (*Clytus*) A: BEI HEB JIX LIA SHN TIA #400
genus *Clytocera* Gahan, 1906a: 279 type species *Clytocera chionospila* Gahan, 1906
montensis Gressitt & Rondon, 1970: 253 A: YUN **ORR** #400
taiwanensis Hayashi, 1974a: 30 A: TAI
genus *Clytosaurus* J. Thomson, 1864: 190 type species *Clytosaurus priapus* J. Thomson, 1864
siamensis Jordan, 1894b: 497 A: HAI YUN **ORR**
signaticollis Pic, 1922a: 8 (*Xylotrechus*)
genus *Clytus* Laicharting, 1784: 88 type species *Leptura arietis* Linnaeus, 1758 #680
subgenus *Clytoides* Özdikmen, 2023: 16 type species *Clytus rhamni* Germar, 1817

gulekanus Pic, 1904h: 65 A: TR
insignitus Fairmaire, 1866b: 269 [DA] A: TR
signifer Marseul, 1875: 396
lama Mulsant, 1847c: 421 E: AU BH BU ?BY CR CZ FR GE GR HU IT LS MD PL RO SB SK SL SZ UK #752
bifasciatus Nicolas, 1901: 29
maritimus Pic, 1945b: 6
vesubiensis Pic, 1900o: 110
mayeti Théry, 1892: xcvi A: "Siberia"
rhamni rhamni Germar, 1817: 223 E: AL BH CR GR IT MC SB SL
innormalis Pic, 1927e: 11
paliuri Depoli, 1940: 304
rhamni bellieri Gautier des Cottes, 1862: 77 E: FR GE IT PT SP SZ
corsicus Chevrolat, 1882: 58 (*Clytus*)
~~*ferruginipes* Pic, 1891b: 26~~
siculus Wagner, 1927b: 93 [HN]
rhamni temesiensis Germar, 1824: 519 (*Callidium*) E: AU BE BU CT CZ GE HU KZ MC MD RO SB SK SL ST TR UK A: AB AR CY GG
IN IQ IS ?KZ LE SY TR #104 #186 #482 #506 #752
ferruginipes Pic, 1891b: 26
longicollis Reitter, 1904: 82
subgenus *Clytus* Laicharting, 1784: 88 type species *Leptura arietis* Linnaeus, 1758 #262
Clytumnus J. Thomson, 1861: 404 [RN] type species *Leptura arietis* Linnaeus, 1758
Europa J. Thomson, 1861: 221 type species *Leptura arietis* Linnaeus, 1758
Sphegesithes Chevrolat, 1863: 333 type species *Leptura arietis* Linnaeus, 1758
ambigenus Chevrolat, 1882: 58 N: AG MO TU
büinterruptus Pic, 1895f: cclxxiv
externeinterruptus Pic, 1934c: 22
lebouli Pic, 1932d: 25
leprieuri Pic, 1934e: 20
arietis arcadicus Vartanis, 2023h: 1823 E: GR
arietis arietis Linnaeus, 1758: 399 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC
MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: MR A: TR WS
arcuatus Sulzer, 1761: 12 (*Leptura*)
bickhardti Pic, 1913b: 98
bourdilloni Mulsant, 1839: 81
chapmani Pic, 1937c: 13
cloueti Théry, 1893: ccxiii
gazella Fabricius, 1793: 333 (*Callidium*)
heyrowskyi Pic, 1931c: 14
quadrifasciatus DeGeer, 1775: 81 (*Cerambyx*)
arietis lederi Ganglbauer, 1882: 730 [= 1886: 232] A: AB (Talysh) IN TM (Kopetdag)
arietis oblitus Roubal, 1932: 17 E: ST A: AB AR GG IN TR
arietoides Reitter, 1900d: 281 E: CT NT ST A: ES FE HEI JA JIL KZ LIA MG NC NE NMO WS XIN #63 #400 #588
sachalinensis Matsushita, 1933a: 274
sibiricus Pic, 1900d: 11
buglanicus Kadlec, 2005: 106 A: TR
clavicornis Reiche, 1860: 734 E: IT (Sicilia)
crassicornis Mulsant, 1862: 159
kabateki Sama, 1998: 49 A: LE SY
kumalariensis Johanides, 2001: 219 A: TR
triangulimacula Costa, 1847: 110 E: IT
venustulus Plavilstshikov 1940: 412 - A: ES FE KO CH #588
subgenus *Crassomaculatoides* Özdikmen, 2023: 19 type species *Clytus fibularis* Holzschuh, 2003
fibularis Holzschuh, 2003a: 207 A: HEB NMO
larvatus Gressitt, 1939b: 99 A: ANH JIX SHA ZHE #225
unicolor Kano, 1933b: 132 (*Xylotrechus*) A: TAI
subgenus *Crassomaculatus* Özdikmen, 2023: 17 type species *Clytus auripilis* Bates, 1884
auripilis Bates, 1884a: 230 A: HUB JA
depilis Holzschuh, 2019b: 96 A: SHA
orientalis Kano, 1933b: 133 A: TAI
subgenus *Eusinochlytoides* Özdikmen, 2023: 22 type species *Clytus qingmaiensis* Viktora, 2020
qingmaiensis Viktora, 2020: 106 A: SCH
quadraticollis Ganglbauer, 1889a: 66 A: GAN
subgenus *Eusinochlytus* Özdikmen, 2023: 21 type species *Clytus auripilis* Bates, 1884
dongziensis Viktora, 2020: 104 A: SCH
rufobasalis Pic, 1917f: 353 A: YUN
subgenus *Insolitomaculatus* Özdikmen, 2023: 26 type species *Callidium tropicus* Panzer, 1795
paradisiacus Rapuzzi & Jeniš, 2015b: 767 E: GR
tropicus Panzer, 1795: 265 (*Callidium*) E: AU BH BU BY CR CZ FR GE GR HU IT MC MD PL RO SB SK SL SP ST SZ TR UK #90

interruptus Pic, 1931c: 14
mucronatus Laporte & Gory, 1841: 52
prescutellaris Pic, 1931c: 14
subgenus *Paulomaculatoides* Özdikmen, 2023: 31 type species *Clytus melaenus* Bates, 1884
melaenus Bates, 1884a: 220 A: FE (Kunashir) JA JIX LIA NC SC #400
subgenus *Paulomaculatus* Özdikmen, 2023: 29 type species *Clytus ciliciensis* Chevrolat, 1863
ciliciensis Chevrolat, 1863: 334 (*Sphegesthes*) A: SY TR
bifarius Heyden, 1889b: 329
delagrangi Pic, 1945b: 6
griseofasciatus Pic, 1908b: 3
reitteri Théry, 1892: xcvi
madoni Pic, 1891n: ccxi A: IS LE SY TR
preapicalis Pic, 1939c: 17
nigritulus Kraatz, 1879c: 109 A: ES FE HEI JIL NC SC #588
fulvohirsutus Pic, 1904e: 18 #588
parvigranulatus Holzschuh, 2006b: 285 A: SHA
taurusiensis Pic, 1903h: 139 (*Chlorophorus*) A: IS TR
bytinskii Heyrovský, 1954: 395
viridescens Matsushita, 1933b: 274 A: TAI
subgenus *Picoclytus* Özdikmen, 2023: 32 type species *Clytus peyroni* Pic, 1899
peyroni Pic, 1899b: 209 A: LE
subgenus *Pseudoclytus* Özdikmen, 2023: 33 type species *Clytus schneideri* Kiesenwetter, 1879
relictus Jacquot, 2022: 32 E: FR (Drôme)
robertae Mineau & Teocchi, 1986: 12 (Alpes de Haute-Provence: Saint-Laurent) [unavailable name - conditional proposal]
schneideri inapicalis Pic, 1895a: 38 A: TR
schneideri schneideri Kiesenwetter, 1879a: 313 [1879b: 57] A: AR AB GG IN TR
schurmanni Sama, 1996c: 108 A: TR
subgenus *Rubrocollus* Özdikmen, 2023: 32 type species *Clytus famosus* Viktora & Liu, 2018
bellus Holzschuh 1998: 45 A: HAI ORR #672
famosus Viktora & Liu, 2018c: 82 A: HAI
subgenus *Rufoapicalus* Özdikmen, 2023: 32 type species *Clytus rufoapicalis* Pic, 1917
rufoapicalis Pic, 1917d: 7 A: XIZ YUN
subinterruptus Pic, 1920b: 197
subgenus *Sphegoclytus* Sama, 2005c: 69 type species *Clytus stepanovi* Danilevsky & Miroshnikov, 1985
raddensis Pic, 1904e: 18 A: FE GUI HUB JA NC NE SC SHN
hypocrita Plavilstshikov, 1940a: 416
stepanovi Danilevsky & Miroshnikov, 1985: 272 E: ST A: GG
vesparum Reitter, 1889d: 375 A: AB(Talysh) IN
validus Fairmaire, 1896a: 128 A: HEN SCH SHX XIZ YUN
genus *Cyrtoclytus* Ganglbauer, 1882: 736 type species *Callidium capra* Germar, 1824
agathus Holzschuh, 1999: 40 A: GAN SHA
capra Germar, 1824: 518 (*Callidium*) E: AU BH BY CT CZ EN FR GE IT KZ LA LT MD NT PL RO SB SK SP ST SZ UK A: AB ES FE
HEI ~~IN~~ JIL KZ LIA MG NC NMO SC SCH WS #506 #696
obliteratus Pic, 1943b: 1
sachalinensis Kano, 1933b: 134
zenobia Z. Wang, 2003: 191, 399
caproides ~~eaproides~~ Bates, 1873: 200 (*Clytus*) A: FE (Sakhalin, Kunashir) HEI JA JIL LIA #525 #730
elegantissimus Niisato & Chou, 2009: 222 A: GUI
formosanus Gressitt, 1934: 167 A: TAI
kamakarii Yokoyama, 1971: 94 A: JA #730
kusamai Niisato, 1988b: 138 A: TAI
luteomarginatus Pic, 1914d: 18 (*Clytus*) A: YUN
marketae Viktora, 2015a: 30 A: SD
multizonus Gressitt, 1951a: 260 A: FUJ
ohbayashii Niisato & Chou, 2009: 226 A: GUX YUN #347
elegans Pesarini & Sabbadini, 2015: 44 #347
petrae Viktora, 2015a: 31 A: SCH
yunamensis Pic, 1906d: 18 (*Clytus*) A: YUN ORR
keiichii Niisato, 1999: 43
genus *Demonax* J. Thomson, 1861: 226 type species *Demonax nigrofasciatus* J. Thomson, 1861
Elezira Pascoe, 1869a: 637 type species *Clytus balyi* Pascoe, 1859
abietinus Viktora, 2022b: 203 A: YUN
acanthocerus Ganglbauer, 1889a: 68 (*Clytanthus*) A: GAN
albicinctus Hope, 1831: 28 (*Clytus*) A: BT NP SD ORR
filiformis Laporte & Gory, 1841: 95 (*Clytus*)
alcanor Gressitt & Rondon, 1970: 270 A: GUX HAI YUN ORR #73

angulifascia Aurivillius, 1922a: 11 A: TAI (Lanyu Is.) **ORR**
kotoensis Kano, 1938: 117
annamensis Pic, 1943a: 2 [RN] A: YUN **ORR** #73
diversefasciatus Pic, 1937b: 8 [HN]
antireductus Pic, 1935a: 15 A: YUN #
aprilis Viktora, 2023b: 97 A: GUX
ascendens Pascoe, 1859: 27 (*Clytus*) A: NP UP **ORR**
geniculatus Chevrolat, 1863: 280 (*Rhaphuma*)
balyi Pascoe, 1859: 27 (*Clytus*) A: NP "India"
bicinctus Hope, 1831: 28 (*Clytus*) A: NP
bidenticornis Hayashi, 1974a: 34 A: TAI
bimaculicollis Schwarzer, 1925a: 28 (*Chlorophorus*) A: HAI TAI #473
kotahirai Mitono, 1942: 103
blairi Gardner, 1940: 215 A: SD [Kalimpong] **ORR**
bowringii Pascoe, 1859: 28 (*Clytus*) A: ANH FUJ GUA HAI HKG HUB HUN JIX ZHE **ORR** #400 #455
gracilipes Pic, 1935a: 15
breveluteobasalis Pic, 1943a: 2 A: NP
brutus Viktora, 2022b: 194 A: HAI
buteae Gardner, 1940: 217 A: NP PA UP
christinae Holzschuh, 1983: 387 A: NP
captiosus Holzschuh, 2019c: 93 A: HUB HEN SHA
comparabilis Viktora, 2020: 115 A: HAI
confidens Holzschuh, 1993a: 39 A: YUN
consimilis Viktora, 2020: 118 A: YUN
contrarius Holzschuh, 1991: 52 A: YUN **ORR** #42
corallipes Pic, 1920a: 1 A: YUN
bisbinotatus Pic, 1920a: 1
implicatus Pic, 1920a: 1
curvofasciatus Gressitt, 1939a: 39 (*Rhaphuma*) A: FUJ JIA GUA GUI HEN HUN SCH SHA SHX TAI ZHE #489
triarticulodilatatus Hayashi, 1974a: 35 (Taiwan) #105
damingshanensis 2023b: 130 A: GUX
dapsilis Viktora, 2021b: 117 A: XIZ
declamator Viktora, 2022b: 114 A: AP
desolatus Viktora, 2022b: 92, 218 A: YUN
determinatus Holzschuh, 2013a: 11 A: GUI SCH SHA
devexus Viktora, 2022b: 221 A: YUN
dignus Gahan, 1894a: 26 A: YUN **ORR**
rubricollis Pic, 1923b: 10
dilectus Viktora, 2021c: 131 A: YUN
dirangensis Viktora, 2021c: 134 A: AP
diversefasciatus Pic, 1920a: 1 A: YUN **ORR**
donaubaueri Holzschuh, 1996: 8 A: YUN
dorotheae Holzschuh, 1983: 385 A: NP
effrenus Viktora, 2022b: 196 A: HAI
elongatus Gressitt & Rondon, 1970: 263 A: YUN **ORR** #73
fatidicus Viktora, 2022b: 186 A: GUX HAI
fausus Viktora, 2021b: 130 A: YUN **ORR**
ferrugatus Holzschuh, 2013a: 12 A: SCH
ferus Viktora, 2023b: 115 A: HAI
fimbriatulus Holzschuh, 2006b: 296 A: YUN
flavicomus Holzschuh, 2016a: 98 A: XIZ
formosomontanus Ikeda & Niisato, 1984: 9 A: TAI
fugongensis Guo & L. Chen, 2005: 408 A: YUN
funebri Lameere, 1890: cxxii (*Clytus*) A: "Hindostan"
galaboensis Viktora, 2023b: 136 A: YUN
gemellus Holzschuh, 2017: 100 A: SCH
gertrudae Holzschuh, 1983: 395 A: BT NP YUN
grandiusculus Viktora, 2022b: 189 A: HAI
gunjii Holzschuh, 1983: 387 A: NP
hengduanus Holzschuh, 2006b: 298 A: YUN
himalayanus Pic, 1912j: 94 (*Chlorophorus*) A: HP NP
hongheensis Viktora, 2023b: 122 A: YUN **ORR**
illex Viktora, 2020c: 111 A: YUN **ORR**
impius Viktora, 2022b: 199 A: HAI
ingridae Holzschuh, 1983: 386 A: NP SD
inhumeralis basigriseus Holzschuh, 2019c: 92 A: ZHE

inhumeralis inhumeralis Pic, 1916g: 181 A: SCH
iniquus Holzschuh, 1993a: 38 A: YUN
inops Holzschuh, 1991b: 58 A: YUN **ORR**
invalidus Viktora, 2023c: 92 A: YUN
invisus Holzschuh, 2018a: 91 A: YUN
izumii Mitono, 1942: 102 A: TAI
jamesi Holzschuh, 1986a: 125 A: SD
jendeki Holzschuh, 1995: 41 A: YUN
katarinae Holzschuh, 1983: 384 A: NP YUN
kezukai Holzschuh, 1984c: 365 A: TAI
kheoae Gressitt & Rondon, 1970: 272 A: YUN **ORR**
kucerai Holzschuh, 2006b: 295 A: SCH SHA
langsonius Fairmaire, 1895: 181 (*Clytus*) A: YUN **ORR**
languidus Holzschuh, 1992b: 37 A: YUN **ORR** #73
leucophaeus Holzschuh, 1993a: 40 A: SCH
leucoscutellatus Hope, 1831: 28 (*Clytus*) A: AP GUX NP SD **ORR** #280 #400 #659
castaneorufus Fairmaire, 1896 (*Chlorophorus*)
levipes Holzschuh, 1991c: 51 A: YUN **ORR** #73
lii Viktora, 2023c: 94 A: YUN
ligeratus hainanensis Mitono, 1944: 248 A: HAI
ligeratus ligeratus Gahan, 1894a: 27 A: YUN **ORR**
maestus Viktora, 2021c: 150 A: HAI
mengi Viktora, 2023b: 127 A: YUN
mitis Viktora, 2023b: 110 A: HAI
longissimus Pic, 1914d: 18 A: XIZ YUN
longissimus Gressitt, 1935g: 572
longithorax Pic, 1950e: 508 A: NP SD
jozefinae Holzschuh, 1983: 383
luridicornis Chevrolat, 1863: 270 A: HKG
mali Gressitt, 1951a: 297 A: GUX YUN
mariae Holzschuh, 1983: 382 A: BT NP
marnei Pic, 1918c: 7 A: GUI YUN
manifestus Viktora, 2020c: 118 A: SHA
martialis Gressitt et Rondon, 1970: 273 A: GUI **ORR** #400
masaoi Niisato, 1984a: 13 A: TAI
masatakai K. Ohbayashi, 1964: 25 A: JA (Ryukyus)
matyasi Viktora, 2016b: 67 A: YUN
maximus Pic, 1922b: 25 A: GUX **ORR**
montivagus Viktora, 2020c: 125 A: YUN
morosus Viktora, 2023b: 92 A: HAI
multireductus Pic, 1935a: 16 A: YUN
narayani Holzschuh, 1984c: 366 A: NP SD
nativus Viktora, 2023b: 103 A: HAI
nebulosus Gressitt & Rondon, 1970: 262 A: YUN **ORR** #253
nigromaculatus Gahan, 1906a: 284 A: BT NP SD
nishiyamai Niisato, 1984a: 11 A: FUJ TAI
occultus Gressitt & Rondon, 1970: 268 A: YUN **ORR**
ohbayashii Samuelson, 1965a: 79 A: JA (Ryukyus)
okunii Mitono, 1942: 104 A: TAI
olivaceus Gressitt, 1951a: 299 A: FUJ GUA #400
opulentus Viktora, 2021b: 116 A: AP
orbis Viktora, 2023b: 85 A: HAI
palleolus Holzschuh, 2006b: 291 A: SCH SHA
parilis Holzschuh, 1995: 39 A: GUI YUN #400
paululus Viktora, 2023c: 97 A: HAI
petrae Viktora, 2016b: 69 A: YUN
pilipes Holzschuh, 2016a: 101 A: XIZ
praesignis Viktora, 2020c: 129 A: SCH
probus Holzschuh, 1991b: 52 A: YUN **ORR**
proculscuti Li, Tian & Chen, 2013a: 455 A: YUN
pseudonotabilis Gressitt & Rondon, 1970: 262 A: HAI SCH **ORR** #400
pseudopsilomerus Gressitt & Rondon, 1970: 272 A: YUN **ORR** #38
pseudotristiculus Gressitt & Rondon, 1970: 266 A: GUA GUX HAI **ORR** #400
puerilis Holzschuh, 1991b: 57 A: YUN **ORR** #400
pumilio Holzschuh, 1991c: 48 A: YUN **ORR** #73

ravus Holzschuh, 1992b: 37 A: SCH
reductispinosus Gressitt, 1942c: 30 [RN] A: FUJ HAI
brevespinosus Gressitt, 1940b: 81 [HN]
hainanensis Gressitt & Rondon, 1970: 263 [RN]
reticollis Gahan, 1894a: 28 A: GUX HAI YUN **ORR** #149 #73
alboantennatus Gressitt & Rondon, 1970: 271 #149
mongtsenensis Pic, 1904c: 12 #149
reticulicollis Gressitt, 1940b: 82 A: GUA GUX HAI
ridiculus Viktora, 2023b: 107 A: YUN
rosae Holzschuh, 1983: 393 A: NP SD YUN
rosicola Holzschuh, 2006b: 294 A: YUN
rufus Guo & L. Chen, 2005: 407 A: YUN
sabinae Holzschuh, 1983: 390 A: NP UP
salvazai Pic, 1923b: 10 A: YUN **ORR**
nousophi Gressitt & Rondon, 1970: 270
sausai Holzschuh, 1995: 40 A: YUN
sauteri Matsushita, 1933b: 290 [RN] A: TAI
matsushitai Gressitt, 1936: 97
savioi Pic, 1924a: 16 (*Clytanthus*) A: FE GUI HEB NC SC SHA SHG SHX
sawaii Ikeda, 1990: 7 A: JA (Ryukyus)
scutulatus Holzschuh, 2019c: 88 A: SHA ZHE
semiluctuosus White, 1855: 283 (*Clytus*) A: GUI NP YUN **ORR** #400
albobifasciatus Pic, 1920a: 1
mouhoti Pascoe, 1869a: 604 (*Clytanthus*)
praecanus Chevrolat, 1863: 277 (*Rhaphuma*)
semixenicus Hayashi, 1962a: 12 A: JA (Ryukyus)
senex Holzschuh, 2019c: 92 A: TAI
seoulensis Mitono & Cho, 1942: 3 A: SC SHA #225
siccus Holzschuh, 1991b: 57 A: GUI **ORR** #523
sikangensis Gressitt, 1945a: 126 A: SCH
simillimus Gressitt, 1939b: 103 A: FUJ JIA SCH ZHE #400
sincerus Viktora, 2023b: 100 A: HAI
spinifer Pic, 1920b: 197 A: YUN
stabilis Holzschuh, 2003a: 222 A: SHA
subai Holzschuh, 1989c: 399 A: BT
subobscuricolor Pic, 1918b: 5 A: YUN
substitutus Gressitt, 1951a: 300 A: TAI
sulinensis Niisato, 1984a: 12 A: TAI
temuiculus Holzschuh, 1991b: 52 A: YUN **ORR** #73
testaceoannulatus Pic, 1935a: 15 A: YUN **ORR** #73
testaceus Hope, 1831: 28 (*Clytus*) A: NP SD
transilis Bates, 1884a: 229 A: JA
traudae Holzschuh, 1983: 391 A: NP SD YUN #390
trudae Holzschuh, 1983: 392 A: BT NP SD YUN
unidenticornis Hayashi, 1974a: 33 A: TAI
uniformis Pic, 1925b: 21 A: "India"
vendibilis Viktora & Liu, 2018c: 86 A: HAI
venosulus Holzschuh, 2006b: 292 A: SCH
viduatus Holzschuh, 2009: 343 A: GUX YUN **ORR** #606
xiaozhaizigouensis Viktora, Liu & Zhang, 2017: 158 A: SCH SHA
yinghuii Viktora, 2023b: 124 A: YUN

genus *Echinocerus* Mulsant, 1862: 143 type species *Cerambyx floralis* Pallas, 1773 #778
Paraplagionotus Kasatkin, 2005: 51 [unnecessary RN]
floralis armeniacus Reitter, 1890b: 213 (*Plagionotus*) A: AB AR GG JO IN IQ IS LE TR #656
anatolicus Vartanis, 2019: 344 (*Neoplagionotus*) #517
araratensis Pic, 1901b: 11 (*Clytus*)
clermonti Pic, 1913b: 121 (*Plagionotus*)
floralis aulicus Laicharting 1784: 103 (*Clytus*) E: AL AU BH BU CR ~~CF~~ CZ FR GE GR HU IT LA LT MC MD ME ~~NT~~ PL RO SB SK SL
SP SZ TR UK A: ES KI KZ ?MG TR UZ WS #656
basicornis Reitter, 1890b: 213 (*Plagionotus*)
controversus Schrank, 1798: 679 (*Clytus*)
massiliensis Pic, 1951: 1 (*Plagionotus*)
floralis centaureus Lazarev, 2022a: 207 E: GR #656
floralis floralis Pallas, 1773: 724 (*Cerambyx*) E: CT KZ ST UK A: ES KZ WS #30 #182
abruptus Kraatz, 1871b: 408 (*Clytus*)
annulus Fabricius, 1801: 352 (*Clytus*) #627

- *arcuatus* Scopoli, 1772: 97 (*Stenocorus*) #628
fasciatus Herbst, 1784: 98 (*Callidium*)
indicus Gmelin, 1790: 1856 (*Cerambyx*)
pruinosis Kraatz, 1871b: 409 (*Clytus*)
variabilis Motschulsky, 1860a: 144 (*Clytus*)
zebra Dalman, 1817b: 194 (*Clytus*)
- floralis pilifer* Reitter, 1890b: 213 (*Plagionotus*) A: TR #656
floralis ?ssp. n. E: GR (Crete) #781
- genus *Epicylytus* Gressitt, 1935b: 173** type species *Clytus yokoyamai* Kano, 1933
Eoclytus Plavilstshikov, 1940a: 425 type species *Clytus ussuricus* Pic, 1933
- insolitus* Holzschuh, 1991: 45 A: YUN ORR #36
itoi Niisato, 1981a: 33 A: FUJ GUX TAI #747
itoi, Yu & Nara, 1988: 28, pl. 11, fig. 14
ussuricus Pic, 1933d: 10 (*Clytus*) A: FE HEI ?NC SC
veceri Viktora et Tichý, 2016: 66 A: HEN
velaris Holzschuh, 1998: 46 A: SCH
yokoyamai Kano, 1933a: 275 (*Clytus*) A: JA
- genus *Grammographus* Chevrolat, 1863: 285** type species *Grammographus lineatus* Chevrolat, 1863
Elezira Pascoe, 1869a: 637 type species *Clytus balyi* Pascoe, 1859
- arcuatus* Matsushita, 1939: 57 (*Demonax*) A: TAI
flavicollis Matsushita, 1931c: 403 (*Demonax*) A: TAI
granulicollis Hayashi, 1974a: 31 A: TAI
jezoensis Matsushita & Tamanuki, 1935: 3 (*Demonax*) A: JA #524 #718
kanoi Hayashi, 1963d: 133 [RN] A: TAI
monticola Kano, 1933b: 136 (*Chlorophorus*) [HN]
lineatus Chevrolat, 1863: 286 A: BT "India"
nansenensis Pic, 1903b: 21 (*Demonax*) A: YUN ORR #517
lineaticollis Schwarzer, 1931: 64 (*Demonax*)
notabilis cuneatus Fairmaire, 1888a: 35 (*Clytus*) A: GAN GUA HEN HUB SCH SHA YUN ZHE #489
semiobliteratus Pic, 1902i: 31 (*Clytanthus*)
notabilis notabilis Pascoe, 1862a: 360 (*Clytus*) A: FUJ GUA GUX HUB JA SC SHA TAI
alphabeticus Chevrolat, 1863: 308 (*Anthoboscus*)
spadiceus Matsushita, 1933b: 285 (*Chlorophorus*)
submaculatus Hayashi, 1974a: 32 A: TAI
taiwanensis Hayashi, 1966a: 6 A: TAI
- genus *Hesperoclytus* Holzschuh, 1986a: 123** type species *Hesperoclytus katarinae* Holzschuh, 1986
bozanoi Pesarini & Sabbadini, 1997: 107 A: SCH SHA #225
katarinae Holzschuh, 1986a: 123 A: BT NP
- genus *Ischnodora* Chevrolat, 1863: 332** type species *Ischnodora macra* Chevrolat, 1863
decolorata Holzschuh, 1995: 38 A: YUN
macra Chevrolat, 1863: 332 A: SD
angustula Holzschuh, 1983: 371
munda Holzschuh, 1990: 191 A: SD
sanci Viktora & Tichý, 2017: 66 A: XIZ
sejugata Holzschuh, 1991a: 11 A: YUN ORR
separanda Holzschuh, 1983: 370 A: NP
ugyeni Holzschuh, 1989c: 397 A: BT
- genus *Isotomus* Mulsant, 1862: 183** type species *Callidium semipunctatum* Fabricius, 1798 (= *Callidium speciosum* Schneider, 1787)
Caloclytus Fairmaire, 1864a: 145 [RN] type species *Callidium semipunctatum* Fabricius, 1798 (= *Callidium speciosum* D. H. Schneider, 1787)
- comptus comptus* Mannerheim, 1825: 36 (*Clytus*) E: ST UK A: AB AR GG IN TR #209
insularis Laporte & Gory, 1841: 74 (*Clytus*)
perspicillus Fischer von Waldheim, 1832: 438 (*Clytus*)
pubicollis Laporte & Gory, 1841: 73 (*Clytus*)
- comptus gilanus* Pic, 1911a: 6 (*Caloclytus*) A: IN #209
maculicollis Holzschuh, 1989a: 169
comptus syriacus Pic, 1902h: 25 ["Syrie"] (*Caloclytus*) A: TR #209
meridionalis Özdkimen & Aytar, 2012b: 691 [Osmaniye prov.: Karatepe, Gündoğan] #209
jarmilae Sláma, 1982: 209 E: GR (Crete) #209
speciosus barbarae Sama, 1977: 66 E IT #209
speciosus eggeri Rapuzzi & Sama, 2018: 19 E: GR
speciosus ganglbaueri Pic, 1900f: 64 (*Caloclytus*) E: BH CR ME ?SB ?SL #14 #209
speciosus speciosus Schneider, 1787: 125 (*Callidium*) E: AL AU BH BU CR CZ GE GR HU IT MC MD PL RO SB SK SL ST UK A: ?AB

?AR ?GG TR #209 #482 #583
semipunctatus Fabricius, 1798: 151 (*Callidium*)
stierlinii Tournier, 1872: 276 (*Clytus*)
theresae Pic, 1897e: 221 (*Clytus*) N: AG TU #209

genus *Kazuoclytus* Hayashi, 1968a: 23 type species *Xylotrechus lautoides* Hayashi, 1950
fukienensis fukienensis Gressitt, 1951a: 254 (*Clytus*) A: FUJ JA (Ryukyus) TAI
fukienensis yukawai Makihara, 2004b: 222 (*Xylotrechus*) #736
lautoides Hayashi, 1950b: 25 (*Xylotrechus*) A: JA #525
planiantennatus Lim & Han, 2012: 193 (*Clytus*) A: SC

genus *Libanoclytus* Sama, Rapuzzi & Kairouz, 2010: 164 type species *Libanoclytus tommasoi* Sama, Rapuzzi & Kairouz, 2010
tommasoi Sama, Rapuzzi & Kairouz, 2010: 166 A: LE

genus *Neoclytus* J. Thomson, 1860: 67 [RN] type species *Clytus erythrocephalus* Fabricius, 1787 (= *Callidium acuminatum* Fabricius, 1775)
Rhopalopachys Chevrolat, 1860d: 457 type species *Clytus morosus* Chevrolat, 1860
Rhopalomerus Chevrolat, 1860d: 457 [HN] type species *Clytus cacicus* Chevrolat, 1860
acuminatus acuminatus Fabricius, 1775: 194 (*Callidium*) Ei: AU CR FR GB GE HU IT RO SB SK SL SZ UK NAR NTRi #502 #767
americanus Gmelin, 1790: 1854 (*Cerambyx*)
aspericollis Germar, 1824: 517 (*Callidium*) #506
erythrocephalus Fabricius, 1787: 156 (*Callidium*)

genus *Neoplacionotus* Kasatkin, 2005: 51 type species *Clytus bobelayei* Brullé, 1832 #778
andrewi Fuente, 1908: 21 (*Placionotus*) E: PT SP #165
marcaorum López-Colón, 1997: 221 (*Placionotus*)
marcorum López-Colón, 1998: 311 (*Placionotus*) [unjustified emendation]
bednariki Lazarev, 2022b: 447 A: TR
bobelayei bobelayei Brullé, 1832: 253 (*Clytus*) E: AL BU GR MC RO TR #30
bobelayei huseyini Lazarev, 2016d A: AB AR GG IN ST TM TR UK
speciosus Adams, 1817: 309 (*Callidium*) [HN]
bobelayei mouzafferi Pic, 1905g: 114 (*Placionotus*) A: IN IQ IS JO SY TR #132
luristanicus Pic, 1911a: 6 (*Placionotus*)
persicus Pic, 1951: 1 (*Placionotus*)
karmelicola Lazarev, 2022c: 519 A: IS SY
scalaris Brullé, 1832: 254 (*Clytus*) E: AL BU GR IT MC N: AG MO TU A: ?TR #64 #287
interruptus Dayrem, 1928b: 77 (*Placionotus*)
siculus Laporte & Gory, 1841: 46 (*Clytus*)
vivesi López-Colón, 1997: 221 (*Placionotus*)

genus *Perissus* Chevrolat, 1863: 262 type species *Perissus x-littera* Chevrolat, 1863
aemulus Pascoe, 1869a: 618 A: YUN ORR
angusticinctus Gressitt, 1942g: 81 A: HUB ZHE
asperatus Gressitt, 1951a: 266 A: GUA HAI TAI
atronotatus Pic, 1937a: 12 A: YUN ORR #400
bauhiniæ Gardner, 1936: 135 A: UP
biluteofasciatus Pic, 1918b: 5 A: YUN ORR #400
cinericus Holzschuh, 2009a: 337 A: YUN ORR #36
[*clavicornis clavicornis* Pic, 1927b: 34 (*Xylotrechus*) - Vietnam]
clavicornis luteopubescens Pic, 1943b: 1 A: CH
copei Viktora & Tichý, 2017: 68 A: XIZ
crassicollis Pesarini & Sabbadini, 1997: 112 A: FUJ
dalbergiæ Gardner, 1930: 155 A: PA UP
declaratus Holzschuh, 2003a: 204 A: GUI HUN
delectus Gressitt, 1951a: 267 A: SHA #400
delerei Tippmann, 1958a: 49 A: AF
dembickyi Viktora, 2021c: 157 A: AP
demonacoides Gressitt, 1936: 98 (*Chlorophorus*) A: TAI
divinus Viktora & Liu, 2018c: 91 A: GUX
expletus Viktora & Liu, 2018c: 92 A: YUN
fairmairei Gressitt, 1940c: 180 [RN] A: BEI HEB HEN NC NMO SC SE SHA #400
fuliginosus Fairmaire, 1888b: 145 [HN]
semifulvus Pic, 1916e: 13 [HN]
sinho Danilevsky, 1993d: 114
fuliginosus Chevrolat, 1863: 328 (*Amauresthes*) A: BT JIL NP UP XIZ ORR #400
basalis Plavilstshikov, 1927b: 106
fulvopictus Matsushita, 1933b: 276 A: TAI
griseus Gressitt, 1936: 95 A: TAI

hooraianus Matsushita, 1943: 573 (*Rhaphuma*) A: TAI
indistinctus Gressitt, 1940b: 72 A: HAI HKG #400
intersectus Holzschuh, 2003a: 203 A: SCH SHA XIZ
jiuzhaigouensis Viktora, 2016b: 72 A: SCH
kankauensis Schwarzer, 1925a: 26 A: TAI
kiangsuensis Gressitt, 1940c: 180 A: JIA
kimi Niisato & Koh, 2003: 292 A: SC
kiusiuensis hisamatsui K. Ohbayashi, 1958a: 12 A: JA
kiusiuensis kiusiuensis K. Ohbayashi, 1944: 4 A: JA #734
kiusiuensis nishinoi Fujita, 2023: 22 A: JA (Japan: Tokara Isls.)
kiusiuensis yamadai Hayashi, 1962a: 11 A: JA (Ryukyus)
laetus Lameere, 1893a: 283 A: GUA HAI YUN ORR #400
chungkonensis Gressitt, 1940b: 73
proprius Gahan, 1894a: 21
latepubens Pic, 1950b: 4 A: CH
lubosi Viktora, 2020c: 137 A: AP
luteonotatus Pic, 1943b: 2 A: CH
magdalenae Holzschuh, 1990: 189 A: NP
mimicus Gressitt & Rondon, 1970: 215 A: FUJ HAI HUB YUN ORR
multifenestratus Pic, 1926b: 1 (*Amauresthes*) A: SCH SHA #151 #225
mutabilis mutabilis Gahan, 1894a: 23 A: NP SD YUN ORR
ogasawarensis Endo, 2000: 193 A: JA (Ogasawara Isls.) #734
paulonotatus Pic, 1902i: 30 (*Clytus*) A: SCH YUN
persimilis Gahan, 1894: 23 A: YUN ORR
plachetkai Viktora, 2021c: 160 A: YUN
quercus Gardner, 1940: 218 A: NP UP
rayus Gressitt & Rondon, 1970: 212 A: GUA HAI ORR
rhaphumoides Gressitt, 1940c: 181 A: HEN JIA SHA #225 #400
rubricollis Gressitt, 1937c: 453 A: FUJ
thibetanus Pic, 1918b: 5 A: XIZ
trabealis Holzschuh, 2003: 205 A: SCH
tristiculus Fairmaire, 1895: 183 (*Clytus*) A: GAN GUI ORR #288
tsutsumii Makihara, 1979: 161 A: JA (Ryukyus)
tunicatus Viktora & Liu, 2018c: 94 A: YUN
wenroncheni Niisato, 1986a: 4 A: TAI

genus *Petraphuma* Viktora, 2018b: 144 type species *Rhaphuma sulphurea* Gressitt, 1941
huangjianbini Viktora & Liu, 2018c: 97 A: YUN
meridiosinica Viktora & Tichý, 2017: 226 (*Rhaphuma*) A: GUX HAI #254
pompa Viktora & Liu, 2018c: 99 A: HAI
sulphurea Gressitt, 1941b: 336 (*Rhaphuma*) A: YUN ORR #254

genus *Plagionotus* Mulsant, 1842b: 1 type species *Leptura detrita* Linnaeus, 1758 #778
Platynotus Mulsant, 1839: 71 [HN] type species *Leptura detrita* Linnaeus, 1758
arcuatus arcuatus Linnaeus, 1758: 399 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE ?EN FI FR GE GR HU IR IT KZ LA LT LU MC #64
MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG MO TU A: AB GG ~~HN~~ KZ ~~SY~~ TR
apicalis Hampe, 1863: 289 (*Clytus*)
byssoni Dauphin, 1924: 42
interrupteconnatus Schmidt, 1951: 16
lunatus Fabricius, 1782: 500 (*Callidium*)
martialis Pic, 1918d: 15
milliati Pic, 1934e: 20
~~multiinterruptus~~ Pic, 1933d: 6
pagnioni Pic, 1925d: 10
plavilstshikovi Schmidt, 1951: 15
reichei J. Thomson, 1861: 220 (*Plagyonotus*)
salicis Schrank, 1798: 677 (*Clytus*)
stauropolibus Pic, 1915e: 7
tastani Özdikmen, Atak & Uçkan, 2017b: 89 #559
arcuatus ghidottii Pesarini & Sabbadini, 2011: 47 E: GR (Crete)
arcuatus kirgizicus Lazarev, 2010c: 161 A: KI
arcuatus lugubris Ménétré, 1832: 229 (*Clytus*) A: AB IN TM
flavicornis Pic, 1898b: 19
henoni Pic, 1933d: 6
lenkoranus Pic, 1933d: 6
arcuatus multiinterruptus Pic, 1933d: 6 A: AB AR TR
arcuatus shirazensis Królik, Kruszelnicki, Lason & Walczak, 2021: 560 A: IN

bartholomei Motschulsky, 1860a: 142 (*Clytus*) A: AB (Talysh) IN
admirabilis Heyden, 1879a: 314 [1879b: 58] (*Clytus*)
bieberi Bodemeyer, 1927b: 93 (*Clythantus*) A: IN #23
bisbifasciatus Pic, 1915f: 13 A: YUN
christophi Kraatz, 1879c: 108 (*Clytus*) A: ANH FE HEB HEI HEN HUB JA JIL LIA NC SC SHA
detritus caucasicola Plavilstshikov, 1940: 435 E: ST A: AB AR GG GR IN SY TR N: EG #5 #209
africae septentrionalis Tippmann, 1952a: 143 #5 #143 #209
graecus Vartanis, 2023: 172 #759
detritus cebecii Rapuzzi & Sama, 2018: 17 A: TR
detritus detritus Linnaeus, 1758: 399 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IT KZ LA LT LU MC MD
ME NL NT PL PT RO SB SK SL SP ST SV SZ TR UK A: KZ TR #357 #548
anticereductus Schmidt, 1951: 14
apicebimaculatus Schmidt, 1951: 14
convertini L. Petagna, 1819: 38 (*Callidium*)
obscuribasalis Pic, 1942b: 2
rufescens Pic, 1891b: 24
uralensis Tippmann, 1952a: 144
pulcher Blessig, 1872: 184 (*Clytus*) A: FE HEB HEI JA JIL NC NIN SC SHA SHX
lignatorum Thieme, 1881: 100 (*Clytus*)
maculithorax Pic, 1904d: 15

genus *Pseudosphegistes* Reitter, 1913a: 50 type species *Clytus cinereus* Laporte & Gory, 1841
bergeri Sláma, 1982: 207 E: GR (Crete)
brunnescens Pic, 1897g: 262 (*Clytus*) E: ST A: AB AR GG ?IN TR
circassica Pic, 1905a: 10 (*Clytus*)
bubeniki Rapuzzi & Jeniš, 2015a: 749 E: GR
cinerea Laporte & Gory, 1841: 68 (*Clytus*) [NP] E: FR GE IT SP UK
auboueri Desbrochers des Loges, 1873a: 429 (*Clytus*)
duponti Mulsant, 1839: 84 (*Clytus*) [NO]
sternii Kraatz, 1870b: 219 (*Clytus*)
giglii Rapuzzi & Jeniš, 2015a: 751 A: TR
longitarsus Holzschuh, 1974a: 90 A: TR
samai Danilevsky, 2000b: 44 A: TR

genus *Psilomerus* Chevrolat, 1863: 257 type species *Psilomerus angustus* Chevrolat, 1863
laosensis Gressitt & Rondon, 1970: 277 A: YUN ORR #400
suturalis Gressitt & Rondon, 1970: 278 A: YUN ORR #400

genus *Rhabdoclytus* Ganglbauer, 1889c: 479 type species *Clytus acutivittis* Kraatz, 1879
Hayashiclytus K. Ohbayashi, 1963: 11 type species *Clytus acutivittis* Kraatz, 1879
acutivittis acutivittis Kraatz, 1879c: 111 (*Clytus*) A: FE HEI JA JIL LIA NC SC
acutivittis inscriptus Bates, 1884a: 229 (*Clytanthus*) A: JA
alternans Holzschuh, 2003: 219 (*Hayashiclytus*) A: SHA
elongatus Gressitt, 1940c: 184 (*Rhaphuma*) A: HAI HEN HUB HUN SCH SHA SHX YUN ZHE #414

genus *Rhaphuma* Pascoe, 1858: 240 [RN] type species *Clytus quadricolor* Laporte & Gory, 1841 #501
Arcyphorus Gemminger, 1872: 2938 [unjustified emendation]
Arcyphorus Chevrolat, 1863: 287 type species *Arcyphorus histrio* Chevrolat, 1863
Rhaphium A. White, 1855: 289 [HN] type species *Clytus quadricolor* Laporte & Gory, 1841
acrocarpi Gardner, 1940: 224 A: SD [Kalimpong]
aequalis Holzschuh, 1991b: 49 A: YUN ORR
afflata Holzschuh, 1983: 374 A: NP
albicolon Holzschuh, 2006b: 300 A: SHA
albonotata Pic, 1915f: 12 A: YUN
amamiensis Hayashi, 1983: 38 A: JA (Ryukyus)
angustata Pic, 1920a: 1 (*Chlorophorus*) A: YUN #33
anongi Gressitt & Rondon, 1970: 247 A: HAI YUN ORR
anopla Holzschuh, 1983: 377 A: NP SD
aokii Niisato & Chou, 2023: 134 A: TAI
aperta Gressitt, 1951a: 287 A: FUJ SCH
aranea Holzschuh, 1984c: 359 A: NP SD
arisana Seki & Suematsu, 1935: 203 (*Perissus*) A: TAI
mushana Matsushita, 1936: 147 #524
asellaria Holzschuh, 2017c: 116 A: YUN ORR
baibarae Matsushita, 1931c: 401 A: TAI
bhaktai Holzschuh, 1983: 376 A: NP SD
bicolorifemoralis Gressitt & Rondon, 1970: 249 A: GUA HAI YUN XIZ ORR #176 #400

bii Holzschuh, 2016a: 94 A: XIZ
bimaculata Schwarzer, 1931a: 63 A: UP
binhensis Pic, 1922c: 13 (*Chlorophorus*) A: HAI **ORR**
~~*binotata* Hua, 1989a: 113 [RN] A: ?YUN **ORR**~~ #501
~~— *elongata* Gressitt & Rondon, 1970: 240 [HN]~~
brigitiae Holzschuh, 1991b: 47 A: NP YUN #400
brodskyi Holzschuh, 1992b: 28 A: YUN **ORR** #176
caraganicola Viktora & Liu, 2018c: 102 A: XIZ
chatterjeei Gardner, 1940: 219 A: NP UP
circumscripta Schwarzer, 1925a: 28 (*Chlorophorus*) A: TAI
clarina Gressitt & Rondon, 1970: 250 A: YUN **ORR**
comosella Holzschuh, 2006b: 301 A: XIZ
constricta Gressitt & Rondon, 1970: 243 A: GUX YUN **ORR** #400
decora Holzschuh, 1995: 39 A: YUN
delicata Kano, 1933b: 138 A: TAI #524 #527
~~*ruficollis* Mitono, 1942: 92~~
desaii Gardner, 1940: 220 A: YUN **ORR**
diana Gahan, 1906a: 271 A: GUX YUN **ORR**
diminuta diminuta Bates, 1873: 199 (*Clytanthus*) A: FE JA NC SC
~~*misella* Bates, 1884a: 228 (*Clytanthus*)~~
diminuta nitens Hayashi, 1962a: 12 A: JA (Ryukyus)
~~*diminuta ogasawarai* Fujita, 2023: 25 A: JA (Okinawa Isls.: Okinawa-honto Is.)~~
disconotata Pic, 1908f: 15 (*Clytanthus*) A: YUN
diversevittata Pic, 1943b: 1 A: CH
diversipennis Pic, 1920d: 18 A: CH
eleodina Gressitt & Rondon, 1970: 244 A: YUN **ORR**
encausta Holzschuh, 1991a: 12 A: YUN **ORR**
falx Holzschuh, 1991b: 51 A: YUN **ORR**
familiaris Holzschuh, 2017c: 116 A: SHA
~~*fautrix* Viktora, 2021b: 140 A: YUN~~
filipedes Holzschuh, 2016a: 97 A: NP XIZ
frustrata Holzschuh, 1993a: 37 A: YUN
fulgurata bhutanica Holzschuh, 2003b: 306 A: BT
fulgurata fulgurata Gahan, 1906a: 274 A: NP SD
gracilipes Faldermann, 1835: 436 (*Clytus*) E: BY CT ?LT NT PL ?RO ST ?UK A: BEI ES FE HEI JIL KZ MG NC NMO SC WS #583
~~— *angusticollis* Mulsant, 1851a: 123 (*Clytus*)~~
~~*rosinae* Pic, 1935d: 15 (*Chlorophorus*)~~
~~*sachalinensis* Matsumura, 1911: 139 (*Clytanthus*)~~
~~*tenuicornis* Fairmaire, 1888b: 142 (*Clytus*)~~
herminae Holzschuh, 1984c: 363 A: LIA NP #400
horsfieldi White, 1855: 284 (*Clytus*) A: AP GUX NP SCH SD SHA YUN **ORR** #280
~~*laosensis* Pic, 1923b: 9~~
illicata Holzschuh, 1991: 50 A: YUN **ORR**
ilsae Holzschuh, 1983: 379 A: NP SD
impressiceps Pic, 1943b: 1 A: CH
improba Holzschuh, 1992b: 32 A: GUX **ORR** #400
improvisa Holzschuh, 1991a: 48 A: YUN **ORR**
indifferens Holzschuh, 1992b: 33 A: YUN **ORR**
intaminata Holzschuh, 2017c: 121 A: UP
jianfenglingensis Viktora & Liu, 2018c: 105 A: HAI
joshii Holzschuh, 1984c: 361 A: NP SD
klapperichi Tippmann, 1955: 113 A: FUJ
lacrima Viktora, 2019c: 192 A: YUN
lanzhui Holzschuh, 1991: 48 A: YUN **ORR**
laojunensis Tavakilian, 2018: 40 A: YUN #243
~~*interrupta* Pesarini & Sabbadini, 2015: 52~~ #176 #243
laosica Gressitt & Rondon, 1970: 241 A: GUI SCH SD YUN **ORR** #400
lepesmei Pic, 1950e: 507 (*Chlorophorus*) A: SD #221
liyinghuii Viktora & Liu, 2018c: 108 A: YUN
lubricula Holzschuh, 2003b: 306 A: SD
luteopubens Pic, 1937a: 13 A: YUN **ORR**
maceki Holzschuh, 1992b: 29 A: YUN **ORR** #176
maculicollis Gressitt & Rondon, 1970: 237 A: GUX HAI YUN **ORR**
manipurensis kantiae Holzschuh, 1989c: 398 A: BT
~~[*manipurensis manipurensis* Gahan, 1906: 274 - India: Manipur]~~
minima Gressitt & Rondon, 1970: 242 A: GUX HAI **ORR**

moerens Holzschuh, 1983: 378 A: KA NP
nigrocincta Matsushita, 1931c: 401 A: TAI
nigrolineata Pic, 1915b: 11 A: XIZ **ORR**
reducta Pic, 1927b: 31
niisatoi Han, 2017: 221 A: TAI
nishidai Hayashi & Makihara, 1981: 196 A: NP SD
obscurata Pesarini & Sabbadini, 2015: 50 A: YUN
ogatai Mitono, 1942: 91 A: TAI
parvipilosa Holzschuh, 2018a: 88 A: XIZ
patkaina Gahan, 1906a: 272 A: GUX HAI YUN **ORR**
multiinterrupta Pic, 1923b: 10
paucis Holzschuh, 1992b: 34 A: YUN **ORR**
phiale Gahan, 1906a: 273 A: HAI **ORR**
pieli Gressitt, 1940b: 79 A: HAI HKG #400
pingana Pic, 1926b: 1 A: CH
placida Pascoe, 1858: 240 A: GUA HAI SCH SD YUN **ORR**
pictiventris Gressitt, 1939a: 40
praeusta Lameere, 1890: ccxii A: NP
pseudobinhensis Gressitt & Rondon, 1970: 249 A: YUN **ORR**
puella Viktora, 2019c: 195 A: SCH
puncticollis Holzschuh, 1992b: 34 A: YUN **ORR** #400
quadrinaculata quadrinaculata Pic, 1923b: 10 A: NP YUN **ORR**
quadrinaculata subobliterata Pic, 1930b: 17 A: YUN
querciphaga Holzschuh, 1984c: 364 A: NP SD YUN #400
quercus Gardner, 1940: 222 A: YUN **ORR**
rybniceki Holzschuh, 1992b: 30 A: YUN **ORR** #176
seminuda Viktora, 2016a: 140 A: SCH
sharmai Holzschuh, 1990: 192 A: NP
squamulifera Holzschuh, 2016a: 93 A: SCH SHA
steinkae Holzschuh, 1991a: 16 A: YUN **ORR**
subvarinaculata Gressitt & Rondon, 1970: 236, 245 A: YUN **ORR** #400
tenerrima Holzschuh, 1991a: 13 A: YUN **ORR**
testaceiceps Pic, 1915b: 11 A: TAI
araneipes Schwarzer, 1925a: 28
pallida Schwarzer, 1925a: 29
testaceicolor Pic, 1920d: 16 A: TAI
theryi Pic, 1900i: 18 (*Clytus*) A: HEB NMO SHG
unigena Holzschuh, 1993: 37 A: YUN **ORR** #42
ustulatula Holzschuh, 2006b: 299 A: SHA
virens Matsushita, 1931c: 402 A: TAI #400
formosana Mitono, 1936: 424
notabiloides Gressitt, 1936: 96
virgo Viktora et Tichý, 2016: 66 A: YUN
weigeli Holzschuh, 2003b: 306 A: NP
xenisca Bates, 1884a: 229 (*Clytanthus*) A: JA
zonalis Holzschuh, 2016a: 96 A: XIZ

genus *Sclethrus* Newman, 1842a: 247 type species *Ibidion amoenum* Gory, 1833 #427 #523
Neocollyroides Schultze, 1920:196 type species *Neocollyroides macgregory* Schultze, 1920
stenocylindrus Fairmaire, 1895: 184 A: CHQ GUA GUX HAI HUN SHA YUN **ORR** #60 #225

genus *Sinoclytus* Holzschuh, 1995: 37 type species *Sinoclytus emarginatus* Holzschuh, 1995
emarginatus Holzschuh, 1995: 37 A: YUN

genus *Teratoclytus* D.W. Zaitzev, 1937: 213 type species *Teratoclytus plavilstshikovi* D.W. Zaitzev, 1937 #764
changi Hayashi, 1983: 38 A: TAI
plavilstshikovi D.W. Zaitzev, 1937: 213 A: FE JA ?NC NE SC SHX #764
hasegawai K. Ohbayashi, 1941b: 221 (*Epiclytus*)
simplicior Holzschuh, 1992b: 20 A: SHA

genus *Xylotrechus* Chevrolat, 1860d: 456 type species *Clytus sartorii* Chevrolat, 1860
subgenus *Kostinichlytus* Danilevsky, 2009a: 211 type species: *Xylotrechus zaisanicus* Plavilstshikov, 1940
alakolensis Karpiński & Szczepański, 2018: 256 A: KZ
arnoldii arnoldii Kostin, 1974: 647 A: KZ
arnoldii tenebrosus Shapovalov, 2014: 246 A: KZ
katerinae Shapovalov, 2014: 249 A: KZ

medvedevi Danilevsky, 2009a: 216 A: MG
volkovitshi Shapovalov, 2014: 251 A: TR
zaisanicus Plavilstshikov, 1940a: 354 A: KZ
subgenus *Ootora* Niisato & Wakejima, 2008: 442 type species *Clytus villioni* Villard, 1892 #636
 [khampaseuthi khampaseuthi Holzschuh, 2007: 244 – Laos]
khampaseuthi shibatai Niisato & Wakejima, 2008: 457 A: GUX
magnificus Pic, 1922c: 12 A: GUX HAI YUN **ORR** #400
multiimpressus Pic, 1911d: 19 A: YUN
villioni Villard, 1892: li (*Clytus*) A: FE (Kunashir) JA
nipponicus Seki, 1935a: 92
subgenus *Rusticoclytus* Vives, 1977: 130 type species *Leptura rustica* Linnaeus, 1758 #636
adpersus Gebler, 1830: 181 (*Clytus*) A: ES FE HEI JA KZ MG NC NMO WS XIN #63
decemmaculatus Pic, 1917g: 5
pantherinus Savenius, 1825: 65 (*Clytus*) E: AU **BU** ?BY CT CZ FI FR GE HU IT **LA** LT NT PL RO **SB** SK ST SV SZ A: ES FE KZ MG
 WS XIN #505 #752
apicenotatus Pic, 1902e: 16
jakowlewi Semenov, 1899b: 134 (*Clytus*)
moei C. G. Thomson, 1874: 552 (*Platynotus*)
rusticus Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT **KZ** LA LT LU MC MD ME NR
 NT PL PT RO SB SK SL SP ST SV SZ **TR** UK N: AG MO A: AB AR ES FE GG HEI **JA** JIA JIL IN KZ LIA MG NC NMO SC TD TM
 TR WS XIN
apiceocellatus Schmidt, 1951: 13
atomarius Fabricius, 1793: 332 (*Callidium*)
basinotatus Pic, 1934e: 20
brevetestaceus Pic, 1934e: 20
confusus Herbst, 1784: 98 (*Callidium*)
fauconneti Pic, 1934e: 20
hafniensis Fabricius, 1775: 190 (*Callidium*)
heros Ganglbauer, 1882: 138 (*Clytus*)
liciatius Linnaeus, 1767: 636 (*Cerambyx*)
longipes Villers, 1789: 256 (*Cerambyx*)
maculatus Gmelin, 1790: 1877 (*Leptura*)
octonotatus Gmelin, 1790: 1846 (*Cerambyx*)
omega Rossi, 1790: 154 (*Callidium*)
oo Schrank, 1781a: 162 (*Leptura*)
signatus Geoffroy, 1785: 81 (*Leptura*)
subuniformis Pic, 1902e: 15
variegatus Geoffroy, 1785: 79 (*Leptura*)
villosolavomaculatus Goeze, 1777: 507 (*Leptura*)
viturati Pic, 1934e: 20
salicis Takakuwa & Oda, 1978: 49 A: ES FE JA ?MG NC NE SC #400
nadezhdae Tsherepanov, 1982a: 63
subgenus *Turanoclytus* Sama, 1994e: 325 type species *Clytus namanganensis* Heyden, 1885 #400
asellus Thieme, 1881: 99 (*Clytus*) A: KI KZ TD TM UZ XIN
grumi Semenov, 1889a: 402 (*Clytus*)
ilamensis campadellii Sama & Rapuzzi, 2003: 92 A: IN
ilamensis hadullai Danilevsky, 2010f: 4 A: AR IN #517
ilamensis ilamensis Holzschuh, 1979a: 115 A: IN
ilamensis magnanii Rapuzzi & Sama, 2018: 14 (*Turanoclytus*) A: TR
ilamensis ozdikmeni Rapuzzi & Sama, 2018: 16 (*Turanoclytus*) A: TR
ilamensis zuvandiensis Lazarev, 2016d: 13 A: AB IN **ST** #578
namanganensis Heyden, 1885a: 297 (*Clytus*) A: AF KI KZ TD TM UZ XIN
bucharensis Semenov, 1893: 501 (*Clytus*)
namaganensis Heyden, 1885a: 297 (*Clytus*) [wrong original spelling]
subcrucifer Pic, 1903a: 4
raghidae Sama & Rapuzzi, 2000: 14 A: IS LE
sieversii baiocchii Rapuzzi & Sama, 2018: 11 (*Turanoclytus*) [Şirnak] A: TR
sieversii deyrollei Pic, 1897d: 219 (*Clytus*) [Trebizonde] A: TR #209
akbesianus Pic, 1902e: 17 [Akbés] #209
sieversii sieversii Ganglbauer, 1890: 429 (*Clytus*) [Kasikoporan] A: AB AR GG IN TR
subgenus *Xyloclytus* Reitter, 1913a: 46 type species *Clytus chinensis* Chevrolat, 1852 #636
altaicus Gebler, 1836: 342 (*Clytus*) E: CT A: ES FE KZ MG NE NC NMO WS #63
popovii Mannerheim, 1849: 241 (*Clytus*)
chinensis chinensis Chevrolat, 1852: 416 (*Clytus*) Ei: FRi GRi SPi A: ANH **BEI** ?FE FUJ GAN GUA GUX HEB HEN HKG HUB JA JIA
 JIX LIA NC SC SCH SHA SHN SHX XIZ ZHE #60 #267
griseofasciatus Pic, 1943b: 1
kurosawai Fujita, 2010: 34 #524 #736
laterufescens Pic, 1913a: 19 (*Xyloclytus*)

chinensis kobayashii Fujita, 2010: 34 **A: JA**
sauteri Schwarzer, 1925a: 26 **A: TAI**
sekii Matsushita, 1936: 146 **#524 #598**
subgenus *Xylotrechus* Chevrolat, 1860d: 456 type species *Clytus sartorii* Chevrolat, 1860 **#429 #523**
Fulvotrechus Zamoroka, 2021: 205 type species *Xylotrechus stebbingi* Gahan, 1906 **#636**
Hieroglyphotrechus Zamoroka, 2021: 205 type species *Clytus antilope* Schönherr, 1817 **#636**
Igneotrechus Zamoroka, 2021: 205 type species *Xylotrechus pyrrhoderus* Bates, 1873 **#636**
Spinotrechus Zamoroka, 2021: 204 type species *Clytus grayii* White, 1855 **#636**
albolatifasciatus Makihara, 1979: 152 **A: JA (Ryukyus) #734**
antilope antilope Schoenherr, 1817a: 465 (*Clytus*) **E: AL AU BH BU BY CR CT CZ DE FR GE GR HU IT LT MD ME NL NR PL PT RO #481**
SB SK SL SP ST SV SZ TR UK A: CY TR
lento Paulian, 1986: 96
hieroglyphicus Drapiez, 1819b: 294 (*Callidium*) [HN]
sekerai Paulian, 1986: 95
antilope bilisiensis S.Marklund & D.Marklund, 2013: 7 **A: AB AR GG TR #316**
antilope obliquefasciatus Pic, 1890a: 3 (*Clytus*) **N: AG MO TU**
apiceinnotatus Pic, 1937b: 8 **A: YUN XIZ ORR**
vomeri Pesarini & Sabbadini, 2015: 47
arunensis Holzschuh, 1982b: 151 **A: NP**
arvicola arvicola Olivier, 1800: 64 (*Callidium*) **E: AL AU BE BH BU ~~BY~~ CR ~~CT~~ CZ EN FR GE GR HU IT KZ LA LT LU MC MD ME NL #373 #752**
PL PT RO SB SK SL SP ~~ST~~ SZ TR UK N: AG MO
abbreviatus Schmidt, 1951: 14
herzegovinus Pic, 1913b: 98
heydeni Stierlin, 1864: 152 (*Clytus*)
inbasalis Pic, 1911a: 6
kraatzii Lederer, 1864: 485 (*Clytus*)
subangulosus Pic, 1934e: 21§
tridentatus Bleuse, 1905: 21 (*Clytus*)
arvicola iranicus Rapuzzi & Sama, 2014a: 7 **A: AB IN #106**
arvicola lazarevi Danilevsky, 2016b: 171 **E: ST A: AB AR GG IN ?SY TR**
arvicola planarius Danilevsky, 2016b: 169 **E: CT KZ ST UK A: KZ WS**
atronotatus angulithorax Gressitt, 1934: 165 **A: HUB JA (Ryukyus)**
atronotatus atronotatus Pic, 1917h: 11 **A: FUJ HAI JIL LIA TAI #400 #525**
aureobrunneus Gressitt, 1934: 166 **#347**
cinerascens Matsushita, 1933b: 268
formosanus Schwarzer, 1925a: 26 **#347**
atronotatus draconiceps Gressitt, 1951a: 240 **A: GUA JIX**
atronotatus generosus Matsushita, 1933b: 270 **A: JA (Ryukyus)**
badachschanicus Tippmann, 1958a: 48 **A: AF**
bandaishanus Mitono, 1941a: 92 **A: TAI #347**
basifuliginosus Heller, 1926: 23 **A: HP NP**
bilyi Holzschuh, 2003a: 199 **A: YUN ORR**
binotaticollis Gressitt, 1939a: 36 **A: GUA**
boreosinicus Gressitt, 1951a: 241 **A: HUB SHA**
brevicillus Chevrolat, 1863: 323 **A: CH**
buqueti Laporte & Gory, 1841: 86 (*Clytus*) **A: FUJ GUA GUX HAI HUN JIX NP SHA XIZ YUN ORR #75**
brevicornis Pascoe, 1869a: 608
phidias Newman, 1842a: 246 (*Clytus*)
siamensis Chevrolat, 1863: 318
capricornus Gebler, 1830: 182 (*Clytus*) **E: AU CT CZ KZ PL SK ST(Saratov) UK A: KZ WS**
chatterjeei Gardner, 1940: 219 (*Perissus*) **A: HAI ORR #415**
chhetrii Holzschuh, 1989c: 396 **A: BT #344**
chujoi chujoi Hayashi, 1960d: 24 **A: JA (Ryukyus)**
chujoi ishigakianus K. Ohbayashi, 1964: 22 (*Perissus*) **A: JA (Ryukyus)**
tinsunshi K. Ohbayashi & N. Ohbayashi, 1965: 3 (*Clytus*)
clarinus Bates, 1884a: 231 **A: FE JA**
cuneipennis Kraatz, 1879c: 110 (*Clytus*) **A: ES FE HEB HEI HEN HUB JA JIL LIA MG NC SC XIN**
albifilis Bates, 1884a: 232
decolor Thieme, 1881: 101 (*Clytus*)
jilinensis Z. Wang, 2003: 237, 395
pallidipennis Matsumura, 1906: 154
dao Gressitt & Rondon, 1970: 206 **A: GUX YUN ORR**
deletus Lameere, 1893a: 282 **A: HKG ORR #400**
dembai Viktora, 2020c: 142 **A: AP**
diversesignatus Pic, 1908f: 15 **A: SCH XIZ YUN #400**
djoukoulanus Pic, 1920d: 18 **A: YUN**
dominula White, 1855: 261 (*Clytus*) **A: BEI FUJ GUA HEN NO ZHE #598**

emaciatius Bates, 1884a: 231 A: JA #400
nijimai Matsushita, 1933b: 277 (*Perissus*)
 [gestroi *gestroi* Gahan, 1894: 19 – Burma]
gestroi laosensis Gessitt & Rondon, 1970: 201 A: NP **ORR**
goetzi Heyrovský, 1970a: 131 A: GAN
grayii grayii White, 1855: 261 A: **BEI** FUJ GAN GUA GUI **HKG** HEB HEN HUB HUN JA JIA **LIA** NE SC SCH SHA **SHG** SHN **TAI**-XIZ
 YUN #598 #636
grayii hachijoensis Takakuwa, 1984: 10, 317 A: JA (Izu Isls.) #636
grayi nakamurai Fujita, 2017: 48 A: JA (Ryukyus) #636
grayii tsuyukii Fujita, 2023: 22 A: **TAI**
grayii yaeyamanus Takakuwa, 1984: 10 A: JA (Ryukyus) **TAI**
bisiniapicalis Takakuwa, 1984: 317
hampsoni Gahan, 1890a: 54 A: BT UP **ORR** #336 #344
unicarinatus Pic, 1917b: 20
hircus Gebler, 1825: 54 (*Clytus*) A: **BEI** ES FE HEB **HEI** JA JIL KZ **LIA** MG ?NC NMO SC WS **XIN** #598
decolor Thieme, 1881: 101 (*Clytus*)
ibex Gebler, 1825: 53 [**Altaj**] (*Clytus*) - E: ?**BY** CT FI **GE** NT PL ST **KZ** A: **BEI** KZ **LIA** MG NC NE NIN NMO SC SHA WS **XIN** #598
 #752 #786
angulosus Motschulsky, 1875: 150 [environs du Lac Inderskoe près de l'Oural] (*Clytus*) -
incurvatus contortus Gahan, 1906a: 249 A: BT FUJ GUA GUX HUB HUN NP SCH SD SHA **ORR** #336 #344 #390
unicarinatus Pic, 1917b: 20
biarcuatus Pic, 1917d: 6
incurvatus incurvatus Chevrolat, 1863: 331 (*Amauresthes*) A: ?BT FUJ GAN GUA HEB **HKG** HUN ?NP SC (Mt. Soyosan) SCH ?SD **TAI**
 XIZ YUN **ORR** #60 #63
inflexus Viktora & Liu, 2018c: 110 A: GUX
janbar Niisato & N. Ohbayashi, 2002: 34 A: JA (Ryukyus) #734
javanicus Laporte & Gory, 1841: 87 (*Clytus*) A: AP GUA GUX HAI HEN HUB HUN JIA NP SCH YUN ZHE **ORR** #280 #390
coffeophagus G. Richter, 1876: 250 (*Cucujus*)
lyratus Pascoe, 1869a: 610
quadripes Chevrolat, 1863: 315
sappho Pascoe, 1858: 239 (*Clytus*)
kayoensis Mitono & Kira, 1934: 589 A: **TAI**
klapperichi Gressitt, 1951a: 245 A: **FUJ**
kosempoensis Heyrovský, 1955b: 259 A: **TAI**
kuatunensis Gressitt, 1951a: 246 A: **FUJ** GUI YUN
kucerai Viktora, 2021a: 173 A: **SHA**
latefasciatus latefasciatus Pic, 1936c: 4 A: **FUJ** HUN JIX **TAI** ZHE
serraticornis Mitono, 1941a: 101
latefasciatus ochroceps Gressitt, 1951a: 247 A: **CHQ** SCH SHA **XIN** XIZ #400
lateralis Gahan, 1906: 244 A: XIZ YUN **ORR**
fracturis Guo & L. Chen, 2002c: 256
junctus Pic, 1927b: 34
multisignatus Pic, 1916h: 314
quadrisignatus Pic, 1927b: 34
triangulifer Pesarini & Sabbadini, 2015: 46
lautus fujitai Takakuwa, 1984: 10 A: JA (Ryukyus)
lautus lautus Matsushita, 1933b: 273 (*Clytus*) A: JA
lepesmei Pic, 1950e: 508 A: NP SD
difformis Holzschuh, 1983: 369
liciatulus Holzschuh, 2006c: 483 A: SD
longithorax Pic, 1922c: 13 A: HAI NP YUN **ORR** #400
marketae Viktora & Liu, 2018c: 112 A: YUN
mixtus Plavilstshikov, 1940a: 360 A: FE
monticola Gahan, 1906a: 251 (*Clytus*) A: KA PA XIZ YUN
mucidulus Holzschuh, 2009a: 330 A: SHA **ORR** #225
multinotatus Pic, 1904c: 11 A: YUN
nigrosulphureus Gressitt, 1940b: 69 A: HAI
ogasawarensis Matsushita, 1933: 43 A: JA (Ogasawara Isls.)
pavlovskii Plavilstshikov, 1954: 471 A: FE ?NC SC
pekingensis Pic, 1939b: 3 A: **BEI** HEB NC SC SHA #598
sangkyuni Fujita, 2023: 21 (South Korea) #719
petrae Viktora, 2020c: 150 A: **SCH**
pici Heyrovský, 1935b: 115 A: **SCH**
polyzonus Fairmaire, 1888b: 143 (*Clytus*) A: **BEI** FE **GUA**-HEB HUB **LIA** NC SC SHA **YUN** #400
bifenstratus Pic, 1916g: 180 #598
jeholensis Kano, 1935: 5
pyrrhoderus nigrosternus Gressitt, 1939a: 38 A: GUA HEN

pyrrhoderus pyrrhoderus Bates, 1873: 200 A: ANH BEI CHQ FUJ GAN GUA GUI HUB JA JIA JIL JIX LIA NC SC SCH SHA SHG SHN SHX ZHE #598 #779
quattuordecimmaculatus Guo & L. Chen, 2002c: 256 A: YUN
rectangulus Motschulsky, 1875: 149 [Daourie méridionale] (*Clytus*) A: BEI ES FE FUJ GAN HEI HUN JIL LIA MG NC NE NIN NMO SC SHA WS XIN #786
fugitivus Thieme, 1881: 100 [Amur] (*Clytus*)
interruptus Pic, 1902e: 17, 19 [Sibérie, ?Japon]
reductemaculatus ohtsuboi Fujita, 2010: 35 A: JA (Ryukyus)
reductemaculatus reductemaculatus Hayashi, 1968c: 14 A: JA (Ryukyus)
retractus Holzschuh, 1998: 44 A: SHA
robusticollis Pic, 1936c: 4 (*Clytus*) A: BEI GUI HEB HUB HUN JIX LIA SCH SHA #400 #598
rufilius kadowakii Nakane, 1981: 39 A: JA (Oki Is.)
rufilius rufilius Bates, 1884a: 233 A: BEI CHQ FE FUJ GUA GUI GUX HAI HEB HEI HEN HKG HUB HUN JA JIL JIX LIA NC SC SCH SHA SHN SHX TAI YUN ZHE ORR #598
atrithorax Pic, 1910g: 30
decoloratipes Pic, 1910g: 30
gahani Stebbing, 1914: 352
irinae Plavilstshikov, 1925: 360
magnicollis Fairmaire, 1888a: 34 (*Clytus*) #732
renominatus Beeson, 1919: 151
rufoapicalis Pic, 1926b: 1 A: YUN
rufobasalis Pic, 1937b: 7 A: HUB YUN ORR #400
rufonotatus Gressitt, 1936: 94 A: TAI
savioi Pic, 1935g: 177 A: GUI HEN HKG HUN YUN ZHE #400
securus Holzschuh, 2009a: 323 A: GUI ORR #623
tristisfacies Sh. Yang & W. Yang, 2017: 82
shinomurai Ikeda, 1994: 353 A: TAI
sikangensis Gressitt, 1942b: 3 A: GUI SCH SHA
smei Laporte & Gory, 1841: 37 (*Clytus*) A: AF BT IS NP PA SD ORR #274 #280 #390 #439
stebbingi Gahan, 1906a: 244 Ei: ALi BUi CRi FRi GEi GRi ITi PTi SLi SPi SZi N: TUi A: AF BT ISi LEi NP PA SD SYi TAI TD TRi UP XIN #74 #117 #127 #189 #400 #464 #505
XIZ ORR
subcarinatus Gardner, 1939: 8 A: NP UP
subdepressus Chevrolat, 1863: 329 (*Amauresthes*) A: NP SD
subditus Chevrolat, 1863: 314 A: KA
subscalaris basalis Schwarzer, 1925a: 25 A: HAI TAI #347
subscalaris subscalaris Pic, 1917h: 11 A: SC (Jejudo Is.) #347 #525
subscutellatus Chevrolat, 1863: 317 A: HP UP ORR #127
insipiens Chevrolat, 1863: 321
putzeyi Chevrolat, 1863: 320 #127
sangkyuni Fujita, 2023: 21 A: SC
suzukii Holzschuh, 1984c: 356 A: TAI
takakuwai Kusama, 1977: 17 A: JA (Ogasawara Isls.)
tanoni Gressitt & Rondon, 1970: 208 A: YUN ORR
vinnulus Holzschuh, 1993a: 35 A: YUN ORR
wenii Han & Niisato, 2010: 249 A: TAI
yanoi Gressitt, 1934: 164 A: BEI GUI ?HEB JA NMO SC ?SHA ORR #598 #719
zebratus Matsushita, 1938a: 93 A: JA
zhouchaoi Viktora & Liu, 2018c: 114 A: YUN
subgenus ???
gratus Viktora, 2020c: 146 A: SCH

tribe Compsocerini J. Thomson, 1864: 260

genus *Acrocyrtidus* Jordan, 1894b: 499 type species *Acrocyrtidus fasciatus* Jordan, 1894
subgenus *Acrocyrtidus* Jordan, 1894b: 499 type species *Acrocyrtidus fasciatus* Jordan, 1894
Lautitia Matsushita, 1933b: 226 type species *Lautitia elegantula* Matsushita, 1933
Mausaridaeus Pic, 1903c: 29 type species *Mausaridaeus diversinotatus* Pic, 1903
argenteofasciatus Pic, 1903c: 30 (*Mausaridaeus*) A: HAI ORR #444
diversinotatus Pic, 1903c: 30 (*Mausaridaeus*) #400
argenteus Gressitt & Rondon, 1970: 189 A: HAI HUN YUN ORR #443
attenuatus Pic, 1927b: 29 (*Mausaridaeus*) A: HAI ORR #400
aureescens Gressitt & Rondon, 1970: 186 A: YUN ORR #400
auricomus Holzschuh, 1982a: 70 A: NP
avarus Holzschuh, 1989a: 165 A: HUN YUN ORR #400

~~*aurescens* Gressitt & Rondon, 1970: 186 A: YUN **ORR** #289~~
elegantulus elegantulus Matsushita, 1933b: 226 (*Lautitia*) A: TAI
longipes Matsushita, 1941: 152 (*Mausaridaeus*) #450
elegantulus longicornis Hayashi, 1962a: 10 A: JA
fulvus Gressitt & Rondon, 1970: 186, 188 A: HAI **ORR** #261
jianfeng Viktora & Liu, 2018: 122 A: HAI
simianshanensis Chiang & L. Chen, 1994: 107 A: CHQ SCH #400
wenxinae Holzschuh, 2021a: 98 A: GUX

genus *Eduardiella* Holzschuh, 1993a: 32 type species *Eduardiella pretiosa* Holzschuh, 1993
dayaoshana Niisato & Liu, 2018: 275 A: GUX
pretiosa Holzschuh, 1993a: 32 A: YUN

genus *Eurybatus* J. Thomson, 1861: 233 type species *Eurybatus hariolus* J. Thomson, 1861 #400
subgenus *Eurybatodes* Semenov, 1911: 121 type species *Rosalia bouvieri* Boppe, 1910
bouvieri Boppe, 1910: 235 (*Rosalia*) A: SCH XIZ YUN
subgenus *Eurybatus* J. Thomson, 1861: 233 type species *Eurybatus hariolus* J. Thomson, 1861
Eurybatorosalia Plavilstshikov, 1934a: 142 type species *Rosalia lesnei* Boppe, 1911
decempunctatus Westwood, 1848: 59 (*Purpuricen*) A: AP GUA GUI GUX HAI HUB SD XIZ YUN "North India" **ORR** #280
insulanus Kriesche, 1920b: 112 (*Rosalia*)
dejeani Vuillet, 1911b: 247 (*Rosalia*) A: SCH
ferriei Vuillet, 1911a: 79 (*Rosalia*) A: JA (Ryukyus)
formosus convivus Csiki, 1911: 612 (*Rosalia*) A: TAI
formosus formosus Saunders, 1839: 178 (*Cerambyx*) A: AP NP SD XIZ **ORR** #280
formosus nigroapicalis Pic, 1910g: 36 A: YUN #400
formosus pallens Gressitt, 1945a: 124 (*Rosalia*) A: GUI GUX HUB HUN SCH **ORR** #400
gravidus Lameere, 1887: 166 (*Rosalia*) A: XIZ SD "Himalaya" **ORR**
hariolus J. Thomson, 1861: 250 A: BT NP SD
nakanishii Hayashi & Makihara, 1981: 189 (*Rosalia*)
kubotai Takakuwa, 1994: 2 (*Rosalia*) A: GUX HAI **ORR**
lateritius Hope, 1831: 27 (*Lamia*) A: AP NP SD XIZ **ORR** #280
lesnei Boppe, 1911b: 103 (*Rosalia*) A: JA TAI
asahinai Mitono, 1943: 587
pachycornis Takakuwa & Karube, 1997: 8 (*Rosalia*) A: YUN **ORR**

genus *Luteicen* Pic, 1922: 25 type species *Purpuricen* *atromaculatus* Pic, 1922
Latecyrtidus Vives & Niisato, 2011: 359 type species *Latecyrtidus yamasakoi* Vives & Niisato, 2011
atromaculatus Pic, 1922: 25 (*Purpuricen*) A: YUN **ORR**
yamasakoi Vives & Niisato, 2011: 105 (*Latecyrtidus*)
cheni Holzschuh, 2019b: 92 A: GUX
congruus Holzschuh, 2019b: 93 A: GUX
magnificus Rapuzzi & Sama, 2014a: 6 A: GUX

genus *Platycyrtidus* Vives & Niisato, 2011: 364 type species *Acrocyrtidus delicatulus* Holzschuh, 2009
yinghunii Viktora & Liu, 2018: 139 A: HAI

genus *Pseudocallidium* Plavilstshikov, 1934f: 226 type species *Pseudocallidium violaceum* Plavilstshikov, 1934
obscuriaeneum Hayashi, 1969a: 62 A: TAI
violaceum Plavilstshikov, 1934f: 226 A: SCH SHA #225

genus *Rosalia* Audinet-Serville, 1834a: 561 type species *Cerambyx alpinus* Linnaeus, 1758
Charmides Gistel, 1848b: [2] [unnecessary substitute name]
alpina Linnaeus, 1758: 392 (*Cerambyx*) E: AL AU BH BU ~~BY~~ CR CT CZ FR GE GR HU IT LS MA MC MD ME NL PL RO SB SK SL SP
ST SV SZ TR UK A: AB AR GG TR WS #701 #752 #796
bifasciata Reitter, 1900b: 131
brancsiki Pic, 1911a: 5
bystricensis Roubal, 1937: 82
cepelaki Pic, 1933d: 6
connexa Reitter, 1900b: 131
croissandeau Pic, 1891b: 22
gelineki Zoufal, 1906: 264
geminata Reitter, 1900b: 131
interrupta Reitter, 1900b: 131
korbeli Roubal, 1937: 82
kyselyi Zoufal, 1906: 264
latemaculata T. Pic, 1908h: 33
multimaculata T. Pic, 1900a: 12

obliterata T. Pic, 1900a: 12
parvonotata Reitter, 1900b: 132
prolongata Reitter, 1900b: 131
pilosa Poda von Neuhaus, 1761: 32 (*Cerambyx*)
quadrimaculata Ragusa, 1905: 8
quadripunctata Reitter, 1901d: 202
transsylvanica Pic, 1908g: 20
triformis Roubal, 1937: 81
v-notata T. Pic, 1908: 33
uzunkumensis Podaný, 1963a: 10
batesi Harold, 1877: 360 A: JA #525
coelestis Semenov, 1911: 118 A: BEI FE GUA GUX HEB HEI HEN JIL NC SC SCH SHA SHN XIZ #400 #525
houlberti Vuillet, 1911b: 215 #400
yanagii Fujita & Akita, 2020: 43 [Tsushima Is.] #517 #736
lameerei Brongniart, 1890: cxxi A: GUX SCH YUN ORR
bireducta Dayrem, 1935: 25
quadrinotata Dayrem, 1935: 25
semireducta Pic, 1910g: 30
unireducta Pic, 1937a: 11
syriaca Pic, 1895e: cclxxxv A: TR #796

tribe Deilini Fairmaire, 1864

genus *Deilus* Audinet-Serville, 1834b: 73 type species *Callidium fugax* Olivier, 1790
Dilus Agassiz, 1846: 124 [unjustified emendation]
fugax Olivier, 1790: 253 (*Callidium*) E: AL AU BE BH BU BY CR CT CZ FR GR HU IT KZ LU MD ME PL PT RO SK SL SP ST SZ UK #11
 N: AG MO LB TU A: AB AR CY GG IN IS JO KZ LE SY TR WS
ceramboides Rossi, 1794: 99 (*Necydalis*)
rugosicollis kadleci Rapuzzi & Sama, 2012a: 667 A: CY
rugosicollis rugosicollis Rapuzzi & Sama, 2012a: 667 A: LE TR SY IS #182

genus *Delagrangaeus* Pic, 1892q: xciii type species *Delagrangaeus angustissimus* Pic, 1892
subgenus *Delagrangaeus* Pic, 1892q: xciii type species *Delagrangaeus angustissimus* Pic, 1892
Edithia Reitter, 1899: 160 type species *Edithia carbonaria* Reitter, 1899 (= *Delagrangaeus angustissimus* Pic, 1892)
Mimophymatodes Pic, 1920e: 21 type species *Mimophymatodes asiaticus* Pic, 1920 (= *Delagrangaeus angustissimus* Pic, 1892)
angustissimus angustissimus Pic, 1892q: xciii A: TR
asiaticus Pic, 1920e: 21 (*Mimophymatodes*)
carbonarius Reitter, 1899: 160 (*Edithia*)
angustissimus liviae Pesarini & Sabbadini, 2004a: 93 E: GR (Rodas)
angustissimus troodi Sama, 1994f: 556 A: CY LE
subgenus *Gertius* Sama, 1994f: 557 type species *Delagrangaeus schurmanni* Sama, 1985
schurmanni Sama, 1985c: 97 N: CI

genus *Prosype* J. Thomson, 1864: 248 type species *Oeme filiformis* Buquet, 1859
juniperi Holzschuh, 1993b: 120 A: SA YE

tribe Graciliini Mulsant, 1839

genus *Arabogracilia* Rapuzzi & al Dhafer, 2024: 332 type species *Arabogracilia saudita* Rapuzzi & al Dhafer, 2024
saudita Rapuzzi & al Dhafer, 2024: 188 A: SA

genus *Axinopalpis* Dejean, 1835: 332 type species *Obrium gracile* Krynicki, 1832
Axinuchus Gemminger, 1872: 2840 [unnecessary RN]
alberti Sama, Rapuzzi & Kairouz, 2010: 148 A: LE
barbarae barbarae Sama, 1992b: 303 A: CY
barbarae consobrinus Sama, 1992b: 303 A: CY
gracilis christinae Rapuzzi, 1995: 618 E: GR
gracilis diversicornis Özdikmen & Koçak, 2023a: A: TR
gracilis gracilis Krynicki, 1832: 162 (*Obrium*) E: AL AU BH BU CR CT ~~CR~~ CZ GE GR HU IT ~~LA~~ ~~LT~~ MC MD ME PL RO SB SK SL ST
 UK A: GG IS SY TR #7 #557
laticornis Pic, 1896b: 35

genus *Gracilia* Audinet-Serville, 1834b: 81 type species *Callidium pygmaeum* Fabricius, 1793 (= *Saperda minuta* Fabricius, 1781)
Aphelocera Gistel, 1848b: [2] type species *Callidium vini* Panzer, 1799 (= *Saperda minuta* Fabricius, 1781)
Nothrus Haldeman, 1847: 43 type species *Nothrus fuscus* Haldeman, 1847 (= *Saperda minuta* Fabricius, 1781)
Oesyophila Bedel, 1894: 156 [RN] type species *Callidium pygmaeum* Fabricius, 1793 (= *Saperda minuta* Fabricius, 1781)
minuta Fabricius, 1781: 235 (*Saperda*) E: AL AU AZ BE BH BU CR CT CZ DE ?EN FI FR GB GE GR HU IR IT KZ ?LA LT LU MA MD
 ME NL NT NR PL PT RO SB SK SL SP ST SV ?SZ TR UK N: AG CI EG MO MR TU A: AB AR GG GUI HEN IN KZ NE NO NW
 SHA TR WS AURi NARi NTRi ORR #115 #104

albanica Csiki, 1931: 278
approximata Fairmaire, 1883b: clix
fusca Haldeman, 1847: 43 (*Nothrus*)
obliquata Horn, 1885: 174
picea Fabricius, 1793: 317 (*Saperda*)
pygmaea Fabricius, 1793: 323 (*Callidium*)
vini Panzer, 1799: 10 (*Callidium*)

genus *Hybometopia* Ganglbauer, 1889b: 282 type species *Hybometopia starcki* Ganglbauer, 1889
starcki ivani Sama, 1996c: 106 A: TR
starcki starcki Ganglbauer, 1889b: 285 E: ST A: GG TR

genus *Ischnorrhabda* Ganglbauer, 1889a: 61 type species *Ischnorrhabda macilenta* Ganglbauer, 1889
macilenta Ganglbauer, 1889a: 64 A: GAN SCH

#400 #525

genus *Lucasianus* Pic, 1891b: 42 type species *Cerambyx levaillantii* P. H. Lucas, 1847
levaillantii P. H. Lucas, 1847: pl. 41 (*Cerambyx*) E: FR PT SP N: AG MO

#778

genus *Nisibistum* J. Thomson, 1878a: 29 type species *Nisibistum kaisanum* J. Thomson, 1878
kaisanum J. Thomson, 1878a: 30 A: CH

genus *Penichroa* Stephens, 1839: 270 type species *Callidium fasciatum* Stephens, 1839

Exilia Mulsant, 1862: 195 type species *Callidium timidum* Ménétrés, 1832 (= *Callidium fasciatum* Stephens, 1831)
Graecoeme Adlbauer, 2006: 379 type species *Graecoeme eggeri* Adlbauer, 2006
Liagrica Costa, 1855: 59 type species *Callidium timidum* Ménétrés, 1832 (= *Callidium fasciatum* Stephens, 1831)
fasciata Stephens, 1831: 250 (*Callidium*) E: AL BH BU CR FR GR IT MA MC ME PT SB SL SP ST TR UK N: AG EG LB MO TU A: AB
AR CY GG IN IS SY TR
bipunctata Zubkov, 1833: 336 (*Callidium*)
brunnea Tourmier, 1872: 280 (*Exilia*)
champlaini Knull, 1941: 695 (*Tylonotus*)
eggeri Adlbauer, 2006: 381 (*Graecoeme*)
fagnezi Pic, 1945b: 6
fasciolata Krynicki, 1834: 170 (*Callidium*)
lugubris Ragusa, 1884: 333 (*Exilia*)
timida Ménétrés, 1832: 228 (*Callidium*)

tribe Hesperophanini Mulsant, 1839

subtribe Daramina Sama, 2008

genus *Daramus* Fairmaire, 1892a: 121 type species *Daramus serricornis* Fairmaire, 1892
major macrops Peyerimhoff, 1943: 27 (*Tetroptopsis*) N: AG LB MO TU
mehemii Sama, 1994d: 176
sahrawi Sama & Rapuzzi, 2008: 224
major major Pic, 1924c: 30 (*Tetroptopsis*) A: SI
serricornis Fairmaire, 1892a: 121 N: EG A: YE OM AFR

#774

subtribe Hesperophanina Mulsant, 1839

genus *Blabinotus* Wollaston, 1854: 425 type species *Blabinotus spinicollis* Wollaston, 1854
spinicollis Wollaston, 1854: 426 N: CI MR

genus *Gnatholea* J. Thomson, 1861: 375 type species *Gnatholea eburifera* J. Thomson, 1861
biseburata Mitono, 1939: 148 A: GUI JA (Ryukyus) TAI
loochooana K. Ohbayashi & N. Ohbayashi, 1965: 1
eburifera J. Thomson, 1861: 375 A: GUI GUX HAI HKG YUN ORR
simplex Gahan, 1890a: 53 A: AP SD ORR
subnuda Lacordaire, 1868: 284 A: YUN ORR

#400

#400

#280

#400

genus *Hesperoferus* Demelt, 1971: 6 type species *Hesperoferus canariensis* Demelt, 1971 (= *Callidium roridum* Brullé, 1839)
machadoi Sama & Schurmann, 1983: 61 (*Trichoferus*) N: CI
artemisiphagus Leiler, 1984: 155 (*Hesperophanes*)
roridus Brullé, 1839: 62 (*Callidium*) N: CI
canariensis Demelt, 1971: 5

genus *Hesperophanes* Dejean, 1835: 328 type species *Callidium sericeum* Fabricius, 1787
andresi Sama & Rapuzzi, 2006: 183 N: EG TU
heydeni Baeckmann, 1923: 66 A: KZ MG NMO UZ XIN
melonii Fancello & Cillo, 2012: 255 E: IT (Sardegna)

#778

pilosus Bodungen, 1908: 179 A: AB IN #766
sericeus Fabricius, 1787: 152 (*Callidium*) E: AL BH CR FR GR IT MA MC ME PT ?SB SP ST ?SZ UK N: AG EG LB MO TU A: AB AR
CY GG IN IQ IS JO LE SY TM TR #74 #115 #464
latreillei Brullé, 1832: 256 (*Callidium*)
rotundicollis P. H. Lucas, 1842: 185

genus *Jebusaea* Reiche, 1878b: cliii type species *Jebusaea hammerschmidti* Reiche, 1878

Bagdatocerambyx Pic, 1901c: 11 type species *Bagdatocerambyx drurei* Pic, 1901
Pseudophilus Gahan, 1893a: 256 type species *Pseudophilus testaceus* Gahan, 1893
hammerschmidti Reiche, 1878b: cliv A: AE IN IQ OM QA SA
drurei Pic, 1901c: 11 (*Bagdatocerambyx*)
persica Reitter, 1907b: 217
testacea Gahan, 1893a: 256 (*Pseudophilus*)

genus *Stromatium* Audinet-Serville, 1834b: 80 type species *Callidium barbatum* Fabricius, 1775

Solenophorus Mulsant, 1839: 65 type species *Callidium strepens* Fabricius, 1798 (= *Callidium unicolor* Olivier, 1800)
auratum Böber, 1793: 135 (*Saperda*) E: AL BH BU CR FR GE GR HU IT LA MA MC ME PT RO SB SL SP ST TR UK N: AG EG MO
MR TU LB A: AB AR CY GG IN IQ IS JO LE SY TM TR #290
fulvum Villers, 1789: 256 (*Cerambyx*) [HN]
inermis Tournier, 1872: 260
pallidum Zubkov, 1833: 336 (*Callidium*)
platifemur Chevrolat, 1882: 57 (*Hesperophanes*)
strepens Fabricius, 1798: 150 (*Callidium*)
unicolor Olivier, 1800: no. 70: 58 (*Callidium*) #373
barbatum Fabricius, 1775: 189 (*Callidium*) A: AP BT HP NP OM PA YE AFR AURi ORR #280 #291 #366
funestum Boisduval, 1835: 481 (*Callidium*)
tranquebaricum Gmelin, 1790: 1848 (*Cerambyx*)
variolosum Fabricius, 1798: 149 (*Callidium*)
longicornis Newman, 1842a: 246 (*Arhopalus*) A: FUJ GUA GUI GUX HAI HKG JA JIX LIA NMO NP SHN TAI YUN ZHE "North India"
NARi ORR #390
abeillei Pic, 1891b: 44 (*Hesperophanes*)
asperulum White, 1855: 300
granulatum Matsumura, 1927: 21 (*Criocephalus*)

genus *Tetropiopsis* Chobaut, 1899: 356 type species *Tetropiopsis numidica* Chobaut, 1899

numidica Chobaut, 1899: 357 N: AG MO TU
guldei Chobaut, 1905: 157

genus *Trichoferus* Wollaston, 1854: 427 type species *Trichoferus senex* Wollaston, 1854 (= *Trichoferus fasciculatus senex* Wollaston, 1854)

Hesperandrius Reitter, 1913a: 45 type species *Callidium griseum* Fabricius, 1793
antonioui Sama, 1994c: 40 A: CY
arenbergeri Holzschuh, 1995: 14 E: IT (Sardegna)
berberidis Sama, 1994c: 40 E: GR (Crete)
bergeri Holzschuh, 1982a: 66 E: GR (Crete)
campestris Faldermann, 1835: 435 (*Callidium*) Ei: AUi BEi BYi CTi CZi ENi FRi GBi GEi GRi HUi ITi LAi LTi MDi NLi PLi ROi SKi STi
SVi SZi UKi N: EG A: ABi ARi ANH ES FE GAN GUI HEB HEI HEN HP HUB HUN IN IQ IS JA JIA JIL JIX JO KI KZ LE LIA MG
NC NMO QIN SC SCH SHA SHN SHX SLi SVi SY TD TM UZ WSi XIN XIZ YUN ZHE NARi ORR #31 #353 #540
flavopubescens Kolbe, 1886: 219 (*Hesperophanes*)
rusticus Ganglbauer, 1887a: 133 (*Hesperophanes*)
turkestanicus Heyden, 1886b: 193 (*Stromatium*)
cisti Sama, 1987: 50 N: MO
cribricollis Bates, 1878b: 720 (*Hesperophanes*) A: KA PA SD
fasciculatus fasciculatus Faldermann, 1837: 266 (*Hesperophanes*) E: AL BU CR FR GR IT MA ME PT RO SB SP SZ UK N: AG EG LB
MO TU A: AB AR CY GG IN IQ IS JO LE SY TR #182
affinis P. H. Lucas, 1842: 186 (*Hesperophanes*)
elongatulus Pic, 1896b: 35 (*Hesperophanes*)
pubescens Pic, 1898a: 9 (*Hesperophanes*) - ["Tougourt" - Algérie]
pulverulentus Erichson, 1841: 188 (*Callidium*)
subnudus Dayrem, 1928a: 67 (*Hesperophanes*)
fasciculatus senex Wollaston, 1854: 428 N: CI MR
fissitarsis Sama, Fallahzadeh & Rapuzzi, 2005: 125 A: IN IQ TR
georgioui Sama & Makris, 2001: 166 A: CY
griseus Fabricius, 1793: 325 (*Callidium*) E: AL BH BU CR CZ FR GR IT MA ME PT RO SB SP ?ST TR UK N: AG EG LB MO TU A:
CY ?GG IQ IS JO LE SY TR #133
bimaculatus Billberg, 1817: 194 (*Clytus*)
decolor Pic, 1937c: 14 (*Hesperophanes*)
tomentosus P. H. Lucas, 1842: 186 (*Hesperophanes*) #577
guerryi Pic, 1916h: 314 (*Hesperophanes*) A: HEB HUB SCH SHA SHN YUN

holosericeus Rossi, 1790: 153 (*Callidium*) E: AL BH BU CR FR GR IT MA ME SB SL SP ST SZ UK N: AG EG LB MO TU A: AB AR GG TM TR IN #115
cinereus Villers, 1789: 256 (*Cerambyx*) [HN]
gavi, Winkler, 1929: 1143-~~FRN~~ [not RN by Plavilstshiov, 1921a] #739
nebulosus Olivier, 1790: 257 (*Callidium*)
ilicis Sama, 1987: 50 N: MO
ivoi Kadlec, 2005: 103 A: IN TR #583
kotschyi Ganglbauer, 1883b: 300 (*Hesperophanes*) E: GR (Samos) A: LE SY TR
lunatus Szallies, 1994: 261 (*Hesperophanes*) A: IN TR
maculatus Pu, 1991b: 249, 252 A: SCH
magnanii Sama, 1992c: 398 E: PT SP
pallidus Olivier, 1790: 256 (*Callidium*) E: AU BH BU CR CZ FR GE GR HU IT MD PL PT RO SB SK SP ST UK A: TR #583
mixtus Fabricius, 1798: 150 (*Callidium*)
sempustulatus Companyo, 1858: 571 (*Vesperus*)
sempustulatum Companyo, 1863: 792 (*Stromatium*)
preissi Heyden, 1894: 85 (*Hesperophanes*) A: TR
robustipes Holzschuh, 2003: 169 A: SHA
samai Kadlec & Rejzek, 2001: 296 A: TR
sbordonii Sama, 1982: 217 A: TR
semipunctatus Holzschuh, 2003: 170 A: BEI GAN HEN SC SHA #225 #355 #400
spartii G. Müller, 1948: 67 (*Hesperophanes*) E: AL CR GR IT A: TR #583

genus *Turcmenigena* Melgunov, 1893: 155 [= 1894: 35] type species *Turcmenigena warezowii* Melgunov, 1894
warezowii Melgunov, 1893: 155 [= 1894: 35] A: KZ TM UZ XIN
varentzovi Plavilstshikov, 1940a: 54 [unjustified emendation]

genus *Zoodes* Pascoe, 1867a: 319 type species *Stromatium maculatum* White, 1855

Cornutaemospila Pic, 1927b: 30 type species *Cornutaemospila piceosignata* Pic, 1927
basalis White, 1855: 304 (*Hesperophanes*) A: NP "Himalaya"
compressus Fabricius, 1787: 153 (*Callidium*) A: AE AF IN PA ORR #274
soraya Villiers, 1974a: 131 (*Gnatholea*)
formosanus Niisato, 1982: 41 A: TAI ORR
fulguratus Gahan, 1906a: 117 A: YUN ORR
piceosignatus Pic, 1927b: 20 (*Cornutaemospila*)
japonicus Hayashi, 1963b: 56 A: JA ORR
liturifer Walker, 1871: 18 (*Hesperophanes*) N: EG A: SA YE AFR
denticollis Fairmaire, 1891: 269 (*Gnatholea*)
picicornis Fairmaire, 1888c: 200 (*Gnatholea*)
maculatus White, 1855: 301 (*Stromatium*) A: HAI ORR

genus *Zygoferus* Sama, 2008: 223 type species *Trichoferus pubescens* Sama, 1987
pubescens Sama, 1987: 49 (*Trichoferus*) N: AG TU

tribe Hylotrupini Rose, 1983

#778

genus *Hylotrupes* Audinet-Serville, 1834b: 77 type species *Cerambyx bajulus* Linnaeus, 1758

Hylotrypes Gistel, 1856: 376 [unnecessary substitute name]
bajulus Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU AZ BE BU BH BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MA MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG CI EG LB MO MR SG TU A: AB AR CY GG IQ IS JO JIA LE SHG SY TR ?WS AFR AUR NAR NTR ORR #186
affinis Savenius, 1825: 63 (*Callidium*)
bullatus Haldeman, 1847: 36
caudatus DeGeer, 1775: 86 (*Cerambyx*)
inaequalis Casey, 1924: 233
incertus Casey, 1924: 234
kozirowiczii Desbrochers des Loges, 1873a: 429
latus Casey, 1924: 233
linneianus Laicharting, 1784: 69 (*Callidium*)
lividus Mulsant, 1839: 56
minutus Casey, 1924: 235
nematocerus Casey, 1924: 234
pedicellatus Casey, 1924: 235
puellus A. Villa & G. B. Villa, 1833: 36 (*Callidium*)
puncticollis Casey, 1924: 234
quadripunctatus Geoffroy, 1785: 82 (*Leptura*)
similis Marsham, 1802: 335 (*Cerambyx*)
syriacus Théry, 1896: 110
theresae Pic, 1924c: 26

tribe Molorchini Gistel, 1848

genus *Berndgerdia* Holzschuh, 1982a: 68 type species *Berndgerdia balteata* Holzschuh, 1982
balteata Holzschuh, 1982a: 68 A: NP UP

genus *Epania* Pascoe, 1858: 237 type species *Odontocera singaporensis* J. Thomson, 1857b #447
abdominalis Holzschuh, 1984c: 350 A: NP
amoorae Gardner, 1926: 200 A: UP
atra Hayashi, 1978a: 88 A: TAI
atramentaria Holzschuh, 2010: 164 A: SCH
calophylli Gardner, 1926: 201 A: UP
dilaticornis dilaticornis Hayashi, 1950a: 5 A: JA
dilaticornis kumatai Hayashi, 1961b: 45 A: JA (Ryukyus)
morimotoi Makihara, 2004b: 219
shibatai Hayashi, 1976: 8
discisa Holzschuh, 2006b: 277 A: GUI
gemellata Holzschuh, 1991c: 41 A: GUX **ORR** #623
ignota Holzschuh, 2015d: 46 A: YUN
immaculata Kano, 1933b: 131 A: TAI #416
iriei Takakuwa, 1981: 6 A: JA (Ryukyus)
mira Holzschuh, 1991c: 43 A: GUX **ORR** #623
mundali Gardner, 1936: 132 A: NP UP
picipes Holzschuh, 1984a: 148 A: NP
pudens Holzschuh, 1993a: 28 A: YUN
septentrionalis Hayashi, 1950a: 3 A: JA SC
shikokensis densepunctata Hayashi, 1968c: 13 #736
shikokensis maruokai Hayashi, 1968c: 13 A: JA (Ryukyus)
shikokensis shikokensis K. Ohbayashi, 1936a: 13 A: JA
okinawana Hayashi, 1976: 7
subchalybeata Miwa, 1931: 227 A: TAI
vietnamica Niisato & Saito, 1996: 152 A: GUX **ORR** #623

genus *Leptepania* Heller, 1924a: 30 type species *Epania longicollis* Heller, 1915
Heliomanes Newman, 1840a: 17 [HN] type species *Heliomanes sidus* Newman, 1840
Molorchinus Shabliovskiy, 1936: 185 type species *Molorchinus okunevi* Shabliovskiy, 1936
insularis White, 1855: 179 (*Heliomanes*) A: FUJ GUA HKG HUB #400 #525
lantauensis Hayashi, 1982a: 71 A: HKG
minuta minuta Gressitt, 1935d: 265 A: TAI #732
kukuanana Chang, 1978: 61
minuta japonica Hayashi, 1949c: 29 (*Molorchus*) A: JA SC #732
minuta ryukyuna Hayashi, 1963a: 54 A: JA #732
minuta sakaii Hayashi, 1974a: 23 A: TAI (Lanyu Is.) #732
okunevi Shabliovskiy, 1936: 186 (*Molorchinus*) A: FE MG
incognita Tsherepanov, 1975d: 83 (*Molorchus*)

genus *Molorchoepania* Pic, 1949a: 9 type species *Epania barbieri* Pic, 1949
Kobaneus Hayashi, 1958b: 46 type species *Molorchus mizoguchii* Hayashi, 1955
kopetzi Holzschuh, 2018b: 503 A: NP
mizoguchii Hayashi, 1955: 51 (*Molorchus*) A: JA
simplexa Matsushita, 1933b: 228 (*Molorchus*) A: TAI
viticola Holzschuh, 1998: 35 A: SHA

genus *Molorchus* Fabricius, 1793: 356 type species *Necydalis umbellatarum* Schreber, 1759 #422
subgenus *Caenoptera* C. G. Thomson, 1859: 150 type species *Necydalis minor* Linnaeus, 1758 #730
abieticola Holzschuh, 2007: 218 A: TR
akbesianus Rapuzzi & Sama, 2018: 9 A: TR
changi Gressitt, 1951a: 171 A: SCH SHA
foveolus Holzschuh, 1998: 34 A: YUN
fraudator Pesarini & Sabbadini, 1997: 104 A: SCH SHA #225
juglandis Sama, 1982: 219 A: IS LE SY TR #74
minor fuscus Hayashi, 1955: 164 A: FE JA
minor ikedai Takakuwa, 1984: 10 A: JA #732
minor minor Linnaeus, 1758: 421 (*Necydalis*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD
ME NL NR NT PL RO SB SK SL **SP** ST SV SZ UK A: BEI ES FE GAN **GG** HEI LIA KZ MG NC QIN SC SHA TR WS XIN NTRi
#60 #62 #549
ceramboides DeGeer, 1775: 151 (*Necydalis*)

dimidiatus Fabricius, 1775: 199 (*Leptura*)
medius Schrank, 1798: 688 (*Gymnopterion*)
rufescens Kiesenwetter, 1879a: 316 [1879b: 60]
monticola Plavilstshikov, 1931: 38 A: AB AR GG IN TM
pallidipennis Heyden, 1887b: 321 (*Gymnopterion*) A: KI KZ UZ XIN
pinivorus Takakuwa & Ikeda, 1980: 35 A: JA
relictus Niisato, 1996: 376 A: SCH #225
tjanschanicus Plavilstshikov, 1959: 1678 A: KZ KI
subgenus *Molorchus* Fabricius, 1793: 356 type species *Necydalis umbellatarum* Schreber, 1759 #422
Conchopterus Fairmaire, 1864a: 153 type species *Necydalis umbellatarum* Schreber, 1759
Epanioglaphyra Niisato, 1986b: 304 type species *Glaphyra kurosawai* Niisato, 1986 #524
Glaphyra Newman, 1840c: 19 type species *Glaphyra semiusta* Newman, 1840
Laphyra Newman, 1842g: 418 [RN] type species *Glaphyra semiusta* Newman, 1840
Linomius Mulsant, 1862: 226 type species *Necydalis umbellatarum* Schreber, 1759
Sinolus Mulsant, 1862: 228 type species *Molorchus kiesenwetteri* Mulsant & Rey, 1861
aceris Holzschuh, 2009a: 300 (*Glaphyra*) A: SCH
aerifer Holzschuh, 2008: 208 (*Glaphyra*) A: GUX ORR #623
aureomaculatus Gressitt & Rondon, 1970: 109 A: NP YUN ORR #390
shimai Hayashi & Makihara, 1981: 191 (*Glaphyra*)
baiocchii Rapuzzi & Sama, 2012a: 667 (*Glaphyra*) A: IN PA TR #274
bassettii Sama, 1992b: 302 (*Glaphyra*) A: CY
cobaltinus *cobaltinus* Hayashi, 1963a: 53 (*Glaphyra*) A: JA (Ryukyus) #732
cobaltinus morii Makihara, 1984: 13 (*Glaphyra*) A: JA #732
concolor Niisato, 1995: 444 (*Glaphyra*) A: TAI
congruus Holzschuh, 1998: 39 (*Glaphyra*) A: GUI
contristatus Holzschuh, 1991c: 44 (*Glaphyra*) A: SCH
cordiger Holzschuh, 1992b: 14 (*Glaphyra*) A: SCH
cupreoviridis Hayashi, 1966a: 5 A: TAI
cyanescens Gressitt, 1951a: 173 A: FUJ TAI
cyanescens Plavilstshikov, 1952: 287 [HN]
darjeelingensis Gardner, 1936: 129 A: NP SD
densepunctatus Holzschuh, 1977b: 338 A: BT
frivulus Holzschuh, 1998: 38 (*Glaphyra*) A: SCH
gilvitaris Holzschuh, 2006a: 239 (*Glaphyra*) A: SHA
gracilis Hayashi, 1949c: 29 A: JA
fuscipennis Hayashi, 1963d: 132
grandinotatus Holzschuh, 1992b: 15 (*Glaphyra*) A: SCH
grosseri Voříšek, 2012: 1 A: IN
hederae Gardner, 1936: 130 A: HP KA PA #274
ishiharai K. Ohbayashi, 1936a: 12 A: FE JA ?NC SC
kunashiricus Tsherepanov, 1981: 72
tsutsuii Hayashi, 1958b: 47
jiuyuehtanus Hayashi, 1984: 89 A: TAI
kiesenwetteri hircus Abeille de Perrin, 1881: 133 E: ST TR A: AB AR GG IN TR SY LE IS
anatolica Adlbauer, 1988: 275
angorensis Pic, 1912b: 3 (*Caenoptera*)
kiesenwetteri kiesenwetteri Mulsant & Rey, 1861a: 189 E: AU BH BU CR CZ GE GR HU IT MC ?ME ?PL RO SB SK SL ST ?SZ UK #115
kiyoyamai Hayashi, 1974a: 21 A: TAI
kobotokensis K. Ohbayashi, 1963: 10 A: FE JA ?NC SC
kojimai Matsushita, 1939: 56 (*Epania*) A: JA SC
kurosawai Niisato, 1986b: 305 (*Glaphyra*) A: TAI
lampros Holzschuh, 2006b: 280 (*Glaphyra*) A: GUX ORR #623
lectus Holzschuh, 2006b: 281 (*Glaphyra*) A: SHA
lishanensis Hayashi, 1974a: 22 A: TAI
liukueiensis Hayashi, 1984: 90 (*Glaphyra*) A: TAI
macellus Holzschuh, 2015d: 53 (*Glaphyra*) A: YUN
malmusii Sama, 1995a: 370 (*Glaphyra*) A: TR
marmottani andalusica Sláma, 2015b: 1118 (*Glaphyra*) E: SP #79
marmottani crovatoi Sama, 1995a: 373 (*Glaphyra*) E: IT
marmottani frischi Sama, 1995a: 373 (*Glaphyra*) A: TR
marmottani marmottani Brisout de Barneville, 1863: 118 E: AU BU CT CZ FR GE IT PL SK SP ST SZ A: TR
discicollis Heyden, 1876b: 383
modestus Holzschuh, 2006b: 283 (*Glaphyra*) A: GUI
molorchoides Holzschuh, 1984c: 351 (*Epania*) A: NP
moravecii Holzschuh, 2006b: 238 (*Glaphyra*) A: TAI
nitidus adachii Takakuwa & Fujita, 1981: 29 A: JA
nitidus nitidus Obika, 1973: 205 A: JA SC #525

perfuga Holzschuh, 1998: 37 (*Glaphyra*) A: YUN
plagiatus Reiche, 1877a: cxxii E: ST A: AB AR GG IN KZ TR
planicollis Niisato & N. Ohbayashi, 2004: 467 (*Glaphyra*) A: HUB
plavilstshikovi Gressitt, 1951a: 174 A: FUJ TAI
fukiensis Plavilstshikov, 1952: 288
prolixus Holzschuh, 1999: 29 (*Glaphyra*) A: GAN
rufosternalis Hayashi, 1984: 87 A: TAI
rugatus Holzschuh, 2015d: 50 (*Glaphyra*) A: YUN
sabatinellii Rapuzzi & Sama, 2018: 10 A: PA
saltinii Pesarini & Sabbadini, 2015: 42 A: YUN
satoi Niisato, 2003: 376 (*Glaphyra*) A: TAI
schmidti Ganglbauer, 1883b: 300 E: CT CZ GR HU KZ MD ?PL RO SK ST UK A: AB GG KI KZ TM UZ
salicicola Stiller, 1934: 37 (*Caenoptera*)
semenovi Plavilstshikov, 1940a: 167
semitaiwanus Hayashi, 1984: 88 A: TAI
serra Holzschuh, 2006b: 279 (*Glaphyra*) A: SCH SHA
shibatai okinawanus Hayashi & Matsuda, 1976: 34 A: JA (Ryukyus)
shibatai shibatai Hayashi, 1961b: 44 A: JA
sikkimanus Holzschuh, 2003b: 306 (*Glaphyra*) A: SD
starki Shabliovsky, 1936: 184 A: CH FE ?NC SC
ichikawai Niisato, 1988a: 89 (*Glaphyra*)
ussuriensis Plavilstshikov, 1940a: 160
sterbai Adlbauer, 1988: 277 A: LE
azri Sama, Rapuzzi & Kairouz, 2010: 151 (*Glaphyra*)
subglaber Gressitt, 1938b: 150 (*Epania*) A: TAI
sungkangensis Hayashi, 1992: 140 (*Glaphyra*) A: TAI
taiwanus Hayashi & Matsuda, 1976: 32 A: TAI
takeuchii ebeninus Hayashi, 1961b: 45 A: JA (Ryukyus)
takeuchii takeuchii K. Ohbayashi, 1937: 6 A: JA
tenuitarsis Holzschuh, 1981: 97 A: TR
terminatus Holzschuh, 2015d: 52 (*Glaphyra*) A: FUJ
uenoi Niisato, 1995: 441 A: TAI (*Glaphyra*)
umbellatarum umbellatarum Schreber, 1759: 9 (*Necydalis*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS
LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: AB AR GG IN TM TR
depressus Motschulsky, 1845a: 85
diversipes Pic, 1897c: 31
minimus Scopoli, 1763: 57 (*Necydalis*)
umbellatarum obscuripes G. Müller, 1948: 66 (*Caenoptera*) E: IT
unanimis Holzschuh, 1995: 26 (*Glaphyra*) A: SCH
verus Holzschuh, 2007: 228 (*Glaphyra*) A: GUX ORR #623
viridescens Hayashi & Matsuda, 1976: 36 A: TAI
watani Kano, 1933b: 131 (*Epania*) A: TAI #416
subplana Gressitt, 1951a: 175
yui yui Hayashi, 1984: 88 A: TAI
subgenus *Nathrioglyphyra* Sama, 1995a: 383 type species *Molorchus heptapotamicus* Plavilstshikov, 1940
alashanicus Semenov & Plavilstshikov, 1936: 392 A: NMO
heptapotamicus Plavilstshikov, 1940a: 163 E: ST A: KI KZ NIN UZ XIN #400
amygdali Holzschuh, 1979a: 114
kucerai Holzschuh, 1998: 36 (*Glaphyra*) A: GAN
liui Gressitt, 1948a: 51 [Yunnan] A: GAN HUB HUN SCH SHA YUN ZHE #45
smetanai Danilevsky, 2011f: 105 [Zhejiang] #45
subgenus *Pakmolorchus* Holzschuh, 1989a: 161 type species *Pakmolorchus asperanus* Holzschuh, 1989
asperanus Holzschuh, 1989a: 161 A: PA
subgenus *Tsujius* Ikeda, 2001: 3 type species *Tsujius itoi* Ikeda, 2001 #524 #730
carus Holzschuh, 1999: 28 A: GAN #524
itoi Ikeda, 2001: 3 A: JA
subgenus *Yamatoglyphyra* Niisato, 2006b: 223 type species *Molorchus hattorii* K. Ohbayashi, 1953
aemulatus Holzschuh, 1998: 38 A: GAN SCH SHA #225
chalybeellus Holzschuh, 2007: 225 A: HEN
hattorii K. Ohbayashi, 1953: 13 (*Molorchus*) A: JA

genus *Nadezhdiana* Tsherepanov, 1976a: 66 type species *Nadezhdiana villosa* Tsherepanov, 1976 #524
villosa Tsherepanov, 1976a: 67 A: FE

tribe Mythodini Lacordaire, 1868

genus *Phyodexia* Pascoe, 1871: 273 type species *Phyodexia concinna* Pascoe, 1871

tribe Oabriini Mulsant, 1839

genus Anatolobrium Adlbauer, 2004b: 419 type species *Anatolobrium eggeri* Adlbauer, 2004
eggeri Adlbauer, 2004b: 421 A: TR

genus Anisogaster A. Deyrolle, 1862: 18 type species *Anisogaster flavicans* A. Deyrolle, 1862
kabateki Adlbauer, 2005: 1009 A: YE (Suqutra)

genus Bolivarita Escalera, 1914a: 498 type species *Bolivarita oculata* Escalera, 1914
oculata Escalera, 1914a: 499 N: MO

#521 #778

genus Chinobrium Gressitt, 1937c: 449 type species *Chinobrium mediofasciatum* Gressitt, 1937
mediofasciatum Gressitt, 1937c: 449 A: JIX **ORR**
opacum Holzschuh, 1984c: 348 (*Stenhomalus*) A: BT **ORR**

genus Comusia J. Thomson, 1864: 239 type species *Comusia obriumoides* J. Thomson, 1864
Chapaon Pic, 1922b: 24 type species *Chapaon rufum* Pic, 1922
Ciopera Pascoe, 1866d: 510 type species *Ciopera decolorata* Pascoe, 1866
Oemospiloides Fisher, 1940: 197 type species *Oemospiloides bengalensis* Fisher, 1940
Ogasawara Gressitt, 1937b: 320 type species *Ogasawara testacea* Gressitt, 1937
bengalensis Fisher, 1940: 198 (*Oemospiloides*) A: SD
bicoloricornis Pic, 1927: 455 (*Chapaon*) A: YUN **ORR**
testacea Gressitt, 1937b: 321 (*Ogasawara*) A: JA (Ogasawara Isls. & Ryukyus) TAI
thailandica Hayashi, 1986: 267 A: NP **ORR**
tokii Niisato & Chou, 2016: 255, 256 A: TAI (Lanyu Is.)
wui Niisato & Chou, 2016: 250, 256 A: TAI (Lanyu Is.)

genus Kuegleria Holzschuh, 2017: 13 type species *Obrium atricolor* Pic, 1953
annulicornis Pic, 1935b: 13 A: HKG

#572

genus Ibdionidum Gahan, 1894a: 14 type species *Ibdionidum corbetti* Gahan, 1894
subgenus Ibdionidum Gahan, 1894a: 14 type species *Ibdionidum corbetti* Gahan, 1894
corbetti corbetti Gahan, 1894a: 15 A: GUA GUI HAI YUN **ORR**
jelineki Holzschuh, 1991: 41 A: HAI **ORR**
longithoracicum Chiang, 1963: 65 (*Obrium*) A: YUN

#400

#400

genus Iranobrium Villiers, 1967: 338 type species *Iranobrium davatchii* Villiers, 1967
abbreviatum Adlbauer, 2004c: 431 A: YE (Suqutra)
brancuccii Holzschuh, 1993b: 122 A: OM SA YE
buettikeri Holzschuh, 1993b: 123 A: AE SA YE
darwinii Lo Cascio & Grita, 2009: 123 A: YE (Suqutra)
davatchii Villiers, 1967: 338 A: AE IN QA YE
grande Holzschuh, 2015d: 36 A: OM

genus Longipalpus Montrouzier, 1861: 275 type species *Longipalpus palazyanus* Montrouzier, 1861
Iphrobrium Gressitt, 1935a: 150 type species *Iphrobrium dilatipenne* Gressitt, 1935
Nerida McKeown, 1940: 293 type species *Nerida carabiformis* McKeown, 1940
dilatipennis Gressitt, 1935a: 151 (*Iphrobrium*) A: JA (Ryukyus)
shigarorogi Kano, 1939: 29 (*Pseudiphra*) A: TAI (Lanyu Is.)
tahuensis Chang, 1978: 59 A: TAI
wenhsini Niisato, 2013: 63 A: TAI

genus Obrium Dejean, 1821: 110 type species *Cerambyx cantharinus* Linnaeus, 1767

Diozodes Haldeman, 1847: 42 type species *Callidium pallidum* Say, 1824 (= *Cerambyx maculatus* Olivier, 1800)

#373

Phyton Newman, 1840c: 19 type species *Phyton limum* Newman, 1840 (= *Cerambyx maculatus* Olivier, 1800)

#373

aegrotum Holzschuh, 1982a: 67 A: NP

angustum Lazarev, 2020b: 319 A: SCH

anmashanum Niisato & Chou, 2018: 78 A: TAI

atricorne Niicato & Lin, 2023: 126 A: GUX

brevicorne Plavilstshikov, 1940a: 138 A: FE JA NC SC **SHA**

#683

brunneum Fabricius, 1793: 316 (*Saperda*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT LU MD NL NT

PL RO SB SK SL SP ST SV SZ UK A: AB AR GG TR

caucasicum Tournier, 1872: 279

cantharinum cantharinum Linnaeus, 1767: 637 (*Cerambyx*) E: AU BE BH BU BY CR CT CZ EN FI FR GB GE GR HU IR IT LA LT LU

MD ~~NE~~ NL NT PL ~~PL~~ RO SB SK SP ST SV SZ TR UK A: AB AR ES FE GG KZ MG ~~NE~~ TR WS XIN **NTRI**

#133

ferrugineum Fabricius, 1781: 235 (*Saperda*)
fuscicorne Gmelin, 1790: 1837 (*Cerambyx*)
cantharinum shimomurai Takakuwa, 1984: 9 A: JA
cephalotes Pic, 1923e: 7 A: FUJ SHG
complanatum Gressitt, 1942e: 208 A: GUA GUI GUX JIX
coreanum Niisato & Oh, 2016: 34 A: NC SC #525
dayaoshanum Niicato & Lin, 2023: 127 A: GUX
formosanum Schwarzer, 1925a: 22 A: TAI
fractum Holzschuh, 2003: 178 A: SHA
fumigatum Holzschuh, 1995: 23 A: YUN
fuscoapicale Hayashi, 1974a: 17 A: JA TAI
kusamai Takakuwa, 1984: 10 #448
hainanum Niisato & Hua, 1998: 452 A: HAI
hattai K. Ohbayashi & N. Ohbayashi, 1965: 2 A: JA (Ryukyus)
[huae huae Niisato, 1998b: 273 **ORR**]
huae jianbini Niisato & Chou, 2018: 80 A: FUJ
mendosum Holzschuh, 2010: 156 A: HEN
nakanei K. Ohbayashi, 1959: 2 A: JA
nanlingum Niicato & Lin, 2023: 124 A: GUA
nitidum Niisato & Chou, 2018: 73 A: TAI
obscuripenne obscuripenne Pic, 1904e: 17 A: FE HEI JA JIL NC SC #400
gracile Plavilstshikov, 1933g: 167 [HN]
graciliforme Lipp, 1939: 225 [RN]
tsushmanum Hayashi, 1974b: 14
obscuripenne takakuwai Niisato, 2006c: 383 A: JA
oculatum Niisato & Hua, 1998: 454 A: YUN
posticum Gahan, 1894a: 14 A: BT NP
prosperum Holzschuh, 2008: 182 A: YUN
randiae Gardner, 1926: 199 A: UP
rufograndum Gressitt, 1937c: 448 A: JIX TAI
schwarzeri Hayashi, 1974a: 19 A: TAI
semiformosanum abirui Niisato & Takakuwa, 1996: 142 A: JA
semiformosanum semiformosanum Hayashi, 1974a: 18 A: TAI
takahashii fukidai Fujita, 2023: 20 A: JA (Amami Isls.)
takahashii takahashii Kusama & Takakuwa, 1984: 278 A: JA (Ryukyus)
yamasakoi Niisato & Chou, 2018: 74 A: TAI
yueyunae Niisato & Chou, 2018: 79 A: TAI

genus *Ossibia* Pascoe, 1867a: 311 type species *Obrium fuscatum* Chevrolat, 1856 #778
Obriaccum J. Thomson, 1878: 24 type species *Obrium fuscatum* Chevrolat, 1856
fuscata Chevrolat, 1856c: 570 (*Obrium*) N: EG MO A: YE **AFR**
crinita Fähræus, 1872a: 55 (*Adiaphorus*)
senegalense J. Thomson, 1878a: 24 (*Obriaccum*)
rubra Quentin, 1956: 41
picata Holzschuh, 1993b: 124 A: SA

genus *Oxilus* Buquet, 1859: 619 type species *Oxilus terminatus* Buquet, 1859 #778
Metobrium Gahan, 1890d: 303 type species *Obriaccum elegans* Fairmaire, 1887
?elegans Fairmaire, 1887b: 334 (*Obriaccum*) N: EG **AFR** #778
manzonii Gestro, 1889: 68 (*Ossibia*) A: YE

genus *Pseudiphra* Gressitt, 1935a: 152 [RN] type species *Iphra apicalis* Schwarzer, 1925
Iriomoteus Villiers & Chûjô, 1970: 54 type species *Iriomoteus elegans* Villiers & Chûjô, 1970
Obriomorpha Matsushita, 1933b: 309 [HN] type species *Iphra apicalis* Schwarzer, 1925
apicalis apicalis Schwarzer, 1925a: 23 (*Iphra*) A: JA TAI **ORR** #732
apicalis obscura Gressitt, 1951b: 210 A: JA (Ryukyus) #732
bicolor bicolor Nara & Kusui, 1974: 123 A: JA (Ogasawara Isls.)
bicolor nigripennis Takakuwa, 1984: 9 A: JA (Ogasawara Isls.)
elegans Villiers & Chûjô, 1970: 55 (*Iriomoteus*) A: JA (Ryukyus)

genus *Pseudobolivarita* Sama & Orbach, 2003: 64 type species *Pseudobolivarita negevensis* Sama & Orbach, 2003
negevensis Sama & Orbach, 2003: 66 A: IS

genus *Uenobrium* Niisato, 2006a: 207 type species *Obrium laosicum* Gressitt & Rondon, 1970
laosicum Gressitt & Rondon, 1970: 107 (*Obrium*) A: HAI YUN **ORR**
piceorubrum piceorubrum Hayashi, 1971: 5 (*Obrium*) A: TAI #732

- piceorubrum takeshitai* Niisato & Ohmoto, 1994: 350 (*Obrium*) A: JA (Ryukyus) #732
- genus *Yemenobrium* Adlbauer, 2005: 1008** type species *Yemenobrium velutinum* Adlbauer, 2005
velutinum Adlbauer, 2005: 1008 A: SA YE #774
- tribe Oemini Lacordaire, 1868
- genus *Afroeme* Adlbauer, 2004a: 3** type species *Afroeme kenyensis* Adlbauer, 2004
fusca Gahan, 1900a: 12 (*Oeme*) A: YE (Suqutra) AFR
- genus *Cylindroeme* Vives, 2019: 1** type species *Cylindroeme vietnamica* Vives, 2019
shii Wang Y., Xie & Wang W. 2022: 127 A: QIN #663
vietnamica Vives, 2019: 1 A: GUI ORR
yunnanensis Lin & Li K.-Q. 2022: 295 A: YUN
- genus *Dorjia* Holzschuh, 1989c: 391** type species *Dorjia tenzingi* Holzschuh, 1989
tenzingi Holzschuh, 1989c: 392 A: BT
- genus *Entetraommatus* Fischer, 1940: 199** type species *Entetraommatus quercicola* Fischer, 1940
christinae Holzschuh, 2016a: 81 A: XIZ ORR #400
quercicola Fischer, 1940: 199 A: UP
trifasciatus Niisato & Lin, 2016: 262 A: YUN
- genus *Fragiliella* Holzschuh, 2013a: 8** type species: *Oemospila callidioides* Gressitt & Rondon, 1970
callidioides Gressitt & Rondon, 1970: 46 (*Oemospila*) A: YUN ORR
- genus *Hyphus* Lacordaire, 1868: 226** type species: *Hyphus aurantiacus* Lacordaire, 1868
apicalis Pascoe, 1869a: 505 A: GUX HAI ORR #400
- genus *Hypoeschrus* J. Thomson, 1864: 249** type species *Stenochorus strigosus* Gyllenhal, 1817
subgenus *Tibestia* Peyerimhoff, 1935: 78 type species *Tibestia dallonii* Peyerimhoff, 1935
dallonii Peyerimhoff, 1935: 78 (*Tibestia*) N: AG LB MO AFR
gyllenhali Lepesme & Breuning, 1955a: 43
mirei Lepesme & Breuning, 1955a: 43
pallidipes Quentin, 1956: 40
peyerimhoffi Lepesme & Breuning, 1955a: 42
rungsi Lepesme & Breuning, 1955a: 42
wittei Lepesme & Breuning, 1955a: 44
- genus *Kabatekiella* Holzschuh, 2008: 174** type species *Kabatekiella dalihodi* Holzschuh, 2008
dalihodi Holzschuh, 2008: 175 A: OM YE (Suqutra)
- genus *Meiyingia* Holzschuh, 2010: 144** type species *Meiyingia paradoxa* Holzschuh, 2010
holzschuhi Liu & Ch.-B. Wang, 2016: 293 A: GUX
jinyunensis Zh. Li & Chen, 2015: 596 A: CHQ
paradoxa Holzschuh, 2010: 145 A: HEN SCH
- genus *Neocarolus* Sama, 2008: 222** type species: *Neomarius thomasi* Holzschuh, 1993
thomasi Holzschuh, 1993a: 24 (*Neomarius*) A: NP PA
- genus *Neomarius* Fairmaire, 1872: 60** type species *Neomarius gandolphii* Fairmaire, 1872
gandolphii Fairmaire, 1872: 60 N: AG TUi
- genus *Nortia* J. Thomson, 1864: 252** type species *Nortia cavicollis* J. Thomson, 1864 #524
afghanica Heyrovský, 1967b: 158 A: AF
carinicollis carinicollis Schwarzer, 1925a: 20 A: FUJ GUX JA (Ryukyus) TAI
carinicollis hanatanii Fujita, 2018: 26 A: JA (Ryukyus)
carinicollis kobayashii Fujita, 2018: 26 A: JA (Ryukyus)
carinicollis pruinicollis Gressitt, 1965: 61 A: JA (Ryukyus) #276
fuscata Holzschuh, 2005: 1 A: NP UP
geniculata geniculata Pic, 1932e: 32 (*Falstrotmatium*) A: HAI ORR
geniculata satsumana Niisato & N. Ohbayashi, 2005: 293 A: JA
kusuii Kusama & Nara, 1974: 121 A: JA (Ogasawara Isls.)
planicollis Gressitt, 1942e: 206 A: HKG
- genus *Noserius* Pascoe, 1857b: 95** type species *Noserius tibialis* Pascoe, 1857

gardneri Martins, 1980: 116 [RN] A: NP
indicus Gardner, 1939: 1 [HN]
indicus Gahan, 1906a: 104 (*Hypoeshrus*) A: AE AF GUA HAI IN NP PA #75 #400

genus *Oemospila* Gahan, 1906a: 104 type species *Oemospila maculipennis* Gahan, 1906
Falsolestromatium Pic, 1926l: 455 type species *Falsolestromatium elongatum* Pic, 1926
maculipennis Gahan, 1906a: 105 A: BT GUX NP YUN **ORR** #523
elongata Pic, 1926l: 455 (*Falsolestromatium*)

genus *Oplatocera* White, 1853a: 121 type species *Oplatocera callidioides* White, 1853
Hoplitocera Gemminger, 1872: 2795 [unjustified emendation]
subgenus *Epioplatocera* Gressitt, 1951a: 131 type species *Oplatocera oberthuri* Gahan, 1906
mandibulata Miwa & Mitono, 1935: 404 A: CHQ TAI #60
mitonoi Hayashi, 1981b: 30 A: TAI ZHE #60
oberthuri Gahan, 1906a: 108 A: AP BT GUA GUX HUN NP SCH SD SHA YUN **ORR** #280
subgenus *Oplatocera* White, 1853a: 121 type species *Oplatocera callidioides* White, 1853
callidioides White, 1853a: 121 A: SCH "North India" **ORR**
grandis Gressitt, 1951a: 131 A: SCH **ORR**

genus *Pufujia* Holzschuh, 1995: 16 type species *Nortia luteosignata* Pu, 1991
luteosignata Pu, 1991c: 281 (*Nortia*) A: GAN #524

genus *Sichuanortia* Niisato & Liu, 2019: 406 type species *Sichuanortia zhouchaoi* Niisato & Liu, 2019
zhouchaoi Niisato & Liu, 2019: 407 A: SCH

genus *Tetraommatus* Perroud, 1855: 390 [= 1855a: 70] type species *Tetraommatus filiformis* Perroud, 1855
Deuteromma Pascoe, 1857b: 98 type species *Deuteromma callidioides* Pascoe, 1857
fragilis Holzschuh, 1984a: 144 A: NP
kuantaoshanensis Chang, 1978: 62 (*Tetrops*) A: TAI
ocularis continentalis Heller, 1926: 22 A: UP
[*ocularis ocularis* Pascoe, 1869a: 504 – Moluques]
taiwanus Hayashi, 1978a: 87 A: TAI

genus *Yementallyrama* Adlbauer, 2007: 7 type species *Yementallyrama nasheri* Adlbauer, 2007
nasheri Adlbauer, 2007: 7 A: OM YE

tribe Opsimini LeConte, 1873

genus *Japonopsimus* Matsushita, 1935: 310 [RN] type species *Paraopsimus orientalis* Matsushita, 1933
Paraopsimus Matsushita, 1933b: 238 [HN] type species *Paraopsimus orientalis* Matsushita, 1933
exocentroides Holzschuh, 1984c: 342 A: BT
orientalis Matsushita, 1933b: 238 (*Paraopsimus*) A: TAI
simplex Gressitt & Rondon, 1970: 44 (*Hypoeshrus*) A: HAI **ORR** #223

tribe Lygrini Sama, 2008 #778 = Pelossini Tavakilian, 2013

genus *Pelossus* J. Thomson, 1864: 222 type species *Corethrogaster ruber* J. Thomson, 1858
Alloeme Lameere, 1893b: 40 type species *Alloeme murrayi* Lameere, 1893 (= *Corethrogaster ruber* J. Thomson, 1858)
Ceresida Kolbe, 1894b: 55 type species *Ceresida suturalis* Jordan, 1894 (= *Corethrogaster ruber* J. Thomson, 1858)
Digonium Pic, 1895c: 76 type species *Digonium longicorne* Pic, 1895
Leptosalpinia Gressitt, 1951a: 624 type species *Leptosalpinia unicolor* Gressitt, 1951
Lygrus Fähræus, 1872a: 55 type species *Lygrus apicalis* Fähræus, 1872
Nosoeme Kolbe, 1894b: 55 type species *Nosoeme clavipes* Kolbe, 1894
Zoolygrus Fähræus, 1872c: 194 [RN] type species *Lygrus apicalis* Fähræus, 1872
becvari Sama, 1999c: 178 (*Lygrus*) A: IS JO SI
longicornis Pic, 1895c: 77 (*Digonium*) A: OM SA YE
unicolor Gressitt, 1951a: 625 (*Leptosalpinia*) A: HUB

tribe Phoracanthini Newman, 1840

genus *Allotraeus* Bates, 1877: 36 type species *Allotraeus sphaerioninus* Bates, 1877
pallidipennis K. Ohbayashi, 1958c: 36 A: JA
sphaerioninus Bates, 1877: 37 A: JA SC

genus *Cordylomera* Audinet-Serville, 1834b: 23 type species *Cordylomera nitipennis* Audinet-Serville, 1834 = *Cerambyx spinicornis*
Fabricius, 1775 #189
Acanthinomomus Hope, 1835b: 107 type species *Cerambyx spinicornis* Fabricius, 1775

spiniicornis Fabricius, 1775: 167 (*Cerambyx*) **Ei:** CZ DE FR GB GE IR IT MA SP SV **Ai:** TR **AFR** #189
angolensis Veiga-Ferreira, 1971: 7
sansibarica Kolbe, 1893: 248
suturalis Chevrolat, 1858: 242
testacea Buquet, 1844: 233
torrida Olivier, 1795: 31 (*Cerambyx*)

genus Nyphasia Pascoe, 1867a: 313 type species *Nyphasia torrida* Pascoe, 1867
apicalis Gahan, 1893b: 378 **A:** NP
fuscipennis Gahan, 1890a: 53 **A:** NP
pascoei Lacordaire, 1868: 309 **A:** BT YUN NP SD **ORR** #39

genus Nysina Gahan, 1906a: 153 type species *Sphaerion orientale* White, 1853
Neosphaerion Schwarzer, 1925a: 21 type species *Neosphaerion asiaticum* Schwarzer, 1925
Pseudalloeus Pic, 1923a: 13 type species *Pseudalloeus rufescens* Pic, 1923
baibarana Matsushita, 1933b: 297 **A:** TAI
boninensis Gressitt, 1937b: 319 (*Pseudalloeus*) **A:** JA (Ogasawara Isls.)
gracillima Mitono, 1947b: 24 (*Pseudalloeus*) **A:** FUJ GUX HAI TAI **ORR** #400
grahami Gressitt, 1939a: 68 **A:** FUJ GUA GUX HEN HUN JIX SCH XIZ YUN
insularis amamiensis Hayashi, 1961b: 42 **A:** JA (Ryukyus)
insularis insularis Mitono, 1947b: 25 (*Pseudalloeus*) **A:** JA (Ryukyus) SC (Jejudo Is) #63
insularis yamagami Fujita, 1980: 12 **A:** JA (Izu Isls.)
orientalis White, 1853a: 110 (*Sphaerion*) **A:** YUN **ORR**
rubriventris Gressitt, 1937a: 90 **A:** CHQ HAI HUN YUN **ORR** #400
rufescens asiatica Schwarzer, 1925a: 22 (*Neosphaerion*) **A:** FUJ GUX HAI HKG TAI **ORR** #276 #400
rufescens rufescens Pic, 1923a: 13 (*Pseudalloeus*) **A:** JA SC (Gageodo Is.) #276 #525
japonica K. Ohbayashi, 1936a: 13
sauteri Matsushita, 1931c: 399 (*Neosphaerion*) **A:** TAI
subtuberculata Pic, 1933b: 27 (*Pseudalloeus*) **A:** CH

genus Phoracantha Newman, 1840a: 19 type species *Stenocorus semipunctatus* Fabricius, 1775
recurva Newman, 1840b: 4 **Ei:** FR GR IT MA PT SP **Ni:** AG CI LB MO TU **Ai:** IS LE SY TR **AFRi** **AUR** **NARi** **NTRi** #74 #189
#361 #778
papua Gressitt, 1959: 93
semipunctata Fabricius, 1775: 180 (*Stenocorus*) **Ei:** FR GR IT MA PT SP **Ni:** AG CI EG LB MO MR TU **Ai:** CY GG IS JO LE SA SY TR
AFRi **AUR** **NARi** **NTRi** #189 #774
hospita Pascoe, 1864b: 232
inscripta Germar, 1848: 226

tribe Prothemini Lacordaire, 1868

genus Prothema Pascoe, 1856: 43 type species *Prothema signatum* Pascoe, 1856
Sigeum Pascoe, 1866d: 523 type species *Blemmya humerale* Pascoe, 1857
astutum Holzschuh, 2011: 305 **A:** YUN
auratum auratum Gahan, 1906a: 235 **A:** GUA GUI GUX HAI HUN ?NP ?SD YUN **ORR**
auratum cariniscapum Gressitt, 1937c: 451 **A:** GUA GUI HUN SCH **ORR** #521
auratum ininterruptum Pic, 1927g: 109 **A:** XIZ
auratum brunnipenne Holzschuh, 2015d: 305 **A:** NP SD
cakli Heyrovský, 1967c: 201 **A:** HAI YUN **ORR**
exclamatione Pesarini & Sabbadini, 2000: 58 **A:** SCH
lineatum Pic, 1920a: 2 **A:** XIZ
ochraceosignatum Pic, 1915b: 10 **A:** TAI
nigrum Kano, 1930: 42
signatum Pascoe, 1856: 43 **A:** FUJ GUA GUI GUX HAI HUN JIX NE NO SHA XIZ ZHE **ORR** #225
funereum Pascoe, 1856: 43

tribe Psebiini Lacordaire, 1868

Nathriini Arnett, 1962

genus Kabatekiipsebium Rapuzzi, 2015: 583 type species *Kabatekiipsebium yemenensis* Rapuzzi, 2015
yemenensis Rapuzzi, 2015: 754 **A:** OM YE

genus Mourgliana Holzschuh, 1993b: 125 type species *Mourgliana conspicua* Holzschuh, 1993
subgenus Mourgliana Holzschuh, 1993b: 125 type species *Mourgliana conspicua* Holzschuh, 1993
conspicua Holzschuh, 1993b: 125 **A:** SA
subgenus Pseudomourgliana Sama, 2006: 174 type species *Pseudomourgliana vanharteni* Sama, 2006
mollina Holzschuh, 2006a: 235 **A:** AE OM
vanharteni Sama, 2006: 175

genus *Nathrius* Bréthes, 1916: 76 type species *Nathrius porteri* Bréthes, 1916 (= *Leptidea brevipennis* Mulsant, 1839) **#778**

Deuteroleptidea Paclt, 1946: 169 [unnecessary substitute name]

Leptidea Mulsant, 1839: 105 [HN] type species *Leptidea brevipennis* Mulsant, 1839

Leptideella Strand, 1936: 169 [unnecessary substitute name]

berlandi Villiers, 1946: 68 (*Leptidea*) E: SP N: MO

#395

brevipennis Mulsant, 1839: 105 (*Leptidea*) E: AU AZ BE BH BU CR CZ DEi Fli FR GB GE GR HU IR IT KZ MA MC MD ME NL NRi PL
PT RO SB SK ST SL SP SVi ?SZ TR UK N: AG CI EG LB MO TU A: AB AR GG IN IS KZ LE SHX SY TR NARi NTRi **#115**

#104

manca LeConte, 1851: 24 (*Gracilia*)

minutus Motschulsky, 1845a: 84 (*Leptidea*)

porteri Bréthes, 1916: 77

rufipennis Dufour, 1851: 351 (*Gracilia*)

cypericus Sláma & Berger, 2006: 56 A: CY

tribe Pseudolepturini J. Thomson, 1861

genus *Erythresthes* J. Thomson, 1864: 158 type species *Erythrus bowringii* Pascoe, 1863

subgenus *Erythresthes* J. Thomson, 1864: 158 type species *Erythrus bowringii* Pascoe, 1863

bowringii Pascoe, 1863a: 52 (*Erythrus*) A: ANH GUA GUX HKG HUB HUN JIX ZHE

#60

eximius Holzschuh, 2009a: 314 A: GUX **ORR**

#157

genus *Erythrus* White, 1853a: 142 type species *Erythrus championi* White, 1853

Disidaema J. Thomson, 1860: 142 type species *Erythrus fortunei* White, 1853

Pseudoleptura J. Thomson, 1860: 142 [RN] type species *Erythrus championi* White, 1853

angustatus Pic, 1916e: 19 A: GUA

apicalis Pic, 1922b: 25 A: GUA GUX **ORR**

atripennis Pic, 1926g: 143

bicolor Westwood, 1848: 60 (*Saperda*) A: BT JIA SD **ORR**

biimpressus Pic, 1943c: 5 A: CH

blairi Gressitt, 1939a: 33 A: FUJ GUA GUI GUX HAI HEN HUB HUN JIA NE SHA ?TAI YUN ZHE

championi White, 1853a: 142 A: CE FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX SCH SE SW TAI YUN ZHE **ORR**

lineatus Pic, 1916e: 12

schaiblei Nonfried, 1892a: 92 (*Sternoplistes*)

coccineus Gahan, 1906a: 231 A: FUJ NP "North India" **ORR**

congruus Pascoe, 1863a: 51 A: GUA HKG HUB JIA TAI

formosanus Bates, 1866a: 350 A: TAI

fortunei White, 1853a: 142 A: FUJ GUA GUI GUX HEB HEN HKG HUB HUN JIA JIX SCH SHA TAI YUN ZHE

bijunctus Pic, 1943c: 5

multiplicatus Pic, 1943c: 5

lineatus Pic, 1943c: 4 A: CH

multimaculatus Pic, 1916e: 19 A: GUA SCH

quadrisignatus Pic, 1943c: 4 A: CH

rotundicollis Gahan, 1902: 275 A: YUN **ORR**

rubriceps Pic, 1916e: 12 A: FUJ HEN HUB NE SCH YUN

suturellus Holzschuh, 1984a: 150 A: NP SD

taiwanicus Heyrovský, 1952: 71 A: TAI

westwoodi White, 1853a: 143 A: NP UP **ORR**

#127

genus *Pachylocerus* Hope, 1834: 19 type species *Pachylocerus corallinus* Hope, 1834

sulcatus Brongniart, 1892: 240 A: GUI GUX SCH YUN **ORR**

#400

tribe Purpuricenini J. Thomson, 1861

#400

genus *Afghanicenus* Heyrovský, 1941a: 36 type species *Purpuricenus nuristanicus* Heyrovský, 1936

aulicus Holzschuh, 1981: 101 A: PA

dreesi Tippmann, 1958a: 57 A: AF

nuristanicus Heyrovský, 1936: 212 (*Purpuricenus*) A: AF PA

#769

genus *Amarysius* Fairmaire, 1888b: 140 type species *Amarysius dilatatus* Fairmaire, 1888 (= *Anoplistes sanguinipennis* Blessig, 1872)

Asiates Semenov, 1908: 263 type species *Leptura altajensis* Laxmann, 1770

altajensis ~~*altajensis*~~ Laxmann, 1770: 597 (*Leptura*) A: ES FE GUI HEB HEI JIL KZ LIA MG NMO WS

#400

#525

#737

affinis Motschulsky, 1853: 79 (*Anoplistes*)

album Z. Wang, 2003: 160, 394

ausinia Z. Wang, 2003: 160

basilaris Pic, 1906b: 10 (*Anoplistes*)

sellatus Germar, 1824: 498 (*Cerambyx*)

#506

ussuricus Tsherepanov, 1975d: 123

altajensis coreanus Okamoto, 1924: 191 (*Anoplistes*) A: NC SC #737
duplicatus Tsherepanov, 1980: 91 A: ES FE KZ MG WS
minax Holzschuh, 1998: 43 A: GAN HEN SCH SHA #185
sanguinipennis adachii Fujita, 2023: 21 A: JA (Japan: Honshu, Kyushu)
sanguinipennis sanguinipennis Blessig, 1872: 175 (*Anoplistes*) E: CT A: BEI ES FE HEB HUB-~~JA~~ KZ LIA MG NC NMO SC SHA WS
ZHE #400
dilatatus Fairmaire, 1888b: 141
suturalis Pic, 1906d: 16 (*Anoplistes*) A: FE HEB
grallator Baeckmann, 1924: 233 (*Purpuricen*)

genus *Anoplistes* Audinet-Serville, 1834a: 570 type species *Cerambyx halodendri* Pallas, 1773
Asias Semenov, 1914: 19 [unnecessary RN] type species *Cerambyx halodendri* Pallas, 1773
agababiani Danilevsky, 2000b: 41 (*Asias*) A: AR
amoenus Reitter, 1898b: 126 A: XIN NMO #400
francisci Reymond, 1933: 139
procerus Semenov, 1907b: 256 (*Purpuricen*)
balcanicus Sláma, 2010: 75 E: BU #139
churkini Danilevsky, 2020d: 538 A: KI
degener Semenov, 1907b: 255 (*Purpuricen*) A: NMO #400
diabolicus Reitter, 1915: 170 A: KZ XIN #400
forticornis Reitter, 1901b: 84 A: KZ KI UZ XIZ
maculibasis Reitter, 1901b: 84
galusoi Kostin, 1974: 648 (*Asias*) A: KZ
gobiensis Namkhaidorz, 1973: 377 (*Asias*) A: MG
halodendri ephippium Steven & Dalman, 1817: 157 (*Cerambyx*) E: AL BU RO ST UK KZ A: KZ
elaegni Fischer von Waldheim, 1823: pl. il [= 1824: 238] (*Purpuricen*)
humeralis Olivier, 1795: 38 (*Cerambyx*)
halodendri halodendri Pallas, 1773: 724 (*Cerambyx*) A: ~~KI~~-KZ WS
nigromaculatus Pic, 1915e: 6 (*Asiates*)
halodendri heptapotamicus Semenov, 1926: 48 (*Purpuricen*) A: ~~ES~~ KZ ~~WS~~
halodendri kasatkini Lazarev, 2014a: 275 E: ST (Dagestan)
halodendri minutus Hammarström, 1892: 191 A: ES MG CH #562
halodendri pirus Arakawa, 1932: 18 (*Purpuricen*) A: ES FE GAN GUI GUX HEB HEI HEN HUB HUN JIA JIL JIX LIA NC NIN NMO
QIN SC SCH SHA SHN SHX ?TAI XIN ZHE #126 #185
jacobsoni Baeckmann, 1904: 311 A: KZ
jomudorum Plavilstshikov, 1940a: 606 (*Asias*) A: IN TM (Kopetdag)
chodjaii Holzschuh, 1974a: 94 (*Asias*)
kaszabi Karpiński, 2020: 192 A: MG #562
kozlovi Semenov & Znoiko, 1934: 211 (*Asias*) A: MG NMG #400
mongolicus Ganglbauer, 1889a: 75 A: HEB MG NMO SHX
tuvensis Tsherepanov, 1978b: 138 (*Asias*) A: ES MG

genus *Brototyche* Pascoe, 1867a: 317 type species *Brototyche adamsii* Pascoe, 1867
adamsii Pascoe, 1867a: 318 [DA] ["Chosan (Japanese Sea)"] A: KO #208

genus *Calchaenesthes* Kraatz, 1863: 97 type species *Callidium oblongomaculatum* Guérin-Méneville, 1844
Calchaenistes Schaum, 1862 [nomen oblitum] type species *Callidium nogeli* Frivaldszky von Frivald, 1845
Hysginois Truqui in Kraatz, 1863: 98 type species *Hysginois quadrigeminus* Truqui in Kraatz, 1863: 98 (= *Callidium oblongomaculatum* Guérin-Méneville, 1844).
ambrusi Lazarev, 2023g: 297 A: CY
? *quadrigeminus* Truqui in Kraatz, 1863: 98 (*Hysginois*) ["Cypem"]
diversicollis Holzschuh, 1977a: 129 A: IN IQ TR #677
oblongomaculata Guérin-Méneville, 1844: 234 (*Callidium*) E: BU GR RO A: JO TR
nogeli Frivaldszky von Frivald, 1845: 183 (*Callidium*)
quadrimalata Pic, 1912f: 13
subjuncta Pic, 1945b: 6
pistacivora Holzschuh, 2003a: 195 A: IN
primis Özdikmen, 2013b: 150 A: CY TR #292
? *quadrigeminus* Truqui in Kraatz, 1863: 98 (*Hysginois*) ["Cypem"]
sexmaculata Reiche, 1861: 91 (*Anoplistes*) E: SP N: AG MO TU
juncta Pic, 1922d: 27
parvimaculata Rungs, 1947: 100 (*Purpuricen*)

genus *Dicelosternus* Gahan, 1900c: 308 type species *Dicelosternus corallinus* Gahan, 1900
corallinus Gahan, 1900c: 309 A: FUJ GUA GUI GUX HAI HUB HUN JIX TAI ZHE #185

genus *Euryphagus* J. Thomson, 1864: 196 type species *Cerambyx lundii* Fabricius, 1793
Eurycephalus Dejean, 1835: 323 [HN] type species *Cerambyx maxillosus* Olivier, 1795 (= *Cerambyx lundii* Fabricius, 1793)
lundii Fabricius, 1793: 258 (*Cerambyx*) A: FUJ GUI GUX HAI HP NP SCH ?TAI YUN **ORR**
bipunctatus Schönherr, 1817a: 459 (*Callidium*)
maxillosus Olivier, 1795: 52 (*Cerambyx*) #185
nigricollis Heller, 1913: 155 #185
nigripes Olivier, 1795: 52 (*Cerambyx*)
variabilis Pascoe, 1860b: 120 (*Eurycephalus*) #185
miniatus Fairmaire, 1904a: 145 (*Purpuricenus*) A: FUJ GUA GUI GUX HAI HKG JIX YUN **ORR**
caputorubeus S. T. Yu, 1935: 10 (*Purpuricenus*)
carinifer Pic, 1910f: 24 (*Purpuricenus*)
chinensis Gressitt, 1939a: 47

genus *Falsanoplistes* Pic, 1915d: 27 type species *Falsanoplistes guerryi* Pic, 1915
Bunothorax Gressitt, 1936: 101 type species *Sternoplistes takasagoensis* Kano, 1933
guerryi Pic, 1915d 27 A: GUI JIA SCH SHA YUN XIZ #400
takasagoensis Kano, 1933a: 278 (*Sternoplistes*) A: TAI **ORR** #185

genus *Parabunothorax* Pu, 1991b: 247 type species *Parabunothorax rubripennis* Pu, 1991
rubripennis Pu, 1991b: 248, 251 A: GUI YUN **ORR** #185

genus *Peyeremoceras* Sama, 2009: 22 [RN] type species *Eremoceras surcoufi* Peyerimhoff, 1920
Eremoceras Peyerimhoff, 1920a: 22 [HN] type species *Eremoceras surcoufi* Peyerimhoff, 1920
surcoufi Peyerimhoff, 1920a: 22 (*Eremoceras*) N: AG

genus *Purpuricenus* Dejean, 1821: 105 type species *Cerambyx kaehleri* Linnaeus, 1758
Acanthoptera Latreille, 1829: 114 type species *Cerambyx budensis* Götz, 1783 #517
subgen. "*Acanthoptera* Lat.", Gray, 1832: 103 - misprint, unavailable name.
Cyclodera White, 1846: 510 type species *Cyclodera quadrinotata* White, 1846
Hamadrias Gistel, 1848a: 130 [unnecessary substitute name]
Philagathes J. Thomson, 1864: 196 type species *Philagathes laetus* J. Thomson, 1864
Porphyrocenus Reitter, 1913a: 34 type species *Purpuricenus spectabilis* Motschulsky, 1858
Sternoplistes Guérin-Méneville, 1844: 224 type species *Purpuricenus temminckii* Guérin-Méneville, 1844
apicalis Pic, 1905j: 163 A: IN IQ TR
tommasoi Sama, 2001: 390
apiceniger Pic, 1914b: 7 E: BH CR GR IT ME
baeckmanni Danilevsky, 2007c: 38 E: UK (Crimea) #98 #635
barbarus P. H. Lucas, 1842: 185 N: AG MO TU
dumerilii P. H. Lucas, 1847: pl. 41
interruptus Pic, 1891b: 23
limbatus Pic, 1891b: 23
bitlisiensis T. Pic, 1902: 27 A: TR
budensis Götz, 1783: 72 (*Cerambyx*) E: AL BH BU CT CR FR GR HU IT MC MD ME RO SB SK SL SP ST TR UK A: AB AR CY GG IN
IS LE SY TR WS
affinis Brullé, 1832: 251
ungaricus Herbst, 1784: 90 (*Lamia*)
wredii Fischer von Waldheim, 1823: tab. 49, fig. 2 [1824: 238]
caucasicola Danilevsky, 2015e: 386 E: ST A: AB ?AR GG TR #635
coccineus Breit, 1917b: 73 E: IT #231
comenius Vartanis & Ambrus, 2015: 315 E: GR
cornifrons Sabbadini & Pesarini, 1992b: 58 [Bingöl] A: TR
dalmatinus Sturm, 1843: 353 E: BH BU CR GR IT MC SL A: IS JO LE SY TR N: EG #561
biinterruptus Pic, 1901b: 11
bonvouloiri Pic, 1945b: 6
disjunctus Pic, 1916a: 13
hirsutus Heyrovský, 1969a: 34
desfontainii *desfontainii* Fabricius, 1793: 258 (*Cerambyx*) E: GR (Crete) N: AG LB MO TU
nigricollis Pic, 1892g: 114
v-signatis Pic, 1922d: 27
desfontainii inhumeralis Pic, 1891b: 24 E: GR TR A: JO IS LE SY TR #464
deyrollei J. Thomson, 1867d: 164 A: IN TM
ledereri Ferrari, 1869: 199
medijunctus Pic, 1921a: 4
ferrugineus Fairmaire, 1851: 528 E: PT SP
fettingi Schaufuss, 1871: 209
hispanicus K. Daniel & J. Daniel, 1898b: 88
globiger ambrusi Danilevsky, 2012d: 11 A: GAN
globiger globiger Fairmaire, 1888b: 139 A: BEI HEB JIX LIA SHA SHX #185 #400

globulicollis Dejean, 1839: 34 **E: AL AU BH BU CR CT CZ EN FR GR HU IT ME RO SB SK SL SP ST SZ UK A: KZ WS** #195
grabowskii Heyrovský, 1913: 35
tsherepanovae Tsherepanov, 1980: 89
graecus Sláma, 1993: 56 **E: GR** #98
graceus Sláma, 1993: 56 [неправильное первоначальное написание - непригодное название]
hummeli Pic, 1935c: 11 **A: GAN SCH** #185
foraminifer Pesarini & Sabbadini, 1997: 106 #185
indus Semenov, 1908: 261 [RN] **A: AF KA PA "Punjab"**
haussknechtii Gahan, 1906a: 186
innotatus Pic, 1910f: 24 **A: XIZ YUN ORR**
interscapillatus barbarae Rapuzzi & Sama, 2014b: 145 (Carmel range, Daliyat el Karmil) **A: IS**
interscapillatus cypriensis Lazarev & Ambrus, 2021: 508 **A: CY**
interscapillatus hermonensis Rapuzzi & Sama, 2014b: 147 **A: IS SY** (Golan Heights, Mt. Hermon ; Syria: Quatana, Burqush)
interscapillatus interscapillatus Plavilstshikov, 1937b: 247 [RN] **A: SY TR** (Toros Mts, Nemrut Mts, Mardin, Hatay)
humeralis Pic, 1891b: 23 ["Asie Mineure"] [HN]
interscapillatus longevittatus Pic, 1941b: 2 **A: LE** #330
interscapillatus marivanensis Danilevsky & Faizi, 2020: [2] **A: IN**
interscapillatus nabateus Sama, 1999c: 178 **A: JO** #330
interscapillatus nudicollis Demelt, 1968b: 65 [Antalya] **A: TR** #521
kabakovi Miroshnikov & Lobanov, 1990: 15 **A: AF KA PA**
kaehlerii boryi Brullé, 1832: 251 [Morée: "de Péralidi, dans le golfe de Messénie"] **E: GR** #278
kaehlerii carbonarius Reitter, 1901c: 101 ["dalmatinischen Insel Meleda"] **E: BH CR** #517
kaehlerii cinctus A. Villa & G. B. Villa, 1833: 36 - ["Italia"] **E: IT** #517
aetnensis Bassi, 1834: 471 [Nicolosi, Sicile]
ournieri Pic, 1945b: 6 [Sicile]
kaehlerii kaehlerii Linnaeus, 1758: 393 (*Cerambyx*) [Italia] **E: AL BE BH CR FR GR IT LU MC ME PT SB SP SZ**
bilineatus Mulsant, 1839: 34 [aux environs de Lyon, les environs de Paris et de Bordeaux]
bipunctatus A. Villa & G. B. Villa, 1833: 36 ["Italia"]
corsicus Vartanis, 2018a: #744
ferrarioi Pic, 1941b: 2 ["Italie"]
ruber Geoffroy, 1785: 75 (*Cerambyx*) ["circa Parisios"]
servillei Audinet-Serville, 1834a: 569 ["environs de Paris"]
kaehlerii litoralis Depoli, 1913: 22 ["Liburnischen Karst"] **E: AL BH CR GR ME SL** #517
kaehlerii menetriesi Motschulsky, 1845a: 87 ~~E: ST~~ **A: AB AR GG IN TR** #674
astrabadensis Pic, 1915e: 6
caucasicus T. Pic, 1902: 27 - "Caucas", Helenendorf () #331
kaehlerii miroshnikovii Lazarev, 2023a: 2 **E: ST A: GG** #674
kaehlerii rossicus Danilevsky, 2019: 86 **E: AU BE BU BY CT CZ GE GR HU KZ MD PL RO SK ST SZ TR UK A: TR**
katerinae Danilevsky, 2012d: 12 **A: SHX**
kykladicus Vartanis, 2023b: 1716 **GR (Cyclades)**
lituratus Ganglbauer, 1887a: 136 **A: BEI FE GAN GUI GUX HEB HEN HUB HUN JA JIA JIL JIX LIA NC SC SCH SHA SHX YUN** #185
komarovi Semenov, 1908: 260
petasifer Fairmaire, 1888b: 140
ritsemai Villard, 1913: 237
rosti Pic, 1913c: 135
malaccensis Lacordaire, 1869: 176 (*Philagathes*) **A: GUA GUX HAI SHA YUN ORR** #185 #530
diversithorax Pic, 1922b: 25.
fasciatus Brongniart, 1892: 241
subimmaculatus Pic, 1927b: 30
montanus White, 1853a: 138 **A: AF HP KA PA UP XIZ "Tibet"** #127 #185
kashmirensis Pic, 1906b: 10 (*Sternoplistes*)
nanus Semenov, 1907b: 254 ["Gilan: pr. pag. Molla-ali"] **A: IN**
notatithorax Pic, 1919a: 22 ["Perse"]
neocaucasicus Rapuzzi & Sama, 2014b: 156 **A: TR** #98 #635
nicocles Schaufuss, 1871: 209 **A: CY**
nigropunctatus Pic, 1916a: 13
nigronotatus Pic, 1907g: 169 [Hatay] **A: TR**
konradi Bernhauer, 1976: 123 [type - Adana: Nurdagi gecidi]
optabilis Holzschuh, 1984a: 149 **A: NP**
persicus Vartanis, 2023g: 1803 **A: IN**
renyvonae latifasciatus Özdikmen & Tezcan, 2020g: 537 **A: TR**
renyvonae renyvonae Sláma, 2001: 225 **E: BU CR MC TR SB** #98 #635
robusticollis Pic, 1905a: 9 ["Perse"] **A: IN**
sanguinolentus Olivier, 1800: 93 (*Cerambyx*) **A: ?TAI "North India" ORR** #373 #400
sasanus Kadlec, 2006a: 3 **A: IN ?IQ** #537
schurmanni Sláma, 1985: 18 **E GR (Crete)**
creticus Bernhauer, 1985: 104
sideriger richardi Danilevsky, 2012d: 15 **A: GAN**

sideriger sideriger Fairmaire, 1888b: 139 A: FE FUJ GUX HEB HEN HUB HUN JIA JIX NC SC SCH SHA #185
coreanus K. Saito, 1932: 441
pratti Gahan, 1888b: 61
skypetarum skypetarum Rapuzzi & Sama, 2014b: 164 E: AL MC GR #64 #521
skypetarum zinaidae Lazarev, 2020e A: TR
spectabilis Motschulsky, 1858a: 36 A: FUJ GAN GUI HEB HUB HUN JA JIA JIX LIA SC SCH SHA ?TAI YUN ZHE #63 #185
argodi Pic, 1949b: 53 (*Sternoplistes*)
bijunctus Pic, 1923b: 8 (*Sternoplistes*)
subnotatus Pic, 1910f: 24 A: YUN
basipennis Pic, 1916e: 13
talyschensis Reitter, 1891c: 240 A: AB (Talysh) IN
temminckii oliveri Danilevsky, 2012d: 19 A: GAN
temminckii richardambrusi Lazarev, 2023h: 391 A: SCH
temminckii sinensis White, 1853a: 139 A: AP FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX LIA SC SCH SHA SHN TAI YUN ZHE
ORR #185 #280
similis Pic, 1923b: 8 (*Sternoplistes*)
temminckii temminckii Guérin-Méneville, 1844: 224 A: JA
japanus Motschulsky, 1858a: 37
kiotensis Matsushita, 1933b: 312 (*Sternoplistes*)
variocollis Özdikmen, Laz & Karabulut, 2023: 60 A: TR
wachanrui Levrat, 1858: 261 [Turquie] A: AB CY IN IQ SY TR #591
aleppensis Witte, 1872: 208
atricolor Pic, 1912c: 4
bilunatus Schaufuss, 1871: 210 [Cypern]
diversipennis Pic, 1915e: 6 [Aleppo]
hausknechti Witte, 1872: 207 [Kurdistan]
mesopotamicus Al-Ali & Ismail, 1987b: 536, 543 [Iraq] #591
quadrinotatus Pic, 1912a: 35 [Luristan]
schoenfeldti Heyden, 1890: 79 [Sultanabad]
zarudnianus Semenov, 1903: 358 A: IN PA
schauffelei Pic, 1956a: 3

genus *Quentinius* Vives, 2013a: 105 type species *Philagathes cinctus* Lameere, 1890 (= *Purpuricenus lameerei* Plavilstshikov, 1921)
lameerei Plavilstshikov, 1921b: 110 (*Purpuricenus*) [RN] A: SCH XIZ YUN **ORR** #185
cinctus Lameere, 1890: cxxiii (*Philagathes*) [HN]

tribe Pyrestini Lacordaire, 1868

genus *Pyrestes* Pascoe, 1857b: 96 type species *Pyrestes haematicus* Pascoe, 1857
curticornis Pic, 1923a: 13 A: TAI
formosanus Schwarzer, 1925a: 24
densatus Holzschuh, 1998: 41 A: GAN SCH
dohertii Gahan, 1906a: 229 A: YUN **ORR**
festus Holzschuh, 1998: 42 A: YUN
haematicus Pascoe, 1857b: 97 A: ANH FUJ GUA GUI HEN HKG HUB HUN JA JIA JIX NC NE NO SC SHA TAI YUN ZHE #225
cardinalis Pascoe, 1863a: 50 #417
coreanus Okamoto, 1927: 66 (*Leptoxenus*)
hypomelas Fairmaire, 1887a: 131 A: YUN
inaequalicollis Hayashi, 1962a: 9 A: JA (Ryukyus)
longicollis Pic, 1953c: 8 A: TAI
miniatus Pascoe, 1857b: 97 A: "North India"
munekuro Fujimura, 1956: 3 A: JA
nipponicus Hayashi, 1987: 157
nigricollis Pic, 1947c: 18 A: YUN **ORR**
pascoei Gressitt, 1939a: 31 A: FUJ GAN GUA HUN JIA NE YUN ZHE
pyrrhus Gahan, 1906a: 228 A: HP NP **ORR** #366
quinesignatus Fairmaire, 1889a: 65 A: SHA WP #400
rufipes nepalicus Holzschuh, 1990: 189 A: NP
[rufipes rufipes Pic, 1923a: 13 - "North India"]
rugicollis Fairmaire, 1900: 642 A: FUJ GAN GUA HEN HUN JIA YUN ZHE
rugosa Gressitt & Rondon, 1970: 184 A: YUN **ORR**
yayeyamensis Hayashi, 1972: 28 A: JA (Ryukyus)

tribe Smodicini Lacordaire, 1869

genus *Smodicum* Haldeman, 1847: 38 type species *Callidium cucujiforme* Say, 1827 #579
Nothorhinomorpha Pic, 1930e: 62 type species *Nothorhinomorpha deplanata* Pic, 1930e
cucujiforme Say, 1827: 277 (*Callidium*) Ni: EG NAR NTR
argentum Bruch, 1911: 170

convergens Casey, 1912: 269
cylindrides Newman, 1838a: 394 (*Callidium*)
deplanata Pic, 1930e: 63 (*Nothorhinomorpha*) [Egypt]

tribe Stenhomalini Miroshnikov, 1989

genus *Stenhomalus* White, 1855: 243 type species *Stenhomalus fenestratus* White, 1855
subgenus *Obriopsis* G. Müller, 1948: 65 type species *Obrium bicolor* Kraatz, 1862
bicolor bicolor Kraatz, 1862: 126 (*Obrium*) E: AL AU BH BU CR CZ GR HU IT MC ME SB SK SL SV A: CY IS SY TR
bicolor yazelae Özdikmen, 2019a: 9 A: TR
subgenus *Stenhomalus* White, 1855: 243 type species *Stenhomalus fenestratus* White, 1855
Stenhomalus Gemminger, 1872: 2841 [unjustified emendation]
baibarensis Matsushita, 1933b: 307 A: TAI
cephalotes Pic, 1928a: 28 A: HAI **ORR**
clarinus Holzschuh, 1995: 23 A: YUN
cleroides Bates, 1873: 155 A: JA SC TAI #384
complicatus Gressitt, 1948a: 49 A: SCH SHA SHX YUN
coomani Gressitt, 1951a: 164 A: FUJ
dayaoshanus Niisato & Chou, 2018: 82 A: GUX
fenestratus White, 1855: 243 A: FUJ GUA HKG NE NO NP SCH SHA TAI "North India" **ORR**
incongruus incongruus Gressitt, 1939c: 211 A: BEI JIA SHA SHG #225
incongruus muneaka Hayashi, 1981b: 29 A: JA
incongruus parallelus Niisato, 1988c: 791 A: JA SC
japonicus Pic, 1904f: 22 (*Obrium*) A: FE (Kunashir) JA SC
lighti Gressitt, 1935b: 170
vulcanus Tsherepanov, 1975c: 79
kumaso Niisato & Makihara, 1991: 164 A: JA
liui Niisato, 2015a: 475 A: HAI
longicornis Bates, 1873: 155 (*Obrium*) A: JA
makiharai Niisato & Chou, 2018: 86 A: TAI
mecops Holzschuh, 1990: 187 A: SD
mirificus Niisato & Chou, 2018: 84 A: TAI
nagaoui Hayashi, 1960c: 11 A: JA SC (Yeoseodo Is.) #97
odai Niisato & Kinugasa, 1982: 13 A: YUN **ORR**
pallidus Gressitt, 1935a: 147 A: TAI
pinicola Holzschuh, 2015: 34 A: SCH **SHA** #683
ruficollis Gressitt, 1935a: 149 A: TAI
taiwanus koshunensis Seki, 1935a: 91 A: TAI
taiwanus taiwanus Matsushita, 1933b: 307 A: HEB HEN HUB JA LIA NC SC SCH SHA SHX TAI **NAR** #216 #225
takaosanus K. Ohbayashi, 1958c: 37 A: JA
tetricus Holzschuh, 2007: 214 A: HUB
unicolor Niisato & Hua, 1998: 456 A: ZHE
versicolor Holzschuh, 1984a: 147 A: NP

tribe Stenopterini Gistel, 1848

genus *Callimoxys* Kraatz, 1863: 105 type species *Stenopterus gracilis* Brullé, 1832
gracilis Brullé, 1832: 257 (*Stenopterus*) E: AL BH BU CR GR HU MC ME RO SB SK SL ST UK A: AB AR GG IN TM TR
#11 #32 #117 #225
retusifera Holzschuh, 1999: 27 A: HUB SHA
orientalis Niisato & N. Ohbayashi, 2004: 464
genus *Callimus* Mulsant, 1846: [5] type species *Callimus bourdini* Mulsant, 1846 (= *Saperda angulata* Schrank, 1789)
subgenus *Callimus* Mulsant, 1846: [5] type species *Callimus bourdini* Mulsant, 1846 (= *Saperda angulata* Schrank, 1789)
Callimellum Strand, 1928: 2 [unnecessary substitute name]
abdominalis Olivier, 1800: 70 (*Callidium*) E: AL BH CR FR GR IT SP #373
decorus Gené, 1839: 38 (*Stenopterus*)
diversipes Pic, 1929b: 9
nigricollis Pic, 1890c: 157
akbesianus Pic, 1892r: cxi [= 1893d: 416] A: TR
angulatus angulatus Schrank, 1789: 77 (*Saperda*) E: AL AU BH BU CR CZ **FR** GE GR HU **IT** MC **MD** ME PL RO SB SK **SL** SP SZ TR
UK N: AG MO A: AB AR GG IN SY TR TM #170 #630
bourdini Mulsant, 1846: [7]
cyaneus Fabricius, 1793: 330 (*Callidium*)
gallicus Pic, 1932d: 25 (*Callimellum*)
laetus Motschulsky, 1845a: 85 (*Stenopterus*)
variabilis Bonelli, 1812: 181 (*Necydalis*)
angulatus glabrescens Holzschuh, 1989a: 164 E: AL GR

testaceus Pic, 1922b: 23 A: HP
subgenus Lampropterus Mulsant, 1862: 214 type species *Necydalis femoratus* Germar, 1824 #506
Callimomimus Leništea, 1952: 719 type species *Callimomimus distinctus* Leništea, 1952 (= *Necydalis femoratus* Germar, 1824)
femoratus Germar, 1824: 519 (*Necydalis*) E: AL BU GR MC MD ME RO SB ST TR UK A: AB AR GG IN IS CY LE SY TR #74 #506
adonis Abeille de Perrin, 1881: 139
distinctus Leništea, 1952: 719 (*Callimomimus*)
narcissus Abeille de Perrin, 1881: 138
rumelicus Apfelbeck, 1899: 292
thoracicus Chevrolat, 1882: 57 (*Callimoxys*)
subgenus Nathriopterus Sama, 2002: 62 type species *Stenopterus shensiensis* Gressitt, 1951
shensiensis Gressitt, 1951a: 176 (*Stenopterus*) A: SHA
truncatipennis Gressitt, 1948a: 52 (*Stenopterus*) A: SHA
subgenus Procallimus Pic, 1907a: 7 type species *Callimus egregius* Mulsant & Rey, 1863
distinctipes Pic, 1906a: 11 A: IS JO LE
egregius Mulsant & Rey, 1863: 146 E: GR ST UK A: GG LE SY TR #182
obscurithorax Pic, 1907e: 154
khorasanii Holzschuh, 2006a: 234 A: IN
rapillyi Villiers, 1973a: 33 A: IN
semicyaneus Pic, 1905k: 187 E: GR MC ?A: TR #563

genus Guerryus Pic, 1903e: 105 type species *Guerryus aureopubescens* Pic, 1903
argyritis Holzschuh, 1998: 34 A: SCH YUN #400
aureopubescens Pic, 1903e: 105 A: SCH YUN

genus Holangus Pic, 1902i: 33 type species *Holangus flavonotatus* Pic, 1902
bicolor Niisato, Chou & Lin, 2018: 94 A: GUX HAI
guerryi Pic, 1904c: 10 A: SCH YUN #400
ruficollis Pic, 1940: 4 A: YUN ORR #240
shennongjiaensis P. Wang, Xie G. & Wang W.-K. 2020b: 146 A: HUB

genus Kunbir Lameere, 1890: ccxiii type species *Kunbir telephoroides* Lameere, 1890
Debilis Fairmaire, 1895: 178 [HN] type species *Debilis rufoflavida* Fairmaire, 1895
Debilissa Aurivillius, 1912: 274 [RN] type species *Debilis rufoflavida* Fairmaire, 1895
Kurseonigra Pic, 1930b: 15 type species *Debilissa laboissierei* Pic, 1930
atripennis Pic, 1925b: 15 (*Debilissa*) A: HUN YUN
bicolor Pic, 1928f: 160 (*Debilissa*)
obscuricolor Pic, 1925b: 16 (*Debilissa*)
[atripes atripes Pic, 1924: 15 (*Debilissima*) ORR (Laos)]
atripes bicoloripes Holzschuh, 2015d: 43 A: SCH SHA
carinatus Pic, 1928f: 159 (*Debilissa*) A: HUB YUN #400
cephalotes Pic, 1928f: 159 (*Debilissa*) A: FUJ YUN
crusator Gressitt & Rondon, 1970: 127 A: YUN ORR
laboissierei Pic, 1930: 16 (*Debilissa*) A: SD #400
nomurai Hayashi, 1974a: 25 A: HUB HUN TAI #400
pallidipennis Gressitt, 1940b: 56 A: HAI
pilosipes Holzschuh, 2003: 187 A: HUB HUN SHA #400
rufoflavidus Fairmaire, 1895: 179 (*Debilis*) A: YUN ORR
diversiceps Pic, 1928a: 27 (*Debilissa*)
shennongjiaensis X. Wang, P. Wang & W. Wang, 2021: 181 A: HUB
simplex Gressitt & Rondon, 1970: 128 A: YUN ORR
telephoroides Lameere, 1890: ccxiii A: UP
testaceus Pic, 1924a: 15 (*Debilissima*) A: CH ORR
vartianorum Holzschuh, 1974a: 88 A: PA

genus Merionoeda Pascoe, 1858: 237 type species *Merionoeda puella* Pascoe, 1858
subgenus Macromolorchus Pic, 1922e: 28 type species *Macromolorchus curtipennis* Pic, 1922
Hakata Mitono & Nishimura, 1936: 33 type species *Hakata hirsuta* Mitono & Nishimura, 1936
baoshana Chiang, 1963: 66 A: YUN ORR
aglaospadix Gressitt & Rondon, 1970: 118
curtipennis Pic, 1922e: 28 (*Macromolorchus*) A: HUB ORR #651
eburata Holzschuh, 1989a: 162 A: SD YUN
hirsuta Mitono & Nishimura, 1936: 34 (*Hakata*) A: FUJ HUN JA SC TAI ZHE #682
klapperichi Tippmann, 1955: 100 (*Hakata*) #418
splendida Chiang, 1981: 79 A: GUX HAI ZHE #400
subgenus Merionoeda Pascoe, 1858: 237 type species *Merionoeda puella* Pascoe, 1858
fusca Gressitt & Rondon, 1970: 121 A: YUN ORR
indica Hope, 1831: 28 (*Molorchus*) A: HUB NP SCH SD YUN ORR #651

jeanvoinei Pic, 1933a: 9 A: GUX HAI **HUB ORR** #651
atricornis Pic, 1933a: 10
melanocephala Gressitt & Rondon, 1970: 125 A: GUX YUN **ORR** #400
neglecta Yokoi & Niisato, 2009: 348 A: YUN **ORR** #400
nigrella Gressitt, 1942g: 79 A: ANH YUN
nigriceps White, 1855: 181 (*Heliomanes*) A: AP NP XIZ YUN **ORR**
inapicalis Pic, 1922b: 23
nigroapicalis Gressitt et Rondon, 1970: 121 A: YUN **ORR**
phoebe Gardner, 1939: 3 A: NP UP
pilosa Gressitt et Rondon, 1970: 120 A: GUX YUN **ORR** #400
scutulata Holzschuh, 1989a: 163 A: SD YUN
tuberosa Holzschuh, 2003a: 185 A: YUN **ORR** #508
uraiensis Kano, 1930: 43 A: TAI
subgenus *Ocytasia* Pascoe, 1869a: 565 type species *Ocytasia fulvipennis* Pascoe, 1869
caldwelli Gressitt, 1942a: 3 A: FUJ GUA GUX HUN YUN
catoxelytra Gressitt & Rondon, 1970: 119 A: YUN **ORR**
formosana burkwalli Gressitt, 1940b: 54 A: HAI ZHE #489
formosana formosana Heller, 1924a: 32 A: TAI
kurarensis Seki, 1934: 282
nigra Matsushita, 1937: 102
formosana iriomotensis K. Ohbayashi & N. Ohbayashi, 1965: 3 A: JA (Ryukyus)
formosana okinawana K. Ohbayashi & N. Ohbayashi, 1965: 2 A: JA (Ryukyus)
formosana rubriventris Hayashi, 1962a: 8 A: JA (Ryukyus)
formosana septentrionalis Tamu & Tsukamoto, 1952: 9 A: JA
tosawai Kobayashi, 1932: 1 A: JA (Ogasawara Isls.)

genus *Microdebilissa* Pic, 1925b: 16 type species *Microdebilissa bipartita* Pic, 1925
Euchlanis Pascoe, 1869a: 565 [HN] type species *Euchlanis collaris* Pascoe, 1869
Neodeuteromma Mitono, 1936: 32 type species *Neodeuteromma serratipenne* Mitono, 1936 (= *Mirodebilissa testacea* Matsushita, 1933)
aethiops aethiops Holzschuh, 1995: 25 (*Euchlanis*) A: YUN
aethiops hiranoi Niisato, Akiyama & Chou, 2021: 121 A: TAI
argentifera Holzschuh, 1984c: 354 (*Euchlanis*) A: BT NP YUN
atricornis Pic, 1940: 4 A: CH **ORR**
atripennis Pu, 1992b: 600, 620 (*Euchlanis*) A: YUN
bipartita Pic, 1925b: 16 A: CH
obscura Pic, 1940: 5
diversipes Pic, 1930b: 16 A: SD
furva Holzschuh, 1993a: 30 (*Euchlanis*) A: YUN **ORR**
homalina Holzschuh, 1993a: 29 (*Euchlanis*) A: YUN **ORR**
infirma Holzschuh, 1989b: 375 (*Euchlanis*) A: YUN **ORR**
makiharai Hayashi, 1982b: 151 (*Euchlanis*) [RN] A: TAI
obscura Hayashi, 1971: 6 [HN]
minuta Pic, 1927b: 30 A: CH **ORR**
robustula Holzschuh, 1990: 188 (*Euchlanis*) A: NP
simplicicollis Gressitt, 1951a: 181 [RN] A: GUA
gressitti Hayashi, 1951b: 80 [RN]
serratipennis Gressitt, 1937c: 450 [HN]
testacea Matsushita, 1933b: 229 A: NP TAI YUN
serratipennis Mitono, 1936: 31 (*Neodeuteromma*)

genus *Stenopterus* Illiger, 1804: 120 type species *Necydalis rufa* Linnaeus, 1767
adlbaueri Sama, 1995b: 408 A: TR
ater Linnaeus, 1767: 642 (*Necydalis*) E: BH CR FR GR IT MC ME PT **RO** SB SK SL SP SZ UK N: AG GG LB MO TU #115
auriventris Küster, 1851: 96
flavipes Pic, 1892e: 66
inustulatus Pic, 1892c: 22
nigripes Costa, 1855: 67
praeustus Fabricius, 1793: 354 (*Necydalis*)
ruficollis Pic, 1918d: 23
rufofemoratus Pic, 1905h: 147
subhumeralis Pic, 1905i: 156
theryi Pic, 1918d: 23
ustulatus Mulsant, 1839: 115
atricornis Pic, 1891h: 102 E: AL GR A: SY TR #143 #236
creticus Sama, 1995b: 403 E: GR (Crete)
flavicornis Küster, 1846b: 75 E: AL AU **BH** BU CR CZ GR HU IT MC ME RO SB SK SL TR UK A: IS JO LE SY #182
procerus Costa, 1855: 64

kraatzi Pic, 1892c: 21 A: TR
mauritanicus P. H. Lucas, 1847: pl. 42 E: PT SP N: AG MO TU
fgeniculatus Kraatz, 1863: 104 E: AL AU BH BU CR GR HU MC ME RO SB SL ST TR A: AB AR GG IN TR #20
rufus rufus Linnaeus, 1767: 642 (*Necydalis*) E: AU BE BH BU CR CZ FR GE HU IT LU MA MD NL PL RO SK SL SP ST SZ UK A: GG
 TR N: CI (Gran Canaria)
attenuatus Geoffroy, 1785: 84 (*Leptura*) [HN]
rufus syriacus Pic, 1892c: 22 A: IS LE IQ SY TR #30
rufus transcaspicus Lazarev, 2008: 132 A: TM (Kopetdag) IN
similatus mehli Sama, 1995b: 402 A: CY
similatus similatus Holzschuh, 1979a: 113 E: GR (Ikaria)

tribe Thraniini Gahan, 1906

genus *Thranus* Pascoe, 1859: 22 type species *Thranus bimaculatus* Pascoe, 1859
Singalia Lacordaire, 1872: 834 type species *Singalia spinipennis* Lacordaire, 1872 (= *Thranus gibbosus* Pascoe, 1859)
infernalis Matsushita, 1933b: 225 A: TAI
multinotatus latipennis Hayashi, 1963a: 53 A: JA (Ryukyus)
multinotatus multinotatus Pic, 1922a: 22 A: XIZ YUN ORR
multinotatus okinawensis Makihara, 1978: 51 A: JA (Ryukyus)
multinotatus signatus Schwarzer, 1925a: 23 A: FUJ HAI TAI ZHE ORR
multinotatus takakuwai Fujita, 2023: 20 A: GUA
obliquefasciatus Pu, 1992b: 596 A: YUN
capucinus Holzschuh, 1993a: 31 #293
rufescens formosanus Schwarzer, 1925a: 23 A: TAI #524
rufescens kobayashii Fujita, 2023: 20 A: JA (Yaeyama Isls.)
rufescens matsumurai Fujita, 2023: 20 A: JA (Okinawa Isls.)
rufescens rufescens Bates, 1884a: 258 (*Singalia*) A: JA #524
simplex fulvus Pu, 1992b: 596 A: SCH
simplex simplex Gahan, 1894a: 15 A: AP BT HUB NP SD SCH SHA XIZ YUN ORR #280
triplagiatus Gahan, 1906a: 238 A: SD ORR
variegatus nishinoi Fujita, 2023: 20 A: JA (Japan: Tokara Isls.)
variegatus obscurus Hayashi, 1962a: 8 A: JA (Ryukyus)
variegatus variegatus Bates, 1873: 196 A: JA SC #682
maculicornis Plavilstshikov, 1940a: 649
sapporensis Kano, 1933b: 132

tribe Tillomorphini Lacordaire, 1868

genus *Cleroclytus* Kraatz, 1884a: 226 type species *Cleroclytus semirufus* Kraatz, 1884
subgenus *Cleroclytus* Kraatz, 1884a: 226 type species *Cleroclytus semirufus* Kraatz, 1884
francottei Rapuzzi & Sama, 2010b: 185 A: GAN
semirufus collaris Jakovlev, 1885b: 290 A: KI KZ XIN
manifestus Jakovlev, 1900b: 664
strigicollis Jakovlev, 1900b: 663 #697
semirufus savitsky Lazarev, 2014: 276a A: MG
semirufus semirufus Kraatz, 1884a: 225 A: AF KI KZ UZ #345
vestitus Jakovlev, 1900b: 664
subgenus *Obliqueclytus* Lazarev, 2014a: 276 type species *Anaglyptus banghaasi* Reitter, 1895
banghaasi Reitter, 1895c: 159 (*Anaglyptus*) A: KI TD
semenowi Jakovlev, 1900b: 663
gracilis Jakovlev, 1900b: 665 A: TD
baeckmanni Okunev, 1933: 136
grandiculus Plavilstshikov, 1940a: 542
genus *Epipedocera* Chevrolat, 1863: 339 type species *Epipedocera zona* Chevrolat, 1863
affinis Chevrolat, 1863: 341 A: NP UP
assamensis Gardner, 1926: 204 A: YUN ORR
atra Pic, 1937b: 7 A: HAI YUN ORR
chakhata Gardner, 1939: 9 A: BT NP UP
djoui Gressitt, 1951a: 627 A: GUA GUX HKG YUN #364 #408
effusa Holzschuh, 1999: 43 A: GUX ORR #508
guerryi Pic, 1903e: 105 A: CH
hardwicki White, 1855: 288 (*Clytus*) [RN] A: NP SD XIZ ORR
undulata Hope, 1831: 28 (*Clytus*) [HN]
hoffmanni Gressitt, 1940b: 85 A: HAI
laticollis Gahan, 1906a: 307 A: YUN ORR
lugens Holzschuh, 1990: 192 A: SD
rollei Pic, 1910g: 30 A: TAI

setigera setigera Holzschuh, 2019b: 97 A: GUX
subatra Gressitt & Rondon, 1970: 283 A: YUN **ORR**
vitalisi Pic, 1922c: 11 A: YUN **ORR**
vitiosa Holzschuh, 2009a: 348 A: GUX **ORR**
zona Chevrolat, 1863: 340 A: GUI GUX NP SD YUN **ORR**

#508
#474

genus Halme Pascoe, 1869a: 640 type species *Halme cleriformis* Pascoe, 1869
atrocoerulea Gressitt, 1939b: 104 A: FUJ ZHE
basifusca Kusama & Oda, 1979: 74 A: TAI
eburneocincta Gressitt, 1934: 168 A: TAI
masakoe Niisato, 1984b: 211 A: TAI

genus Pseudomyrmecion Bedel, 1885: cxxxi type species *Pseudomyrmecion ramalium* Bedel, 1885
ramalium Bedel, 1885: cxxxii N: AG

tribe Vesperellini Sama, 2008

genus Vesperella Dayrem, 1933: 89 type species *Vesperella pallida* Dayrem, 1933
maroccana Sama, 2008: 228 N: MO
pallida Dayrem, 1933: 89 N: AG
taouchgueltana Trocoli, 2023: 1 N: MO

tribe Xystrocerini Blanchard, 1845

genus Jendekia Holzschuh, 1993a: 24 type species *Jendekia eduardi* Holzschuh, 1993
eduardi Holzschuh, 1993a: 25 A: YUN

genus Leptoxenus Bates, 1877: 37 type species *Leptoxenus ibidiiformis* Bates, 1877
Kamuia Matsushita, 1933b: 240 type species *Kamuia bimaculata* Matsushita, 1933
bimaculatus Matsushita, 1933b: 240 (*Kamuia*) A: TAI
ibidiiformis Bates, 1877: 37 A: JA JIX SC TAI
ornaticollis Gressitt & Rondon, 1970: 47 A: YUN **ORR**

genus Xystrocera Audinet-Serville, 1834b: 69 type species *Cerambyx globosus* Olivier, 1795
dispar Fähræus, 1872a: 49 A: AE **YE SA AFR**
curticollis Fairmaire, 1882b: 96
nitidiventris Fairmaire, 1887b: 326
parvicollis Fairmaire, 1892a: 120

#774

festiva J. Thomson, 1861: 251 A: AP HAI SD ?TAI YUN **ORR**

globosa Olivier, 1795: 27 (*Cerambyx*) N: EG A: ANH AP BT FUJ GAN GUA GUI GUX HAI HEB HEN HUB HUN ISI JA JIA JIX NP PA
SC SD SCH SHA SHG SHN TAI UP YUN ZHE **AFRi AURi NTRi ORR** #280 #127 #344 #380

invittata Breuning, 1957h: 1241
marginalis Goldfuss, 1805: 44 (*Callidium*)
mediovitticollis Breuning, 1957h: 1241
diehli Heyrovský, 1967d: 39
reductevittata Breuning, 1957h: 1241
vittata Fabricius, 1801: 309 (*Stenocorus*) ["Habitat in Brasilia" – wrong locality]
viridipicta Fairmaire, 1896b: 367

#87

subfamily Lamiinae Latreille, 1825

tribe Acanthocinini Blanchard, 1845

genus Acanthocinus Dejean, 1821: 106 type species *Cerambyx aedilis* Linnaeus, 1758

subgenus Acanthobatesianus Wallin, Kvamme & Lin, 2012: 19 type species *Leiopus guttatus* Bates, 1873
guttatus Bates, 1873: 384 (*Leiopus*) A: FE (Kunashir) JA JIX NC SC

#291

subgenus Acanthocinus Dejean, 1821: 106 type species *Cerambyx aedilis* Linnaeus, 1758

Aedilis Audinet-Serville, 1835a: 32 type species *Aedilis montanus* Audinet-Serville, 1835 (= *Cerambyx aedilis* Linnaeus, 1758)
Astynomus Dejean, 1835: 337 type species *Cerambyx aedilis* Linnaeus, 1758
Canonura Casey, 1913: 335 type species *Aedilis spectabilis* LeConte, 1854
Graphisurus Casey, 1913: 334 type species *Acanthocinus pusillus* Kirby, 1837
Lamia Gistel, 1848a: xi [unjustified substitute name, HN] type species *Cerambyx aedilis* Linnaeus, 1758
Neacanthocinus Dillon, 1956: 230 type species *Cerambyx obsoletus* Olivier, 1895
Tylocerina Casey, 1913: 335 type species *Cerambyx nodosus* Fabricius, 1775

aedilis Linnaeus, 1758: 392 (*Cerambyx*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT **KZ** LA LS LT LU
MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR ES FE GG HEI HEN HUB JIL JIX KZ MG NC NMO
SHA SC SHN TR WS

dongbeiensis Z. Wang, 2003: 258
marmoratus Villers, 1789: 239 (*Cerambyx*)
montanus Audinet-Serville, 1835a: 33 (*Aedilis*)

obliteratus Pic, 1917g: 9
validus Matsushita, 1936: 148
carinulatus Gebler, 1833: 302 A: ES FE HEI MG NE NO WS
sibiricus Motschulsky, 1860b: 149 (*Astynomus*)
chinensis Breuning, 1978a: 57 [= 1982a: 24] A: SHG
elegans Ganglbauer, 1884: 534 E: ST (Dagestan) A: AB IN #621
griseus Fabricius, 1793: 261 (*Cerambyx*) E: AL AN AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT KZ NT LA LS LT MC MD ME
ND NR PL PT RO SB SK SL SP ST SV SZ TR UK A: ?AB ?AR CY ES ?FUJ ?GAN ?GG ?GUA ?GUI ?GUX ?HEB ?HEI ?HEN
?HUB ?JIL ?JIX KZ LE ?LIA MG ?NMO ?SHA SY TR WS ?XIN ?ZHE #74 #553
alpinus L.Redtenbacher, 1849: 494 (*Astynomus*)
novaki Tippmann, 1952b: 153
obscurus Pic, 1891b: 32
gundaiensis Kano, 1933a: 285 A: TAI
henschi aetnensis Rapuzzi & Sama, 2010a: 130 E: IT (Sicilia)
henschi henschi Reitter, 1900c: 177 E: AL AU BH BU CR IT GR MC SL
hispanicus Sama & Schurmann, 1981: 43 E: SP
meyeri Vitali, 2011a: 161 E: PT
orientalis K. Ohbayashi, 1939: 116 A: FE (Kurils) JA ?NC SC #63
reticulatus Razoumowsky, 1789: 152 (*Cerambyx*) E: AL AU BH BU ?BY CR CZ FR GE GR HU IT PL RO SB SK SL SP SZ UK #752
atomarius Fabricius, 1793: 271 (*Lamia*)
constrictus Pic, 1891b: 32
costatus Fabricius, 1793: 261 (*Cerambyx*)
criticus Schoenherr, 1817a: 376 (*Lamia*) [RN]
sachalinensis Matsushita, 1933a: 391 A: CH ES FE JA MG NC SC #63
sinensis Pic, 1916e: 14 A: XYZ YUN
subsolanus Z. Wang, 2003: 262, 395 A: NMO
tethys Z. Wang, 2003: 262, 396 A: LIA
xanthoneurus Mulsant & Rey, 1852: 2 (*Astynomus*) E: IT
disjunctus Pic, 1908b: 6
edmondi Fairmaire, 1852b: lxiii (*Astynomus*)

genus *Boninella* Gressitt, 1956: 182 type species *Boninella degenerata* Gressitt, 1956

anoplos N. Ohbayashi, 1976: 6 (*Miaenia*) A: JA (Ogasawara Isls.)
degenerata Gressitt, 1956: 182 A: JA (Ogasawara Isls.)
hirsuta N. Ohbayashi, 1976: 4 (*Miaenia*) A: JA (Ogasawara Isls.)
igai N. Ohbayashi, 1976: 8 (*Miaenia*) A: JA (Ogasawara Isls.)
kamezawai Hasegawa & N. Ohbayashi, 2009: 378 A: JA (Ogasawara Isls.)
karubei Hasegawa & N. Ohbayashi, 2009: 364 A: JA (Ogasawara Isls.)
satoi masataakai Hasegawa & N. Ohbayashi, 2009: 372 A: JA (Ogasawara Isls.)
satoi satoi N. Ohbayashi, 1976: 5 (*Miaenia*) A: JA (Ogasawara Isls.)
takakuwai Hasegawa & N. Ohbayashi, 2009: 369 A: JA (Ogasawara Isls.)

genus *Boninoleiops* Hasegawa & Makihara, 2001: 71 type species *Boninella kitajimai* Hasegawa & Makihara, 2001
kitajimai Hasegawa & Makihara, 2001: 72 A: JA (Ogasawara)

genus *Cristenes* Breuning, 1978a: 19 type species *Enes cristatus* Pic, 1928
cristatus Pic, 1928a: 20 (*Enes*) A: NP ORR

genus *Cristeryssamena* Breuning, 1963b: 45 type species *Eyssamena cristipennis* Breuning, 1963

Cristosydonia Breuning, 1963b: 45 type species *Cristosydonia cristipennis* Breuning, 1963
alterna Holzschuh, 2003b: 312 (*Cristosydonia*) A: NP SD
besucheti Breuning, 1972c: 417 (*Eryssamena*) A: AP

genus *Driopea* Pascoe, 1858: 243 type species *Driopea clytina* Pascoe, 1858

subgenus *Driopea* Pascoe, 1858: 243 type species *Driopea clytina* Pascoe, 1858

schmidi Breuning, 1972c: 418 A: IN SD UP

subgenus *Fasciatodriopea* Breuning, 1963c: 15 type species *Driopea nigrofasciata* Pic, 1923

chinensis Breuning, 1967f: 187 (*Dryopea*) A: GUI

subgenus *Trichodriopea* Breuning, 1965b: 29 type species *Dryopea excavatipennis* Breuning, 1965

excavatipennis Breuning, 1965b: 38 (*Dryopea*) A: YUN ORR

genus *Eoporis* Pascoe, 1864a: 15 type species *Eoporis elegans* Pascoe, 1864

subgenus *Eoporimimus* Schwarzer, 1925c: 147 type species *Eoporis bifasciana* Schwarzer, 1925

bifasciana Schwarzer, 1925c: 147 A: TAI

differens Pic, 1926g: 143 A: BT SD TAI YUN ORR

glabrosignata Pic, 1944b: 10

mitonoi Seki, 1946: 11 (*Rondibilis*) A: TAI

#282 #344

pedongensis Breuning, 1969f: 668 A: SD
simillima Hayashi, 1974c: 57 A: TAI

genus *Euryclytosemia* Hayashi, 1963c: 15 type species *Euryclytosemia nomurai* Hayashi, 1963
nomurai Hayashi, 1963c: 15 A: JA (Ryukyus) TAI (Lanyu Is.)

genus *Jordanoleiopus* Lepesme & Breuning, 1955b: 96 type species *Jordanoleiopus maynei* Lepesme & Breuning, 1955
subgenus *Polymitoleiopus* Lepesme & Breuning, 1955b: 96 type species *Leiopus africanus* Jordan, 1894a
annae Lazarev & Skrylnyk, 2023 A: OM #337

genus *Leiopus* Audinet-Serville, 1835a: 86 type species *Cerambyx nebulosus* Linnaeus, 1758
subgenus *Carinopus* Wallin, Kvamme & Lin, 2012: 7 type species *Leiopus holzschuhi* Wallin, Kvamme & Lin, 2012
campbelli Gressitt, 1937d: 613 A: JIX

fallaciosus Holzschuh, 1993a: 49 A: FUJ GUA JIX #606

flavomaculatus Wallin, Kvamme & Lin, 2012: 9 A: GUI

holzschuhi Wallin, Kvamme & Lin, 2012: 14 A: CHQ GUI HEN SCH SHA

multipunctellus Wallin, Kvamme & Lin, 2012: 16 A: SCH YUN

nigrofasciculosus Wallin, Kvamme & Lin, 2012: 12 A: ANH SHA

nigropunctatus Wallin, Kvamme & Lin, 2012: 8 A: GUI GUX SCH

ocellatus Wallin, Kvamme & Lin, 2012: 11 A: SHA

shibatai Hayashi, 1974c: 58 A: TAI

subgenus *Leiopus* Audinet-Serville, 1835a: 86 type species *Cerambyx nebulosus* Linnaeus, 1758

Liopus Agassiz, 1846: 212 [unjustified emendation]

Phrurus Gistel, 1856: 376 [unnecessary substitute name]

albivittis albivittis Kraatz, 1879c: 112 (*Liopus*) A: ES FE HEI JIL LIA MG NC SC WS #400

ganglbaueri Csiki, 1901: 116

albivittis malaisei Aurivillius, 1928a: 42 A: FE (Kamchatka Peninsula and Magadan Region)

andreae Sama, 1994c: 43 A: CY

bedeli Pic, 1892j: 289 N: AG TU

evgeniyi Danilevsky & Skrylnik, 2014: 691 A: IN #23

femoratus Fairmaire, 1859a: 62 E: BE BU CT FR GE HU IT LU ME NL RO SB ST TR UK A: AB AR GG IN TR #150 #482 #716

caspius Ganglbauer, 1884: 531 (*Liopus*)

constellatus Mulsant & Rey, 1863: 159

pachymerus Ganglbauer, 1884: 532 (*Liopus*)

kharazii Holzschuh, 1974a: 98 E: ST A: AB (Talysh) IN #637

lisae Rapuzzi & Sama, 2012a: 679 A: TR

masaoi Tamura & Tamura, 1992: 195 A: JA

montanus Hayashi, 1968a: 25 A: JA

montanoides Breuning, 1978a: 58 (*Acanthocinus*) [RN]

nebulosus caucasicus Ganglbauer, 1887d: 25 (*Liopus*) E: ST A: AB AR GG TR

nebulosus insulanus Sláma, 1985: 19 E: GR (Crete) #80

nebulosus nebulosus Linnaeus, 1758: 391 (*Cerambyx*) E: ?AL ?AU BE BH BU ?CR CT[Kaliningrad] DE EN FI FR GB GE ?GR ?HU IR IT

LA LS LU ?MD ?ME NL NR PL ?PT RO ?SB SL ?SP SV ?SZ TR UK A: ?KZ

bifasciatus Goeze, 1777: 464 (*Cerambyx*) [HN]

dissimilis Pic, 1889a: 5

fasciatus Villers, 1789: 239 (*Cerambyx*) [HN]

monilis Geoffroy, 1785: 75 (*Cerambyx*)

siculus Pic, 1924c: 22 (*Liopus*)

unifasciatus Pic, 1891c: 23 (*Liopus*)

punctulatus Paykull, 1800: 57 (*Cerambyx*) E: AU BY CT CZ EN FI GE HU LA LT NT PL SK ST SV ?SZ UK #115

settei Sama, 1985d: 408 E: IT

stillatus Bates, 1884a: 254 (*Acanthocinus*) A: FE JA HEB HEI JIL JIX NC SC ZHE

japonicus Pic, 1901k: 342 (*Liopus*)

syriacus abieticola Sama & Rapuzzi, 2010: 186 A: TR

syriacus syriacus Ganglbauer, 1884: 532 (*Liopus*) A: CY IS LE SY TR

major Pic, 1898n: 125 (*Liopus*)

syriacus tauricus Sama & Rapuzzi, 2010: 184 A: ?LE TR #177

taeniatum Gmelin, 1790: 1863 (*Cerambyx*) E: AL AU BE BU BY CR CT CZ DE EN FR GB GE ?GR ?HU KZ LA LT MC MD ?ME NR ?NT

PL ?PT RO ?SB SK ?SP ST SV SZ UK A: KZ WS #11 #64 #115 #479 #649

linnei Wallin, Nylander & Kvamme, 2009: 39

wrzecionkoi Sama & Rapuzzi, 2011a: 88 A: SY

genus *Mimeryssamena* Breuning, 1972c: 417 type species *Mimeryssamena besucheti* Breuning, 1972
besucheti Breuning, 1972c: 418 A: UP

genus *Mimohoplorana* Breuning, 1960f: 144 type species *Mimohoplorana puncticollis* Breuning, 1960
puncticollis Breuning, 1960f: 144 A: SD

genus *Mimoxenolea* Breuning, 1960e: 36 type species *Mimoxenolea bicoloricornis* Breuning, 1960
Mimaeschopalea Breuning, 1961a: 31 type species *Mimaeschopalea ornata* Breuning, 1961
bicoloricornis Breuning, 1960e: 36 A: SD

genus *Myromexocentrus* Breuning, 1957a: 20 type species *Myromexocentrus tibialis* Breuning, 1957
quadrifasciatus Hayashi, 1983: 43 A: TAI

genus *Neacanista* Gressitt, 1940b: 182 type species *Neacanista tuberculipennis* Gressitt, 1940
Hoploranomimus Breuning, 1959b: 87 [= 1960d: 18] type species *Acanthocinus harmandi* Pic, 1939 #323
Paracanthocinus Breuning, 1964e: 52 type species *Paracanthocinus laosensis* Breuning, 1964 #323
Sternacanista Tippmann, 1955: 128 type species *Sternacanista retrospinosa* Tippmann, 1955 #260
harmandi Pic, 1939g: 183 (*Acanthocinus*) A: BT **ORR**
retrospinosa Tippmann, 1955: 130 (*Sternacanista*) A: FUJ GUX **ORR**
laosensis Breuning, 1965d: 53 (*Paracanthocinus*) #365
tuberculipennis Gressitt, 1940b: 182 A: CHQ HAI YUN **ORR** #60 #260

genus *Neoeryssamena* Hayashi, 1974c: 56 type species *Neoeryssamena mitonoana* Hayashi, 1974
mitonoana Hayashi, 1974c: 56 A: TAI

genus *Ostedes* Pascoe, 1859: 43 type species *Ostedes pauperata* Pascoe, 1859
subgenus *Dentatostedes* Breuning, 1961e: 250 type species *Ostedes subdentata* Breuning, 1961 (= *Eoporis bidentata* Pic, 1933)
bidentata Pic, 1933f: 6 (*Eoporis*) A: SCH
subdentata Breuning, 1961e: 249
subgenus *Ostedes* Pascoe, 1859: 43 type species *Ostedes pauperatus* Pascoe, 1859
albomarmorata Breuning, 1969f: 668 A: SD
binodosa Gressitt, 1945a: 130 A: GUA SCH SHA #225
brunneovariegata Breuning, 1961i: 337 A: NP
densepunctata Hayashi, 1962b: 39 A: JA (Ryukyus) #197
dentata Pic, 1936b: 18 A: SCH YUN
harmandi Breuning, 1968d: 231 A: SD
inermis dwabina Gressitt, 1940b: 190 A: HAI HKG #400
inermis inermis Schwarzer, 1925c: 146 A: FUJ GUA TAI **ORR**
nubila Matsushita, 1931c: 405
kadleci Danilevsky, 1992c: 204 A: FE ?NC SC #316
niisatoi Hasegawa, 2017: 255 A: TAI
sapporensis Matsushita, 1933b: 375 (*Rhopaloscelis*) A: JA #197
serena Holzschuh, 2018b: 504 A: NP
sikkimensis Breuning, 1958a: 34 A: SD
subfasciata Matsushita, 1933b: 392 A: TAI
tuberculata Pic, 1925a: 31 (*Eryssamena*) A: CH
yamasakoi Hasegawa, 2017: 262 A: TAI

genus *Parachydaeopsis* Breuning, 1968a: 28 type species *Parachydaeopsis laosica* Breuning, 1968
shaanxiensis W.-K. Wang & Jiang, 2002a: 52 A: SHA

genus *Paraclodia* Breuning, 1974j: 372 type species *Paraclodia besucheti* Breuning, 1974
besucheti Breuning, 1974j: 374 A: NP

genus *Pararondibilis* Breuning, 1961j: 547 type species *Pararondibilis sikkimensis* Breuning, 1961
acrosa Holzschuh, 2003b: 313 A: NP UP
eluta Holzschuh, 2003b: 314 A: NP
macularia Holzschuh, 2003b: 314 A: KA
pinicola Holzschuh, 2018b: 504 A: NP UP
sikkimensis Breuning, 1961j: 547 A: SD

genus *Pareoporis* Breuning, 1969e: 197 type species *Pareoporis nigrosignata* Breuning, 1969
nigrosignata Breuning, 1969e: 197 A: NP SD

genus *Pareryssamena* Breuning, 1969e: 196 type species *Pareryssamena fuscisignata* Breuning, 1969
fuscisignata Breuning, 1969e: 196 A: BT NP SD

genus *Planeacanista* Hayashi, 1959b: 59 type species *Planeacanista japonica* Hayashi, 1959
japonica Hayashi, 1959b: 60 A: JA

genus *Pterolophioides* Breuning, 1942a: 165 type species *Pterolophioides laterifuscus* Fairmaire, 1886a
stramentosus Breuning, 1942a: 165 A: YE AFR

genus *Rondibilis* J. Thomson, 1857f: 306 type species *Rondibilis bispinosa* J. Thomson, 1857
subgenus *Rondibilis* J. Thomson, 1857f: 306 type species *Rondibilis bispinosa* J. Thomson, 1857

Eryssamena Bates, 1884a: 251 type species *Eryssamena saperdina* Bates, 1884a

Parenes Aurivillius, 1927: 29 (= 577) type species *Parenes lineata* Aurivillius, 1927

Polimeta Pascoe, 1864a: 13 type species *Ostedes spinosula* Pascoe, 1860a

amanoi Hayashi, 1961a: 23 (*Eryssamena*) A: JA

bastiana Breuning, 1961j: 545 A: NP SD

#343

besucheti Breuning, 1972c: 417 (*Eryssamena*) A: AP

#280

bispinosa J. Thomson, 1857f: 307 A: IN NP UP "Himalaya"

schmidi Breuning, 1972c: 417 (*Eryssamena*)

bispinosoides Hubweber, 2010: 61 A: SHG

bispinosa Pic, 1926i: 302 (*Eryssamena*) [HN]

cambodjensis Breuning, 1958a: 36 A: NP ORR

#29

chengtuensis Gressitt, 1942b: 6 A: SCH

coreana Breuning, 1974b: 41 (*Eryssamena*) A: NC SC

#63

elongata elongata Hayashi, 1963c: 14 A: JA (Ryukyus)

elongata minor Breuning & K. Ohbayashi, 1964: 28 (*Eryssamena*) A: JA (Ryukyus)

femorata Gressitt, 1938b: 165 A: JA (Ryukyus) TAI

grisescens Pic, 1936b: 19 (*Eryssamena*) A: YUN

horiensis hongshana Gressitt, 1937d: 614 A: GUA HUB JIX ZHE

#60

horiensis horiensis Kano, 1933a: 285 A: TAI

mushensis Matsushita, 1933b: 394

insularis Hayashi, 1962b: 38 (*Eryssamena*) A: JA

japonica Hayashi, 1968a: 26 A: JA

kuluensis Breuning, 1958d: 177 (*Eryssamena*) A: KA

lineaticollis Pic, 1922b: 26 (*Eryssamena*) A: HAI HKG HUB ORR

#400

indentata Pic, 1922b: 26 (*Eryssamena*)

seatonii Gressitt, 1940b: 189

microdentata Gressitt, 1942g: 89 (*Eryssamena*) A: ZHE

paralineaticollis Breuning, 1968a: 27 A: YUN ORR

#400 #73

parcesetosa Gressitt, 1939a: 83 A: GUA

plagiata Gahan, 1894a: 84 A: NP

saperdina Bates, 1884a: 251 (*Eryssamena*) A: FE (Sakhalin, Kurils) JA

acuta Bates, 1884a: 252 (*Eryssamena*)

spinidorsis Bates, 1884a: 252 (*Eryssamena*)

schabliovskiyi Tsherepanov, 1982b: 30 (*Eryssamena*) A: FE NC NE SC

semielongata Hayashi, 1974c: 53 A: TAI

shibatai Hayashi, 1974c: 55 (*Eryssamena*) A: TAI

sikkimensis Breuning, 1961j: 546 (*Eryssamena*) A: SD

simillima Holzschuh, 2003b: 315 A: NP

slocumi Gressitt, 1942b: 6 (*Eryssamena*) A: SCH

subundulata Breuning, 1958a: 35 (*Eryssamena*) A: NP "North India"

szetschuanica Breuning, 1963i: 454 (*Eryssamena*) A: NP SCH

#29

taiwana Hayashi, 1974c: 54 (*Eryssamena*) A: TAI

undulata Pic, 1922c: 14 (*Eryssamena*) A: GUA SC

multinotata Gressitt, 1939a: 83

yunnana Breuning, 1957a: 11 (*Eryssamena*) A: YUN

subgenus *Striatorondibilis* Breuning, 1961j: 546 type species *Rondibilis pedongensis* Breuning, 1961

pedongensis Breuning, 1961j: 546 A: NP SD

genus *Transipochira* Breuning, 1977b: 227 type species *Transipochira sikkimensis* Breuning, 1977
sikkimensis Breuning, 1977b: 227 A: SD

genus *Trichacanthocinus* Breuning, 1963d: 24 type species *Trichacanthocinus rondoni* Breuning, 1963
rondoni Breuning, 1963d: 24 A: YUN ORR

#349

#349

genus *Trichemeopedus* Breuning, 1975d: 357 type species *Trichemeopedus holzschuhi* Breuning, 1975

calosus Holzschuh, 2003b: 311 A: NP

holzschuhi Breuning, 1975d: 358 A: BT NP

genus *Trichodiboma* Breuning, 1961a: 30 type species *Trichodiboma clytoides* Breuning, 1961
clytoides Breuning, 1961a: 30 A: SD

genus *Trichohoplorana* Breuning, 1961j: 548 type species *Trichohoplorana dureli* Breuning, 1961 **#709**
Ipochiromima Sama & Sudre, 2009: 548 [RN]
Mimipochira Breuning, 1982a: 25 Type species: *Mimipochira sikkimensis* Breuning, 1982
Trichhoplorana Breuning 1977b: 115 (misspelling).
dureli Breuning, 1961j: 548 A: SD
sikkimensis Breuning, 1982a: 26 (*Mimipochira*) **#709**
juglandis Holzschuh, 1989c: 401 A: AP BT **#280**
luteomaculata Gouverneur, 2016: 69 A: HAI HUN **ORR** **#709**
mutica Holzschuh, 1990: 193 A: NP
shirakii Mitono, 1943: 584 (*Acanthocinus*) A: TAI **#419**
tenuipes Holzschuh, 2015c: 473 A: NP

genus *Trichorondibilis* Breuning, 1960a: 20 type species *Trichorondibilis rufipennis* Breuning, 1960
rufipennis Breuning, 1960a: 20 A: SD
basirufum Breuning, 1965e: 52 (*Trichonarhron*) **#365**
laosica Breuning, 1965c: 47 **#365**
sikkimensis Breuning, 1961i: 329 (*Mimaeschopalaea*) **#365**

genus *Tuberculipochira* Breuning, 1975d: 359 type species *Tuberculipochira wittmeri* Breuning, 1975
similis Breuning, 1975d: 360 A: BT
wittmeri Breuning, 1975d: 359 A: BT

genus *Tuberenes* Breuning, 1978a: 20 type species *Eryssamena robustipes* Pic, 1939
robustipes Pic, 1939a: 15 (*Eryssamena*) A: GAN SD
sikkimensis Breuning, 1978a: 21 A: SD

tribe Acanthoderini J. Thomson, 1860

genus *Aegomorphus* Haldeman, 1847: 45 type species *Aegomorphus decipiens* Haldeman, 1847 (= *Lamia modesta* Gyllenhal, 1817)
clavipes Schrank, 1781a: 135 (*Cerambyx*) E: AL AU BH BU **BY** CR CT CZ DE EN FI FR GE GR HU IT **KZ** LA LT MD ME NR NT PL
RO SB SK SL SP ST SV SZ TR UK N: AG MO TU A: AB AR ES FE GG HEB **IN** KZ JA MG NC (Cheongjin) NE TR WS XIN
lucidus Starck, 1890: 71 (*Acanthoderes*)
variatus Fabricius, 1787: 130 (*Cerambyx*)
francottei Sama, 1994e: 331 E: **BU** FR GR MC PL RO ?SB **#517**
grisescens Pic, 1898j: 392 (*Acanthoderes*) A: SY TR
planusculus Holzschuh, 1998: 50
jaspideus Germar, 1824: 475 (*Lamia*) Ei: **AZ NTR** **#506 #778**
krueperi Kraatz, 1859: 56 (*Acanthoderes*) E: BU GR ME SB **#138**
obscurior Pic, 1904d: 17 (*Acanthoderes*) E: CT LA PL ST UK A: ES FE KZ MG WS **#255 #752**
wojtylai Hilszczanski & Bystrowski, 2005: 202

genus *Berningerus* Lepesme & Breuning, 1955c: 127 type species *Acanthoderes gorillus* J. Thomson, 1858
gorilloides Teocchi, 1987: 26 N: EG

genus *Callapoecus* Bates, 1884a: 254 type species *Callapoecus guttatus* Bates, 1884
guttatus Bates, 1884a: 254 A: JA

genus *Oplosia* Mulsant, 1862: 300 type species *Cerambyx fennicus* Paykull, 1800 (= *Exocentrus cinereus* Mulsant, 1839)
Hoplosia Fairmaire, 1864a: 158 [unjustified emendation]
Lepargus Schiödtte, 1864: 512 type species *Cerambyx fennicus* Paykull, 1800 (= *Exocentrus cinereus* Mulsant, 1839)
cinerea Mulsant, 1839: 152 (*Exocentrus*) E: AU BH BY CR CT CZ DE EN FI FR GE GR HU IT LA LT NR NT PL RO SB SK SL ST SV
SZ UK
fennica Paykull, 1800: 58 (*Cerambyx*) [HN]
suvorovi Pic, 1914e: 65 (*Hoplosia*) A: ES FE JA NC SC **CH**
jezoensis Matsushita, 1933b: 378

tribe Ancytonotini Lacordaire, 1869

genus *Idactus* Pascoe, 1864c: 273 type species *Idactus tridens* Pascoe, 1864
Pseudocrossotus Breuning, 1978d: 897 type species *Pseudocrossotus enricoi* Breuning, 1978 (= *Idactus ashanticus* Breuning, 1960)
Togonius Kolbe, 1893: 64 type species *Togonius klingi* Kolbe, 1893
bettoni Gahan, 1898: 46 A: SA
coquereli Fairmaire, 1890: 551 (*Dichostates*) A: AE IN OM YE **AFR** **#774**
iranicus Breuning, 1975d: 348 **#342**
variegatus Gestro, 1895: 425
hieroglyphicus Taschenberg, 1883: 179 (*Coptops*) A: YE (Suqutra)
granti Gahan, 1900a: 12
maculicornis Gahan, 1890d: 312 A: YE **AFR**

paramaculicornis Breuning, 1973c: 662 A: PA

genus *Palimna* Pascoe, 1862a: 346 type species *Golsinda tessellata* Pascoe, 1857 (= *Lamia annulata* Olivier, 1797)

Apalimna Bates, 1884a: 241 type species *Apalimna liturata* Bates, 1884a

Cylanca J. Thomson, 1864: 58 type species *Golsinda tessellata* Pascoe, 1857 (= *Lamia annulata* Olivier, 1797)

Goniages Pascoe, 1865a: 135 type species *Golsinda infausta* Pascoe, 1859

annulata Olivier, 1797: 465 (*Lamia*) A: FUJ HAI UP TAI YUN **ORR**

mouhotii Pascoe, 1866b: 237

nodulosa Schoenherr, 1817a: 395 (*Lamia*)

reticulata Pascoe, 1857a: 50 (*Golsinda*)

tessellata Pascoe, 1857a: 49 (*Golsinda*)

formosana Kano, 1933a: 282 (*Apalimna*) A: TAI

fukiena Gressitt, 1951a: 434 A: FUJ

liturata continentalis Semenov, 1914: 20 (*Apalimna*) A: FE NC NO SC

liturata liturata Bates, 1884a: 241 (*Apalimna*) A: JA **#400**

glabriventris Kano, 1933a: 282 (*Apalimna*)

palimnoides Schwarzer, 1925b: 62 (*Apalimna*) A: BT FUJ GUX HAI NP SD TAI YUN **ORR**

similis Gressitt, 1940b: 131

yunnana Breuning, 1935b: 153 A: SD YUN **ORR**

genus *Palimnodes* Breuning, 1938d: 330 type species *Apalimna ducalis* Bates, 1884a

ducalis Bates, 1884a: 242 (*Apalimna*) A: BT HP NP XIZ YUN "North India" **ORR** **#366**

mimica Fairmaire, 1898: 399 (*Palimna*)

genus *Pseudoparaphloeus* Sama, 2009: 25 [RN] type species *Paraphloeus scortecii* Breuning, 1968

Paraphloeus Breuning, 1968c: 91 [HN] type species *Paraphloeus scortecii* Breuning, 1968

scortecii Breuning, 1968c: 92 (*Paraphloeus*) A: SA YE

genus *Parorsidis* Breuning, 1935d: 65 type species *Parorsidis birmanica* Breuning, 1935

Paranephelotes Breuning, 1935e: 252 type species *Paranephelotes laosensis* Breuning, 1935

nigrosarsa nigrosarsa Pic, 1926a: 15 (*Driopea*) A: BT GUA HAI **ORR** **#400**

birmanica Breuning, 1935d: 65

fouqueti Pic, 1936a: 19 (*Ostedes*)

laosensis Breuning, 1935e: 252 (*Paranephelotes*)

tribe **Desmiphorini** J. Thomson, 1860

#400 #486

genus *Adjinga* Pic, 1926a: 25 type species *Adjinga vittata* Pic, 1926

vittata Pic, 1926a: 25 A: YUN **ORR**

genus *Anaesopogonius* Gressitt, 1938a: 53 type species *Anaesopogonius fulvus* Gressitt, 1938

fulvus Gressitt, 1938a: 53 A: SCH

ochraceofulvus Hayashi, 1974c: 49 A: TAI

piceonigris Hayashi, 1972: 39 A: JA (Ryukyus)

genus *Anaesthetis* Dejean, 1835: 348 type species *Saperda testacea* Fabricius, 1781

Anaesthetus Gistel, 1856: 377 [unjustified emendation]

anatolica Holzschuh, 1969: 79 A: IS LE SY TR

confossicollis Baeckmann, 1903c: 394 A: ES FE GUI JA JIL JIX ?NC NMO MG SC

flavipilis Baeckmann, 1903c: 394 ["Barnaul"] A: WS

lanuginosa Baeckmann, 1903c: 395 A: TM (Kopetdag)

testacea rufescens Baeckmann, 1903c: 395 E: ST A: AB AR CY GG IN LE TR ?SY **#244**

testacea testacea Fabricius, 1781: 235 (*Saperda*) E: AL AN AU BE BH BU BY CR CT CZ FR EN GE GR HU IT KZ LA LT LU MD ME **#468**

NL PL RO SB SK SL SP ST SV SZ TR UK A: KZ **WS**

fusca Geoffroy, 1785: 84 (*Leptura*)

livida Herbst, 1784: 95 (*Saperda*)

teutonica Gmelin, 1790: 1842 (*Cerambyx*)

genus *Anaesthetobrium* Pic, 1923c: 20 type species *Anaesthetobrium luteipenne* Pic, 1923

Eunidiopsis Breuning, 1939b: 220 type species *Eunidiopsis bicolor* Breuning, 1939 **#580**

Paraphidola Matsushita, 1933b: 376 type species *Paraphidola fuscoflava* Matsushita, 1933

bicolor Breuning, 1939b: 220 (*Eunidiopsis*) A: ZHE **#580**

fuscoflavum Matsushita, 1933b: 377 (*Paraphidola*) A: TAI

lieuae Gressitt, 1942b: 5 A: SCH

luteipenne Pic, 1923c: 20 A: **BEI** HEN JA JIA SC SHG ZHE **#400 #580**

pallidipes Holzschuh, 2010: 211 A: SHA

genus *Aragea* Hayashi, 1953: 41 type species *Aragea mizunoi* Hayashi, 1953

mizunoi Hayashi, 1953: 42 A: JA

genus *Arhopaloscelis* Murzin, Danilevsky & Lobanov, 1981: 790 type species *Rhopaloscelis bifasciata* Kraatz, 1879
bifasciata Kraatz, 1879c: 113 (*Rhopaloscelis*) A: FE ?NC NE SC
nipponensis Pic, 1932a: 3 (*Rhopaloscelis*) A: FE (Kunashir) JA

genus *Asaperdina* Breuning, 1976a: 51 type species *Asaperda regularis* Pic, 1923
brunnea Pesarini & Sabbadini, 2000: 62 A: SHA
regularis Pic, 1923c: 21 (*Asaperda*) A: CH
sordida Gressitt, 1951a: 506 (*Pseudanaesthetis*) A: HUB SHG
whiteheadi Gressitt, 1940b: 177 (*Pseudanaesthetis*) A: HAI

#400

genus *Bonipogonius* Kusama, 1973: 128 type species *Bonipogonius fujitai* Kusama, 1973
fujitai Kusama, 1973: 129 A: JA (Ogasawara)

genus *Bulborhodopis* Breuning, 1948a: 44 type species *Bulborhodopis barbicornis* Breuning, 1948
barbicornis Breuning, 1948b: 1 A: YUN ORR
humeralis Bi & Chen, 2022a: 112 A: YUN

#668

genus *Cervoglenea* Gressitt, 1951a: 621 type species *Glenea lata* Gressitt, 1935
lata Gressitt, 1935c: 191 (*Glenea*) A: TAI

genus *Clytosemia* Bates, 1884a: 253 type species *Clytosemia pulchra* Bates, 1884
bicincta Gressitt, 1938b: 164 A: TAI
pulchra nitidipennis Holzschuh, 2019a: 72 A: SHA
pulchra pulchra Bates, 1884a: 254 A: FE (Kurils) JA

genus *Cristorhodopina* Breuning, 1966d: 15 type species *Cristorhodopina assamensis* Breuning, 1965
mussardi Breuning, 1966d: 15 A: AP

genus *Cylindilla* Bates, 1884a: 250 type species *Cylindilla grisescens* Bates, 1884a
Anaesthetomorphus Pic, 1929b: 6 [RN] type species *Pseudanesthetis apicalis* Pic, 1929 (= *Cylindilla grisescens* Bates, 1884)
Ascoldatimura Breuning, 1960a: 27 [RN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla grisescens* Bates, 1884)
Mimatimura Breuning, 1958i: 492 [HN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla grisescens* Bates, 1884)
Pseudanesthetis Pic, 1929c: 119 [HN] type species *Pseudanesthetis apicalis* Pic, 1929 (= *Cylindilla grisescens* Bates, 1884)
grisescens Bates, 1884a: 250 A: CH FE JA ?NC SC
apicalis Pic, 1929c: 120 (*Pseudanesthetis*)
ascoldensis Heyden, 1884: 298 (*Atimura*)
inornata Gressitt, 1951a: 514 (*Microestola*) A: GUA
makiharai Hasegawa, 1992: 37 A: JA (Ryukyus) TAI

#580

genus *Deroplia* Dejean, 1835: 348 type species *Saperda genei* Aragona, 1830

subgenus *Deroplia* Dejean, 1835: 348 type species *Saperda genei* Aragona, 1830

Belodera J. Thomson, 1864: 112 [RN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)
Stenidea Mulsant, 1842b: suppl.: 1 [RN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)
Stenosoma Mulsant, 1839: 162 [HN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)
albida Brullé, 1839: 62 (*Cerambyx*) N: CI
annulicornis Brullé, 1839: 62 (*Cerambyx*) N: CI
costigera Demelt, 1982: 97 (*Stenidea*) N: CI (Hiero)
genei genei Aragona, 1830: 25 (*Saperda*) E: AL AU BH BU CR CZ FR GE GR HU IT ME RO SB SK SL SP ST ?SZ UK A: AB AR CY
GG IS JO LE SY TR #115 #464 #550
foudrasi Mulsant, 1839: 162 (*Stenosoma*)
obliquetruncata Rosenhauer, 1847: 59
genei konvickai Rapuzzi & Sama, 2012a: 677 A: CY
genei naviauxi Villiers, 1970: 136 (*Stenidea*) A: IN
gertiana Sama, 1996a: 86 N: CI (Tenerife)
gomeræ Sama, 1996a: 88 N: CI (Gomera)
hesperus Wollaston, 1863: 110 (*Stenidea*) N: CI (Hiero)
lorenzoi García, 2002: 109 N: CI (La Palma)
niveopicta Demelt, 1982: 99 (*Stenidea*) N: CI (Gran Canaria)
pilosa Wollaston, 1862: 181 (*Blabinotus*) N: CI (Lanzarote, Fuerteventura)
machadoi Demelt, 1982: 100 (*Stenidea*)
schurmanni Sama, 1996a: 88 N: CI (Hiero)
troberti cruciata Sama, 1996d: 37 E: GR (Crete)
troberti orientalis Özdikmen & Tezcan, 2020c: 423 A: TR
troberti troberti Mulsant, 1843: 283 (*Stenidea*) E: BH CR FR GR IT MA ME SP N: AG LI MO TU A: CY

- genus *Eupogoniopsis* Breuning, 1949b: 23** type species *Eupogonius tenuicornis* Bates, 1884a
caudatula Holzschuh, 1999: 46 A: YUN
granulata Jongok Lim, 2013: 359 A: JAI SC #449
niisatoi Yamasako, 2017: 243 A: TAI
omeimontis Gressitt, 1938a: 54 (*Anaesopogonius*) A: SCH
sepicola Holzschuh, 1999: 46 A: NP
tenuicornis Bates, 1884a: 249 (*Eupogonius*) A: JA
- genus *Eupogonius* LeConte, 1852: 159** type species ~~*Desmiphora tomentosa* Haldeman, 1847~~ #486
~~*Eriopsilus* Bates, 1866b: 193~~ type species ~~*Eriopsilus nigrinus* Bates, 1866~~
~~*Phydola* J. Thomson, 1864: 110~~ type species ~~*Phidola maculicornis* Chevrolat, 1862~~
~~*tomentosus* Haldeman, 1847: 50 (*Desmiphora*) Ni: MO NAR~~
~~*pinivorus* Fitch, 1859: 712~~
- genus *Euseboides* Gahan, 1893b: 385** type species *Euseboides plagiatus* Gahan, 1893
gorodinskii Holzschuh, 2006c: 487 A: AP CHQ GUI HP #66 #280
liubini Viktora & Tichý, 2018: 216 A: YUN
matsudai *matsudai* Gressitt, 1938b: 163 A: JA TAI
matsudai spinipennis Gressitt, 1940b: 137 A: HAI
motuoensis G.-Q. Huang, L. Chen & Li, 2015: 156 A: XIZ
plagiatooides Breuning, 1950f: 266 A: SD
plagiatus Gahan, 1893b: 386 A: AP SD
punctatissimus Holzschuh, 2010: 220 A: HUB GUI
reni G.-Q. Huang, L. Chen & Li, 2015: 157 A: YUN
tonkinensis Breuning, 1973: 45 A: GUI ORR #66
- genus *Falsostesilea* Breuning, 1940b: 168** type species *Stesilea perforata* Pic, 1926
perforata Pic, 1926b: 9 (*Stesilea*) A: GUA YUN ORR
melli Breuning, 1964a: 101
- genus *Falserterinaea* Matsushita, 1938a: 95** [RN] type species *Hirayamaia fusciorufa* Matsushita, 1937 (= *Eupogonius rufipennis* Matsushita, 1933b)
Hirayamaia Matsushita, 1937: 103 [HN] type species *Hirayamaia fusciorufa* Matsushita, 1937
pakistania Breuning, 1975d: 349 A: PA
rufipennis Matsushita, 1933b: 377 (*Eupogonius*) A: TAI
formosana Breuning, 1975a: 22 [1976a: 51] (*Pseudanaesthetis*)
fusciorufa Matsushita, 1937: 103 (*Hirayamaia*)
- genus *Graphidessa* Bates, 1884a: 248** type species *Graphidessa venata* Bates, 1884
obliquefasciata Komiya & Kusama, 1974: 138 A: TAI
variegata Hayashi, 1974c: 50 A: TAI
venata takakuwai Fujita, 1980: 15 A: JA (Ryukyus)
venata venata Bates, 1884a: 248 A: JA
- genus *Miccolamia* Bates, 1884a: 252** type species *Miccolamia cleroides* Bates, 1884a
subgenus *Isomiccolamia* K. Ohbayashi, 1963: 12 type species *Miccolamia verrucosa* Bates, 1884a
glabricula glabricula Bates, 1884a: 253 A: FE (Sakhalin, Kurils) JA
kaniei Takakuwa & N. Ohbayashi, 1992: 33
glabricula sadoensis Hasegawa & N. Ohbayashi, 2001: 22 A: JA
inspinosa Takakuwa & N. Ohbayashi, 1995: 197 A: JA (Izu Isl.)
takakuwai Hasegawa & N. Ohbayashi, 2001: 12 A: JA
tuberculata Pic, 1918a: 10 (*Pogonocherus*) A: JA
verrucosa Bates, 1884a: 253 A: JA
paluriae Takakuwa & N. Ohbayashi, 1995: 194
yakushimensis Hasegawa & N. Ohbayashi, 2001: 24 A: JA (Yakushima)
subgenus *Miccolamia* Bates, 1884a: 252 type species *Miccolamia cleroides* Bates, 1884
albasetosa Gressitt, 1951a: 533 A: TAI
arunachalensis Sreedevi & Ghate, 2020: 296, 299 A: AP
bicristata Pesarini & Sabbadini, 1997: 115 A: SHA
castaneoverrucosa Hayashi, 1974c: 52 A: TAI
cleroides Bates, 1884a: 253 A: FE (Kunashir) JA
coenosa Holzschuh, 2010: 207 A: HUB SHA
dracuncula Gressitt, 1942b: 7 A: FUJ SCH
relucens Holzschuh, 2003b: 312 A: NP SD

- rugosula* Holzschuh, 2003b: 311 A: SD #514
savioi Gressitt, 1940c: 192 A: JIA SHG
tonsilis Holzschuh, 2010: 207 A: GAN SHA
tuberculipennis Breuning, 1947a: 58 A: FUJ
- genus *Microestola* Gressitt, 1940b: 180** type species *Microestola bidentata* Gressitt, 1940 #580
Mimopothyne Breuning, 1956a: 7 type species *Mimopothyne flavolineata* Breuning, 1956 #580
bidentata Gressitt, 1940b: 180 A: HAI
flavolineata Breuning, 1956a: 7 (*Mimopothyne*) A: ZHE #400
formosana Gressitt, 1951a: 513 A: TAI
interrupta Gressitt, 1951a: 514 A: FUJ SHA SCH #225
parallela Gressitt, 1951a: 515 A: ?AF HUB ORR
- genus *Mimapatelarhron* Breuning, 1940: 209** type species *Mimapatelarhron javanicum* Breuning, 1940 #668
bulbiferum Holzschuh, 2017: 159 A: HAI YUN ORR
- genus *Mimectatina* Aurivillius, 1927: 27** type species *Mimectatina singularis* Aurivillius, 1927
Doius Matsushita, 1933b: 380 type species *Doius rufescens* Matsushita, 1933 (= *Sydonia divaricata* Bates, 1884a)
Falsodoius Breuning, 1953: 16 type species *Doius meridianus* Matsushita, 1933
Nipposybra Breuning, 1939b: 280 type species *Nipposybra fuscoplagiata* Breuning, 1939
Parasydonia Breuning, 1949b: 24 type species *Sydonia divaricata* Bates, 1884
divaricata divaricata Bates, 1884a: 247 (*Sydonia*) A: FE JA JIA ?NC SC TAI ZHE
grisea Matsushita, 1940: 53 (*Doius*)
rufescens Matsushita, 1933b: 380 (*Doius*)
divaricata fulvovariegata Hayashi, 1963c: 14 (*Doius*) A: JA
divaricata similis Takakuwa, 1984: 13 A: JA (Lzu Isls)
divaricata yayeyamana Toyoshima, 1982: 35 (*Doius*) A: JA (Ryukyus)
fukudai Hayashi, 1969a: 65 (*Doius*) A: TAI
fuscoplagiata Breuning, 1939b: 280 (*Nipposybra*) A: JA ?TA
adachii Hayashi, 1958b: 49 (*Doius*)
iriei Hayashi, 1984: 34 A: JA (Ryukyus) TAI
longipennis Makihara, 2004a: 20 A: JA
meridiana meridiana Matsushita, 1933b: 380 (*Doius*) A: TAI
meridiana ohirai Breuning & Villiers, 1973: 50 A: JA
murakamii Hayashi, 1978b: 111 A: TAI (Lanyu Is.)
singularis Aurivillius, 1927: 575 A:
apicesignata Breuning & de Jong, 1941: 104
fuscoapicata Breuning, 1964f: 304
truncatipennis Pic, 1944a: 14 (*Sybra*) A: CH ORR
variegata Kusama & Takakuwa, 1984: 13 A: JA
- genus *Mimeuseboides* Breuning, 1967b: 33** type species *Mimeuseboides excavatipennis* Breuning, 1967
excavatipennis Breuning, 1967b: 33 A: AP
- genus *Mimoscapeuseboides* Breuning, 1976b: 102** type species *Mimoscapeuseboides pedongensis* Breuning, 1976
pedongensis Breuning, 1976b: 103 A: SD
- genus *Mimovitalisia* Breuning, 1959b: 82** type species *Zodale tuberculata* Pic, 1924
wittmeri Breuning, 1975d: 354 A: BT NP
- genus *Mimozotale* Breuning, 1951b: 137** type species *Mimozotale flavolineata* Breuning, 1951
subgenus *Mimozotale* Breuning, 1951b: 137 type species *Mimozotale flavolineata* Breuning, 1951
sikkimensis Breuning, 1940a: 79 (*Zotale*) A: SD
subgenus *Parazotale* Breuning, 1976a: 52 type species *Zotale longipennis* Pic, 1927
cylindrica Hayashi, 1981a: 16 A: NP
longipennis Pic, 1927d: 6 (*Zotale*) A: YUN
approximata Pic, 1927b: 18 (*Zotale*)
truncatipennis Breuning, 1949a: 3, 7 (*Euseboides*) A: ?YUN ORR #350
- genus *Nedine* J. Thomson, 1864: 27** type species *Nedine longipes* J. Thomson, 1864
Opsioleus Pascoe, 1864a: 10 type species *Opsioleus adversus* Pascoe, 1864
Parazygocera Heller, 1924c: 200 type species *Parazygocera spaethi* Heller, 1924
sparatis W.-K. Wang & Jiang, 1999c: 214 A: YUN
subspinosa W.-K. Wang & Jiang, 1999c: 213 A: YUN
- genus *Paranaesthetis* Breuning, 1982a: 27** type species *Paranaesthetis metallica* Breuning, 1982

metallica Breuning, 1982a: 28 A: CH

genus *Pararhopaloscelides* Breuning, 1947a: 58 type species *Pararhopaloscelides sericeipennis* Breuning, 1947
Mimostedes Breuning, 1955c: 235 type species *Mimostedes basilewskyi* Breuning, 1955
Punjabostedes Breuning, 1957g: 276 type species *Mimostedes punjabensis* Breuning, 1957
sericeipennis jumlaensis Holzschuh, 2003b: 312 A: NP
sericeipennis sericeipennis Breuning, 1947a: 58 A: KA PA "Punjab"
kashmirensis Breuning, 1957g: 277 (*Mimostedes*)
punjabensis Breuning, 1957g: 276 (*Mimostedes*)

genus *Parasophroniella* Breuning, 1943e: 51 type species *Parasophroniella birmanica* Breuning, 1943e
birmanica Breuning, 1943e: 52 A: YUN ORR
tonkinensis Breuning, 1956g: 693

genus *Parectatosia* Breuning, 1940b: 207 type species *Parectatosia valida* Breuning, 1940
valida Breuning, 1940b: 208 A: "North India"

genus *Pareuseboides* Breuning, 1948a: 30 type species *Pareuseboides albomarmorata* Breuning, 1948
albomarmorata Breuning, 1948a: 30 A: NP SD

genus *Paroricopis* Breuning, 1958c: 35 type species *Paroricopis latefasciata* Breuning, 1958
latefasciata Breuning, 1958c: 36 A: BT

genus *Penthides* Matsushita, 1933b: 430 type species *Penthides flavus* Matsushita, 1933
Hirakura Hayashi, 1957b: 47 type species *Hirakura rufoflava* Hayashi, 1957
flavus flavus Matsushita, 1933b: 431 A: TAI
flavus multipubens Makihara, 1978: 57 A: JA (Ryukyus)
modestus Tippmann, 1955: 135 A: FUJ
rufoflavus Hayashi, 1957b: 48 (*Hirakura*) A: JA

genus *Pseudanaesthetis* Pic, 1922c: 15 type species *Pseudanaesthetis langana* Pic, 1922
assamensis Breuning, 1966c: 14 (*Sophronica*) A: NP ORR
? *langana* Pic, 1922c: 15 A: FUJ GUA GUI HAI HUN JIX SCH SHA SHN ZHE ORR #517 #525
mizunumai Hayashi, 1974c: 48 A: TAI
rufa Gressitt, 1942c: 3 A: FUJ

genus *Pseudectatosia* Breuning, 1940b: 209 type species *Pseudectatosia strandiella* Breuning, 1940
strandiella Breuning, 1940b: 209 A: AP BT SD #280

genus *Pseudoterinaea* Breuning, 1940b: 178 type species *Pseudanaesthetis bicoloripes* Pic, 1926
Duportius Pic, 1945c: 59 type species *Pseudanaesthetis bicoloripes* Pic, 1926
bicoloripes Pic, 1926a: 26 (*Pseudanaesthetis*) A: FUJ GUA GUX HAI HKG YUN ORR
laosensis Breuning, 1965: 34 (*Desisa*)
marmorata Gressitt, 1940b: 158 (*Phesates*)
seticornis Gressitt, 1940b: 176 (*Pseudanaesthetis*) A: HAI

genus *Quasimesosella* Miroshnikov, 2006: 232 [RN] type species *Microlera ussuriensis* Tsherepanov, 1983
Pseudomesosella Miroshnikov, 1989: 745 [HN] type species *Microlera ussuriensis* Tsherepanov, 1983
ussuriensis Tsherepanov, 1983: 215 (*Microlera*) A: FE ?NC NE SC #63
florovi Tsherepanov, 1984: 128 (*Miaenia*)

genus *Rhodopina* Gressitt, 1951a: 439 [RN] type species *Rhodopis pubera* J. Thomson, 1857
Rhodopis J. Thomson, 1857e: 174 [HN] type species *Rhodopis pubera* J. Thomson, 1857
albomaculata Gahan, 1890a: 60 (*Rhodopis*) A: AP NP SD ORR #280
albomarmorata Breuning, 1958a: 12 A: NP SCH SD #496
alboplagiata Gahan, 1890a: 60 (*Rhodopis*) A: NP SD
assamana Breuning, 1966d: 15 A: AP
formosana Breuning, 1954b: 5 (*Rhodopis*) A: TAI
integripennis Bates, 1884a: 243 (*Rhodopis*) A: JA
lewisii koskijimana Komiya, 1984b: 463, 15 A: JA (Ryukyus)
lewisii lewisii Bates, 1873: 313 (*Rhodopis*) A: JA
japonica Breuning, 1940d: 414 (*Rhodopis*)
lewisii yakushimana Komiya, 1984b: 15 A: JA
laevipunctata Breuning, 1958a: 12 A: SD
manipurensis Breuning, 1972c: 416 A: NP ORR
meshimensis Makihara, 1980: 66 A: JA
modica Komiya, 1984: 15 A: JA (Ryukyus)

- nasui* Komiya & Kusama, 1974: 138 A: JA #400
okinawensis Matsushita, 1933b: 350 (*Rhodopis*) A: JA (Ryukyus)
okinoerabuana Hayashi, 1961c: 67 A: JA (Ryukyus)
paraseriata Breuning, 1969e: 193 A: "India"
parassamensis Breuning, 1975d: 352 A: BT
pedongensis Breuning, 1969e: 193 A: SD YUN #496
pubereoides Breuning, 1956g: 682 (*Rhodopis*) A: SD
sakishimana Yokoyama, 1966: 57 A: JA (Ryukyus)
subuniformis Gressitt, 1951a: 440 A: TAI
tokarensis komiyai Hayashi, 1969a: 66 A: JA (Izu Isls.)
tokarensis orientalis Yokoyama, 1971: 100 A: JA
obscura Makihara, 1977: 65
tokarensis tokarensis Hayashi, 1956c: 14 A: JA (Tokara Isls.)
tuberculicollis Gressitt, 1942b: 4 (*Rhodopis*) A: SHA SCH #225
- genus *Rhopaloscelis* Blessig, 1873: 205** type species *Rhopaloscelis unifasciata* Blessig, 1873
maculata Bates, 1877: 38 A: FE (Kunashir) JA #291
apicalis Pic, 1907c: 22 (*Clytosemia*)
kuwayamana Kano, 1933a: 286 (*Clytosemia*)
schurmanni Breuning, 1969c: 76 A: AB (Talysh) IN
unifasciata Blessig, 1873: 206 A: ES FE FUJ GUA HKG JA JIL KZ MG NC SC SHA WS ZHE #225
obscura Plavilstshikov, 1915c: 109
- genus *Salvazaon* Pic, 1928b: 21** type species *Salvazaon metallicum* Pic, 1928
subgenus *Salvazaon* Pic, 1928b: 21 type species *Salvazaon metallicum* Pic, 1928
saginatium Holzschuh, 1999: 45 A: JIX
- genus *Similonedine* Hua, 1993: 31** type species *Similonedine brunniifasciata* Hua, 1993
brunniifasciata Hua, 1993: 31 A: FUJ GUX HUN #60
- genus *Sophronica* Blanchard, 1845: 160** type species *Sophronica calceata* Chevrolat, 1855
Dasyo Pascoe, 1858: 253 type species *Dasyo lineata* Pascoe, 1858
Dasytola Kolbe, 1894b: 63 type species *Dasytola hirta* Kolbe, 1894 (= *Sophronica carbonaria* Pascoe, 1864)
Dimbrokoa Pic, 1944a: 16 type species *Dimbrokoa apicalis* Pic, 1944
Elithiotes Pascoe, 1864c: 279 type species *Elithiotes hirsuta* Pascoe, 1864
Eupogonioides Fisher, 1930: 275 type species *Eupogonioides gardneri* Fisher, 1930 (= *Phunginus apicalis* Pic, 1922)
Lasiapheles Bates, 1873: 382 type species *Lasiapheles obrioides* Bates, 1873
Mimanaesthetis Pic, 1926c: 16 type species *Mimanaesthetis atripennis* Pic, 1926
Phunginus Pic, 1922c: 15 type species *Phunginus apicalis* Pic, 1922
apicalis Pic, 1922c: 15 (*Phunginus*) A: HKG NP UP #572
gardneri Fisher, 1930: 276 (*Eupogonioides*)
arabica Breuning, 1962f: 239 A: YE
bicoloripes Pic, 1928a: 29 (*Mimanaesthetis*) A: JIA SHG ORR #400
bowringi Gressitt, 1939c: 213 (*Mimanaesthetis*) A: FUJ HKG
brunnea Fisher, 1940: 206 (*Eupogonioides*) A: NP
carissae Fisher, 1930: 277 (*Eupogonioides*) A: UP
chinensis Breuning, 1940a: 48 A: GUI GUX
egena Holzschuh, 2006c: 488 A: AF
intricata Aurivillius, 1926b: 483 A: YE AFR
koreana Gressitt, 1951a: 508 A: SC
obrioides Bates, 1873: 382 (*Lasiapheles*) A: JA TAI
paupercula Holzschuh, 2006c: 488 A: NP
pienaari Distant, 1898: 378 (*Tetraglenes*) A: YE AFR
venzoi Breuning, 1940c: 173
pseudintricata Breuning, 1940a: 55 A: YE AFR
sundukovi Danilevsky, 2009b: 25 A: FE ?NC SC (Yanggugun) #316
talhouki Holzschuh, 1992a: 306 A: YE SA #774
tonkinensis Breuning, 1976a: 51 A: CH ORR
wittmeri Holzschuh, 1992a: 308 A: SA YE
- genus *Sphigmothorax* Gressitt, 1939a: 85** type species *Sphigmothorax bicinctus* Gressitt, 1939
bicinctus Gressitt, 1939a: 85 A: GUA
tricinctus Gressitt, 1951a: 534 A: YUN
tsushmanus Hayashi, 1961a: 23 A: JA (Tsushima Is.)
- genus *Spinozorilispe* Breuning, 1963g: 83** type species *Spinozorilispe fusca* Breuning, 1963
fusca Breuning, 1963g: 84 A: BT

genus Sybrinus Gahan, 1900a: 12 type species *Sybrinus commixtus* Gahan, 1900
Arabosybrinus Breuning, 1948b: 16 type species *Sybrinus albosignatus* Breuning, 1848
Sokotrosybrinus Breuning, 1949b: 21 type species *Sybrinus simonyi* Gahan, 1903
albosignatus Breuning, 1948b: 16 A: SA YE
commixtus Gahan, 1900a: 12 A: YE (Suqutra)
gahani Aurivillius, 1922b: 299
flavescens Breuning, 1948b: 16 A: SA YE
simonyi Gahan, 1903: 287 A: YE (Suqutra)
sokotrensis Téocchi, Jiroux & Sudre, 2004: 22 (*Arasbosybrinus*)
x-ornatus Téocchi, Jiroux & Sudre, 2007: 23 A: YE (Suqutra)
kabateki Téocchi, Jiroux & Sudre, 2007: 23

genus Sybrocentrura Breuning, 1947a: 57 type species *Sybrocentrura obscura* Breuning, 1947
costigera Holzschuh, 2010: 218 A: SHA
fatalis Holzschuh, 2010: 215 A: SHA
obscura Breuning, 1947a: 57 A: GUX YUN
procerior Holzschuh, 2010: 214 A: GUI
ropicooides Gressitt, 1939c: 214 (*Sydonia*) A: FUJ JIX HAI
tenera Holzschuh, 2010: 219 A: YUN **ORR**
tristicula Holzschuh, 2010: 216 A: GUI SCH

genus Taiwanajinga Hayashi, 1978b: 109 type species *Taiwanajinga albofasciata* Hayashi, 1978
albofasciata Hayashi, 1978b: 110 A: TAI

genus Terinaea Bates, 1884a: 249 type species *Terinaea atrofusca* Bates, 1884a
atrofusca Bates, 1884a: 250 A: JA
rufonigra Gressitt, 1940b: 175 A: FUJ GUA GUX HAI ZHE
tiliae Murzin, 1983: 584 (*Miaenia*) A: FE ?NC SC SHA **#225**

genus Ussurella Danilevsky, 1997b: 44 [RN] type species *Ussuria napolovi* Danilevsky, 1995
Ussuria Danilevsky, 1995a: 113 [HN] type species *Ussuria napolovi* Danilevsky, 1995
napolovi Danilevsky, 1995a: 114 (*Ussuria*) A: FE ?NC NO **SC**

genus Vittatopothyne Breuning, 1968b: 58 [RN] type species *Falsopothyne flavovittata* Breuning, 1960
Falsopothyne Breuning, 1960a: 15 [HN] type species *Falsopothyne flavovittata* Breuning, 1960
flavovittata Breuning, 1960a: 16 (*Falsopothyne*) A: SD

genus Zotalemimon Pic, 1925a: 29 type species *Zotalemimon apicale* Pic, 1925 (= *Sybra posticata* Gahan, 1894)
Diboma J. Thomson, 1864: 46 [HN] type species *Diboma tranquilla* J. Thomson, 1864 (= *Hathlia procera* Pascoe, 1859)
Donyisia Gressitt, 1940b: 179 type species *Sydonia costata* Matsushita, 1933
bhutanum Breuning, 1975a (March): 38 (*Diboma*) A: BT NP **#275**
bhutanensis Breuning, 1975d (October): 350 (*Diboma*)
ciliatum Gressitt, 1942e: 212 (*Donyisia*) A: FUJ GUA HAI HKG YUN
costatum Matsushita, 1933b: 379 (*Sydonia*) A: FUJ HAI JA (Ryukyus) TAI ZHE
loochooanum Breuning, 1940a: 78 (*Diboma*)
formosanum Breuning, 1975a: 38 (*Diboma*) A: TAI
lineatoides Breuning, 1969e: 192 (*Diboma*) A: SD
malinum Gressitt, 1951a: 511 (*Diboma*) A: YUN
obscurior Breuning, 1940a: 78 (*Diboma*) A: UP
posticatum Gahan, 1894a: 77 (*Sybra*) A: HAI SD YUN **#400**
apicale Pic, 1925a: 29 (*Zotalemimon*)
subglabratum Gressitt, 1938a: 54 (*Sydonia*) A: SCH

tribe Apomecynini J. Thomson, 1860

genus Apomecyna Dejean, 1821: 108 type species ~~type species~~ *Saperda alboguttata* Megerle, 1802 (= *Lamia histrio* Fabricius, 1793)
Anapomecyna Pic, 1925a: 29 type species *Anapomecyna luteomaculata* Pic, 1925
Crassapomecyna Breuning, 1958i: 492 type species *Apomecyna crassiuscula* Fairmaire, 1896
Mecynapus J. Thomson, 1858: 187 type species *Apomecyna parumpunctata* Chevrolat, 1856
Parapomecyna Breuning, 1968g: 345 type species *Parapomecyna flavomaculata* Breuning, 1968 (= *Apomecyna quadrisignata* Quedenfeldt, 1885)
Pseudoalbana Pic, 1895c: 77 type species *Pseudoalbana lameerei* Pic, 1895
Vocula Lacordaire, 1872: 587 type species *Vocula irrorata* Lacordaire, 1872 (= *Apomecyna parumpunctata* Chevrolat, 1856)
binubila binubila Pascoe, 1858: 253 A: SA **#774**
cretacea Hope, 1831: 28 (*Callidium*) A: AP GUA GUX HAI NP SD YUN **ORR** **#280**
laosensis Pic, 1938: 124
perroteti J. Thomson, 1868c: 159
proba Newman, 1842c: 299

fallaciosa Breuning, 1938a: 50 A: PA UP
flavovittata Chiang, 1963: 67 A: XIZ YUN
histrion ~~*histrion*~~ Fabricius, 1793: 288 (*Lamia*) A: AP ES GUI HAI JA (~~*Ryukyus*~~)-KO MG NP PA SD TAI UP YUN **ORR** #127 #280 #730
alboguttata Megerle, 1802: 10 (*Saperda*)
maculaticollis Pic, 1918b: 6
quadrifasciata J. Thomson, 1868c: 159
lameerei Pic, 1895c: 77 (*Eurycotyle*) N: **AG** EG MO A: AE IN IQ IS OM PA SA SI YE **AFR**
arabica Breuning, 1938a: 50
mateui Breuning, 1953: 11
leucosticta Hope, 1831: 28 (*Callidium*) A: AF BT NP PA SD YUN **ORR** #400
lineata Pic, 1937a: 14
longicollis coreana Breuning, 1967f: 188 A: KO
longicollis longicollis Pic, 1926a: 28 A: GUI HKG JIX YUN **ORR**
fouqueti Pic, 1938: 124
luteomaculata Pic, 1925a: 29 (*Anapomecyna*) A: YUN **ORR** #398
naevia deguchii Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus)
naevia iriei Hayashi, 1984: 69 A: JA (Izu Isls., Ryukyus)
naevia naevia Bates, 1873: 317 A: JA NP SC TAI #63 #400
naevia semihistrion Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus) TAI #400 #431 #732
naevia tsutsuii Hayashi, 1956c: 15 A: JA (Tokara Isls.)
naevia yokoyamai Hayashi, 1974c: 68 A: JA
okinawana Makihara, 1992b: 74 A: JA (Tokara Isls., Ryukyus) #730
proxima Breuning, 1938a: 49 A: GUI **ORR** #400
saltator Fabricius, 1787: 141 (*Lamia*) A: AP FUJ GUA GUI GUX HAI HKG HP HUB HUN JA (Ryukyus) JIA JIX NP PA SHA TAI YUN #225 #280 #366
ZHE ORR
excavateps Pic, 1918b: 6
multinotata Pic, 1918b: 5
neglecta Pascoe, 1865a: 152
niveosparsa Fairmaire, 1895: 185
pertigera J. Thomson, 1868c: 160
sinensis Pic, 1918b: 6
subuniformis Pic, 1944a: 14
tonkinea Pic, 1918b: 5
scorteccii Breuning, 1968c: 90 A: SA YE
tigrina indica Breuning, 1969f: 656 A: AP SD #280
tigrina tigrina J. Thomson, 1857g: 343 A: YUN **ORR**

genus *Asaperda* Bates, 1873: 385 type species *Asaperda rufipes* Bates, 1873
agapanthina agapanthina Bates, 1873: 386 A: FE (Sakhalin, Kunashir) JA ~~?TAI~~
obscura Breuning, 1939b: 232
agapanthina confultis Komiya, 1984a: 14 A: JA #736
agapanthina nakayamai Komiya, 1984a: 14 A: JA #736
agapanthina obliquevittata Komiya, 1984a: 14 A: JA #736
agapanthina yamawakii Komiya, 1984a: 14 A: JA #736
bicostata bicostata Hayashi, 1956c: 16 A: JA
bicostata kawadai Fujita, 2023: 26 (Amami Isls. (Amami-oshima Is., Kikaijima Is., Toku-no-shima Is., Okinoerabu-jima Is))
bicostata okinawana Komiya, 1984: 372, 14 A: JA (Ryukyus)
chongqingensis L. Chen & Chiang, 1993: 65, 67 A: CHQ
kani Hayashi, 1976: 15 A: JA #108
krivolutzkayae Danilevsky, 2023: 329 A: FE (Kunashir) JA
meridiana auct., not Matsushita
maculosa Pic, 1927k: 199 A: CH **ORR**
meridiana Matsushita, 1931a: 45 A: FUJ GUA GUI HKG JIX TAI **ORR**
takushaensis Kano, 1933a: 283
rufa Breuning, 1954e: 136 A: SHN
rufipes albosuturalis Breuning, 1957g: 278 A: JA #736
rufipes rufipes Bates, 1873: 386 A: ?CH ?FE JA ?NC SC TAI
nigricornis Breuning, 1957g: 278
uniformis Pic, 1907c: 22
rufipes tsushimae Breuning, 1955e: 658 A: JA
silvicultrix Toyoshima & Iwata, 1990: 1 A: JA
stenostola Kraatz, 1879e: 227 A: CH FE ?ES KZ MG ?NC SC WS
tenuicornis Komiya, 1984a: 15 A: JA
wadai Makihara, 1980: 55 A: JA

genus *Athylia* Pascoe, 1864a: 27 type species *Athylia avara* Pascoe, 1864
Enispia Pascoe, 1864a: 28 type species *Enispia venosa* Pascoe, 1864
Sodomorphon Pic, 1926c: 14 type species *Sodomorphon bellum* Pic, 1926 (= *Athylia nobilis* Breuning, 1960)

horishensis Seki, 1946: 10 (*Enispia*) A: TAI

genus *Atimura* Pascoe, 1863b: 548 type species *Atimura terminata* Pascoe, 1863

affinis Breuning, 1939b: 240 A: UP **ORR**

apicalis Gahan, 1894a: 76 A: FUJ SCH TAI **ORR**

combreti Gardner, 1930: 158 A: NP UP

cylindrica Gressitt, 1940b: 173 A: HAI

formosana Matsushita, 1933b: 371 A: TAI

fujiwarai Hayashi, 1994: 70 A: TAI

japonica Bates, 1873: 381 A: JA SHA **ORR**

tonkinea Pic, 1931a: 14

koreana Danilevsky, 1996b: 22 A: SC

minima Breuning, 1939b: 240 A: UP **ORR**

proxima Breuning, 1939b: 240 A: UP **ORR**

#225 #400
#525

genus *Brachysybra* Breuning, 1940d: 427 type species *Brachysybra elliptica* Breuning, 1940

elliptica Breuning, 1940d: 428 A: TAI (Lanyu Is.) **ORR**

genus *Callomecyna* Tippmann, 1955: 125 type species *Callomecyna superba* Tippmann, 1955

Mimoxenoleoides Breuning, 1963g: 82 type species *Mimoxenoleoides fasciculosa* Breuning, 1963

lehsuehae Yamasako & Chou, 2014a: 252 A: TAI

superba Tippmann, 1955: 126 A: CHQ FUJ GUI GUX HUN

fasciculosa Breuning, 1963g: 83 (*Mimoxenoleoides*)

tigrinula Holzschuh, 1999: 44 A: SCH

#60

genus *Coomanum* Pic, 1927h: 111 type species *Coomanum singulare* Pic, 1927

Niphosaperda Breuning, 1962d: 49 type species *Niphosaperda rondoni* Breuning, 1962

singulare Pic, 1927h: 112 A: YUN **ORR**

rondoni Breuning, 1962d: 49 (*Niphosaperda*)

genus *Cornallis* J. Thomson, 1864: 47 type species *Cornallis gracilipes* J. Thomson, 1864

Parasybrodiboma Breuning, 1969f: 666 type species *Parasybrodiboma sikkimensis* Breuning, 1969

gracilipes J. Thomson, 1864: 47 A: NP SD

bootangensis Breuning, 1968f: 702 (*Hyagnis*)

longipes Breuning & de Jong, 1941: 104 (*Sybra*)

sikkimensis Breuning, 1969f: 667 (*Parasybrodiboma*)

sybroides Breuning, 1939b: 206 (*Hyagnis*)

#693

#693

genus *Diaxenes* C. O. Waterhouse, 1884a: 128 type species *Diaxenes taylori* C. O. Waterhouse, 1884

dendrobii Gahan, 1894e: 520 A: SD **ORR**

genus *Discolops* Fairmaire, 1886a: 459 type species *Discolops strigicollis* Fairmaire, 1886

strigicollis Fairmaire, 1886a: 459 A: YE **AFR**

aureicornis Gahan, 1890d: 325 (*Stathmodera*)

basalis Kolbe, 1894: 281

grandis C. O. Waterhouse, 1898: 264 (*Stathmodera*)

genus *Doliops* G. R. Waterhouse, 1841: 57 [= 1845: 42] type species *Doliops curculionoides* G. R. Waterhouse, 1841 **#86**

Dolops Agassiz, 1846: 128 [unjustified emendation]

similis Miwa & Mitono, 1933: 373 [RN] A: TAI (Lanyu Is.)

pachyrrhynchoides Miwa & Mitono, 1932: 306 (*Aprophata*) [HN]

genus *Enaretta* J. Thomson, 1864: 325 type species *Enaretta castelnaudi* J. Thomson, 1864

Athenes Fåhraeus, 1872c: 194 type species *Athenes caudata* Fehreus, 1872

Fouquetia Pic, 1932h: 150 type species *Fouquetia fasciculata* Pic, 1932

Phoryctus Gerstaecker, 1871: 78 type species *Phoryctus mucoreus* Gerstaecker, 1871

Sympiodes Pascoe, 1886: 243 type species *Sympiodes varius* Pascoe, 1886

samai Rapuzzi1 & al Dhafer, 2024: 199 A: SA OM YE

caudata, Löbl & Smetana, 2010: 231, not Fåhraeus, 1872b: 36 (*Athenes*) from South Africa

#774

genus *Estigmenida* Gahan, 1894a: 82 type species *Estigmenida variabilis* Gahan, 1894

albolineata Breuning, 1940b: 211 A: SD

#343

robusta Breuning, 1940b: 211 A: SD **ORR**

variabilis Gahan, 1894a: 83 A: YUN **ORR**

#400

genus *Falsoropica* Breuning, 1939b: 232 type species *Falsoropica clavipes* Breuning, 1939

grossepunctata Breuning, 1968a: 32 A: YUN **ORR**

sikkimensis Breuning, 1973c: 651 A: SD

genus *Falozorispia* Breuning, 1963a: 4 [RN] type species *Falozorilipe albosignata* Pic, 1945

Falozorilipe Pic, 1945a: 2 [HN] type species *Falozorilipe albosignata* Pic, 1945
albosignata Pic, 1945a: 2 (*Falozorilipe*) A: GUI

genus *Hyagnis* Pascoe, 1864c: 280 type species *Hyagnis fistularius* Pascoe, 1864

apicatus Holzschuh, 1984c: 369 A: UP

basicristatus Breuning, 1949a: 3, 8 A: ?AP **ORR**

#280

chinensis Breuning, 1961i: 317 A: GUA

kashmirensis Breuning, 1939b: 206 A: KA

pakistanus Breuning, 1975d: 352 A: NP PA

persimilis Breuning, 1939b: 206 A: "India"

intuberculata Pic, 1946a: 3 (*Atimura*)

genus *Iproca* Gressitt, 1940b: 165 type species *Iproca acuminata* Gressitt, 1940

acuminata Gressitt, 1940b: 165 A: HAI

aoyamaorum Hasegawa & N. Ohbayashi, 2006: 253 A: JA (Ryukyus)

ishigakiana flavolineata Hayashi, 1971: 10 A: TAI **ORR**

#732

ishigakiana ishigakiana Breuning & K. Ohbayashi, 1966: 34 A: JA (Ryukyus)

#732

pedongensis Breuning, 1968f: 701 A: SD

genus *Microlera* Bates, 1873: 380 type species *Microlera ptinoides* Bates, 1873

kanoi Hayashi, 1971: 9 A: TAI

ptinoides Bates, 1873: 380 A: FE (Kunashir) JA ?NC SC

#432 #523 #734

yayeyamensis Hayashi, 1968c: 15 A: JA (Ryukyus)

#734

genus *Microleroides* Breuning, 1956g: 691 type species *Microleroides chinensis* Breuning, 1956

chinensis Breuning, 1956g: 692 A: SCH

genus *Mimatimura* Breuning, 1939b: 241 type species *Mimatimura rufescens* Breuning, 1939

subferruginea Gressitt, 1951a: 496 (*Atimura*) A: FUJ HAI

genus *Mimophaeopate* Breuning, 1967b: 30 type species *Mimophaeopate assamensis* Breuning, 1967

assamensis Breuning, 1967b: 31 A: AP

genus *Mimosybra* Breuning, 1939b: 278 type species *Athelais surigaonis* Heller, 1924

strandii Breuning, 1939b: 278 (*Neosybra*) A: TAI **ORR**

#72

genus *Mycerinopsis* J. Thomson, 1864: 50 type species *Mycerinus aridus* Pascoe, 1862b (= *Hathlia lacteola* Hope, 1841)

subgenus *Zotale* Pascoe, 1866c: 329 type species *Zotale unicolor* Pascoe, 1866

apomecynoides Hayashi, 1972: 29 A: JA (Ryukyus)

lineata Gahan, 1894a: 75 A: FUJ GUA JIX HAI HUN YUN **ORR**

subunicolor Breuning, 1968a: 14 A: YUN **ORR**

genus *Neosybra* Breuning, 1939b: 276 type species *Neosybra ropicooides* Breuning, 1939

costata Matsushita, 1933b: 370 A: TAI

cribrella Bates, 1873: 318 (*Sybra*) A: JA

flavovittata Breuning, 1954b: 21 A: SD

flavovittipennis Breuning, 1963e: 6 A: HUN **ORR**

hachijoensis hachijoensis Hayashi, 1961a: 22 (*Palausybra*) A: JA (Izu Islands)

hachijoensis tokaraensis Makihara, 1977: 53 (*Palausybra*) A: JA

mizoguchii depressa Makihara, 1980: 58 (*Palausybra*) A: JA

mizoguchii mizoguchii Hayashi, 1956d: 41 (*Ropica*) A: JA

mizoguchii nobozakiensis Takakuwa, 2015: 222 A: JA

ochreovittata Breuning, 1939b: 277 A: NP

rotundipennis Breuning, 1939b: 278 A: HKG

ryukyuensis Breuning & K. Ohbayashi, 1964: 28 A: JA (Ryukyus)

sinuicosta Gressitt, 1951a: 502 A: TAI

genus *Novorondonia* Özdikmen, 2008c: 678 [RN] type species *Rondonia ropicooides* Breuning, 1962

Rondonia Breuning, 1962b: 7 [HN] type species *Rondonia ropicooides* Breuning, 1962

antennata Holzschuh, 2015a: 51 A: SCH SHA

#400

hirayamai Matsushita, 1941: 156 (*Ropica*) A: TAI

#450

bisignata Hayashi, 1976: 16 (*Rondonia*)

ropicooides Breuning, 1962b: 8 (*Rondonia*) A: YUN **ORR**

genus *Ogmodera* Aurivillius, 1908: 149 type species *Ogmodera sulcata* Aurivillius, 1908
forticornis Breuning, 1942a: 142 A: SA YE **AFR**
sulcata Aurivillius, 1908: 150 A: SA YE **AFR**

genus *Palausybra* Gressitt, 1956: 153 type species *Palausybra vestigialis* Gressitt, 1956
chibi Hayashi, 1974c: 41 A: TAI

genus *Paraneosybra* Hayashi, 1978b: 107 type species *Paraneosybra fulvofasciata* Hayashi, 1978
fulvofasciata Hayashi, 1978b: 108 A: TAI

genus *Pemptolasius* Gahan, 1890a: 64 type species *Pemptolasius humeralis* Gahan, 1890
Parazotalemimon Pic, 1936b: 12 type species *Parazotalemimon nigropunctatum* Pic, 1936
humeralis Gahan, 1890a: 65 A: SD YUN **ORR**
nigropunctatus Pic, 1936b: 12 (*Parazotalemimon*)

genus *Plocia* Newman, 1842c: type species *Plocia notata* Newman, 1842 **#220**
Mimoplocia Breuning, 1949b: 19 type species *Plocia notata* Newman, 1842
notata Newman, 1842c: 292 A: TAI (Lanyu Is.) **ORR**
albicornis Heyrovský, 1935a: 19 (*Epaphra*)

genus *Ropica* Pascoe, 1858: 247 type species *Ropica piperata* Pascoe, 1858
affinis Breuning, 1939b: 224 A: NP SD
assamensis Breuning, 1972c: 415 A: AP
bicostata Pic, 1926a: 27 (*Sybra*) A: CH
caenosa Matsushita, 1933a: 107 (*Pterolophia*) A: JA (Ryukyus) TAI
chinensis Breuning, 1964a: 403 A: ZHE
coomani Pic, 1926b: 5 A: SD
coreana Breuning, 1980b: 50 A: SC
dorsalis Schwarzer, 1925c: 145 A: BT GUA GUX HAI JA JIA NP SD TAI UP **ORR**
burketi Gressitt, 1937d: 609
langana Pic, 1945a: 3
rufescens Pic, 1926b: 5

formosana Bates, 1866a: 351 A: TAI
fuscolaterimaculata Hayashi, 1974c: 42 A: TAI (Lanyu Is.)
honesta Pascoe, 1865a: 190 A: JA HKG NP TAI **ORR**
japonica amamiana Makihara, 1995: 456 A: JA (Ryukyus)
japonica japonica Hayashi, 1972: 37 A: JA
japonica tokarana Takakuwa, 1984: 12 A: JA (Tokara Isls.)
lineatithorax Pic, 1927b: 17 A: NP **ORR**

curtelineata Pic, 1945: 3
elongata Pic, 1929a: 30 (*Sybra*)
griseosparsa Pic, 1927: 17
vietnamensis Breuning, 1972b: 235

loochooana hayashii Breuning, 1958c: 34 A: JA (Ryukyus)
loochooana loochooana Matsushita, 1933b: 361 (*Pterolophia*) A: JA (Ryukyus)

ngauchillae Gressitt, 1940b: 163 A: HAI
nodieri Pic, 1945a: 3 A: NP

pedongensis Breuning, 1968f: 701 A: SD
rosti Breuning, 1958d: 177 A: KA NP SD

signatoides Breuning, 1939b: 221 A: UP
subaffinis Breuning, 1968f: 701 A: SD

sublineata Gressitt, 1940b: 162 A: FUJ HAI

subnotata Pic, 1925e: 138 A: FUJ GUA GUI HEB HEN HKG HUB JIA JIX SHA SHN SHX YUN ZHE **#225**
trichantennalis Breuning, 1968a: 13 A: FUJ **ORR**

tsushimensis Hayashi, 1972: 38 A: JA

umbrata Gressitt, 1951a: 492 A: FUJ GUA HKG **#400**
variabilis Schwarzer, 1925b: 68 A: TAI

genus *Sybra* Pascoe, 1865a: 141 type species *Ropica stigmatica* Pascoe, 1859

subgenus *Microzotale* Hayashi, 1956c: 17 type species *Microzotale uenoi* Hayashi, 1956

Kirishimoopsis Hayashi, 1958b: 48 type species *Kirishimoopsis sakamotoi* Hayashi, 1958

albodistincta Takakuwa, 1984: 382 A: JA (Ryukyus)

kuri K. Ohbayashi & Hayashi, 1962: 33 A: JA

uenoi sakamotoi Hayashi, 1958b: 49 (*Kirishimoopsis*) A: JA

uenoi uenoi Hayashi, 1956c: 18 (*Microzotale*) A: JA

subgenus Sybra Pascoe, 1865a: 141 type species *Ropica stigmatica* Pascoe, 1859
Gracisybra L. S. Dillon & E. S. Dillon, 1952: 64 type species *Gracisybra flava* L. S. Dillon & E. S. Dillon, 1952
Microopsis L. S. Dillon & E. S. Dillon, 1952: 63 type species *Microopsis dimidiata* L. S. Dillon & E. S. Dillon, 1952
Paroopsis L. S. Dillon & E. S. Dillon, 1952: 64 type species *Paroopsis eumilis* L. S. Dillon & E. S. Dillon, 1952
Ropicomorpha Pic, 1944a: 8 type species *Ropica minuta* Pic, 1927
Sybrinura Gahan, 1907: 88 type species *Sybrinura biapicata* Gahan, 1907

alboostictipennis Breuning, 1963k: 47 A: GUX **ORR** #532
alternans Wiedemann, 1823: 11 (*Lamia*) A: ?TAI **NTRi ORR** #219 #400
angustata Pic, 1926b: 6 (*Atelais*)
carolina Matsushita, 1935: 121
fuscovittata Aurivillius, 1927: 24
javaensis Breuning, 1982a: 10 (*Falsoropica*)
ochreovittata Breuning, 1939a: 77

arator Pascoe, 1865a: 210 A: SD **ORR**
icanoides Breuning, 1942a: 150

baculina Bates, 1866a: 352 A: HKG JA (Ryukyus) TAI #105 #72
fulva Schwarzer, 1925c: 145 (*Atimura*)
kotoensis Matsushita, 1935: 541 #175 #734
miyakoensis Hayashi, 1972: 31 A: JA (Ryukyus)

basialbofasciata Hayashi, 1972: 33 A: JA
bioculata bioculata Pic, 1926i: 302 A: FUJ JIA TAI ZHE **ORR**
bioculata quadrinotata Schwarzer, 1925c: 145 A: JIA TAI YUN ZHE **ORR**
obliterata Pic, 1927g: 109

bioculata sikkimana Breuning, 1969f: 657 A: SD
botelensis Breuning & K. Ohbayashi, 1966: 11 A: TAI
breuningii Gressitt, 1940b: 169 A: HAI
chaffanjonii Breuning, 1969f: 656 A: GUI
elongatula Breuning, 1939b: 270 A: SD

leucostictica Breuning, 1939b: 266 A: SD **ORR**
ochraceicollis Breuning, 1940: 162
pulvereoides Breuning, 1939: 268
sikkimensis Breuning, 1939b: 270

longipes Breuning & De Jong, 1941: 104 A: SD
maculiclunis hanatanii Fujita, 2023: 27, 377 A: JA (Yaeyama Isls.: Ishigaki-jima Is., Iriomote-jima Is.)
maculiclunis hisaoi Fujita, 2023: 27 A: JA (Miyako Isls.: Ikema-jima Is., Ogami-jima Is., Miyako-jima Is.)
maculiclunis maculiclunis Matsushita, 1931c: 404 A: HKG JA (Ryukyus) TAI
maculiclunis makiharai Fujita, 2023: 27 A: JA (Okinawa Isls.: Okinawa-hontô Is., Iheyajima Is., Tokashiki-jima Is., Zamami-jima Is., Aka-jima Is., Kume-jima Is.)
maculiclunis shoyamai Fujita, 2023: 27, 377 A: JA (Yaeyama Isls.: Yonaguni-jima Is.)

marmorea Breuning, 1939b: 264 A: CH **ORR**
mimobaculina Breuning, 1970c: 90 A: TAI
miscanthivola Makihara, 1977: 25 A: JA (Ryukyus) TAI
multilineata Pic, 1926c: 16 (*Atelais*) A: YUN #475
fuscobiplagiata Breuning, 1939b: 265

narai Hayashi, 1976: 14 A: TAI
nishinoi fukidai Fujita & Hirayama, 2017: 38 A: JA (Ryukyus)
nishinoi nishinoi Fujita & Hirayama, 2017: 36 A: JA (Ryukyus)
flavomaculata Breuning, 1939b: 263 A: HUB JA SC (Hoenggando Is.)

albomarmorata Breuning, 1961i: 333 [*Neosybra*] A: JA #70
ordinata flavostriata Hayashi, 1968c: 16 A: JA (Ryukyus) TAI #732
ordinata inadae Fujita, 2023: 28, 380 A: JA (Okinawa Isls., Aguni-jima Isls.)
ordinata loochooana Breuning, 1939b: 263 #420 #733
masatakei Makihara, 2007: 216 #734

ordinata miyakojimana Hayashi, 1972: 33 A: JA (Ryukyus) #732
ordinata okinoerabuensis Hayashi, 1972: 32 A: JA (Ryukyus) #732
ordinata ordinata Bates, 1873: 318 A: FUJ GUX HAI JA JIA JIX SHG TAI #420 #732
albomaculata Breuning, 1939b: 264 #420
formosana Breuning, 1964a: 305 #420
savioi Pic, 1925e: 138 #420
tenganensis Breuning, 1965h: 178 #420

ordinata subtesselata Breuning, 1960a: 14 A: JA #420 #733
ordinata tokara Hayashi, 1972: 33 #420 #733

oshimana mimogeminata Breuning & K. Ohbayashi, 1964: 17 A: JA (Ryukyus) #732
carinatipennis Breuning & Chûjô, 1970: 56
miyakoana Hayashi, 1972: 31
musashinoi Breuning & Chûjô, 1970: 56
oshimana miyamotoui Fujita, 2023: 27 A: JA (Yaeyama Isls.: Hateruma-jima Is.)

oshimana oshimana Breuning, 1958c: 34 A: JA #732
nipponensis Hayashi, 1972: 32
omoro Hayashi, 1972: 32
parvula Breuning, 1939b: 271 A: "North India"
pascoei ishigakii Breuning & K. Ohbayashi, 1964b: 28 A: JA #72 #734 #736
pascoei okinawana Breuning & K. Ohbayashi, 1967: 4 A: JA (Ryukyus)
pascoei pascoei Lameere, 1893a: 285 A: HAI ORR
pascoei taiwanella Gressitt, 1951a: 499 A: JA (Ryukyus) TAI
piceomacula Gressitt, 1951a: 500 A: FUJ
posticalis Pascoe, 1858: 248 (*Ropica*) A: HAI HKG TAI
praeusta Pascoe, 1859: 51 (*Ropica*) A: NP ORR #61
ceylonensis Breuning, 1939: 274 #61
punctatostriata Bates, 1866a: 351 A: FUJ GUA HAI JIX TAI
gossipi Matsumura, 1912: 219 (*Homonoxa*)
pusilla Breuning, 1939b: 270 A: "North India"
rondoniana Breuning, 1965: 45 A: TAI
unifasciata Fujimura, 1956: 5 A: JA
unipunctata Breuning, 1939b: 264 A: HKG
subgenus *Sybrodiboma* Breuning, 1953: 16 type species *Sybra subfasciata* Bates, 1884a
subfasciata mikurensis Hayashi, 1971: 17 (*Sybrodiboma*) A: JA (Izu Isls.)
subfasciata subfasciata Bates, 1884a: 246 A: JA SC
ohbayashii Breuning, 1960a: 16 (*Hyagnis*)
taiwanensis Hayashi, 1974c: 51 (*Sybrodiboma*) A: TAI
trimeresura Takakuwa, 1984: 12 A: JA (Ryukyus)

genus Souvanna Breuning, 1963b: 39 type species *Souvanna phoumai* Breuning, 1963. #755
signata Pic, 1926c: 13 (*Alidus*) A: HAI YUN ORR #755
coomani Breuning, 1968e: 858 (*Mipila*) [nec *Mispila coomani* (Pic, 1934) = *Alidus coomani* Pic, 1934]
phoumai Breuning, 1963: 39.
quadristigma Gressitt, 1940b: 156 (*Enispia*)

genus Xylariopsis Bates, 1884a: 247 type species *Xylariopsis mimica* Bates, 1884a
Fallosybra Pic, 1928a: 28 type species *Fallosybra fulvonotata* Pic, 1928
albofasciata W.-K. Wang & Jiang, 1998b: 232, 233 A: YUN
esakii esakii Mitono, 1943: 582 A: HUN TAI YUN #734
esakii iriei Hayashi, 1976: 13 A: JA (Ryukyus) #732
fujiwarai Hayashi, 1994: 71 A: TAI #734
mimica Bates, 1884a: 247 A: BEI FE GAN JA JIA ?NC NE SC SCH SHA SHG #60 #606
leucothorax Breuning, 1938c: 370 (*Sthenias*) #693
uenoi Hayashi, 1994: 72 A: TAI

genus Zorilispe Pascoe, 1865a: 156 type species *Zorilispe fulvisparsa* Pascoe, 1865
harai Hayashi, 1979: 92 A: NP

tribe Astathini J. Thomson, 1864

genus Anastathes Gahan, 1901: 60 type species *Astathes nigricornis* J. Thomson, 1865
nigricornis J. Thomson, 1865: 560 (*Astathes*) A: FUJ GUI GUX HAI HUN YUN ORR
atricornis Pic, 1922c: 15 (*Chreonoma*)
parallela Breuning, 1956f: 486 A: HUB FUJ
parva hainana Gressitt, 1941a: 143 A: FUJ GUA GUX HUN ZHE HAI ORR #713
hainana Gressitt, 1942c: 7 [HN]
parva parva Gressitt, 1935c: 193 A: TAI #489
robusta Gressitt, 1940b: 222 A: FUJ GUA GUX HAI JIX

genus Bacchisa Pascoe, 1866c: 329 [1867b: 342] type species *Bacchisa coronata* Pascoe, 1867b
subgenus *Atrobacchisa* Breuning, 1956f: 457 type species *Chreonoma atrocoerulea* Gressitt, 1951
atrocoerulea Gressitt, 1951a: 617 (*Chreonoma*) A: SHA
subgenus *Bacchisa* Pascoe, 1866c: 329 [1867b: 342] type species *Bacchisa coronata* Pascoe, 1867b
Chreonoma Pascoe, 1867b: 348 type species *Chreonoma venustum* Pascoe, 1867
atritarsis Pic, 1912h: 21 (*Chreonoma*) A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIX NE SCH SHA SHN TAI ZHE
basalis Gahan, 1894d: 487 (*Chreonoma*) A: FUJ GUA GUX HAI HKG ORR
tonkinea Pic, 1916e: 15 (*Chreonoma*)
chinensis Breuning, 1948e: 119 A: CH
comata Gahan, 1901: 67 (*Chreonoma*) A: FUJ GUA GUI GUX HAI HKG YUN ZHE
cyaneoapicalis Gressitt, 1939a: 112 (*Chreonoma*) A: GUA GUI HAI #168
dimidiata Gressitt, 1940b: 224 (*Chreonoma*)

cyanipennis Breuning, 1961i: 338 A: SCH
dioica Fairmaire, 1878: 133 (*Astathes*) A: SCH SHA YUN **ORR**
fortunei flavicornis Kano, 1933a: 291 (*Chreonoma*) A: TAI
fortunei fortunei J. Thomson, 1857a: 58 (*Plaxomicrus*) A: ANH FUJ GAN GUA GUI GUX HEN HUB HUN JIA JIL JIX NC NIN QIN SC
SCH SHA SHN SHX ZHE
obscuricollis Pic, 1928: 21 (*Chreonoma*)
fortunei japonica Gahan, 1901: 68 (*Chreonoma*) A: FUJ HUN JA NE
frontalis Gahan, 1894a: 100 (*Chreonoma*) A: NP "North India"
guerryi Pic, 1911d: 20 (*Astathes*) A: FUJ GUA GUX HUN JIX YUN **ORR** #119
apicalis Pic, 1911d: 20 (*Astathes*)
nigronotata Pic, 1912h: 21 (*Chreonoma*)
hoffmanni Gressitt, 1939a: 113 (*Chreonoma*) A: GUA
klapperichi Breuning, 1956c: 236 A: FUJ
kweichowensis Breuning, 1959e: 174 A: GUI
pallens S.-H. Chen, 1936c: 165 (*Chreonoma*) A: GUX HUB JIX #400
pallidiventris J. Thomson, 1865: 559 (*Astathes*) A: HAI YUN **ORR**
aegrota J. Thomson, 1865: 560 (*Astathes*)
pallidicolor Pic, 1916d: 6 (*Chreonoma*)
rigida Gressitt, 1941a: 141 (*Chreonoma*) A: SCH ZHE
rigida Gressitt, 1942c: 6 (*Chreonoma*) [HN]
violaceoapicalis Pic, 1923a: 14 (*Chreonoma*) A: GUX YUN **ORR**

genus *Cleonaria* J. Thomson, 1864: 119 type species *Cleonaria bicolor* J. Thomson, 1864
taiwana Hayashi, 1984: 36 A: TAI

genus *Lasiophrys* Gahan, 1901: 71 type species *Lasiophrys latifrons* Gahan, 1901
latifrons Gahan, 1901: 72 A: NP SD #343

genus *Momisis* Pascoe, 1867b: 361 type species *Momisis aegrota* Pascoe, 1867
longicornis Pic, 1912b: 10 (*Lasiophrys*) A: HAI
tinhosensis Gressitt, 1940b: 226 (*Lasiophrys*)
longzhouensis Hua, 1982: 53 A: GUX
monticola Breuning, 1956f: 467 A: NP SD
submonticola Breuning, 1968: 31 A: GUI **ORR** #119

genus *Plaxomicrus* J. Thomson, 1857a: 57 type species *Plaxomicrus ellipticus* J. Thomson, 1857
ellipticus J. Thomson, 1857a: 58 A: GUX HUB JIA NP SCH SHA SHG YUN ZHE **ORR**
ventralis Gahan, 1901: 70
latus Gahan, 1901: 70 A: BT NP YUN
nigriventris Pu, 1991a: 208, 210 A: YUN
pallidicolor Pic, 1912j: 15 A: GUX **ORR**
sikkimensis Breuning, 1956f: 464 A: SD
szetschuanus Breuning, 1956f: 463 A: SCH
violaceomaculatus Pic, 1912b: 11 A: YUN **ORR**

genus *Tetraophthalmus* Dejean, 1835: 347 type species *Cerambyx splendidus* Fabricius, 1793
Astathes Newman, 1842c: 299 type species *Astathes perplexa* Newman, 1842
bimaculatus Fabricius, 1793: 263 (*Cerambyx*) A: PA **ORR**
externus Pascoe, 1859: 46 (*Astathes*)
contentiosus Pascoe, 1867b: 352 (*Astathes*) A: PA
episcopal Chevrolat, 1852: 418 (*Astathes*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIX NC NMO SC SCH
SHA SHX TAI XIN ZHE
formosanus Breuning, 1956f: 499 (*Astathes*) A: TAI
gibbicollis J. Thomson, 1865: 559 (*Astathes*) A: "North India"
holorufus Breuning, 1968a: 31 (*Astathes*) A: HKG **ORR**
janthinipennis cyanopterus Gahan, 1900d: 353 (*Astathes*) A: HAI TAI **ORR**
janthinipennis flavus Chiang, 1963: 68 (*Astathes*) A: YUN
janthinipennis janthinipennis Fairmaire, 1895: 187 A: YUN **ORR**
janthinipennis yunnanensis Breuning, 1956f: 500 (*Astathes*) A: YUN
japonicus J. Thomson, 1857a: 51 A: "Himalaya"
sikang Gressitt, 1941a: 142 (*Chreonoma*) A: SCH #713
sikanga Gressitt, 1942c: 6 (*Chreonoma*)
splendidus Fabricius, 1793: 263 (*Cerambyx*) A: CH **ORR**
decepiens Pascoe, 1859: 46 (*Astathes*)
flavicornis Pic, 1939f: 31 (*Astathes*)
splendidulus Aurivillius, 1923a: 583 (*Astathes*)
violaceipennis J. Thomson, 1857a: 53 A: GUX NP SD XIZ **ORR**

tribe Batocerini J. Thomson, 1864

- genus *Apriona* Chevrolat, 1852: 414** type species *Lamia germari* Hope, 1831
- subgenus *Apriona* Chevrolat, 1852: 414** type species *Lamia germari* Hope, 1831
- Anapriona* Breuning, 1949b: 8 type species: *Apriona submaculosa* Pic, 1917
- Cristapriona* Hua, 1986c: 209 type species *Apriona chemsaki* Hua, 1986
- Cylindrapriona* Breuning, 1949b: 8 type species *Monochamus cylindricus* J. Thomson, 1857e
- Humeroapriona* Breuning, 1949b: 8 type species *Lamia swainsoni* Hope, 1840
- Mesapriona* Breuning, 1949b: 8 type species *Apriona punctatissima* Kaup, 1866
- Parapriona* Breuning, 1948a: 17 type species: *Parapriona brunneomarginata* Breuning, 1948
- chemsaki* Hua, 1986c: 209 A: JIX
- cinerea* Chevrolat, 1852: 416 A: AF HP KA PA UP XIZ #274
- newcombei* Gilmour, 1958: 112
- germari germari* Hope, 1831: 28 (*Lamia*) A: AP BT HP NP SD XIZ ORR #280 #344 #366
- cribrata* J. Thomson, 1878b: 57
- deyrollei* Kaup, 1866: 7
- germari parvigranula* J. Thomson, 1878b: 58 A: GUA HAI YUN ORR
- rugicollis rugicollis* Chevrolat, 1852: 418 A: ANH FE FUJ GAN GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX JA LIA NC SC SCH SHA SHN SHX TAI XIZ YUN ZHE
- gressitti* Gilmour, 1958: 76
- japonica* J. Thomson, 1878b: 59
- plicicollis* Motschulsky, 1854a: 48
- rugicollis nobuoi* Breuning & K. Ohbayashii, 1966: 32 A: JA (Ryukyus)
- rugicollis yayeyamai* Breuning, 1976d: 739 A: JA (Ryukyus)
- paucigranula* J. Thomson, 1878b: 58 A: SD YUN #280
- sublaevis* J. Thomson, 1878b: 57 A: HAI GUX ORR
- bicolor* Kriesche, 1920a: 193
- swainsoni basicornis* Fairmaire, 1895: 185 A: HAI YUN ORR
- swainsoni swainsoni* Hope, 1840: 79 (*Lamia*) A: AP BEI FUJ GUI HAI HEN JA JIA NC (Mt. Nangrim-san) SCH YUN ORR #280 #698
- daifungensis* Chiang, 1982: 41
- kediana* W.-K. Wang, 1999: 125
- trilineata* Chevrolat, 1852: 416 A: SD ORR
- unidentata* Pic, 1936a: 16 A: GUI ORR #400 #433
- genus *Batocera* Dejean, 1835: 341** type species *Cerambyx rubus* Linnaeus, 1758 #523
- Megacriodes* Pascoe, 1866c: 259, 271 type species *Megacriodes saundersii* Pascoe, 1866 #218
- Semibatocera* Kriesche, 1915: 115 type species *Batocera calana*, Parry, 1844 (= *Lamia calana* Parry, 1844)
- Tyrannolamia* Kriesche, 1915: 115 type species *Batocera wallacei* J. Thomson, 1858
- calanus* Parry, 1844: 454 [= 1845: 86] (*Lamia*) A: AP FUJ HAI HP SD XIZ YUN ORR #60 #366
- bimaculata* Schwarzer, 1914: 280
- fabricii* J. Thomson, 1878b: 54
- guttata* Vollenhoven, 1871a: 110 (*Megacriodes*)
- immaculata* Schwarzer, 1914: 280
- narada* Kriesche, 1928: 45
- parryi* Hope, 1845b: 77 (*Lamia*)
- dauidis* H. C. Deyrolle, 1878: 131 A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN SCH SHA TAI YUN ZHE ORR
- henrietta* Kriesche, 1915: 138
- obscura* Gilmour & Dibb, 1948: 38
- horsfieldii* Hope, 1839: 42 A: ANH AP BT FUJ GUA GUI GUX HEB HEN HUB HUN HP JIA JIL JIX KA NP PA SCH SD SHA SHN XIZ YUN ZHE ORR #274 #280 #390
- adelpha* J. Thomson, 1859a: 77
- lineolata* Chevrolat, 1852: 417 A: ANH FUJ GUA GUI GUX HAI HEB HUB JA JIA JIX SC SCH SD SHA TAI YUN ZHE ORR
- catenata* Vollenhoven, 1871b: 215
- chinensis* J. Thomson, 1857e: 170
- flachi* Schwarzer, 1914: 280
- hauseri* Schwarzer, 1914: 280
- joannisi* Pic, 1901g: 28
- latealba* Pic, 1926i: 303
- variecollis* Schwarzer, 1925b: 60
- numitor* Newman, 1842b: 275 A: AP HAI NP SCH SD XIZ YUN ORR #280
- ajax* J. Thomson, 1858: 455
- ferruginea* J. Thomson, 1858: 456
- javanica* J. Thomson, 1859a: 83
- loki* Kriesche, 1915: 143
- palawanicola* Kriesche, 1928: 47
- rufopunctata* Breuning, 1956a: 1
- sumatrensis* Aurivillius, 1922b: 126 [RN]
- titana* J. Thomson, 1859a: 82

punctata Schwarzer, 1925b: 60 A: TAI
quercinea R.-Y. Wang, Zhang & F. Zheng, 1993: 59, 61 A: YUN
roylii Hope, 1833: 64 (*Lamia*) A: AP BT GUX HAI KA NP SD YUN **ORR** #280
coreana Kolbe, 1886: 238
downesii Hope, 1845b: 76
ebenina Vollenhoven, 1871b: 211
orientalis Kriesche, 1915: 119
porus Parry, 1844: 454 [= 1845: 86] (*Lamia*)
princeps L. Redtenbacher, 1844: 551
rubus rubus Linnaeus, 1758: 390 (*Cerambyx*) A: AP FUJ GUA GUI GUX HAI HKG JA (Ryukyus) NP PA SA SCH SHA SHX TAI TR UP
YUN ZHE **ORR** #166 #218 #402 #525
albofasciata DeGeer, 1775: 106 (*Cerambyx*)
albomaculata Retzius, 1783: 138 (*Cerambyx*)
bipunctata Kriesche, 1915: 134
dividopunctata Gilmour & Dibb, 1948: 61
downesii Hope, 1845b: 76
formosana Kriesche, 1915: 136
lombokensis Breuning, 1947a: 16
mniszecchii J. Thomson, 1859a: 79
octomaculata Fabricius, 1793: 290 (*Lamia*)
palawanica Schwarzer, 1926a: 12
punctatella Kriesche, 1915: 135
sabina J. Thomson, 1878b: 52
sarawakensis J. Thomson, 1858: 452
siporensis Schwarzer, 1930: 122
rufomaculata rufomaculata DeGeer, 1775: 107 (*Cerambyx*) A: AP HKGi IS KA LE NP OM PA SD SI SY TR UP XIZ YE **AFR NTRi**
ORR #189 #274 #280
chlorinda J. Thomson, 1857e: 171
cruentata Gmelin, 1790: 1863 (*Cerambyx*)
diana Nonfried, 1892b: 276
flavescens Gilmour & Dibb, 1948: 68
kuntzeni Kriesche, 1915: 139
thysbe J. Thomson, 1878: 52
ushijimai N. Ohbayashi, 1981: 47 A: TAI

genus *Microcriodes* Breuning, 1943a: 14 type species *Microcriodes sikkimensis* Breuning, 1943
cheni Bi & Holzschuh, 2019: 52 A: XIZ
ohbayashii Bi & Holzschuh, 2019: 54 A: YUN **ORR**
sikkimensis Breuning, 1943a: 15 A: AP SD XIZ #280 #250
wuchaoi Bi & Lin, 2014: 5 A: XIZ

tribe Ceroplesini J. Thomson, 1860
subtribe Ceroplesina J. Thomson, 1860

genus *Ceroplesis* Audinet-Serville, 1835a: 93 type species *Lamia aethiops* Fabricius, 1775
Moecha J. Thomson, 1860: 96 type species *Lamia molator* Fabricius, 1787
aestuans Olivier, 1800: 123 (*Cerambyx*) N: MO **AFR** #373
aegyptiaca Gilmour, 1956c: 753
dakarensis Fiedler, 1938: 591
guineensis Hintz, 1920: 165
nigerica Fiedler, 1938: 592
ornata Hintz, 1920: 165
senegalensis Fiedler, 1938: 591
ubangiensis Fiedler, 1938: 592
elegans Gestro, 1889: 70 A: SA YE
millingeni Pic, 1895c: 77 A: SA YE

genus *Thysia* J. Thomson, 1860: 96 type species *Lamia wallichi* Hope, 1831
Thysiotis J. Thomson, 1868c: 201 [RN] type species *Lamia wallichi* Hope, 1831
wallichi tonkinensis Kriesche, 1924: 289 (*Diastocera*) A: GUA GUX **ORR**
dalatensis Breuning, 1968a: 27 (*Diastocera*)
savioi Yen, 1932: 165 (*Diastocera*)
wallichi wallichi Hope, 1831: 27 (*Lamia*) A: AP GUI HP NP PA SD SCH UP YUN **ORR** #368 #369
insularis Fisher, 1935: 609 (*Diastocera*)
tricincta Duncan, 1835: 254 (*Lamia*)
trivittata Gistel & Bromme., 1850: 624 (*Ceroplesis*)

genus *Titoceres* J. Thomson, 1868d: 201 [RN] type species *Ceratites jaspidea* Audinet-Serville, 1835
Ceratites Audinet-Serville, 1835a: 34 [HN] type species *Ceratites jaspidea* Audinet-Serville, 1835
Paratitoceres Breuning, 1962g: 235 type species *Paratitoceres arabicus* Breuning, 1962

arabicus Breuning, 1962g: 235 (*Paratitoceres*) A: SA YE
jaspideus Audinet-Serville, 1835a: 35 (*Ceratites*) N: AG EG MO A: OM SA YE AFR

subtribe *Crossotina* J. Thomson, 1864

genus *Biobessa* Gahan, 1898: 56 type species *Biobessa beatrix* Gahan, 1898
holzschuhi Téocchi, 1992: 304 A: SA YE

genus *Crossotus* Audinet-Serville, 1835a: 52 type species *Lamia plumicornis* Audinet-Serville, 1835

Crossotides Hintz, 1912: 192 type species *Crossotides meridionalis* Hintz, 1912

albicollis Guérin-Ménéville, 1844: 249 N: MO AFR

obtusus Hintz, 1912: 194

senegalensis Breuning, 1950i: 525

arabicus Gahan, 1896: 458 A: OM ?SA YE

#774

[*erlangeri erlangeri* Hintz, 1912: 195 AFR]

erlangeri saudicola Téocchi, 1992: 304 A: YE SA

#774

kadleci Sama & Sudre, 2010: 953 A: JE

katbeh Sama, 2000b: 107 A: IS JO ?SA YE

#774

strigifrons Fairmaire, 1886a: 457 (*Dichosthates*) N: AG EG LB MO A: IS JO OM SA SI YE AFR

albicans Breuning, 1942a: 145

nebulosus Fairmaire, 1892a: 124 (*Dichosthates*)

sublineatus Gestro, 1892: 788 N: AG MO A: SA AFR

#774

subocellatus subocellatus Fairmaire, 1886a: 458 (*Dichosthates*) A: YE SA SI N: EG AFR

#774 #778

phillipsi Gahan, 1896: 458

subocellatus heimschi Peyerimhoff, 1923b: 318 N: AG LB MO AFR

#778

tamer Sama & Rapuzzi, 2006: 188 N: EG

tubericollis Fairmaire, 1891: 271 (*Dichosthates*) N: MO AFR

bimaculatus Aurivillius, 1903: 323

robustus Jordan, 1894a: 236

vittatus Aurivillius, 1914: 30

vagepictus Fairmaire, 1886a: 456 A: SA AFR

adenensis Breuning, 1969f: 665

lateralis Hintz, 1912: 194

niveicollis Hintz, 1912: 194

obliquevittatus Breuning, 1940c: 166

xanthoneurus Sama, 2000a: 92 A: IS JO SI

genus *Ecyroschema* J. Thomson, 1864: 48 type species *Ecyroschema favosum* J. Thomson, 1864

favosa J. Thomson, 1864: 48 A: YE AFR

genus *Gasponia* Fairmaire, 1892a: 123 type species *Gasponia gaurani* Fairmaire, 1892

gaurani Fairmaire, 1892a: 123 A: YE AFR

genus *Lamidorcadion* Pic, 1934g: 33 type species *Lamidorcadion annulipes* Pic, 1934

#688

Lamidorcadion, Breuning, 1950: 161, 196.

annulipes Pic, 1934g: 34 A: CHQ SCH ~~YUN XIZ~~

#688

brunneum Bi, 2022: 206 A: GUI

jintengi Bi, 2022: 207 A: YUN

minutipunctatum Bi, 2022: 206 A: HUB HUN

simile Bi, 2022: 210 A: YUN

subtuberosum Bi, 2022: 208 A: GUI YUN

tuberosum Holzschuh, 1993a: 47 A: YUN

genus *Moechohecyra* Breuning, 1938c: 231 type species *Moechohecyra indica* Breuning, 1938 [by original designation]

arctifera W.-K. Wang & Jiang, 2002a: 52 A: GUI YUN

verrucicollis Gahan, 1894a: 60 (*Moechotypa*) A: NP ORR

#338

genus *Moechotypa* J. Thomson, 1864: 55 type species *Moechotypa arida* J. Thomson, 1864 (= *Niphona suffusa* Pascoe, 1862)

Scotinauges Pascoe, 1871: 277 type species *Scotinauges diphysis* Pascoe, 1871

Tylophorus Blessig, 1873: 213 type species *Tylophorus wulffiusi* Blessig, 1873

alboannulata Pic, 1934a: 13 A: GUI GUX HUN SCH

asiatica Pic, 1903g: 121 (*Hecyrida*) A: GUI GUX NP SD UP YUN ORR

#127

sikkimensis Breuning, 1936: 324

delicatula White, 1858a: 268 (*Nyphona*) A: GUI GUX HAI HUN SCH TAI YUN ZHE ORR

elongata Pic, 1925b: 29

diphysis Pascoe, 1871: 277 (*Scotinauges*) A: ANH FE GAN GUI GUX HEB HEI HEN HUB HUN JA JIL JIX LIA NC NMO SC SCH SHA SHX ZHE

#521

dauidis Fairmaire, 1887c: 328

fuliginosa Kolbe, 1886: 221
wulffiusi Blessig, 1873: 215 (*Thylophorus*)
formosana Pic, 1917e: 7 (*Hecyrida*) A: TAI
nigricollis W.-K. Wang & Jiang, 2000c: 185 A: YUN
paraformosana Breuning, 1979a: 46 [RN] A: TAI
formosana Breuning, 1974j: 372 [HN]
semenovi Heyrovský, 1934c: 172 A: SCH
suffusa Pascoe, 1862a: 336 (*Niphona*) A: HAI YUN **ORR**
arida J. Thomson, 1864: 55
thoracica White, 1858a: 266 (*Nyphona*) A: SD
infasciculata Pic, 1926b: 7
tuberculicollis W.-K. Wang & Jiang, 2000c: 186 A: GUI YUN
uniformis Pic, 1922c: 14 (*Hecyrida*) A: GUX **ORR**

#523

genus *Paramoechochotya* Breuning, 1938c: 230 type species *Paramoechochotya fasciculata* Breuning, 1938
fasciculata Breuning, 1938c: 230 A: BT

tribe Dorcadionini Swainson, 1840

#778

genus *Dorcadion* Dalman, 1817a: 397 type species *Cerambyx glycyrrhizae* Pallas, 1773
subgenus *Acutodorcadion* Danilevsky, Kasatkin & Rubenyan, 2005: 135 type species *Dorcadion acutispinum* Motschulsky, 1860
absinthium absinthium Plavilstshikov, 1937a: 30 A: KZ
absinthium ishkovi Kadyrbekov, 2004: 94 A: KZ
acutispinum Motschulsky, 1860c: 310 [= 1860d: 304] A: KZ
alexandris Pic, 1900l: 56 A: KZ
luteolum Suvorov, 1910b: 63
staudingeri Pic, 1900k: 29 [HN]
arietinum arietinum Jakovlev, 1898: 678 A: KZ
arietinum charynense Danilevsky, 1996f: 610 A: KZ
arietinum chilikense Danilevsky, 1996f: 611 A: KZ
arietinum ketmeniense Danilevsky, 1996f: 613 A: KZ XIN
arietinum lucae Pic, 1898f: 42 A: XIN
arietinum phenax Jakovlev, 1899c: 68 A: KZ XIN
strandii Plavilstshikov, 1931b: 274
arietinum zhalanash Danilevsky, 1996f: 614 A: KZ
ataense ataense Pic, 1901e: 18 [“Aulie-Ata”] A: KI KZ ?UZ
kusnezovi Jakovlev, 1906b: 40 [Aulie-Ata]
ataense pumilio Plavilstshikov, 1951: 114 A: KZ
ataense rufidens Jakovlev, 1906b: 39 A: KZ
borochorensis Breuning, 1944: 11 A: XIN
hornianum Plavilstshikov, 1958a: 394
danilevskiyi Dolin & Owtschinikov, 1999: 97 A: KI (Sussamyr Valley)
darjae darjae Danilevsky, 2001f: 632 A: KI (Chong-Kemin Canyon)
darjae keminum Danilevsky & Rubenyan, 2021: 1100 A: KI
darjae kungeyense Danilevsky & Rubenyan, 2021: 1099 A: KI
globithorax Jakovlev, 1895a: 288 A: KZ
grande Jakovlev, 1906b: 42 A: KZ
irinae Danilevsky, 1997c: 59 A: KZ
kapchagaicum Danilevsky, 1996d: 413 A: KZ
kastekum aktyuzum Danilevsky & Rubenyan, 2021: 1102 A: KI
kastekum kastekum Danilevsky, 1996d: 415 [Kastek Pass] A: KI KZ
kastekum kichikeminum Danilevsky & Rubenyan, 2021: 1101 A: KI
koramense Danilevsky, 1999b: 32 A: KZ
leopardinum Plavilstshikov, 1937a: 28 A: XIN
mystacinum Ballion, 1878: 369 A: XIN
natali Abramov, 2019: 118 A: KZ
nikolaevi aizhan Kadyrbekov, 2022: 10 A: KZ
nikolaevi nikolaevi Danilevsky, 1995b: 420 A: KZ
ninae Danilevsky, 1995b: 422 A: KZ
nivosum Suvorov, 1913: 66 (*Compsodorcadion*) A: KZ (Sarybel env.)
optatum alamedinum Danilevsky, 2023: 251 (Alamedin River Canyon) A: KI
optatum kadyrbekovi Danilevsky, 1999b: 20 A: KI
optatum matthieseni Suvorov, 1910b: 66 A: KI
luctuosum Suvorov, 1913: 76
optatum optatum Jakovlev, 1906b: 38 A: KI KZ
optatum toropyginae Danilevsky, 1999b: 22 A: KI (Ala-Archa Canyon)
optatum vallesum Danilevsky, 1999b: 27 A: KI

#539

#725

#539

pantherinum desertum Danilevsky, 1995b: 427 A: KZ
pantherinum ludmilae Abramov, 2018: 37 A: KZ (low Syr Darya Valley)
pantherinum pantherinum Jakovlev, 1899b: 147 A: KZ
pantherinum sabulosum Danilevsky, 1995b: 426 A: KZ (Kzyl-Orda env.)
pantherinum shamaevi Danilevsky, 1995b: 427 A: KZ (Kapchagay)
pelidnum Jakovlev, 1906b: 38 A: KI
profanifuga Plavilstshikov, 1951: 113 A: KZ
songaricum drumonti Danilevsky, 2023: 218 A: XIN
songaricum songaricum Ganglbauer, 1884: 477 A: KZ
ininterruptum Pic, 1897f: 94
suvorovi karachokense Danilevsky, 1996e: 459 A: KZ
suvorovi konyroloenum Danilevsky, 1996e: 458 A: KZ
suvorovi kugalyense Danilevsky, 2023: 224 (N Altyn-Emel Mts)
suvorovi sholakense Danilevsky, 2023: 223 (Ili valley, Sholak Mts)
suvorovi suvorovi Jakovlev, 1906c: 274 A: KZ (Usek River Valley)
suvorovi tekeliense Danilevsky, 1996e: 459 A: KZ
suvorovianum suvorovianum Plavilstshikov, 1915b: 80 [RN] A: KZ
formosum Suvorov, 1910b: 65 [HN]
taldykurganum Danilevsky, 1996e: 461 A: KZ (Taldy-Kyrgan env.) #725
thianshanense Breuning, 1947d: 142 A: XIN
tianshanskii algaense Danilevsky, 2012i: 12 A: KZ
tianshanskii euzhaisanicum Danilevsky, 2012i: 20 A: KZ
tianshanskii heptapotamicum Plavilstshikov, 1951: 115 A: KZ
tianshanskii otariense Danilevsky, 2012i: 13 A: KZ
tianshanskii parapumilio Danilevsky, 2012i: 15 A: KZ
tianshanskii radkevitshi Suvorov, 1910b: 61 A: KZ (Chu-Ily Mts)
tianshanskii terminum Danilevsky, 1999b: 23 A: KZ
tianshanskii tianshanskii Suvorov, 1910b: 67 A: KZ
tibiale Jakovlev, 1889: 250 (*Compsodorcadion*) A: KI XIN
toropovi Danilevsky, 1999b: 34 A: KI (Kuvaki Pass)
tschitscherini Jakovlev, 1899b: 153 A: KZ
tshitsherini Plavilstshikov, 1958a: 294, 387 [unjustified emendation]
unidiscala Danilevsky, 1996d: 416 A: KZ (Kaskelen Canyon)
urdzharicum Plavilstshikov, 1937a: 29 A: KZ (Tarbagatay above Urdzhar)
zhaisanicum Shapovalov, 2007: 72 ["north-west part of Chu-Ili mountains"] A: KZ
subgenus *Carinatodorcadion* Breuning, 1943d: 524 type species *Cerambyx carinatus* Pallas, 1771 #46
aethiops aethiops Scopoli, 1763: 53 [Ljubljana] (*Cerambyx*) E: AL AU BU CR CZ GE GR HU MC MD RO SB SK SL SZ TR UK
bergmanni Tippmann, 1958b: 151
morio Fabricius, 1787: 141 (*Lamia*)
scopolii Gmelin, 1790: 1835 (*Cerambyx*)
aethiops asenovovi Danilevsky, 2014c: 253 E: BU [Asenovgrad]
aethiops balthasari Heyrovský, 1962b: 225 E: AL (Shkodër, Tirana, Sauk) #571
aethiops laeepunctatum Breuning, 1944a: 14 E: AL (Mali i Thate) MC #571
aethiops maderi Breit, 1923: 147 E: AL (Vora, Kruja, Elbasan) #571
aethiops majoripenne Pic, 1926d: 13 [Saloniki] E: GR #294
aethiops propinquum Breuning, 1962a: 517 [Kozani] E: GR #294
aethiops sterbai Breuning, 1944a: 14 E: AL (Moskopolje=Voskopoje, Kulmak) #571
aethiops strumense Danilevsky, 2014c: 252 E: BU (Petrich, Drangovo) GR (Serres) #141
carinatum carinatum Pallas, 1771: 465 (*Cerambyx*) E: CT MD KZ ST UK A: KZ
pigrum Schoenherr, 1817a: 398 (*Lamia*)
carinatum cylindraceum Reitter, 1886: 69 E: ST A: AB
carinatum igrenum Danilevsky, 1998b: 137 E: UK (Dnepropetrovsk area)
carinatum sunzhenum Danilevsky, 1998b: 138 E: ST (Northern Ossetiya)
carinatum uralense Danilevsky, 1998b: 138 A: KZ (Kara-Tugay and Mugodzhary Mts) WS (south of Orenburg Reg.)
cervae Frivaldszky, 1892b: 133 E: HU SL
fulvum erythropterum Fischer von Waldheim, 1823: Tab. L - 7 E: AU CZ MD RO PL SK TR UK #560
canaliculatum Fischer von Waldheim, 1824: 240
opillicum Zamoroka, 2019: 365 #560
fulvum heracles Vartanis, 2024a: 47 E: GR #749
fulvum fulvum Scopoli, 1763: 53 (*Cerambyx*) E: AL BH BU CR HU MC SB SL-UK
freyi Tippmann, 1958b: 158
frontale Mulsant & Rey, 1863: 154
kulzeri Tippmann, 1958b: 158
nigripenne Fleischer, 1894: 121
rugipenne Tippmann, 1958b: 155

sanguinolentum Scopoli, 1772: 99 (*Prionus*)
hybridum hedvigae Jureček, 1933: 127 E: GR
hybridum hybridum Ganglbauer, 1884: 441 E: GR TR
ingae Peks, 1993: 3 E: TR
subgenus Cribridorcadion Pic, 1901b: 12 type species *Dorcadion mniszehi* Kraatz, 1873 #46
Autodorcadion Plavilstshikov, 1958a: 45 type species *Cerambyx arenarius* Scopoli, 1763
Bergerianum Pesarini & Sabbadini, 2004c: 150 type species *Dorcadion chrysochroum* Breuning, 1943
Dzhungarodorcadion Danilevsky, 1993c: 47 type species *Dorcadion jacobsoni* Jakovlev, 1899
Pedestredorcadion Breuning, 1943d: 526 type species *Lamia pedestris* Poda von Neuhaus, 1761
abstersum Holzschuh, 1982a: 75 A: TR
accola Heyden, 1894: 87 A: TR
glabrolineatum Pic, 1927e: 6
mardinense Pic, 1900c: 6 #584
afflictum Pesarini & Sabbadini, 1999: 54 A: TR
akpazarense Bernhauer & Peks, 2015: 453 A: TR
akpinarense Bernhauer & Peks, 2010a: 196 A: TR
albolineatum Küster, 1847a: 86 A: TR
byzantinum J. Thomson, 1867a: 69
albonotatum Pic, 1895b: 39 A: TR
albosuturale Breuning, 1962a: 351 E: AL GR MC
amanense Breuning, 1943b: 94 A: TR
amphissae Breuning, 1974g: 153 E: GR
anachoreta Pesarini & Sabbadini, 2013b: 34 E: GR
anatolicum Pic, 1900g: 12 A: TR
brevipenne Pic, 1902c: 10
chehirense Pic, 1902c: 10
ininterruptum Pic, 1900g: 13 [HN]
mediointerruptum Pic, 1901p: 73
subuniforme Pic, 1902j: 27
andirinense Bernhauer & Peks, 2011b: 218 A: TR #54 #125
amaliae Pesarini & Sabbadini, 2013a: 55 #54 #125
apicecontiguum Özdikmen & Tezcan, 2021: 119 A: TR
apicipenne Jakovlev, 1899b: 61 A: XIN #605
apicerufum Breuning, 1943b: 91 [RN] A: AB AR GG ?IN TR
sanguinolentum J. Thomson, 1865: 548 [HN]
thomsonianum Plavilstshikov, 1948: 126 [RN]
aracense Bernhauer & Peks, 2011a: 204 A: TR
arcivagum J. Thomson, 1867c: 121 A: TR
cilicium Pic, 1904a: 4
ardahense Breuning, 1975c: 10 A: TR
arenarioides Rabaron, 1979: 11 E: GR
arenarium abruptum Germar, 1839: 18 E: AL BH CR #117
arenarium arenarium Scopoli, 1763: 53 (*Cerambyx*) E: CR IT RO SL SK #180
beszedesi Depoli, 1926a: 11
istriatum Depoli, 1912: 37, 40
liburnicum Depoli, 1912: 37, 39
sabandum Pic, 1945b: 7
vittigerum Panzer, 1797: 24 (*Lamia*)
arenarium brattiense J. Müller, 1905: 135 E: BH CR
arenarium dalmatinum J. Müller, 1905: 134 E: BH CR
arenarium hypsophilum J. Müller, 1905: 135 E: AL BH CR ME #117
arenarium lemniscatum Küster, 1847a: 89 E: BH CR
mostarense Pic, 1942a: 1
arenarium marsicanum Fracassi, 1905: 112 (Abruzzi) E: FR IT #671
berytense Breuning, 1964c: 31 (Beiruth) #324
fuscovestitum Pic, 1905a: 11
subcarinatum J. Müller, 1905: 139
arenarium muelleri Depoli, 1912: 37, 40 E: BH CR
arenarium rubrimembris Pic, 1917g: 6 [RN] E: AL BH CR ME
rubripes J. Müller, 1905: 135 [HN]
arenarium shkypetarum Heyrovský, 1937b: 91 E: AL #117
arenarium velebiticum J. Müller, 1905: 140 E: BH CR
ariannae Pesarini & Sabbadini, 2008: 115 E: GR
artemi Lazarev, 2019d: 470 A: AR (near north-west shore of Lake Sevan)
auratum Tournier, 1872: 291 A: GG
lederi Kraatz, 1878a: 217 [1878c: 353]
avgiadiense Bernhauer & Peks, 2011b: 215 A: TR
axillare Küster, 1847a: 88 E: BU RO

kraatzi Tournier, 1872: 281
varnanum Pic, 1926d: 13
bangi bangi Heyden, 1894: 89 A: TR
bangi heinzorum Braun, 1975a: 17 A: TR
bangi roridum Pesarini & Sabbadini, 1999: 55 A: TR
banjkovskyi Plavilstshikov, 1958a: 147 A: TR
basale Kraatz, 1873a: 86 A: TR
kagyzmanicum Suvorov, 1915: 120
beckeri Kraatz, 1873a: 71 E: ST (Dagestan planes) A: AB
beloni Pic, 1891l: lxxvii A: TR
biforme Kraatz, 1873a: 53 A: IN
discomaculatum Pic, 1905k: 187
bisignatum Jakovlev, 1899c: 66 A: ?GG TR
bistriatum Pic, 1898h: 55 A: AB AR
bithyniense Chevrolat, 1856a: 88 A: TR
serotinum J. Thomson, 1865: 549
blanchardi Mulsant & Rey, 1863: 147 A: IN TR
bodemeyeri K. Daniel, 1900: 140 A: TR
boluense boluense Breuning, 1962c: 38 A: TR
boluense corallinum Pesarini & Sabbadini, 1999: 53 A: TR
boluense imitator Pesarini & Sabbadini, 1999: 53 A: TR
boszdaghense Fairmaire, 1866b: 275 A: TR
grammophilum J. Thomson, 1867a: 70
boucardi Pic, 1942c: 6 A: ?SY TR
brauni Breuning, 1979b: 92 A: TR
bremeri Breuning, 1981c: 181 A: TR
brenskoi Ganglbauer, 1884: 450 [RN] E: GR
aeginasum Pic, 1942c: 6
apicale Kraatz, 1873a: 76 [HN]
nemeense Breuning, 1974g: 151
breuningii Heyrovský, 1943: 78 E: GR TR
brunneicolle Kraatz, 1873a: 37 A: IN
casvinense Pic, 1905e: 392
jakovlevi Semenov, 1905: 144
subfulvestitum Pic, 1914b: 8
brunoi Breuning, 1964c: 31 A: LE
bulgharmaadense Breuning, 1946: 116 A: TR
buressi Štěrba, 1922: 2 E: GR
cachinno J. Thomson, 1867c: 120 A: TR
immersum Tournier, 1872: 281
caglayaniceritense Bernhauer & Peks, 2013a: 314 A: TR
caprai caprai Breuning, 1950: 303 A: IN
caprai completetomentosum Breuning, 1974f: 133 (*Pedestredorcadion*) A: IN
carinipenne Pic, 1900g: 13 A: TR
caspiense Breuning, 1956k: 723 A: AB
catenatum bleusei Pic, 1899c: 300 E: GR (Rhodes)
diversejunctum T. Pic, 1907: 179 (l'île de Chio)
rhodicum Depoli, 1924: 43
catenatum catenatum Walzl, 1838: 469 (Türkei) A: TR
bonyi Pic, 1942b: 1 (Syrie)
divisum Germar, 1839: 15 (Turcia)
dorsale T. Pic, 1907: 179 (Smyrne)
mancum Gistel, 1848: 431 (Syrien)
smyrnanum Breuning, 1946: 106
smyrnense Pic, 1917a: 10
subobliteratum T. Pic, 1899: 351 (Kleinasien)
uninterruptum T. Pic, 1899: 351 (Smyrna)
catenatum dissimile Ganglbauer, 1884: 458 E: TR
catenatum gashtarovi Sama, Dascalu & Pesarini, 2010: 287 E: BU RO
catenatum intercisum Kraatz, 1873a: 66 A: TR
catenatum loratum J. Thomson, 1867c: 123 A: TR
catenatum mytilenense Kraatz, 1873a: 66 E: GR (Lesbos)
latevittatum Kraatz, 1873a: 66
sparsedivisum Pic, 1911e: 185 - Metelin (Mytilene)
catenatum oedemischense Heyrovský, 1932: 104 A: TR
catenatum stefani Özdikmen & Tezcan, 2020h: 550: A: TR
catenatum thebesianum Pic, 1942a: 1 (Thèbes)
charlottae Lukat, 2019: 287 E: GR

#725

#738

chopardi Breuning, 1948c: 60 A: IN
chrysochroum Breuning, 1943b: 95 E: GR
cinctellum Fairmaire, 1866b: 272 A: TR
cinerarium adygorum Lazarev, 2011c: 276 E: ST (Adygea)
cinerarium azovense Lazarev, 2011c: 281 E: UK (Berdyansk env.) #648
cinerarium bartenevi Lazarev, 2011c: 287 E: UK (Crimea: Tarkhancut Cape) #648
cinerarium belousovi Lazarev, 2011c: 280 ["Kuba District, Velvelichay River"] A: AB
cinerarium cinerarium Fabricius, 1787: 140 (*Lamia*) E: ?CT ~~MD~~ ST UK
rubripes Krynicki, 1832: 160
tricolor Fischer von Waldheim, 1805 [?!1806]: 15 (*Lamia*)
cinerarium demidovi Danilevsky, 2013e: 429 E: MD (Purkary) UK (Odessa Reg., Nikolaev Reg.) #648
cinerarium deniz Lazarev, 2011c: 279 A: AB (Baku env.)
cinerarium gorodinskii Danilevsky, 1996c: 65 E: UK (Kherson Reg. and Zaporozhye Reg.) #648
cinerarium macropoides Plavilstshikov, 1932b: 183 E: UK (Kharkov Reg.) #648
cinerarium mosyakini Danilevsky, 2021f: 1082 E: UK #648
cinerarium napolovi Lazarev, 2011c: 279 A: AB (Shemakha env.)
cinerarium novorossicum Lazarev, 2015: 1109 E: ST (Novorossiysk env.: Gayduk, Verkhnebakanskaya)
cinerarium okhrimenkoi Danilevsky, 2016c: 8 E: ST (Krasnodar Region: Belyi env.)
cinerarium panticapaeum Plavilstshikov, 1951: 116 E: UK (E Crimea) ST (Taman Peninsula)
cinerarium papayense Lazarev, 2014a: 277 E: ST (Krasnodar Reg.: Papay Mt.)
cinerarium perroudi Pic, 1942b: 2 E: UK (most of Crimea)
cinerarium sindorum Lazarev, 2011c: 284 E: ST (Anapa env.: Kumatyr and Shkuratka river)
cinerarium skrylniki Lazarev, 2011c: 282 E: UK (Melitopol env.) #648
cinerarium smetanai Lazarev, 2011c: 281 E: ST (Karachay-Cherkessia and Kabardino-Balkar republics)
cinerarium terkense Lazarev, 2011c: 276 E: ST (Chechnya)
cinerarium veniamini Lazarev, 2011c: 275 E: ST (Krasnodar Reg., Markotkh Ridge)
cinerarium zubovi Lazarev, 2011c: 274 E: MD #633 #648
cineriferum Suvorov, 1910a: 290 A: AB AR
cingulatoides cingulatoides Breuning, 1946: 122 A: IN
cingulatoides hassani Danilevsky, 2010f: 8 A: IN
cingulatum Ganglbauer, 1884: 484 A: IN TR
persianum Breuning, 1943b: 94
ursulaheinsi Bernhauer, 2015: 13 #517 #538
ciscaucasicum abramovi Lazarev, 2009b: 14 E: ST (Taman Peninsula)
ciscaucasicum ciscaucasicum Jakovlev, 1899c: 59 E: ST (Stavropol Reg. and Kalmykia)
borodini Suvorov, 1915: 118
ciscaucasicum mokrzejckii Jakovlev, 1902: 148 E: UK (Kerch Peninsula)
coiffaiti Breuning, 1962a: 392 A: TR
complanatum Ganglbauer, 1884: 485 A: IN
condensatum Küster, 1852: 92 E: BU TR A: TR
adampolum Pic, 1917g: 6
inlinearum Pic, 1917g: 6
punctatissimum Ganglbauer, 1884: 94
confluens Fairmaire, 1866b: 274 A: TR
subobscuripes Pic, 1914b: 9
conspersum Pesarini & Sabbadini, 2013a: 56 A: TR
corcyricum Ganglbauer, 1884: 453 E: GR
crassicolle Pesarini & Sabbadini, 2007b: 57 E: GR
crux Billberg, 1817: 175 (*Lamia*) A: TR
bifidum Chevrolat, 1882: 60
büinterruptum Pic, 1901d: 19
brevedisjunctum Pic, 1929b: 9
cruciator Gistel, 1848a: 131
graecum Wärtl, 1838: 470
grandevittatum Pic, 1904b: 7
integrofasciatum K. Daniel, 1900: 140
lateargenteum Pic, 1929b: 9
lunulatum Pic, 1900g: 12
niveopictum K. Daniel, 1900: 140
smirnenensis Linnaeus, 1757: 411 (*Cerambyx*) [not available name] #754
smyrnenensis Linnaeus, 1762: 451 (*Cerambyx*) [not available name] #754
smyrnenensis Linnaeus, 1766: 229 (*Cerambyx*) [not available name] #754
subfurcatum Pic, 1914b: 9
culminicola J. Thomson, 1867c: 122 A: TR
czegodaevi Danilevsky, 1992b: 110 A: AB
czipkai Breuning, 1973a: 54 A: IN
danczenkoi Danilevsky, 1996d: 417 A: AB (Talysh) IN

darakiense Faizi & Nozari, 2020: 595 A: IN
daratshitshagi Suvorov, 1915: 120 A: AR (Tsakhkadzor env.)
decipiens Germar, 1824: 486 (*Lamia*) E: BU HU MD RO SB SL UK #506 #561
jacqueti Pic, 1902c: 10
delagrangei Pic, 1894g: 110 A: TR
fuscopubescens Pic, 1900g: 12
deyrollei deyrollei Ganglbauer, 1884: 482 [Bitlis] A: TR
deyrollei opacum Pesarini & Sabbadini, 2013a: 54 [Ahir Dag, Akyokuş Geçidi] A: TR
dimidiatum dimidiatum Motschulsky, 1838: 186 A: AB AR GG IN TR
degaullei Pic, 1948: 13
erivanicum Pic, 1901r: 91
transitorium Pic, 1948: 13
kelkiticum Özdikmen & Hasbenli, 2004: 23 A: TR #15
korgei Breuning, 1966b: 21 A: TR
discodivisum Pic, 1939c: 21 A: IN
dokhtouroffi Ganglbauer, 1886b: 130 A: KI TD UZ #21
dokhturovi Plavilstshikov, 1958a: 51, 145 [unjustified emendation]
subcostatum Heyden, 1887b: 323
drusoides Breuning, 1962a: 375 A: SY TR
drusum Chevrolat, 1870: 84 A: IS LE SY
apicale Chevrolat, 1873: 205 [HN]
libanoticum Kraatz, 1873a: 100
perrini Fairmaire, 1881: 88
tarabuliense Ganglbauer, 1889d: 481
eflaniense Bernhauer & Peks, 2011a: 205 A: TR
elbursense Breuning, 1943b: 93 A: IN
elegans Kraatz, 1873a: 73 E: CT KZ ST UK A: KZ WS
vicinum Pic, 1892f: 91
enricisturanii densepunctatum Braun, 1978a: 107 A: TR
enricisturanii enricisturanii Breuning & Ruspoli, 1971: 127 [montagne au sud-est de Tosya, route de Çorum] A: TR
equestre bernhauerorum Peks, 2010: 213 A: TR #296
equestre bisuturale Jureček, 1933: 128 [Griechenland, Bos-Dahr-Gebirge bei Drama] E: BU GR TR
equestre equestre Laxmann, 1770: 596 (*Cerambyx*) E: CT MD ST UK A: ?GG (?Gagry) KZ #608
cruciatum Fabricius, 1787: 140 (*Lamia*)
cruciferum Lepechin, 1774: 231 (*Cerambyx*)
pallassii Fischer von Waldheim, 1805 [?1806]: 14 (*Lamia*)
razumoffskii Fischer von Waldheim, 1805 [?1806]: 13 (*Lamia*)
equestre festivum Pesarini & Sabbadini, 2013a: 58 A: TR
equestre nogelli Fairmaire, 1866b: 270 A: TR
nogelli J. Thomson, 1867a: 58 [HN] "Armenia"
equestre reclinatum Kraatz, 1892: 173 E: AL BU GR MC SB TR
immaculatum Kraatz, 1892: 174 ["Balkan"]
equestre transilvanicum Ganglbauer, 1884: 462 E: BU HU RO #529 #608
niveoconjunctum T. Pic, 1900c: 352
quadristrigatum Kraatz, 1893: 70
romaniense T. Pic, 1900c: 352
equestre vadimi Danilevsky, 2021f: 1077 E: UK #648
eskipazarense Bernhauer & Peks, 2011a: 203 A: TR
etruscum bravardi Pic, 1916a: 22 E: AL GR MC #712
etruscum epirense Breuning, 1942b: 128 E: GR #712
etruscum etruscum Rossi, 1790: 147 (*Lamia*) E: IT
apenninum Depoli, 1926a: 25
apulium Depoli, 1926a: 25
beieri Pic, 1932d: 18
calabricum Breuning, 1942b: 126
?femoratum Brullé, 1832: 259 ["Morée"]
fiorii Breuning, 1942b: 126
fuscifrons Chevrolat, 1882: 60
italicum Küster, 1847b: 99
?nudum Küster, 1852: 93 ["In Ungarn?"]
romanorum Pic, 1917g: 7
siculum Depoli, 1926a: 25
subiacum Pic, 1917a: 10
etruscum johannisfranci Pesarini & Sabbadini, 2007b: 40 E: GR TR #712
etruscum salonicum Pic, 1916a: 22 E: GR ("Environs de Salonique") #712
etruscum valonense Pic, 1917g: 6 E: AL #712
apfelbecki Winkler, 1929: 1188
valonense Apfelbeck, 1923: 145 [HN]
eugeniae emgei Ganglbauer, 1886a: 519 E: GR

eugeniae eugeniae Ganglbauer, 1886a: 521 E: GR
arcadicum Breuning, 1946: 104
eustriolatum Danilevsky & Faizi, 2020: [5] A: IN
faldermanni Ganglbauer, 1884: 493 A: IN
ferruginipes Ménétrés, 1836: 151 E: GR TR A: TR
subfuscopubens Pic, 1911a: 7
sublineatum Pic, 1909: 99
thracicum Küster, 1846a: 90
formosum formosum Kraatz, 1871c: 411 A: TR
formosum ponticum Breuning, 1964b: 1 A: TR
frustrator Plavilstshikov, 1958a: 172 [RN] A: AB
hypocrita Plavilstshikov, 1937a: 27 [HN]
hypocritellum Breuning, 1958b: 29 [RN]
funestum Ganglbauer, 1884: 501 E: GR
gallipolitanum atritarse Pic, 1931c: 10 E: GR TR
gallipolitanum fumidum Pesarini & Sabbadini, 2010: 186 E: GR
gallipolitanum gallipolitanum J. Thomson, 1867a: 59 E: GR TR
gandolphei Tournier, 1872: 288
suturaalba Desbrochers des Loges, 1870: 125
gallipolitanum samothrakeanum Breuning, 1962a: 326 E: GR
gazanchildisi Danilevsky, 2021e: 1063 A: XIN
gheisi Bernhauer, 2015: 12 A: IN
glabricolle Breuning, 1943b: 92 A: TR
glaucum glaucum Faldermann, 1837: 277 A: ?AB ?AR IN
glaucum lassallei Lazarev, 2015: 1112 A: IN
glaucum murzinianum Lazarev, 2015: 1113 A: IN
goelbasiense goelbasiense Bernhauer & Peks, 2013a: 310 A: TR
goelbasiense karadutense Bernhauer & Peks, 2013a: 311 A: TR
goelbasiense kathaense Bernhauer & Peks, 2013a: 312 A: TR
goelbasiense oeksuezdagense Bernhauer & Peks, 2013a: 311 A: TR
gorbunovi gorbunovi Danilevsky, 1985: 313, 328, 332 [= 1987: 617] [Bichenek Pass] A: AB AR
gorbunovi rubenyani Lazarev, 2014a: 278 ["Svarantz"] A: AR
gortovannyii Danilevsky, 2017a: 323 A: TR
granigerum Ganglbauer, 1884: 458 E: GR
gusakovi Danilevsky, 2007b: 1 A: GG (Bzyb Ridge)
guzeldereense Bernhauer & Peks, 2012: 213 A: TR
guzeldereense Bernhauer & Peks, 2013b: 336 [unjustified emendation]
hacgedigiense Bernhauer & Peks, 2011b: 216 A: TR
haemorrhoidale Hampe, 1852b: 313 A: IN TR
halepense halepense Kraatz, 1873a: 72 A: SY TR
internotatum Pic, 1931c: 9
internesignatum Pic, 1914e: 79
latealbum Pic, 1926d: 13
latebivittatum Pic, 1931c: 1
halepense sehikamilense Özdikmen, Mercan & Cihan, 2012c: 604 A: TR
hampii aureovittatum Kraatz, 1873a: 81 A: TR
hampii hampii Mulsant & Rey, 1863: 157 A: TR
heldreichi Kraatz, 1873a: 90 E: GR
bilaterale Chevrolat, 1882: 59
presuturale Pic, 1903a: 5
hellmanni Ganglbauer, 1884: 486 A: IN IQ TR
holosericeum alanorum Danilevsky, 2023: 130 E: ST
holosericeum avarum Danilevsky, 2023: 131 E: ST
holosericeum holosericeum Krynicki, 1832: 159 E: ?BY CT KZ MD PL RO ST UK #752
rossicum Plavilstshikov, 1927a: 52 [RN]
holosericeum tristriatum Suvorov, 1913: 71 E: ST A: GG [Mt. Kazbek]
striatum Dalman, 1817b: 175 (*Lamia*) [HN]
holosericeum ustynovi Danilevsky, 2021f: 1078 E: UK #648
holtzi Pic, 1905g: 115 A: TR
iconiense K. Daniel, 1900: 140 ["Asia Minor" - Konya] A: TR #52
albicolle Breuning, 1943b: 89 [Konya]
fulvovestitum Pic, 1903a: 5
muchi Breuning, 1962c: 38 ["Çankırı"] #52
paescherichi Breuning, 1966e: 146 [Çorum: Boğazkale]
semisetosum Jakovlev, 1901a: 85 [Konya]
subatritarse Breuning, 1966e: 146 ["Boğazkale" - Turkey: Çorum] #52
impressicolle Kraatz, 1873a: 47 A: SY

indutum Faldermann, 1837: 276 A: AB AR
infernale asperatum Breuning, 1947e: 169 [Diarbekir] A: TR
infernale costatidorsum Özdikmen & Koçak, 2016b: 178 [Konya, Kulu, Kömüşini village env.] A: TR
infernale edremitense Breuning, 1966b: 20 [Edremit] A: TR
infernale erdemi Özdikmen, Kaya & Al-Hamadani, 2014: 179 [Çorum] A: TR #517
infernale infernale Mulsant & Rey, 1863: 158 [?Eskişehir province: Bozdağ] A: TR
immutatum Pic, 1903k: 171 [Bos-Dagh, Eski-Chehir]
revestitum K. Daniel, 1900: 140 [“Asia Minor”]
rugosum J. Thomson, 1867a: 46 [“Siberia”]
infernale luteosutura Özdikmen & Koçak, 2016b: 178 [Karaman province, Ayrancı] A: TR
infernale miminfernale Breuning, 1970d: 98 [Binboğa Dağları, Kahramanmaraş] A: TR
infernale postalbosuturale Özdikmen & Koçak, 2015: 672 [Karaman Prov., Elmaşchir distr.] A: TR #517
inikliense Bernhauer & Peks, 2010b: 208 A: TR
inopinatum Pesarini & Sabbadini, 2013a: 51 A: TR
inspersum Holzschuh, 1982a: 76 A: TR
insulare Kraatz, 1873a: 62 E: GR
intrusum Pesarini & Sabbadini, 2009: 26 E: TR
invicinum Pic, 1902b: 93 A: IN TR #538
irakense Al-Ali & Ismail, 1987: 1 A: IQ
iranicum Breuning, 1947d: 141 A: IN
ispartense Breuning, 1962a: 394 A: TR
ispirensense Bernhauer & Peks, 2013b: 328 A: TR
jacovleviellum hinisense Bernhauer & Peks, 2016: 91 [“Hinis”] A: TR #172 #187
jacovleviellum jacovleviellum Plavilstshikov, 1951: 120 [Erzurum] A: TR
jacovleviellum vartoense Bernhauer & Peks, 2016: 92 [“Varto Sefgeç”] A: TR #172 #187
janatai Kadlec, 2006b: 11 A: TR
kalashiani Danilevsky, 1992b: 108 A: AB (Talysh) IN
karamanense Özdikmen & Koçak, 2013: 672 A: TR
karsense Suvorov, 1915: 118 A: TR
kartaldagense Bernhauer & Peks, 2013a: 314 A: TR
kartalense Lazarev, 2016b: 210 A: TR (Eskisehir prov., Kartal Gecidi)
kasikoporanum Pic, 1902c: 10 A: AR TR
kazanciense Bernhauer & Peks, 2010a: 197 A: TR
kharpuense Danilevsky, 1998a: 49 A: IN
khosrovi Lazarev, 2019d: 472 A: AR (Khosrov Reserv)
kindermannii Walth, 1838: 470 A: TR
griseum Walth, 1838: 470
kizilcikense hozatense Bernhauer & Peks, 2015: 452 A: TR
kizilcikense kizilcikense Bernhauer & Peks, 2015: 451 A: TR
kizildagense Bernhauer & Peks, 2012: 212 A: TR
karacaorenense Bernhauer & Peks, 2012: 211 #615
karacaorenense Bernhauer & Peks, 2013b: 336 [unjustified emendation]
klavdiae Danilevsky, 1992a: 92 A: GG (Gori)
kocgecense kocgecense Bernhauer & Peks, 2015: 448 A: TR
kocgecense yedigoezense Bernhauer & Peks, 2015: 449 A: TR
koechlini Pic, 1898h: 56 A: SY
koenigi Jakovlev, 1897: 245 E: ST (Dagestan mts) #725
impressipenne Pic, 1900g: 14
komarowi komarowi Jakovlev, 1887a: 155 A: IN TM
jancyki Breuning, 1963f: 36
interruptum Jakovlev, 1895b: 510 [HN]
transcaspicum Jakovlev, 1901b: 108 [RN]
komarowi kryzhanovskii Plavilstshikov, 1958a: 167 A: TM
konradi Bernhauer & Peks, 2012: 210 A: TR
kozanii daccordii Pesarini & Sabbadini, 2007b: 42 E: GR
kozanii kozanii Breuning, 1962a: 318 E: GR
kraetschmeri Bernhauer, 1988: 98 A: TR
krueperi Ganglbauer, 1884: 453 E: AL GR MC
thessalicum Pic, 1942a: 3
viturati Pic, 1903a: 5
kuldschanum Pic, 1908b: 4 A: XIN
albidolimbatum Pic, 1912a: 9 [“Environs de Przewalsk” – wrong locality]
julduasianum Pic, 1912i: 89
kuldzhanum Plavilstshikov, 1958a: 60, 282 [unjustified emendation]
pauli Pic, 1909: 99
kurdistanum kurdistanum Breuning, 1944a: 12 [“Kourdistan: Diarbékir”] A: TR #509
kurdistanum rufulipes Breuning, 1971c: 437 [“nö Bingöl”] A: TR #509

kurucanum Holzschuh, 2007: 249 A: TR
kykladicum Breuning, 1944a: 13 E: GR
ladikanum Braun, 1976b: 173 A: TR
ladikense Breuning, 1975c: 10 [HN]
paraladikense Breuning, 1977a: 60
laeve laeve Faldermann, 1837: 278 A: IN
pernudum Reitter, 1913b: 665
persicum Faldermann, 1837: 282
plasoni Ganglbauer, 1884: 491
laeve hyrcanum Jakovlev, 1899c: 64 A: IN
laeve micula Plavilstshikov, 1937a: 26 A: TR
laeve vladimiri Danilevsky & Murzin, 2009a: 13 A: AR
lameerei konyaense Özdikmen & Koçak, 2016 A: TR
lameerei lameerei Théry, 1896: 109 A: TR
lamiae Breuning, 1962a: 263 E: GR ()
ledouxi Breuning, 1975b: 65 A: TR
linderi Tournier, 1872: 285 A: TR
henrici Pic, 1905i: 156
kollari Kraatz, 1873a: 87
lineatocolle Kraatz, 1873a: 57 (“Saloniki”) E: AL BU GR MC ME SB #11 #117
atrofemoratum Pic, 1917g: 7
pseudolineatocolle Breuning, 1962a: 334 [“Philippi bei Kawalla”]
riveti Pic, 1927j: 162
sinuaticolle Pic, 1927e: 6
lineatopunctatum Breuning, 1944a: 13 A: IN
litigiosum litigiosum Ganglbauer, 1884: 454 E: ?MD RO
litigiosum otshakovi Suvorov, 1913: 81 E: UK (Ochakov env.)
ljubetense borisi Heyrovský, 1931: 84 [“Belasitza-Gebirge”, 41°20'N, 22°57'E] E: BU ?GR MC
ljubetense heyrovskyi Breuning, 1943b: 97 [Kozuf Planina, 41°9'N, 22°10'E] E: GR MC
ljubetense kaimakcalanum Jureček, 1929: 143 [40°55'50"N, 21°47'13"E] E: GR MC
ljubetense ljubetense Pic, 1909: 115 [Mt. Ljuboten, 42°12'24" N, 21°07'10"E] E: AL MC SB
ljubetense Breit, 1929: 206 [HN]
ljubetense peristeriense Breuning, 1962a: 248 E: GR [“Mts. Peristeri” about 39°41'N, 21°07'E]
lodosi abanozense Bernhauer & Peks, 2010a: 199 A: TR
lodosi lodosi Sabbadini & Pesarini, 1992a: 29 A: TR
lohsei lohsei Braun, 1976c: 254 [Karaman env, Sertavul pass] A: TR
lohsei taskentense Bernhauer & Peks, 2016: 89 [Konya, Taşkent] A: TR #172
longulum Breuning, 1943b: 89 A: TR
lugubre Kraatz, 1873a: 41 [Saloniki] E: AL BU GR MC #712
discosulcatum Pic, 1926d: 1
giachinoi Pesarini & Sabbadini, 2007b: 45 [Oros Kavala] #712
meteorum Breuning, 1969b: 42 [Meteora] #712
minkovae Heyrovský, 1962b: 225 [Kresna] #712 #294
parinfernale Breuning, 1975c: 10 [Kavala] #712
pelionense Breit, 1923: 145 [Mt. Pelion - 39°26'N, 23°03'E] #712
pseudolugubre Breuning, 1943b: 96
sparsepilosum Pic, 1926d: 13 [“Salonique”]
thessalicum Pic, 1916a: 22 [“Thessalie”] (Pella: Notia - 41°6'6"N, 22°12'30"E e Kilkis: Fanos - 41°4'46"N, 22°28'39"E) #712
macedonicum Jureček, 1929: 143 E: AL MC
glabriscapus Breuning, 1943b: 97
maceki Holzschuh, 1995: 41 A: TR
macropus Kraatz, 1873a: 99 [“Amasya”] A: TR #129
amasinum Pic, 1898h: 58 [Amasya] #129
atripes Reitter, 1900a: 88 [Amasya] #129
obscurans Pic, 1892f: 91 [Amasya] #129
marandense Holzschuh, 2007: 248 A: IN
martini Bernhauer, 1988: 100 A: TR
mediterraneum Breuning, 1942b: 125 E: IT
megriense Lazarev, 2009c: 212 A: AR
menradi aksarayense Lazarev, 2016b: 212 (~~May~~) A: TR (E Aksaray prov., Gukunkaya & Konya prov., Dinek)
menradi diversum Özdikmen & Laz, 2022: 1036 A: TR (Kahramanmaraş, Andırın district)
menradi menradi Holzschuh, 1989a: 172 A: TR (Kahramanmaraş province, Afşin district)
menradi pilosicollis Özdikmen & Koçak, 2016: 355 A: TR (Karaman)
merkli Ganglbauer, 1884: 506 A: TR
meschniggi Breit, 1929: 205 E: GR
disconigrolineatum Heyrovský, 1940: 59
olympianum Meschnigg, 1947: 137

mesopotamicum Breuning, 1944a: 12 A: IQ TR
micans majoripunctum Okutaner, A. Sarıkaya, Ö. Sarıkaya & Özdikmen, 2021: 175 A: TR
micans micans J. Thomson, 1867a: 61 [“Armenien” –Anatolia] A: TR #129
corallicorne Pic, 1904a: 4 [Ankara]
sericatum Kraatz, 1873a: 98 #129
subobesum Pic, 1942b: 2 [“Amasia”]
micans subvestitum K. Daniel, 1900: 140 A: TR #129
subreductum Pic, 1942b: 2 [“Asie M^{tes}”] #129
minutum atticum Kraatz, 1873a: 72 E: GR (Evia)
luteovittatum Pic, 1942a: 1
multinigrum Pic, 1927e: 6
minutum mimarenarium Breuning, 1974g: 152 E: GR (Fthiotida, Evritania, Fokida)
minutum minutum Kraatz, 1873a: 76 E: GR (Attiki, Fokida, Fthiotida, Viotia)
irroratum Kraatz, 1873a: 76
minutum rugicolle Breuning, 1962a: 263 [“oberhalb der Thermopylen”] E: GR
mniszehi cavernosum Lazarev, 2014b: 701 A: AR TR
mniszehi georgianum Lazarev, 2014b: 701 A: GG
mniszehi mniszehi Kraatz, 1873a: 39 A: AR IN TR #8
moldavicum Dascalu & Fusu, 2012: 39 E: RO
moreanum Pic, 1907b: 12 E: GR
morozovi Danilevsky, 1992a: 94 A: KZ XIN
mosulense Özdikmen, Al-Hamadani & Ali, 2013: 1 A: IQ
multimaculatum Pic, 1932d: 22 A: TR
murrayi Küster, 1847a: 84 E: HU RO SB
montandoni Pic, 1902c: 9
triste Petri, 1885: 56
murzini Danilevsky, 2015: 221 A: TR
musarti Pic, 1907b: 10 A: XIN
narlianum Özdikmen, Mercan & Cihan, 2012b: 550 A: TR
neslihanbalae Özdikmen, 2019b: 19 A: TR
nigrostriatum Adlbauer, 1982: 104 A: TR
nigrosuturatum Reitter, 1897b: 236 A: AB AR
griseipenne Breuning, 1943b: 92
nitidum Motschulsky, 1838: 185 A: AR GG TR
suturatum Ferrari, 1865: 481
niveisparsum J. Thomson, 1865: 548 A: GG TR
cretosum Ferrari, 1865: 479
postobliteratum Pic, 1942c: 1
sobrinum Pic, 1898h: 55
nobile altinyaylaense Bernhauer & Peks, 2014b: 106 A: TR #156
nobile blandulum Holzschuh, 1977a: 131 A: TR #156
nobile elazigi Fuchs & Breuning, 1971: 439 A: TR #156
holzshuhi Breuning, 1974g: 148
nobile gencense Bernhauer & Peks, 2014b: 110 A: TR #156
nobile hanneloreae Bernhauer & Peks, 2014b: 107 A: TR #156
nobile ivani Pesarini & Sabbadini, 2011: 47 A: TR (Bingöl, Kardeşler 38°54'43"N, 40°38'16"E) #156
nobile musense Bernhauer & Peks, 2014b: 109 A: TR #156
nobile nihalae Rapuzzi & Sama, 2012a: 671 A: TR #156
nobile nobile Hampe, 1852b: 313 A: TR #156
nobile plavilshikovi Lazarev, 2019c: 19 A: AB (Talysh) ?IN
nobile rapuzzisamai Lazarev, 2019c: 14 A: TR
nobile sarkislaense Bernhauer & Peks, 2014b: 105 A: TR #156
nobile semivelutinum Kraatz, 1873a: 82 A: ?IN TR #156
nurense Danilevsky & Murzin, 2009a: 20 A: IN
obenbergeri Heyrovský, 1940: 58 E: GR
marani Heyrovský, 1940: 59
obtusicolle Pic, 1926d: 2 A: XIN
obtusum marashense Breuning, 1948c: 59 A: TR
obtusum obtusum Breuning, 1944a: 13 A: TR
oetaticum Pic, 1902f: 19 E: GR
oezdurali Önalp, 1988: 361 A: TR ()
olegpaki Danilevsky & Skrylnik, 2021: 17 A: IN
olympicum convexum Breuning, 1943b: 90 A: TR (Achu Dagh)
olympicum flavosuturale Krätschmer, 1987: 340 A: TR (Anatolien occ. Ufer Uluabat Göl)
olympicum olympicum Kraatz, 1873a: 78 (Brussa) A: TR
obsoletum Kraatz, 1873a: 78 (Brussa)
oreophilum Ganglbauer, 1884: 500 (Olymp bei Brussa) #51

subalpinum Kraatz, 1873a: 78 (Olymp bei Brussa)
ortruda Braun, 1978b: 185 A: TR
ossae Heyrovský, 1941c: 79 E: GR
ossaum Meschnigg, 1947: 137
ovacikense Bernhauer & Peks, 2015: 449 A: TR
paracinerarium Breuning, 1974g: 149 A: TR ("Mut, Sertavulpass" 36°54'57.60"N, 33°16'1.20"E) #50
paramicans kalechikense Lazarev, 2016b: 212 A: TR (Ankara prov., Kozayagi NW Kalecik)
paramicans keskiense Lazarev, 2016b: 212 A: TR (Kirikkale prov., Keskin)
paramicans paramicans Lazarev, 2016b: 210-211 A: TR (Çorum prov. & north Yozgat prov.)
pararenarium Breuning, 1969b: 42 E: GR
pararufipenne pararufipenne Braun, 1976c: 257 A: TR
pararufipenne rassei Braun, 1976c: 261 A: TR
parceapicatum Pesarini & Sabbadini, 2013b: 41 A: TR
parcepunctatum Breuning, 1948c: 60 A: IN
parilis Pesarini & Sabbadini, 2013a: 52 A: TR
parnassi Kraatz, 1873a: 72 E: GR
oertzeni Ganglbauer, 1884: 454
pasquieri Breuning, 1975b: 65 A: IN
pavesii Pesarini & Sabbadini, 1999: 57 A: TR
pedestre pedestre Poda von Neuhaus, 1761: 34 (Cerambyx) ["ad Græcium"] E: AL AU BH BU CR CZ HU MC MD ME RO SB SK SL TR #83
 UK
gogium J. Thomson, 1867c: 125 (Rossia merid.)
ruficorne Pic, 1931c: 10 (?Hongrie)
rufipes Fabricius, 1793: 288 (Lamia) (Hungaria)
zoufali Tippmann, 1958b: 156 (Proßnitz, Mähren) Czechia
pedestre kaszabi Breuning, 1956e: 404 E: HU
peksi Bernhauer, 2010: 190 A: TR
peloponesium Pic, 1902c: 10 E: GR
subjunctum Pic, 1904b: 7
weiratheri Pic, 1929b: 9
peloponnesicum Breuning, 1982b: 146 E: GR
pergamenum Pesarini & Sabbadini, 2009: 22 A: TR
petrovitzi Heyrovský, 1964: 97 A: TR
pilosellum obscurimembre Breuning, 1946: 110 E: GR
pilosellum pilosellum Kraatz, 1873a: 58 E: GR
pilosipenne kazdagense Özdikmen, 2013a: 56 A: TR
pilosipenne pilosipenne Breuning, 1943b: 90 E: GR
pilosum Breuning, 1943: 91
pindicum Breuning, 1966c: 4 E: GR
piochardi Kraatz, 1873a: 85 A: TR
elongatum Pic, 1898h: 58
ladikense Breuning & Villiers, 1967a: 60 (Pedestredorcadion)
mauricei Plavilstshikov, 1927a: 51 [RN]
quadripustulatum Ganglbauer, 1884: 457
pelops Jakovlev, 1901a: 83
roberti Pic, 1905a: 11
theophilei Pic, 1901i: 32 [HN]
varievittatum Pic, 1942a: 1
pittinorum paraullrichi Lazarev, 2016b: 216 A: TR (Sülüklü & Mecitözü env.)
pittinorum pittinorum Pesarini & Sabbadini, 1999: 48 A: TR
pluto J. Thomson, 1867a: 47 A: TR
poleti Breuning, 1948c: 59 A: TR
ponomarenkoi Danilevsky, 2010f: 6 A: AB (N Lachin Distr.: Korchu)
praetermissum mikhaili Özdikmen, 2010: 457 A: TR
praetermissum praetermissum Pesarini & Sabbadini, 1999: 47 A: TR
preissi Heyden, 1894: 86 A: TR
pseudarcivagum Breuning, 1943b: 91 A: TR
pseudinfernale Breuning, 1943b: 94 A: TR
pseudobithyniense Breuning, 1962a: 465 A: TR
pseudocinctellum Breuning, 1943b: 90 A: TR
pseudoholosericeum Breuning, 1962a: 300 A: TR
pseudonobile Breuning, 1946: 120 A: IN
pseudopreissi Breuning, 1962a: 411 A: TR
pulchrum Pic, 1908d: 58 A: AB (Murov-Dag) #295
punctipenne Küster, 1852: 94 ["Kleinasien"] E: GR A: TR
distingendum Pic, 1931c: 10 ["Macédoine"]
gebzeense Breuning, 1974g: 148 [Gebze, Kocaeli] #48

punctulatum Pesarini & Sabbadini, 2013a: 57 A: TR
punctulicolle Breuning, 1944a: 12 A: TR
purkynei Heyrovský, 1925: 45 E: GR MC
pusillum berladense Pic, 1903a: 7 E: RO #238
pusillum ochrolineatum Dascalu, 2018: 50 E: RO
pusillum pusillum Küster, 1847a: 90 E: MD RO UK
pusillum tanaiticum Kasatkin, 2002: 277 E: ST (Rostov-on-Don env.)
pusillum vasiliscus Dascalu, 2018: 50 E: RO
pygmaeum Breuning, 1947e: 168 A: TR
quadripustulatum Kraatz, 1873a: 88 A: TR
rarepunctatum Lazarev, 2016b: 211 A: TR (Kayseri prov., 4km westwards Sariz)
regulare dramaticum Pesarini & Sabbadini, 2010: 190 E: GR
regulare regulare Pic, 1931c: 6 E: BU GR TR
reitteri Ganglbauer, 1884: 492 A: GG
resadiyeense Bernhauer & Peks, 2011b: 219 A: TR
ressli Holzschuh, 2007: 246 A: IN
rezai Danilevsky, 2018b: 589 A: IN
rigattii Breuning, 1966e: 145 A: TR
ringenbachi Rapuzzi & Sama, 2018: 21 A: IQ #771
rizeanum Breuning & Villiers, 1967b: 60 (*Pedestredorcadion*) A: TR
ikizderense Breuning, 1973a: 54
robustum Ganglbauer, 1884: 500 A: TR
rolandmenradi Peks, 1992: 197 A: TR
rosti Pic, 1900n: 82 A: GG TR
kalinowskyi König, 1901: 10
rufoapicipenne Breuning, 1946: 125 [Baiburt] A: TR
rufoapicale Breuning, 1943b: 91 [HN]
rufogenum discoflavovittatum Breuning, 1946: 129 A: XIN
rufogenum rufogenum Reitter, 1895c: 161 A: KZ XIN
posticejunctum Pic, 1909: 99
sabanoezueense Bernhauer & Peks, 2013b: 326 A: TR
sapkaianum Krätschmer, 1987: 337 E: GR
sareptanum estriatum Suvorov, 1913: 72 [“Pjätigorsk”] E: ST #130 #777
sareptanum euxinum Suvorov, 1915: 119 E: ST (from Temryuk to Krasnodar) #316
sareptanum kubanicum Plavilstshikov, 1934d: 120 E: ST
sareptanum sareptanum Kraatz, 1873a: 74 E: KZ ST A: KZ #634
sareptanum striatiforme Suvorov, 1913: 73 [“Kislowodsk”] E: ST
sarvabadense Danilevsky & Faizi, 2020: [3] A: IN
saulcyi javeti Kraatz, 1873a: 91 A: SY TR #47
destinoi Fairmaire, 1884: 173 [Akbez]
tabense Pic, 1931c: 1 [“Syria: Aïn-Tab” – Turkey, Gaziantep]
univestitum Pic, 1903a: 5 [Akbez]
saulcyi saulcyi J. Thomson, 1865: 549 [“Syria”] A: ?SY TR
adanense Pic, 1904a: 4 [Adana]
bilatevittatum Pic, 1927l: 167 [Aleppo]
fenestratum Pic, 1895e: cclxxxiv [“Syria: Aïn-Tab” – Turkey, Gaziantep]
simile Kraatz, 1884b: 234 [Malatia]
subelongatum Pic, 1931c: 1 [Akbez]
scabricolle alucranum Lazarev, 2020a: 52 A: TR
scabricolle antonkozlovi Danilevsky, 2017a: 324 A: TR
scabricolle apakoyense Lazarev, 2020a: 46 A: TR
scabricolle araxense Lazarev, 2020a: 28 A: AB
scabricolle artsakhense Lazarev, 2020a: 24 A: AB
scabricolle babakkalense Lazarev, 2020a: 34 A: IN
scabricolle balikesirensense Breuning, 1962a: 460 A: TR
scabricolle buzgoviense Lazarev, 2020a: 24 A: AB
scabricolle caramanicum K. Daniel & J. Daniel, 1903: 332 A: TR
scabricolle corpulentum Ménétré, 1832: 226 A: AB IN
?lutescens Kraatz, 1873a: 50
scabricolle crassofasciatum Özdikmen, 2013a: 56 A: TR
scabricolle dobrovljanskii Suvorov, 1915: 116 A: AB #459
scabricolle gazii Lazarev, 2020a: 51 A: TR
scabricolle gegarkunicum Lazarev, 2020a: 17 A: AR
scabricolle gilanense Lazarev, 2013a: 227 A: IN
scabricolle hajdajorum Lazarev, 2020a: 47 A: TR
scabricolle inonuense Lazarev, 2020a: 51 A: TR

scabricolle korbianum Lazarev, 2020a: 47 A: TR
scabricolle lazistanum Lazarev, 2020a: 40 A: TR
scabricolle modestum Tournier, 1872: 338 A: AB #491
elisabethpolicum Suvorov, 1915: 119 #491
micheli Pic, 1948: 13
scabricolle nakhiczewanum Danilevsky, 1999a: 28 A: AB AR #722
scabricolle paiz Danilevsky, 1999a: 28 A: AB
scabricolle paphlagonicum Breuning, 1962a: 459 A: TR
scabricolle pseudosevangelense Lazarev, 2020a: 18 A: AR
scabricolle sagezense Lazarev, 2013a: 227 A: IN
scabricolle sahandum Lazarev, 2020a: 35 A: IN
scabricolle salhanum Lazarev, 2020a: 41 A: TR
scabricolle scabricolle Dalman, 1817b: 174 (*Lamia*) A: AB AR GG ~~FR~~
scabricolle sevangelense Reitter, 1889a: 41 A: AR
scabricolle shakhbuzum Lazarev, 2020a: 26 A: AB
scabricolle shirakense Lazarev, 2020a: 13 A: AR TRя
scabricolle skoupyi Lazarev, 2013a: 226 A: IN
scabricolle subcorpulentum Breuning, 1946: 121 A: IN
scabricolle tavushense Lazarev, 2020a: 17 A: AR
scabricolle tekhense Lazarev, 2020a: 20 A: AR
scabricolle tuzovi Lazarev, 2020a: 20 A: AB AR
scabricolle uludaghicum Breuning, 1970d: 98 A: TR
scabricolle vaykense Lazarev, 2020a: 19 A: AR
scabricolle yahyaliense Bernhauer & Peks, 2011b: 217 A: TR #153
schultzei Heyden, 1894: 86 A: TR
scopolii Herbst, 1784: 91 (*Lamia*) E: BU CR CZ GR HU ?MD PL RO SB SK UK
convexicolle Küster, 1852: 91
germanicum Gmelin, 1790: 1835 (*Cerambyx*)
interclarepubens Breuning, 1956e: 404
lineatum Fabricius, 1787: 141 (*Lamia*)
ungaricum Gmelin, 1790: 1836 (*Cerambyx*)
scrobicolle bouilloni Breuning & Ruspoli, 1975: 116 A: TR #615
scrobicolle carolisturani Breuning & Ruspoli, 1971: 128 A: TR #615
scrobicolle heinzi Breuning, 1964b: 1 A: TR #615
scrobicolle hroni Lazarev, Tozlu & Tatar, 2021: 37 A: TR
scrobicolle morulum Holzschuh, 1995: 42 A: TR
fuscusubrevestitum Breuning, 1971c [unavailable name] #510
scrobicolle parabouilloni Lazarev, Tozlu & Tatar, 2021: 38 A: TR
scrobicolle scrobicolle Kraatz, 1873a: 97 A: TR
scrobicolle tatar Lazarev, Tozlu & Tatar, 2021: 39 A: TR
sebenense Bernhauer & Peks, 2011a: 202 A: TR
semenovi aktasyense Danilevsky, 2023: 176 A: KZ (Ketmen Mt.)
semenovi aleksandrae Danilevsky & Rubenyan, 2021: 1098 A: KI
semenovi almatense Danilevsky, 2002: 5 A: KZ (Zailiysky Alatau: plateau Asy)
semenovi flavopubescens Danilevsky, 2002: 13 A: XIN
semenovi hauseri Reitter, 1895c: 160 A: KI (Karakol env.) XIN #400
semenovi issykkulense Pic, 1906h: 96 A: KI (NW Issyk-Kul Lake)
bisbicoatum Pic, 1908d: 52
semenovi kaiduense Danilevsky, 2002: 14 A: XIN
semenovi kuvakense Danilevsky, 2002: 16 A: KI (Kuvaki Pass)
semenovi semenovi Ganglbauer, 1884: 479 A: KI KZ XIN
semenovi terskeicum Danilevsky, 2002: 4 A: KI (SW Issyk-Kul Lake: Ton River)
semenovi thaisiae Danilevsky, 2002: 16 A: KI (S Issyk-Kul Lake: Kadzhi-Say)
semenovi uriuktense Danilevsky, 2002: 9 A: KI (NE Issyk-Kul Lake)
semiargentatum burdzhushense Danilevsky & Murzin, 2009b: 14 A: IN
semiargentatum ortrudheinzae Danilevsky, 1998a: 51 A: IN
semiargentatum sarabense Holzschuh, 1993a: 46 A: IN
semiargentatum sementivum Danilevsky & Murzin, 2009b: 6 A: IN
semiargentatum semiargentatum Pic, 1905d: 300 A: IN
descampsi Villiers, 1967: 339 (*Pedestredorcadion*)
shiita Plavilstshikov, 1951: 118
semibrunneum mediocreimpressum Pic, 1909: 123 [“Anamas Gbg.”] A: TR #8 #507
anamasum Pic, 1934g: 33 #8 #445
semibrunneum notatum Pesarini & Sabbadini, 2013a: 62 A: TR
semibrunneum semibrunneum Pic, 1903k: 170 [Eski-Chehir, Bos-Dagh] A: TR
semibrunneum sivasense Özdikmen, 2016b: 307 A: TR (Central Sivas Province: Karayün) #507

semibrunneum sivrihisarense Özdikmen, 2016b: 308 A: TR (SE Eskişehir Province: Sivrihisar: Paşakadın Village) #507
semibrunneum vlasenkoi Kasatkin, 2020a: 272 A: TR (Isparta, Davraz Dag)
semilineatum Fairmaire, 1866b: 273 A: TR
semilucens Kraatz, 1873a: 84 A: AB (Sevan Ridge) AR (N Sevan Lake: above Dzhih) #421
mesmini Pic, 1903i: 146 [Pic, 1904a: 4-5: "Evlak ou plus exactement Golyzino" - wrong locality]
seminudum Kraatz, 1873a: 83 A: AB (above Ordubad) AR (Megri Pass and environs)
impuncticolle Breuning, 1962a: 452
nachyceanicum Breuning, 1943b: 92
septemlineatum abanti Braun, 1976a: 54 A: TR
septemlineatum demirciense Breuning, 1966b: 19 A: TR
septemlineatum novemlineatum Kraatz, 1873a: 61 A: TR
forcipiferum Kraatz, 1873a: 60
septemlineatum octolineatum Kraatz, 1873a: 61 A: TR
septemlineatum septemlineatum Waltl, 1838: 469 E: BU GR TR
apicale J. Thomson, 1865: 549
rufoapicale Pic, 1942a: 2
sericatum Sahlberg, 1823: 53 E: UK (Crimea: south coast) #633
velutinum Kraatz, 1873a: 96
serouense Kadlec, 2006b: 8 A: IN IQ #555
sevliczi Danilevsky, 1985: 328 [= 1987: 618] A: AR (Goris env.: Sevlich Lake)
shestopalovi Danilevsky, 1993b: 9 A: GG (S slope of Krestovyi Pass and mts westwards)
shirvanicum azerbajdzhanicum Plavilstshikov, 1937a: 25 A: AB (Geokchay env.)
shirvanicum shirvanicum Bogatchev, 1934: 70 A: AB (about 20km W Baku: Perekeshkul)
shushense Lazarev, 2010: 3 A: AB (Shusha env.)
sinopense Breuning, 1962a: 299 A: TR
sinuatevittatum Pic, 1937c: 6 A: TR
brevemediolineatum Pic, 1942c: 6
sisianense Lazarev, 2009c: 210 A: AR
skoupyorum Bernhauer & Peks, 2014a: 191 [RN] A: TR
skoupyi Bernhauer & Peks, 2013b: 326 [HN]
sodale blumenthali Breuning, 1966b: 20 A: TR
sodale sodale Hampe, 1852b: 313 A: ?GG TR
sodale soganliense Bernhauer & Peks, 2016: 92 A: TR #172
sodale trapesunticum Breuning, 1946: 124 A: TR
sokolowi Jakovlev, 1899b: 150-151 A: KZ (SE Dzhungarsky Alatau) XIN
amymon Jakovlev, 1906c: 276
conicolle Breuning, 1946: 130
dsungaricum Pic, 1907b: 11
jacobsoni Jakovlev, 1899a: 243
melancholicum Pic, 1907e: 111 #297
merzbacheri Breuning, 1946: 130
sonjae Peks, 1993: 5 A: TR
spectabile Kraatz, 1873a: 38 A: IN
steineri Holzschuh, 1977a: 129 A: TR
stephaniae Pesarini & Sabbadini, 2004c: 142 E: GR
striolatum Kraatz, 1873a: 93 A: ?AB AR GG ?IN TR
masculinum Plavilstshikov, 1927a: 51 [RN]
obesum Tournier, 1872: 340 [HN]
suramense Breuning, 1946: 98 [RN]
sturmii Frivaldszky von Frivald, 1837: 179 E: BU MC TR
subcinctillum Breuning, 1962a: 275 A: TR
subdivisum Breuning, 1955d: 263 A: TR #129
subinterruptum Pic, 1900g: 12 E: TR A: TR
indivisum Pic, 1900g: 12
subsericatum majus Breuning, 1962a: 371 A: TR
subsericatum rufipenne Breuning, 1946: 118 A: TR
cankiriense Breuning, 1962c: 39
subsericatum subsericatum Pic, 1901b: 12 A: TR
paphlagoniense Breuning, 1944a: 12
subsericatum vulneratum Pesarini & Sabbadini, 1999: 51 A: TR
sulcipenne argonauta Suvorov, 1913: 74 A: AR TR #19
kurda Suvorov, 1913: 76
sulcipenne caucasicum Küster, 1847b: 98 A: AR GG
impressicorne Tournier, 1872: 282
sulcipenne borzhomiense Danilevsky, 2014g: 677 A: GG
sulcipenne demokidovi Suvorov, 1915: 115 A: GG (Mukuzani env.) #19
sulcipenne goktshanum Suvorov, 1915: 117 A: AR (NW coast of Sevan Lake)

armenum Suvorov, 1915: 117
sulcipenne gubini Danilevsky, 2014g: 674 A: GG (Dedoplistskaro env.)
sulcipenne maljushenkoi Pic, 1904b: 8 A: AB (Gyanja env.) #19
sulcipenne paki Danilevsky, 2014g: 674 [“South-east Georgia”] A: GG
sulcipenne plyushchi Danilevsky, 2014g: 673 A: GG (Signakhi env.)
sulcipenne sulcipenne Küster, 1847a: 87 A: GG #19
sulcipenne zekariense Danilevsky, 2014g: 678 A: GG (Zekari Pass)
susheriense Breuning, 1970d: 97 A: TR (“au Sud de Susheri [Susehri]” - Sivas) #129
syriense Breuning, 1943b: 94 A: ?SY TR
taborskyi Heyrovský, 1941d: 149 E: GR #583
joanninae Breuning, 1967a: 1
lianokladii Breuning, 1962a: 255
margheritae Breuning, 1964c: 32
wewalkai Breuning, 1974g: 150
talyschense sabalanum, Lazarev, 2017b: 880 A: IN
talyschense talyschense Ganglbauer, 1884: 491 A: AB (Talysh) IN
posticeinterruptum Pic, 1900g: 12
talyschense Plavilstshikov, 1958a: 234 [unjustified emendation]
tassii Breuning, 1964c: 32 E: GR
tauricum pittinoti Pesarini & Sabbadini, 2010: 185 E: GR #583
tauricum tauricum Waltl, 1838: 468 E: BU GR MD RO SB TR UK #583
nigritarse Kraatz, 1873a: 77
taygetanum Pic, 1902c: 10 E: GR
tebriscum Plavilstshikov, 1951: 119 A: IN
tekmanense Bernhauer & Peks, 2016: 89 A: TR
tenebricolorum Özdikmen & Tezcan, 2021: 115 A: TR
theophilei costiferum Pic, 1898h: 57 [“Trebizonde”] A: TR #172
theophilei kostandagense Bernhauer & Peks, 2016: 91 [Kostandağ pass] A: TR #172
theophilei theophilei Pic, 1898h: 57 [“Trebizonde”] A: TR
kadleci Bernhauer & Peks, 2016: 90 [Zigana pass above Trabzon] #172
tokatense niksarensense Bernhauer & Peks, 2013b: 327 A: TR #129
tokatense tokatense Pic, 1901b: 12 [Tokat] A: TR #129
tuerki Ganglbauer, 1884: 486 A: IN
curtulum Pic, 1906f: 50
lundbladi Breuning, 1947d: 141 [“Transcaucasie: Achal-Zich” - Akhaltsikhe]
tuleskovi Heyrovský, 1937a: 30 E: GR
frigidum Meschnigg, 1947: 137
olympicola Heyrovský, 1941d: 148
turcicum Breuning, 1963f: 35 A: TR
turkestanicum altimonticola Danilevsky, 2023: 183 A: KI KZ TD UZ
turkestanicum magnum Danilevsky, 2023: 184 A: KZ
turkestanicum turkestanicum Kraatz, 1881: 335 A: KZ UZ #517
samarkandiae Breuning, 1946: 130
ullrichi Bernhauer, 1988: 102 A: TR
urmianum Plavilstshikov, 1937a: 27 A: IN TR
variegatum Ganglbauer, 1884: 502 A: SY TR
varium Pesarini & Sabbadini, 2014: 19 A: TR
veluchense albanicum Heyrovský, 1934b: 135 E: AL #125
veluchense australe Pesarini & Sabbadini, 2013b: 39 E: GR
veluchense maliacum Pesarini & Sabbadini, 2013b: 40 E: GR
veluchense veluchense Pic, 1903a: 6 E: GR
vincenzae Pesarini & Sabbadini, 2007b: 60 E: GR
wagneri karayaziense Bernhauer & Peks, 2016: 90 [“15 km ö. Karayazı Köyçeğizgeç, ca 130 km sö. Erzurum”] A: TR #172
wagneri wagneri Küster, 1846a: 87 [“Araratgebirge”] A: AR ?GG TR
solyzinosum Pic, 1942b: 2 #16
weyersii Fairmaire, 1866b: 271 A: TR
aolense Pic, 1942b: 1
weyersii J. Thomson, 1867a: 51 [HN] [“Armenia”]
xerophilum Pesarini & Sabbadini, 2007b: 54 E: GR
yilmazi Özdikmen & Kaya, 2016: 21 A: TR #110
zanteanum Breuning & Villiers, 1967a: 37 (*Pedestredorcadion*) E: GR
subgenus *Dorcadion* Dalman, 1817a: 397 type species *Cerambyx glycyrrhizae* Pallas, 1773
Compsodorcadion Ganglbauer, 1884: 437 type species *Dorcadion gebleri* Kraatz, 1873
abakumovi abakumovi J. Thomson, 1865: 548 A: KZ (Lepsinsk env.)
abakumovi laterale Jakovlev, 1895a: 287 A: KZ (Gerasimovka env. = Sapak)
abakumovi lepsyense Danilevsky, 2004b: 5 A: KZ (Андреевка env. = Kabanbay)
kapanovi Kadyrbekov, 2022: 7 (“17 km north of Kabanbay”) ##740

abakumovi sarkandicum Danilevsky, 2004b: 4 A: KZ (Sarkand env.)
aizhanae Kadyrbekov, 2004: 94
alakoliense alakoliense Danilevsky, 1988a: 12 A: KZ (Alakol Lake near Koktuma)
alakoliense zlatanovi Kadyrbekov, 2022: 8 A: KZ (“Dzhungarskiy Alatau, Saykan ridge, 15 km south-west from Enbekshi”)
cephalotes Jakovlev, 1889: 252 (*Compsodorcadion*) A: KZ XIN
alexii Suvorov, 1915: 121 (*Compsodorcadion*)
crassipes crassipes Ballion, 1878: 368 A: KZ
crassipes glazunovi Suvorov, 1910b: 69 A: KZ (SE Dzhungarsky Alatau) XIN
crassipes validipes Jakovlev, 1906c: 279 A: KI XIN
chantengrii Breuning, 1943b: 95
robustissimum Pic, 1908d: 35
ganglbaueri ganglbaueri Jakovlev, 1898: 676, 677 A: KZ
ganglbaueri paveli Danilevsky, 2013h: 35 A: KZ
gebleri demimetrum Danilevsky, 1996a: 3 A: KZ
gebleri gebleri Kraatz, 1873a: 33 A: KZ XIN
jakovlevianum Suvorov, 1911a: 60
occidentale Breuning, 1947e: 164
pallasii Gebler, 1848: 402 [HN] (not *pallasii* Fischer von Waldheim, 1805 [?1806])
zaisanense Suvorov, 1911a: 61
gebleri lukhtanovi Danilevsky, 1996a: 4 A: KZ (N Zaysan Lake)
gebleri takyr Danilevsky, 1996a: 5 A: KZ (NE Zaysan Lake: Buran)
gebleri terekensis Danilevsky, 2023: 210 A: KZ (S Markakol Lake)
glicyrrhizae androsovi Suvorov, 1909b: 93 A: KZ
dalilae Kadyrbekov, 2004: 94 #517
glicyrrhizae braginae Danilevsky, 2023: 191 A: KZ (Naurzum Reserve)
glicyrrhizae chuvilini Danilevsky, 2012a: 46 A: KZ (Aktalagay Mts)
glicyrrhizae dostojewskii Semenov, 1899d: 655 A: KZ (Mangyshlak Peninsula)
glicyrrhizae dubianskii Jakovlev, 1906c: 278 A: KZ WS
glicyrrhizae eugenyi Abramov, 2015: 39 A: KZ [“W Kazakhstan, 55 km E Zhymptyy”]
glicyrrhizae fedorenkoi Danilevsky, 2001c: 17 A: KZ (Emba env.)
glicyrrhizae galinae Danilevsky, 2001c: 23 A: KZ (Arkalyk env.)
glicyrrhizae glicyrrhizae Pallas, 1773: 723 (*Cerambyx*) E: ?ST KZ (Urda env.) A: ?KZ
glicyrrhizae guberlense Danilevsky, 2006a: 19 A: WS (Orenburg Reg., Gay Distr., Kazachya Guberlya)
glicyrrhizae inderiense Suvorov, 1911a: 69 E: KZ A: KZ (Inder Lake env.)
glicyrrhizae ishkarganum Danilevsky, 2009c: 69 [“south most area of Orenburg region, 9 km SE Troitzk”] A: WS
glicyrrhizae ivanovi Danilevsky, 2023: 193 A: KZ (W Kazakhstan, 107 km SW Chelkar)
glicyrrhizae korshikovi Danilevsky, 2006a: 9 [“Orenburg reg., Sol-Iletsks distr., Novoiletsk env.”] A: KZ WS
glicyrrhizae murati Danilevsky, 2013f: 434 [“Atyrau Region, about 50km S Kulsary”] A: KZ
glicyrrhizae nemkovi Danilevsky, 2006a: 15 E: ST KZ A: KZ
glicyrrhizae nikireevi Danilevsky, 2001c: 19 A: KZ (Kustanay env.)
glicyrrhizae obtusipenne Motschulsky, 1860e: 538 [1861c: 444] A: KZ (Kzyl-Orda env.)
glicyrrhizae pseudostriatum Danilevsky, 2023: 200 (N Kazakhstan Region)
glicyrrhizae striatum Goeze, 1777: 464 [HN] (not Linnaeus, 1758) (*Cerambyx*) E: CT KZ ST A: KZ #71
fimbriatum Gmelin, 1790: 1862 (*Cerambyx*)
iliense Plavilstshikov, 1937a: 31 [“fl. Ili, Karatshekinksoje”, Карачок = Karashoky]
olivieri J. Thomson, 1867a: 39
rufifrons Motschulsky, 1860c: 311 [= 1860d: 304]
glicyrrhizae tobolense Danilevsky, 2001c: 22 A: KZ (Kustanay region, Adaevka environs)
glicyrrhizae turgaicum Suvorov, 1915: 121 (*Compsodorcadion*) A: KZ
akmollicum Suvorov, 1915: 121 (*Compsodorcadion*)
glicyrrhizae uilense Danilevsky, 2023: 189 A: KZ [Uil River]
glicyrrhizae uvarovi Suvorov, 1911b: 279 [“Umgegend der Stadt Temir”] A: KZ
tenuelineatum kolovi Kadyrbekov, 2022: 7 - [“Kaykan ridge”] #740
tenuelineatum tenuelineatum Jakovlev, 1895a: 286 A: KZ (NE Dzhungarsky Alatau: Glinovka = Ushbulak)
separatum Pic, 1897f: 94
subgenus *Maculatodorcadion* Breuning, 1943d: 525 type species *Dorcadion quadrimaculatum* Küster, 1848
jansseni Breuning, 1966b: 21 A: TR
quadrimaculatum nodicorne Tournier, 1872: 287 [Taurus] A: TR
quadrimaculatum quadrimaculatum Küster, 1848b: 79 E: GR TR
bimaculatum Pic, 1898h: 56
clementinum Pic, 1918d: 11
innotatum Pic, 1908a: 2
~~*triste lesvicum* Mpannaras, Zafeiriou & Özdikmen, 2020a: 16 E: GR (Lesbos Is.) [not available name!]~~ #494
triste lesvicum Mpannaras, Zafeiriou & Özdikmen, 2020b: 727 E: GR (Lesbos Is.)
triste phrygicum Peks, 1993: 8 [Antalya: Kaş] A: TR #49
triste triste Frivaldszky von Frivald, 1845: 184 [“Smyrna”] A: TR
wolffi Krätschmer, 1985: 24 A: TR

subgenus *Megalodorcadion* Pesarini & Sabbadini, 1999: 58 type species *Dorcadion ledereri* J. Thomson, 1865 #46 #517
Anatolodorcadion Özdikmen & Kaya, 2015a: 3 type species *Dorcadion dombilicoides* Özdikmen & Kaya, 2013 #46
Fusodorcadion Özdikmen & Kaya, 2015a: 3 type species *Dorcadion parallelum* Küster, 1847 #46
dombilicoides Özdikmen & Kaya, 2013: 494 A: TR
escherichi Ganglbauer, 1897b: 54 A: TR
angorensis Ganglbauer, 1897b: 57
egregium Ganglbauer, 1897b: 56
obliquesignatum Pic, 1900g: 12
posticedisjunctum Pic, 1909: 99
glabrofasciatum K. Daniel, 1900: 140 A: TR
imparivittatum K. Daniel, 1900: 140
nudofasciatum Özdikmen & Şenyüz, 2015: 647 (*Megalodorcadion*) #517
ledereri J. Thomson, 1865: 548 A: TR
parallelum Küster, 1847b: 79 A: TR
walteri Holzschuh, 1991c: 55 A: TR

genus *Eodorcadion* Breuning, 1947d: 142 type species *Lamia carinata* Fabricius, 1781
subgenus *Eodorcadion* Breuning, 1947d: 142 type species *Lamia carinata* Fabricius, 1781
altaicum altaicum Suvorov, 1909a: 89 (*Neodorcadion*) A: KZ (NE Zaisan)
altaicum violovitshi Danilevsky & Korshunov, 2022: 514 WS (Ust-Koksa)
carinatum blessigi Ganglbauer, 1884: 512 (*Neodorcadion*) A: ES (Khakassiya) KZ (Zaisan, Ridder) WS (Altay)
carinatum bramsoni Pic, 1901p: 67 (*Neodorcadion*) A: WS (Altay: Chemal env.)
gassneri Breit, 1917a: 65 (*Neodorcadion*)
carinatum carinatum Fabricius, 1781: 222 (*Lamia*) E: CT ST A: ES KZ WS
carinatum involvens Fischer von Waldheim, 1823: pl. 1 (*Dorcadion*) A: ES FE HEI MG NMO XIN
longjiangense Z. Wang, 2003: 299
vestitum Jakovlev, 1901c: 150, 152 (*Neodorcadion*)
carinatum kiahtenum Danilevsky, 2007a: 31 A: ES (Kyakhta env.)
chinganicum chinganicum Suvorov, 1909a: 90 (*Neodorcadion*) A: NMO
chinganicum darigangense Heyrovský, 1967a: 104 A: MG
chinganicum mandschukuoense Breuning, 1944a: 15 (*Neodorcadion*) A: JIL LIA
jilinense Chiang, 1983: 60, 66 [unnecessary RN]
gansuense Breuning, 1943b: 99 (*Neodorcadion*) A: GAN
glaucopterum Ganglbauer, 1884: 511 (*Neodorcadion*) A: GAN NMO QIN SHA #400
albescens Breuning, 1943b: 99 (*Neodorcadion*)
annulicorne Breuning, 1947d: 142
atratum Jakovlev, 1901c: 153 (*Neodorcadion*)
grisescens Breuning, 1947d: 142
przewalskyi Jakovlev, 1887b: 317 (*Neodorcadion*)
przewalskii Jakovlev, 1900a: 71 (*Neodorcadion*) [unjustified emendation]
kadleci Danilevsky, 2007a: 62 A: GAN
maurum australe Danilevsky, 2014a: 151 A: MG
maurum katharinae Reitter, 1898a: 21 (*Neodorcadion*) A: ES MG
maurum maurum Jakovlev, 1889: 247 (*Neodorcadion*) A: ES MG
boldi Heyrovský, 1965b: 45
fortecostatum Heyrovský, 1975: 22
grumi Suvorov, 1909a: 80 (*Neodorcadion*)
hirtipes Jakovlev, 1901c: 159 (*Neodorcadion*)
maurum quinquevittatum Hammarström, 1892: 192 (*Neodorcadion*) A: ES
maurum otgonum Danilevsky, 2022a: 299 A: MG
maurum sajanicum Hammarström, 1892: 193 (*Neodorcadion*) A: ES
leucogrammmum Suvorov, 1909a: 82 (*Neodorcadion*)
minicarinatum Danilevsky & Lin, 2012b: 22 A: ANH SHA #400
multicarinatum Breuning, 1943b: 99 (*Neodorcadion*) A: GAN NMO QIN SHA SHX #225
oligocarinatum Danilevsky, 2007a: 55 A: SHX SHA #225
pytalopleurum Suvorov, 1909a: 84 (*Neodorcadion*) A: ES
rubrosuturale kerulenum Danilevsky, 2007a: 41 A: MG
rubrosuturale rubrosuturale Breuning, 1943b: 98 (*Neodorcadion*) A: HEB NMO
shanxiense Danilevsky, 2007a: 52 A: SHX
sifanicum Suvorov, 1912: 74 (*Neodorcadion*) A: GAN HEN #400
sinicum Breuning, 1948c: 57 A: CH
tuvense Plavilstshikov, 1958a: 451 A: ES
virgatum subvirgatum Pic, 1914e: 74 (*Neodorcadion*) A: NMO
virgatum taihangense Danilevsky & Lin, 2012b: 21 A: SHX
virgatum virgatum Motschulsky, 1854b: 65 (*Dorcadion*) A: BEI GAN HEB ?MG NMO SHA SHX TIA #400
subgenus *Humerodorcadion* Danilevsky, Kasatkin & Rubenian, 2005: 133 type species *Dorcadion humerale* Gebler, 1823
humerale humerale Gebler, 1823: 130 (*Neodorcadion*) A: ES HEI MG NMO

humerale impluviatum Faldermann, 1833: 66 (*Dorcadion*) A: MG
irroratum Reitter, 1893b: 224 (*Neodorcadion*)
humerale quadrilineatum Breit, 1915: 355 (*Neodorcadion*) A: HEB NMO
humerale trabeatum Jakovlev, 1901c: 148 (*Neodorcadion*) A: BEI FE HEI JIL NMO SHN #400
humerale xinganum S.-N. Chiang & Z. Wang, 2003: 304, 396 A: JIL HEI NMO
lutshniki altanelsense Heyrovský, 1973b: 124 A: MG
lutshniki bicoloratum Danilevsky, 2007a: 158 A: ES
lutshniki burenum Danilevsky, 2007a: 158 [“Buren river valley in Tuva Republic of Russia”] A: ES
lutshniki lutshniki Plavilstshikov, 1937a: 33 (*Neodorcadion*) A: ES
subgenus *Ornatodorcadion* Breuning, 1947d: 142 type species *Dorcadion ornatum* Faldermann, 1833
argaloides Breuning, 1947e: 172 A: MG NMO
brandtii Gebler, 1841b: 610 (*Dorcadion*) A: KZ (N Zaisan Lake) XIN
dux Jakovlev, 1893b: 120 (*Neodorcadion*)
nigrolineatum Reitter, 1897a: 182 (*Neodorcadion*)
consantaneum Jakovlev, 1899a: 241 (*Neodorcadion*) A: MG
hirticolle Jakovlev, 1901c: 154 (*Neodorcadion*)
insigne Jakovlev, 1901c: 160 (*Neodorcadion*)
dorcas dorcas Jakovlev, 1901c: 163 (*Neodorcadion*) A: MG
annulatum Heyrovský, 1969b: 229
morosum Jakovlev, 1901c: 162 (*Neodorcadion*)
pruinatum Jakovlev, 1901c: 163 (*Neodorcadion*)
dorcas scabrosum Namkhaidorzh, 1972: 524 A: MG
egregium egregium Reitter, 1897a: 180 (*Neodorcadion*) A: MG XIN
albitarsale Breuning, 1966f: 257
egregium kabaki Kadyrbekov, 2004: 93 A: XIN #278
exaratum argali Jakovlev, 1889: 249 (*Neodorcadion*) A: MG #215
hircum Jakovlev, 1906a: 1 (*Neodorcadion*)
miraculum Reitter, 1897a: 182 (*Neodorcadion*)
quadricarinatum Heyrovský, 1970b: 141
exaratum exaratum Ménériés, 1854: 38 (*Dorcadion*) A: MG NMO
rugipenne Heyrovský, 1967a: 103
gorbunovi Danilevsky, 2004d: 7 A: MG
heros Jakovlev, 1899a: 237 (*Neodorcadion*) A: NIN NMO
intermedium intermedium Jakovlev, 1889: 246 (*Neodorcadion*) A: MG ?NMO
kaszabi Heyrovský, 1965b: 44
mongolicum Jakovlev, 1895b: 508 (*Neodorcadion*)
intermedium kozlovi Suvorov, 1912: 71 (*Neodorcadion*) A: MG NMO #710
hedini Pic, 1935c: 12 (*Neodorcadion*)
jakovlevi fangzhou Lin et Danilevsky, 2011: 381 A: NMO
jakovlevi jakovlevi Suvorov, 1912: 70 (*Neodorcadion*) A: NMO
kaznakovi kaznakovi Suvorov, 1912: 73 (*Neodorcadion*) A: NIN NMO
kaznakovi zhilini Lin et Danilevsky, 2011: 382 A: NMO
licenti Pic, 1939c: 25 (*Neodorcadion*) A: NMO #400
novitzkyi Suvorov, 1909a: 87 (*Neodorcadion*) A: MG NMO #215
oreadis Reitter, 1897a: 179 (*Neodorcadion*) A: XIN
ornatum Faldermann, 1833: 64 (*Dorcadion*) A: NMO #400
princeps Jakovlev, 1899a: 239 (*Neodorcadion*)
oryx Jakovlev, 1895b: 506 (*Neodorcadion*) A: MG
potaninellum Danilevsky & Lin, 2012b: 23 A: SHA
potanini Jakovlev, 1889: 245 (*Neodorcadion*) A: NMO
pseudornatum Danilevsky & Lin, 2012b: 24 A: SHA
savitskyi Danilevsky, 2014a: 152 A: MG
wenhsini Ch.-W. Yang & Danilevsky, 2013: 93 A: NMO
zhaoi Danilevsky, X. Chen & Lin, 2019: 141 A: NMO
zichyi Csiki, 1901: 115 (*Neodorcadion*) A: MG

genus *Iberodorcadion* Breuning, 1943d: 524 type species *Cerambyx fuliginator* Linnaeus, 1758
subgenus *Baeticodorcadion* Vives, 1976: 166 type species *Dorcadion mus* Rosenhauer, 1856
amorii amorii Marseul, 1856: 48 (*Dorcadion*) E: SP
penascosum Lauffer, 1911: 44 (*Dorcadion*)
staudingeri Chevrolat, 1862: 345 (*Dorcadion*)
amorii segurense Escalera, 1911: 82 (*Dorcadion*) E: SP
albacetae Breuning, 1947e: 161 (*Dorcadion*)
seguranum Lauffer, 1911: 45 (*Dorcadion*)
atlantis Bedel, 1921: 60 (*Dorcadion*) N: MO
chiqui Verdugo, 2014: 165 E: SP
isernii Perez Arcas, 1868: 81 (*Dorcadion*) E: SP

ceballosi Breuning, 1948c: 64 (*Dorcadion*)
dispersepunctatum Escalera, 1924: 195 (*Dorcadion*)
impunctatum Breuning, 1943b: 98 (*Dorcadion*)
steparium Escalera, 1900: 239 (*Dorcadion*)
lorquini cobosi Vives, 1979: 155 **E: SP**
lorquini lorquini Fairmaire, 1855: 322 (*Dorcadion*) **E: SP**
giganteum Escalera, 1911: 82 (*Dorcadion*)
rufolabrum Pic, 1912a: 35 (*Dorcadion*)
marmottani Escalera, 1900: 237 (*Dorcadion*) **E: SP**
cabrasense Nicolas, 1904b: 83 (*Dorcadion*)
robustioripenne Pic, 1941b: 2 (*Dorcadion*)
mucidum annulicorne Chevrolat, 1862: 346 (*Dorcadion*) **E: SP (Andalucía)** #113
mucidum coelloi Verdugo, 1996: 11 **E: SP**
mucidum lusitanicum Chevrolat, 1840: 16 (*Dorcadion*) **E: PT SP** #495
boabdil Flach, 1907: 18 (*Dorcadion*)
carinicolle Breuning, 1948c: 64 (*Dorcadion*)
evorensis Breuning, 1943b: 98 (*Dorcadion*) #495
mucidum mucidum Dalman, 1817b: 173 (*Lamia*) **E: SP** #113
handschuchii Küster, 1848b: 77 (*Dorcadion*)
nigrosparsum Pic, 1941b: 3 (*Dorcadion*) (Málaga) #113
mucidum rondense Verdugo, 2003: 127 **E: SP**
mus grisescens Escalera, 1900: 240 (*Dorcadion*) **E: SP**
escalerae Pic, 1900q: 405 (*Dorcadion*)
mus Rosenhauer, 1856: 304 (*Dorcadion*) **E: SP**
andalusiicum Breuning, 1962a: 546 (*Dorcadion*)
quadrifuscivittatum Breuning, 1947e: 162 (*Dorcadion*)
rondae Flach, 1907: 19 (*Dorcadion*)
parmeniforme Escalera, 1902: 288 (*Dorcadion*) **E: SP** #113
suturale Chevrolat, 1862: 345 (*Dorcadion*) **E: SP**
insuturale Pic, 1898c: 22 (*Dorcadion*)
rufescentimembre Pic, 1947a: 9 (*Dorcadion*)
schaufussi Pic, 1947a: 9 (*Dorcadion*)
suturaloides Breuning, 1958b: 37 [RN]
subgenus Hispanodorcadion Vives, 1976: 166 type species *Dorcadion hispanicum* Mulsant, 1851
abantense Saz Fucho, Corraleño Iñarra & Murria Beltrán, 2016: 54 **E: SP**
abulense abulense Lauffer, 1902: 105 (*Dorcadion*) **E: SP**
granulosum Pic, 1904e: 17 (*Dorcadion*)
griseum Escalera, 1911: 83 (*Dorcadion*)
hispanoloides Escalera, 1911: 84 (*Dorcadion*)
infrasciatum Pic, 1910h: 51 (*Dorcadion*)
laufferoides Escalera, 1911: 83 (*Dorcadion*)
nigripenne Escalera, 1911: 82 (*Dorcadion*)
perezoides Escalera, 1911: 84 (*Dorcadion*)
plurilineatum Escalera, 1911: 84 (*Dorcadion*)
puncticolle Breuning, 1944a: 14 (*Dorcadion*)
umbripenne Escalera, 1908: 336 (*Dorcadion*)
umbrosum Escalera, 1911: 83 (*Dorcadion*)
abulense granulipenne Escalera, 1908: 337 (*Dorcadion*) **E: SP**
aguadoi Aguado & Tomé, 2000: 68 **E: SP**
albicans albicans Chevrolat, 1862: 341 (*Dorcadion*) **E: SP**
aestivum Pic, 1910i: 79 (*Dorcadion*)
inalbicans Nicolas, 1904b: 83 (*Dorcadion*)
lainzi Breuning, 1956k: 726 (*Dorcadion*)
multialternatum Pic, 1910i: 79 (*Dorcadion*)
nigrinum Escalera, 1911: 82 (*Dorcadion*)
palentinum Lauffer, 1911: 27 (*Dorcadion*)
palentinum Escalera, 1911: 81 (*Dorcadion*) [HN]
reynosae Brisout de Barneville, 1866: 418 (*Dorcadion*)
albicans demandense Escalera, 1902: 286 (*Dorcadion*) **E: SP**
incanum Lauffer, 1911: 28 (*Dorcadion*)
albicans marinae Tomé & Bahillo, 1996: 715 **E: SP**
albicans vanhoegaerdeni Breuning, 1956k: 725 (*Dorcadion*) **E: SP**
aries Tomé & Berger, 1999: 393 **E: SP**
becerrae Lauffer, 1901: 90 (*Dorcadion*) **E: SP**
guadalajaranum Pic, 1910h: 90 #304
loroi Escalera, 1924: 196 (*Dorcadion*)
pruinatum Escalera, 1902: 285 (*Dorcadion*)
saturoi Escalera, 1924: 198 (*Dorcadion*)
bolivari bolivari Lauffer, 1898: 107 (*Dorcadion*) **E: SP**
diversevittatum Pic, 1941b: 2 (*Dorcadion*)

griseus Pic, 1900c: 7 (*Dorcadion*)
laufferi Pic, 1900c: 7 (*Dorcadion*)
operosum Pic, 1947b: 1 (*Dorcadion*)
paulovittatum Pic, 1947b: 1 (*Dorcadion*)
rodriguessi Pic, 1900c: 405 (*Dorcadion*)
rufipes Escalera, 1900: 238 (*Dorcadion*)
semifulvovittatum Pic, 1947b: 1 (*Dorcadion*)
sparsealbum Pic, 1941b: 2 (*Dorcadion*)
toledense Pic, 1947a: 9 (*Dorcadion*)
bolivari danielae Saz, 2013: 116 **E: SP**
circumcinctum circumcinctum Chevrolat, 1862: 341 (*Dorcadion*) **E: SP**
arandae Schramm, 1911: 306 (*Dorcadion*)
ariasi Chevrolat, 1862: 341 (*Dorcadion*)
burgense Lauffer, 1911: 33 (*Dorcadion*)
burgosense Pic, 1910h: 82 (*Dorcadion*)
candidae Pic, 1914b: 8 (*Dorcadion*)
escorialense Chevrolat, 1866: 107 (*Dorcadion*)
sebastiani Pic, 1901i: 32 (*Dorcadion*)
seeboldi Escalera, 1902: 288 (*Dorcadion*)
circumcinctum tenuecinctum Pic, 1898c: 20 (*Dorcadion*) **E: SP**
rufobasicorne Pic, 1941b: 3 (*Dorcadion*)
ferdinandi Escalera, 1900: 235 (*Dorcadion*) **E: SP**
fuentei Pic, 1899a: 81 (*Dorcadion*) **E: SP**
bouvieri Escalera, 1900: 232 (*Dorcadion*)
elvirae Pic, 1904g: 58 (*Dorcadion*)
lesnei Escalera, 1900: 233 (*Dorcadion*)
graellsii cinereum Escalera, 1901: 81 **E: SP**
atienzanum Pic, 1910h: 51 (*Dorcadion*)
auripenne Escalera, 1908: 334 (*Dorcadion*)
cinerarium Lauffer, 1901: 92 (*Dorcadion*)
fuscolineatum Schramm, 1910: 288 (*Dorcadion*)
graellsii graellsii Graells, 1858: 91 (*Dorcadion*) **E: SP**
alternatum Chevrolat, 1862: 338 (*Dorcadion*)
consanguineum Lauffer, 1911: 40 (*Dorcadion*)
costicolle Chevrolat, 1862: 339 (*Dorcadion*)
latealbidum Pic, 1910h: 90 (*Dorcadion*)
ovale Chevrolat, 1870: 85 (*Dorcadion*)
subbrevelineatum Pic, 1941a: 5 (*Dorcadion*)
graellsii incallosum Escalera, 1908: 335 (*Dorcadion*) **E: SP**
paradoxum Escalera, 1908: 336 (*Dorcadion*)
pulvipenne Escalera, 1908: 335 (*Dorcadion*)
graellsii longipenne Chevrolat, 1862: 342 (*Dorcadion*) **E: SP**
bisbilineatum Pic, 1910h: 90 (*Dorcadion*)
cazurroi Lauffer, 1901: 91 (*Dorcadion*)
matritense Schramm, 1910: 288 (*Dorcadion*)
oberthueri Ganglbauer, 1884: 471 (*Dorcadion*)
tenuilineatum Escalera, 1924: 196 (*Dorcadion*)
grustani González, 1992: 3 **E: SP**
heydenii Kraatz, 1870a: 161 (*Dorcadion*) **E: SP**
internelineatum Pic, 1910h: 82 (*Dorcadion*)
semiglabratum Pic, 1910h: 82 (*Dorcadion*)
stableaui Chevrolat, 1870: 84 (*Dorcadion*)
korbi Ganglbauer, 1884: 469 (*Dorcadion*) **E: SP**
rubrocarinatum Pic, 1912a: 35 (*Dorcadion*)
martinezii Perez Arcas, 1874: 145 (*Dorcadion*) **E: SP**
espanoli Breuning, 1956k: 727 (*Dorcadion*)
longelineatum Pic, 1941a: 5 (*Dorcadion*)
molitor molitor Fabricius, 1775: 176 (*Lamia*) **E: FR SP**
aragonicum Breuning, 1957e: 51
brisouti Kraatz, 1873a: 68 (*Dorcadion*)
donzeli Mulsant, 1839: 129 (*Dorcadion*)
lineola Illiger, 1806: 238 (*Lamia*)
lutshniki Plavilstshikov, 1915b: 80 (*Dorcadion*) [RN]
pseudodonzeli Breuning, 1957e: 51
rubripes Pic, 1896c: 142 (*Dorcadion*) [HN]
senegalense J. Thomson, 1867a: 54 (*Dorcadion*)
superbum Lauffer, 1911: 34 (*Dorcadion*)
tutori Lauffer, 1911: 34 (*Dorcadion*)
molitor navasi Escalera, 1900: 234 (*Dorcadion*) **E: SP**
caesaraugustae Lauffer, 1911: 34 (*Dorcadion*)
tarraconense Breuning, 1967e: 93 (*Dorcadion*)

mosqueruelense Escalera, 1902: 283 (*Dorcadion*) E: SP
carbonarium Nicolas, 1904b: 83 (*Dorcadion*)
glabrocostatum Nicolas, 1909: 115 (*Dorcadion*)
nigritulum Escalera, 1924: 197 (*Dorcadion*)
prolongatum Pic, 1908d: 58 (*Dorcadion*)
pseuduhagoni Breuning, 1948c: 62 (*Dorcadion*)
neilense almarzense Escalera, 1902: 279 (*Dorcadion*) E: SP
brevipenne Pic, 1903l: 178 (*Dorcadion*)
circumalbum Escalera, 1924: 199 (*Dorcadion*)
costatum Escalera, 1902: 280 (*Dorcadion*)
logronense Pic, 1903l: 178 (*Dorcadion*)
nicolasianum Plavilstshikov, 1915b: 80 (*Dorcadion*)
nigratum Escalera, 1924: 200 (*Dorcadion*)
nivosum Escalera, 1924: 198 (*Dorcadion*)
obscuratum Escalera, 1924: 199 (*Dorcadion*)f
rufipedes Escalera, 1924: 199 (*Dorcadion*)
schrammi Nicolas, 1904a: 40 (*Dorcadion*)
subbrevipenne Pic, 1904a: 5 (*Dorcadion*)
urbionense Escalera, 1902: 280 (*Dorcadion*)
villosladense Escalera, 1902: 280 (*Dorcadion*)
vincenti Nicolas, 1904a: 39 (*Dorcadion*)
neilense neilense Escalera, 1902: 278 E: SP
nudipenne nudipenne Escalera, 1908: 337 (*Dorcadion*) E: SP
riazanum Pic, 1910h: 51 (*Dorcadion*)
nudipenne schrammianum Plavilstshikov, 1932d: 198 [RN] E: SP
perchini Saz, 2012: 404
tricolor Schramm, 1910: 287 (*Dorcadion*) [HN]
subtricolor Breuning, 1958b: 40 [RN]
paulae Iñarra & Beltrán, 2012: 43 E: SP
perezi cercedillanum Pic, 1900q: 404 (*Dorcadion*) E: SP
laufferi Escalera, 1900: 236 (*Dorcadion*)
schrammi Pic, 1903l: 178 (*Dorcadion*)
subpolitum Lauffer, 1901: 98 (*Dorcadion*)
perezi ghilianii Chevrolat, 1862: 338 (*Dorcadion*) E: SP
ebeninum Lauffer, 1901: 96 (*Dorcadion*)
reichei Chevrolat, 1862: 342 (*Dorcadion*)
perezi hispanicum Mulsant, 1851a: 125 (*Dorcadion*) E: SP
albidipenne Pic, 1907a: 8 (*Dorcadion*)
brunneofasciatum Lauffer, 1901: 94 (*Dorcadion*)
cebolterense Lauffer, 1911: 40 (*Dorcadion*)
diversepubens Pic, 1907a: 8 (*Dorcadion*)
encaustum Chevrolat, 1862: 337 (*Dorcadion*)
erythropus Lauffer, 1901: 93 (*Dorcadion*)
griseopubescens Lauffer, 1911: 41 (*Dorcadion*)
multilineatum Pic, 1907a: 8 (*Dorcadion*)
nigrolineatum Chevrolat, 1862: 339 (*Dorcadion*)
perezi ortunoi Hernández, 1991: 278 E: SP
perezi perezi Graells, 1849: 622 (*Dorcadion*) E: SP
anthracinum Chevrolat, 1870: 86 (*Dorcadion*)
rutilipes Nicolas, 1904b: 82 (*Dorcadion*)
septemvittatum Lauffer, 1901: 95 (*Dorcadion*)
pseudomolitor Escalera, 1902: 285 (*Dorcadion*) E: SP
segovianum dejeanii Chevrolat, 1862: 340 (*Dorcadion*) E: SP
albolineatum Escalera, 1924: 200 (*Dorcadion*)
bauderi Pic, 1910h: 91 (*Dorcadion*)
carbonicum Escalera, 1924: 200 (*Dorcadion*)
francianum Breuning, 1956k: 727 (*Dorcadion*)
montanum Lauffer, 1911: 53 (*Dorcadion*)
submontanum Lauffer, 1911: 54 (*Dorcadion*)
segovianum segovianum Chevrolat, 1862: 339 (*Dorcadion*) E: SP
castanarensis Breuning, 1948c: 62 (*Dorcadion*)
corralimembris Pic, 1917g: 6 (*Dorcadion*) [RN]
gredosanum Lauffer, 1911: 50 (*Dorcadion*)
merceti Schramm, 1910: 286 (*Dorcadion*)
tornavacense Lauffer, 1911: 52 (*Dorcadion*)
tournieri Pic, 1910h: 91 (*Dorcadion*)
villatorensis Breuning, 1962a: 606
seguntianum belbezei Escalera, 1914b: 152 (*Dorcadion*) E: SP
bilbilitanum Escalera, 1914b: 153 (*Dorcadion*)
ribotense Corrales Iñarra, Murria Beltrán & Saz Fucho, 2013: 106
seguntianum intermedium Escalera, 1902: 287 (*Dorcadion*) E: SP

#24

#24

#24

seguntianum seguntianum K. Daniel & J. Daniel, 1898a: 78 (*Dorcadion*) E: SP #24
confluens Schramm, 1910: 288 (*Dorcadion*)
insidiosum Escalera, 1901: 87 (*Dorcadion*)
ruspolii Breuning, 1974a: 36 (*Dorcadion*)

terolense albarium Escalera, 1902: 283 (*Dorcadion*) E: SP #24
terolense terolense Escalera, 1902: 282 (*Dorcadion*) E: SP #24
georgei Pic, 1904e: 17 (*Dorcadion*)
glabripenne Pic, 1904a: 6 (*Dorcadion*)
multiplicatum Pic, 1908d: 58

terolense turdetanum Lauffer, 1911: 25 (*Dorcadion*) E: SP #24
denudatum Escalera, 1911: 80 (*Dorcadion*)
ignotum Escalera, 1911: 80 (*Dorcadion*)

uhagonii pradae Saz Fucho, 2007: 196 E: SP
uhagonii uhagonii Perez Arcas, 1868: 83 (*Dorcadion*) E: SP
avilense Breuning, 1947e: 158 (*Dorcadion*)
cuencaense Pic, 1941b: 3 (*Dorcadion*)
griseolineatum Pic, 1894d: cccxlviii (*Dorcadion*)
inhumeralis Pic, 1898c: 21 (*Dorcadion*)
lacunosum Escalera, 1908: 335 (*Dorcadion*)
multidisjunctum Pic, 1941b: 3 (*Dorcadion*)
panteli Théry, 1892: xcvi (*Dorcadion*)
subirreductum Pic, 1910h: 82 (*Dorcadion*)
valencianum Pic, 1910i: 79 (*Dorcadion*)

zarcoi Schramm, 1910: 285 (*Dorcadion*) E: SP #32
curvilineatum Schramm, 1910: 286 (*Dorcadion*)
rugulipenne Breuning, 1947e: 160 (*Dorcadion*)

zenete Anichtchenko & Verdugo, 2004: 33 E: SP
subgenus Iberodorcadion Breuning, 1943d: 524 type species *Cerambyx fuliginator* Linnaeus, 1758

brannani Schaufuss, 1870: 64 (*Dorcadion*) E: PT
lategriseovittatum Breuning, 1947e: 164 (*Dorcadion*)
castilianum Chevrolat, 1862: 347 (*Dorcadion*) E: SP
ardoisi Schramm, 1909: 297 (*Dorcadion*)

fuliginator andianum Pic, 1917g: 8 (*Dorcadion*) E: SP
fuliginator fuliginator Linnaeus, 1758: 393 (*Cerambyx*) E: AU BE FR GE ~~LA~~ LU NL SZ #641
annulicorne Chevrolat, 1882: 60 (*Dorcadion*) [HN]
atrum Bach, 1856: 32 (*Dorcadion*)
chevrolati Ganglbauer, 1884: 475 (*Dorcadion*) [RN]
fasciatum Geoffroy, 1785: 75 (*Cerambyx*)
flavicolle Breuning, 1957e: 44
fuliginosum Schrank, 1798: 658 (*Lamia*)
hypocrita Mulsant, 1862: 255 (*Dorcadion*)
jaenneri Hubenthal, 1908: 43 (*Dorcadion*)
mendax Mulsant, 1853b: 33
ovatum Sulzer, 1776: 45 (*Cerambyx*)
quadri-lineatum Mulsant, 1839: 124 (*Dorcadion*)
subnitidipenne Pic, 1917g: 8 (*Dorcadion*)
vittiferum Aurivillius, 1922b: 46 (*Dorcadion*)
vittigerum Fabricius, 1801: 303 (*Lamia*)

fuliginator loarrense Berger, 1997: 40 E: FR SP
fuliginator meridionale Mulsant, 1839: 125 (*Dorcadion*) E: FR
alpinum Chevrolat, 1856b: 435 (*Dorcadion*)
guerryi Pic, 1917g: 8 (*Dorcadion*)

fuliginator monticola Mulsant, 1853b: 27 (*Dorcadion*) E: FR
fuliginator navarricum Mulsant, 1853b: 29 (*Dorcadion*) E: FR SP
fuliginator obesum Gautier des Cottes, 1870b: 263 (*Dorcadion*) E: FR
fuliginator pyrenaicum Germar, 1839: 16 (*Dorcadion*) E: FR SP
albodiversum Pic, 1945b: 7 (*Dorcadion*)
curtecostatum Pic, 1941b: 3 (*Dorcadion*)

fuliginator striola Mulsant, 1862: 258 (*Dorcadion*) E: FR
fuliginator urgulli Breuning, 1976c: 161 (*Dorcadion*) E: SP
mimomucidum Breuning, 1976c: 161 E: PT

seoanei kricheldorffi Pic, 1910i: 79 (*Dorcadion*) E: PT SP
cabrerense Breuning, 1956k: 724 (*Dorcadion*)
lainzgalloi Rodriguez, 1996: 189
suturelevatum Breuning, 1956k: 725 (*Dorcadion*)

seoanei laurae Bahillo, 1994: 65 E: SP
seoanei seoanei Graells, 1858: 93 (*Dorcadion*) E: SP
sulcatithorax Pic, 1909: 186 (*Dorcadion*)

spinolae caunense Lauffer, 1910: 92 (*Dorcadion*) E: SP
escalerae Lauffer, 1901: 89 [HN]

- laufferianum* Plavilstshikov, 1915b: 80 [RN]
spinolae soricinum Chevrolat, 1862: 347 (*Dorcadion*) E: SP
vallisoletanum Lauffer, 1901: 89 (*Dorcadion*)
spinolae spinolae Dalman, 1817b: 174 (*Lamia*) E: SP
basigranosum Breuning, 1943b: 97 (*Dorcadion*)
mulsanti Brisout de Barneville, 1866: 420 (*Dorcadion*)
paganettii Pic, 1910i: 79 (*Dorcadion*)
- genus *Neodorcadion* Ganglbauer, 1884: 437** type species *Lamia bilineata* Germar, 1824 #506 #517
Calabrodorcadion Özdikmen & Kaya, 2015a: 5 type species *Neodorcadion calabricum* Reitter, 1889 #46
Vacarodorcadion Özdikmen & Kaya, 2015a: 5 type species *Dorcadion virleti* Brullé, 1832 #46
bilineatum Germar, 1824: 485 (*Lamia*) E: AL BH BU CR GR HU MC MD ME RO SB SK TR UK (Odessa env.) #506
macedonicum Pic, 1917g: 5
calabricum Reitter, 1889a: 41 E: IT
difforme Pesarini & Sabbadini, 2014: 16 A: TR
exornatoides Breuning, 1962a: 68 A: TR
exornatum Frivaldszky von Frivald, 1835: 268 (*Dorcadion*) E: BU GR RO TR A: TR
anticejunctum Pic, 1917g: 6
balcanicum Tournier, 1872: 284 (*Dorcadion*)
labyrinthicum J. Thomson, 1865: 549 (*Dorcadion*)
subdiversum Pic, 1917g: 6
fallax Kraatz, 1873a: 89 (*Dorcadion*) E: BU GR ~~MV~~
laqueatum Waltl, 1838: 469 (*Dorcadion*) E: BU TR A: TR
abeillei Tournier, 1872: 208 (*Dorcadion*)
anceyi Pic, 1913b: 186
bulgaricum Pic, 1913b: 186
diversesparsum Pic, 1914b: 8
interruptum Mulsant & Rey, 1863: 150 (*Dorcadion*)
insparsum Pic, 1914b: 8
kadiense Pic, 1917a: 10
lemoulti Pic, 1914b: 8
servilorum Pic, 1917g: 6
sparsenotatum Pic, 1914b: 8
sparsum Mulsant & Rey, 1863: 152 (*Dorcadion*)
subinterruptum Pic, 1917g: 6
orientale Ganglbauer, 1884: 510 A: TR
dispar Pic, 1892n: xxvii
eduardi Pic, 1900n: 82
flaschneri Pic, 1890d: clxxv
merkli Pic, 1893e: cxvii
pelleti Mulsant & Rey, 1863: 149 (*Dorcadion*) E: GR SB TR A: TR
credulum Pic, 1917a: 10
disjunctum Pic, 1917g: 6
segne Mulsant & Rey, 1863: 155 (*Dorcadion*)
virleti Brullé, 1832: 258 (*Dorcadion*) E: GR
acarnanicum Pic, 1914b: 8
ionicum Pic, 1901i: 52
subbinotatum Pic, 1914b: 8
- genus *Politorcadion* Danilevsky, 1996d: 407** type species *Dorcadion politum* Dalman, 1823
archarlense Danilevsky, 1996d: 411 (*Dorcadion*) ["Karaganda reg., to the north from Archarly Mts"] A: KZ
lativittis Kraatz, 1878b: 219 (*Dorcadion*) A: KZ MG XIN #517
altaiense Pic, 1898f: 44 (*Dorcadion*)
cribricolle Kraatz, 1882b: 196 (*Dorcadion*)
politum akmolense Suvorov, 1911a: 63 (*Dorcadion*) E: ST A: KZ
politum balchashense Suvorov, 1911a: 64, 69 (*Dorcadion*) A: KZ #727
politum betpakdalense Danilevsky, 1996d: 410 (*Dorcadion*) A: KZ (Betpakdala Desert) #727
politum eurygyne Suvorov, 1911a: 65, 69 (*Dorcadion*) A: KZ WS #727
politum knyazevi Danilevsky, 2020c: 104 A: WS (Omsk Region)
politum lailanum Danilevsky, 2007e: 204 A: KZ (Kalbinsky Ridge, about 5km N Samarka) #727
politum naurzumense Danilevsky, 2023: 272 A: KZ (Naurzum Reserve)
politum politum Dalman, 1823: 68 (*Dorcadion*) A: KZ WS
basicorne Pic, 1929b: 9 (*Compsodorcadion*)
conjunctum Pic, 1898f: 45 (*Dorcadion*)
lydiae Plavilstshikov, 1929b: 209 (*Dorcadion*)
politipenne Pic, 1897f: 94 (*Dorcadion*)
politum shapovalovi Danilevsky, 2006a: 2 E: ST (S Orenburg Region) A: KZ
politum tarbagataicum Danilevsky, 2023: 275 A: KZ (Tarbagatay Mts, Urdzhar)
ribbei bobrovi Danilevsky, 2001f: 631 (*Dorcadion*) A: KZ (Zaysan-city env.)

ribbei ribbei Kraatz, 1878b: 220 (*Dorcadion*) A: KZ (Tarbagatay Mts) XIN
corallipes Ganglbauer, 1884: 476 (*Dorcadion*)
rubrofemoratum Pic, 1897f: 94 (*Dorcadion*)

genus *Trichodorcadion* Breuning, 1942a: 116 type species *Trichodorcadion gardneri* Breuning, 1942
dubiosum Breuning, 1954f: 265 A: "India"
gardneri Breuning, 1942a: 116 A: NP UP

tribe Dorcaschematini J. Thomson, 1860

genus *Cylindrecamptus* Breuning, 1940e: 560 type species *Olenecamptus lineatus* Aurivillius, 1914
lineatus Aurivillius, 1914: 25 (*Olenecamptus*) A: YUN **ORR**
interruptus Pic, 1922c: 14 (*Olenecamptus*)

genus *Cylindrepomus* Blanchard, 1853: 268 type species *Cylindrepomus nigrofasciatus* Blanchard, 1853
Hippardium Pic, 1925a: 21 type species *Olenecamptus rubriceps* Aurivillius, 1907
[*fouqueti fouqueti* Pic, 1832h: 138 (*Olenecamptus*) (Saigon)]
fouqueti hainanensis Hua, 1979: 110 (*Olenecamptus*) A: HAI
viridipennis Pic, 1937b: 7 (*Olenecamptus*) A: YUN **ORR**

genus *Macrocamptus* L. S. Dillon & E. S. Dillon, 1948: 253 type species *Cylindrepomus virgatus* Gahan, 1890
virgatus Gahan, 1890a: 61 (*Cylindrepomus*) A: AP SD **#280**

genus *Microlenecamptus* Pic, 1925a: 22 type species *Cylindrepomus albonotatus* Pic, 1925
[*albonotatus albonotatus* Pic, 1925: 22 (*Cylindropomus* - misspelling) (Tonkin)]
albonotatus flavosignatus Breuning, 1965d: 53 A: GUX **ORR**
albonotatus reductesignatus Rondon & Breuning, 1970: 480 A: GUX **ORR** **#305**
biocellatus Schwarzer, 1925b: 63 (*Olenecamptus*) A: ANH GUA HUN TAI
virescens Savio, 1929: 8
nakabayashii Takakuwa, 1992: 102 A: JA (Ryukyus)
obsoletus Fairmaire, 1888b: 145 (*Olenecamptus*) A: BEI FUJ HEB JIA TAI
albatus Matsushita, 1933b: 353 (*Dorcaschema*)
signatus Aurivillius, 1914: 25 (*Cylindrepomus*) A: GUX YUN **ORR**

genus *Olenecamptus* Chevrolat, 1835: 134 type species *Olenecamptus serratus* Chevrolat, 1835 (= *Saperda biloba* Fabricius, 1801)

Authades J. Thomson, 1857e: 191 type species *Authades indianus* J. Thomson, 1857
Ibidimorphum Motschulsky 1860b: 152 type species *Ibidimorphum octopustulatum* Motschulsky, 1860
anogeissi Gardner, 1930: 156 A: HP NP **#159**
bilobus bilobus Fabricius, 1801: 324 (*Saperda*) A: AP FUJ GUA GUX HAI HEB HKG HP LIA NP PA SCH SD TAI UP YUN ZHE **AFR**
AUR ORR **#280 #159 #400 #525**
dahli Kriesche, 1926: 375
gressitti L. S. Dillon & E. S. Dillon, 1948: 158
luzonensis L. S. Dillon & E. S. Dillon, 1948: 228
rouyeri Pic, 1916d: 6
serratus Chevrolat, 1835: 134
ternatus L. S. Dillon & E. S. Dillon, 1948: 227
tonkinus L. S. Dillon & E. S. Dillon, 1948: 230
bilobus nipponensis L. S. Dillon & E. S. Dillon, 1948: 229 A: JA (Ryukyus)
bilobus quinque maculatus L. S. Dillon & E. S. Dillon, 1948: 234 A: BT SD
clarus Pascoe, 1859: 44 A: ANH FUJ GUI HEB HEN HUB HUN JA JIA JIX NC SC SCH SHN TAI ZHE
cretaceus cretaceus Bates, 1873: 314 A: HEB HEN HUB JA JIA JIX SC SCH TAI ZHE **#63**
intactus L. S. Dillon & E. S. Dillon, 1948: 183 **#251**
cretaceus marginatus Schwarzer, 1925b: 63 A: HEN TAI **ORR**
dominus J. Thomson, 1860: 362 A: HAI NP YUN **ORR** **#390**
formosanus Pic, 1914d: 19 A: HUB JA SC TAI ZHE **ORR**
decemmaculatus Pic, 1916e: 13
hondoensis Seki, 1941: 453 [31]
fukutomii Hasegawa, 2004: 225 A: JA (Ogasawara Isls.)
griseipennis Pic, 1932g: 138 (*Cylindropemus*) A: GUI HUB SCH YUN ZHE
montanus Gressitt, 1942b: 4 (*Olenecamptus*)
indianus J. Thomson, 1857e: 192 (*Authades*) A: AP HAI HP NP SD TAI UP YUN **ORR** **#159 #166**
albolineatus Pic, 1916d: 5
multinotatus Pic, 1916f: 141
salweeni Heller, 1926: 39
nigromaculatus Pic, 1915d: 14 A: XIZ
octopustulatus Motschulsky, 1860b: 152 (*Ibidimorphum*) A: ANH ES FE FUJ GAN GUI GUX HEI HEN HUB JA JIL JIX LIA MG NC NIN
NMO SC SHA ?TAI ZHE **?ORR** **#60**

chinensis L. S. Dillon & E. S. Dillon, 1948: 204
choseni Gilmour, 1956c: 754
mordkovitschi Tshernyshev & Dubatov, 2000: 386 ["East Siberia, Chita Area"]
pedongensis Breuning, 1968: 52 A: SD
pseudostrigosus Breuning, 1938c: 226 A: HP SD **ORR** #159
quadriplagiatus L. S. Dillon & E. S. Dillon, 1948: 197 A: GUX YUN **ORR** #400
riparius Danilevsky, 2011c: 67 A: FE JA (Tsushima Is.) NC NE SC YUN ZHE
siamensis Breuning, 1936: 319 A: YUN **ORR**
subobliteratus Pic, 1923c: 19 A: BEI FUJ GUI HEB HUB JIA JIX NE SCH SHA YUN ZHE
superbus Pic, 1908f: 16 A: YUN
taiwanus L. S. Dillon & E. S. Dillon, 1948: 229 A: GUA GUX HAI HKG JA TAI YUN

tribe Eunidiini Teocchi, Sudre & Jiroux, 2010

#400 #778

genus *Eunidia* Erichson, 1843: 261 type species *Eunidia nebulosa* Erichson, 1843
Anomoesia Pascoe, 1858: 255 type species *Anomoesia fulvida* Pascoe, 1858
Aserixia Pic, 1925b: 31 type species *Aserixia savioi* Pic, 1925
Boucardia Pic, 1925b: 31 type species *Boucardia nigroapicalis* Pic, 1925
Frixus J. Thomson, 1857f: 313 type species *Frixus variegatus* J. Thomson, 1857
Mycerinella Heller, 1924c: 203 type species *Mycerinella subfasciata* Heller, 1924
Paphraecia Fairmaire, 1894b: 332 type species *Paphraecia obliquepicta* Fairmaire, 1894 (= *Eunidia nebulosa* Erichson, 1843)
Semiclinia Fairmaire, 1897e: 254 type species *Semiclinia denseguttata* Fairmaire, 1898
Syessita Pascoe, 1864c: 284 type species *Syessita vestigialis* Pascoe, 1864
Tritomicrus Fairmaire, 1892a: 125 type species *Tritomicrus marmoreus* Fairmaire, 1892
apicemaculata Breuning, 1939b: 214 A: PA UP #274
arabica Breuning, 1968c: 90 A: SA YE
arabensis Breuning, 1969d: 104 [unnecessary substitute name]
atripennis Pu & D.-R. Yang, 1993: 301, 305 A: CHQ GUI HUB YUN #60
atripes Breuning, 1960g: 475 A: GUA
breuningae Villiers, 1951: 201 N: EG A: OM SA YE **AFR**
djiboutiana Breuning, 1974e: 122
naviauxi Villiers, 1977: 168
renaudi Breuning, 1961f: 252
submarmorata Breuning, 1968c: 91
flavicans Breuning, 1954b: 16 A: YE **AFR**
haplotrita Aurivillius, 1911: 32 [218] A: OM SA YE #774
kristenseni Aurivillius, 1911: 29 [215] A: OM SA YE **AFR**
kumatai Hayashi, 1981a: 10 A: NP
lateralis Gahan, 1893b: 387 A: HAI NP YUN **ORR** #525
cincta Pic, 1926h: 237 (*Aserixia*)
nebulosa nebulosa Erichson, 1843: 262 A: OM SA YE **AFR**
brevicollis Fairmaire, 1896b: 394 (*Paraphraecia*)
distinguenda Aurivillius, 1926: 480
lateritia Fairmaire, 1903: 255 (*Diadelia*)
gabonica Breuning, 1938c: 214
mixta Gahan, 1909: 73
obliquepicta Fairmaire, 1894b: 332 (*Paraphraecia*)
proxima Breuning, 1938c: 215
puncticollis Fåhræus, 1872b: 52
rustica Fåhræus, 1872b: 53
senilis J. Thomson, 1868b: 137
nigricans Breuning, 1942d N: EG **AFR** #778
savioi Pic, 1925b: 31 (*Aserixia*) A: JIA SHA SHG #225
taiwanensis Hayashi & Nara, 1992: 148 A: TAI
fengkangshanensis Hayashi & Nara, 1992: 149
thomseni Distant, 1898: 377 A: SA YE **AFR**
albicans Breuning, 1938: 211
apiceclarior Breuning, 1967g: 297
bicoloripennis Breuning, 1974c: 413
clarkei Breuning, 1974c: 414
ferrandi Aurivillius, 1926: 482
guttata Breuning, 1957b: 71 [RN]
guttulata Aurivillius, 1908: 8
pseudoalbicans Breuning, 1968b: 58 [RN]
rubroscapus Breuning, 1962e: 71
subalbicans Breuning, 1967d: 86
suturebrunnea Breuning, 1977b: 273
zavattarii Breuning, 1942d: 94
yemeniensis Breuning, 1968c: 90 A: YE

genus Eunidiella Breuning, 1940b: 177 type species *Eunidiella pilosa* Breuning, 1940
pilosa Breuning, 1940b: 178 A: SD UP

genus Parasophronica Breuning, 1940d: 430 type species *Parasophronica strandiella* Breuning, 1940 **#715**
Falseunidia Breuning, 1943a: 52 type species *Falseunidia albosignata* Breuning, 1943
strandiella Breuning, 1940d: 430 A: HP NP SD **ORR** **#280**
alboguttata Gouverneur, 2021: 78
albosignata Breuning, 1943a: 52 (*Falseunidia*)

tribe Exocentrini Pascoe, 1864 **#778**

genus Acartus Fähræus, 1872b: 50 type species *Acartus hirtus* Fähræus, 1872
biplagiatus Aurivillius, 1926: 485 A: YE **AFR**

genus Exocentrus Dejean, 1835: 339 type species *Cerambyx balteatus* Fabricius *sensu* Dejean, 1835 (= *Cerambyx lusitanus* Linnaeus, 1767) **#44** **#517**

- Bicolorihirtus* Kusama & Tahira, 1978: 9 type species *Exocentrus venatoides* Kusama & Tahira, 1978
Camptomys Pascoe, 1864a: 43 type species *Camptomys callioides* Pascoe, 1864
Formosexocentrus Breuning, 1958f: 322 type species *Exocentrus variepennis* Schwarzer, 1925
Oligopsis J. Thomson, 1864: 111 type species *Oligopsis exocentroides* J. Thomson, 1964
Parasphingothorax Breuning, 1974h: 155 type species *Parasphingothorax ochreosignatus* Breuning, 1974
Pseudocentrus Fairmaire, 1901: 230 type species *Exocentrus reticulatus* Fairmaire, 1898
Striatoexocentrus Breuning, 1955a: type species *Exocentrus nonymoides* Jordan, 1894
adpersus Mulsant, 1846: [9] [NP] E: AL AU BE BH BU CR CZ **FR** GE GR HU IT LU MC MD ME NL PL RO SB SK SL SP ST SV SZ TR **#292**
UK A: AB AR **CY** GG SY TR
alemdaghensis Breuning, 1981c: 182
clarae Mulsant & Rey, 1861b: 206 [1861c: 193]
hirsutulus Faldermann, 1837: 272 (*Astynomus*) [DA]
quercus Rossi, 1790: 143 (*Cerambyx*)
revelierei Mulsant & Rey, 1875a: 413 [=1875b: 77] (original spelling: *revelieri*)
alboguttatus alboguttatus Fisher, 1925: 240 A: GUX HAI KA NP UP YUN **ORR** **#242**
annamensis Breuning, 1957a: 15
multilineatipennis Breuning, 1974b: 42 [Indien: Kaluwala] **#242**
alboguttatus obscurior Pic, 1929a: 30 ["Tonkin"] A: FUJ HUB **ORR** **#242**
rufescens Pic, 1929a: 30 [Chine] **#242**
alboguttatus subconjunctus Gressitt, 1940b: 184 A: GUX HAI HKG **#242**
alboguttatus taiwanensis Kusama & Tahira, 1978: 22 A: TAI
alboseriatus Gahan, 1894a: 85 A: NP **ORR**
albmultiseriatus Breuning, 1964b: 6 [RN]
alboseriatipennis Breuning, 1963c: 13 [HN]
rubripennis Pic, 1929a: 29
submarginicollis Breuning, 1965b: 40 [Paksane]
alni Fisher, 1932: 298 A: NP SD **#103**
ochreosignatus Breuning, 1974h: 155 **#242**
andamanensis Fisher, 1932: 231 A: NP **ORR**
assamensis Breuning, 1972c: 419 A: AP
basirufus Gressitt, 1940b: 185 A: GUA HAI
becvari Holzschuh, 1999: 48 A: YUN
beijingensis S.-C. Chen, 1993: 197 A: BEI
blanditus Holzschuh, 2010: 199 A: SHA
brevisetosus Gressitt, 1938b: 167 A: HUB TAI YUN **ORR**
businskae Holzschuh, 2007: 266 A: XIZ
carissae Fisher, 1932: 312 A: HP NP PA UP
kuluensis Breuning, 1957g: 277
championi Fisher, 1940: 207 A: BT HP KA NP PA SCH UP
kashmirensis Breuning, 1957g: 277
collarti Breuning, 1958a: 41 A: BT
constricticollis Gressitt, 1940b: 186 A: HAI
coronatus Holzschuh, 2007: 276 A: YUN
cuhraniae Fisher, 1932: 314 A: NP UP **#274**
dalbergiae Fisher, 1932: 310 A: NP PA UP
dalbergianus Gressitt, 1951a: 528 A: HUB
diminutus Holzschuh, 2007: 280 A: GUI
diversiceps Pic, 1931b: 259 A: BT NP SD YUN **ORR** **#242**
lateralis Pic, 1936: 299 [HN]
lateraloides Breuning, 1958f: 300
rufoamplatus Breuning, 1958f: 300
rufobasipennis Breuning, 1958f: 300
testaceus Fisher, 1932: 322 **#242**

euchromus Holzschuh, 2007: 279 A: HUN
explanatidens Pic, 1930d: 58 A: BT NP SD
fasciolatus fasciolatus Bates, 1873: 384 A: JA #10
curtipennis Pic, 1918a: 10 ["Japan"]
fasciolatus plavilstshikovi Danilevsky, 2014f: 664 A: FE ?NC NE SC #525
fastigatus Holzschuh, 2007: 275 A: YUN **ORR**
ficicola Fisher, 1932: 315 A: NP UP **ORR**
fisheri fisheri Gressitt, 1935b: 175 A: JA #400 #726
fisheri marginatus Tsherepanov, 1973a: 124 A: FE JIX NC SC #63 #726
flemingiae Fisher, 1932: 297 A: GUI NP SD UP YUN **ORR** #400
fuscoscopus Breuning, 1958f: 299
rufiscapus Pic, 1939e: 344
formosofasciolatus Kusama & Tahira, 1978: 17 A: TAI
fulvobrunneus Kusama & Tahira, 1978: 15 A: TAI
fumosus Gahan, 1894a: 85-86 A: UP **ORR**
seticollis Fisher, 1932: 300
galloisi Matsushita, 1933a: 397 A: JA #63
gardneri Fisher, 1932: 302 A: UP
granulicollis Fisher, 1932: 323-324 A: TAI **ORR** #103
rufithorax Gressitt, 1935e: 286 #103
grewiae Fisher, 1932: 317 A: NP UP
himalyanus Breuning, 1974b: 42
guttulatus guttulatus Bates, 1873: 385 A: JA
guttulatus ussuricus Tsherepanov, 1973c: 138 A: FE NC NE SC
hayashii Samuelson, 1965b: 119 A: JA (Ryukyus)
hupehensis hupehensis Gressitt, 1951a: 528 A: GUI HUB HUN #103
immaculatus Gressitt, 1951a: 529 A: TAI
keiichii Tsuyuki, 1999: 8 A: TAI
kentingensis Kusama & Tahira, 1978: 12 A: TAI
kleebergi Holzschuh, 2003b: 315 A: NP
koryonus Han & Hasegawa, 2022: 284 A: NC
kucerai Holzschuh, 1999: 48 A: YUN
kusamai Tsuyuki, 1999: 5 A: TAI
lineatus Bates, 1873: 384 A: FE JA JIX NC SC
longipennis Holzschuh, 1999: 50 A: YUN
lusitanus Linnaeus, 1767: 1067 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT **KZ** LA LS LT MC MD ME NR
NT PL RO SB SK SL SP ST SV SZ TR UK A: AB AR GG KZ TR WS
balteatus Gyllenhal, 1817: 163 (*Lamia*)
crinitus Panzer, 1795: 249 (*Cerambyx*)
ochreoscutellatus Breuning, 1974: 155 #103
pubicornis Schrank, 1789: 76 (*Cerambyx*)
subpilosus Piller & Mitterpacher, 1783: 67 (*Cerambyx*)
marui Makihara, 1986b: 253 A: JA (Ryukyus)
melli Breuning, 1961i: 323 A: HKG #400
misellomimus Breuning, 1963b: 48 A: GUX **ORR**
montilineatus Kusama & Tahira, 1977: 39 A: JA
m-signatus Pic, 1933f: 6 A: SCH
pici Breuning, 1958f: 230
multiguttulatus Pic, 1927a: 24 A: HAI **ORR**
nakanei Makihara, 1986b: 254 A: JA (Ryukyus)
nanshanensis Kusama & Tahira, 1978: 14 A: TAI
nobuoi nobuoi Breuning & K. Ohbayashi, 1964: 29 A: JA (Ryukyus)
nobuoi nonakai Makihara, 1986b: 251 A: JA (Ryukyus)
nobuoi okinawensis Breuning & K. Ohbayashi, 1966: 35 A: JA (Ryukyus)
paraguttulatus Breuning & Chijō, 1971: 31 #657
parassamensis Breuning, 1975d: 355 A: BT
parcus Holzschuh, 1984a: 157 A: NP
parrotiae Fisher, 1932: 296, 304 A: AF KA PA #103
klapperichi Breuning, 1957c: 12 #103
procerulus Holzschuh, 1984: 154 A: NP
pseudopunctipennis Holzschuh, 1979a: 115 E: ?ST A: AB AR GG IN TM
pseudovariopennis Kusama & Tahira, 1978: 18 A: TAI
pubescens Fisher, 1932: 303 A: NP UP **ORR**
punctipennis punctipennis Mulsant & Guillebeau, 1856: 103 E: AL AU BH BU BY CR CT CZ **EN** FR GE GR HU IT **LA** **LT** LU MD **ME** PL
RO SB SK SL SP ST **SV** SZ ?TR UK #687
graeus Pic, 1901i: 52

punctipennis signatus Mulsant & Rey, 1863: 163 E: ST **TR** A: AB GG **?IN** TR
ravillus Holzschuh, 1984a: 158 A: NP SD
ritae Sama, 1985a: 65 A: SY TR
rondoni Breuning, 1963b: 47 A: YUN **ORR**
satoi K. Ohbayashi, 1961a: 20 A: JA (Ryukyus)
savioi Pic, 1925e: 138 A: FUJ GUX JIA JIX SHG TAI
semiglaber Breuning, 1968a: 29 A: YUN **ORR**
seriatomaculatus Schwarzer, 1925c: 147 A: TAI **ORR**
specularis Holzschuh, 1989a: 174 A: NP SD
spineus Holzschuh, 2007: 283 A: GUI SHA
spurcatus Holzschuh, 1984a: 156 A: UP
stierlini Ganglbauer, 1883b: 298 E: **CR** CT CZ **HU MD** PL **RO SB SK** ST UK A: **CH** ES FE KZ MG NC SC WS **#88 #785**
subbicolor Breuning, 1958f: 300 [RN] A: NP **ORR**
bicolor Pic, 1929a: 30 [HN]
subbidentatus Gressitt, 1937d: 615 A: FUJ GUA
submoerens Breuning, 1958a: 40 A: HKG
subniger Breuning, 1975d: 356 A: BT
subsolanus Z. Wang, 2003: 369, 397 (*Pogonocherus*) A: HEI
superstes Holzschuh, 1995: 46 A: YUN **ORR**
takakuwai Makihara, 1982a: 43 A: JA (Ryukyus)
taniguchii Makihara, 1986a: 13 A: JA (Ryukyus) TAI (Lanyu Is.)
tantillus Holzschuh, 2007: 264 A: SCH
tenellus Holzschuh, 1984a: 155 A: NP
testudineus Matsushita, 1931a: 47 A: ?CH FE JA SC (Mt. Scoraksan) **#63**
wistariae Fujimura, 1956: 6
theresae Pic, 1939b: 4 A: BEI **SCH** **#496**
transversifrons Fisher, 1940: 209 A: KA NP SD UP
mediomfasciatus Hayashi, 1981a: 17
trifasciellus Gressitt, 1940b: 187 A: HAI
tsushmanus Hayashi, 1968a: 27 A: FE JA (Tsushima Is.) NC NE SC **#10**
conjugatofasciatus Tsherepanov, 1973c: 138
ulmicola Holzschuh, 2007: 284 A: BEI HEB SHA **#225**
variabilis Holzschuh, 2007: 272 A: YUN **ORR**
variepennis Schwarzer, 1925c: 147 (*Camptomine*) A: TAI
venatoides Kusama & Tahira, 1978: 9 A: TAI
vetustus Holzschuh, 2007: 281 A: SHA
zikaweiensis Savio, 1929: 3 A: FUJ HUB JIA **NC** SC SHG **#685**
saitoi Matsushita, 1935: 313

genus *Miaenia* Pascoe, 1864a: 27 type species *Miaenia marmorea* Pascoe, 1864
subgenus *Estoliops* Matsushita, 1943: 574 type species *Estoliops fasciatus* Matsushita, 1943
fasciata fasciata Matsushita, 1943: 575 (*Estoliops*) A: JA SC
fasciata nobuoi Breuning & K. Ohbayashi, 1964: 29 A: JA (Ryukyus)
fasciata okinawana N. Ohbayashi, 1984: 15 (*Sciades*) A: JA (Ryukyus)
fasciata taiwanensis Kusama & Oda, 1979: 76 (*Estoliops*) A: TAI
fasciata yaeyamana N. Ohbayashi, 1984: 15 (*Sciades*) A: JA (Ryukyus)
sakishimana deguchii N. Ohbayashi, 1984: 15 (*Sciades*) A: JA (Ryukyus)
sakishimana sakishimana Gressitt, 1951b: 227 A: JA (Ryukyus)
subgenus *Granulimiaena* Breuning, 1963l: 528 type species *Miaenia granulicollis* Gressitt, 1938
Granulimiaena Breuning, 1977b: 259 - wrong subsequent spelling
granulicollis Gressitt, 1938b: 166 A: GUA HKG TAI
subgenus *Indoagocidnus* Breuning, 1956d: 360 type species *Aegocidnus indicus* Breuning, 1956
binhana Pic, 1926e: 48 (*Exocentrus*) A: HAI HKG **ORR**
laterimaculata Gressitt, 1940b: 188
honkongensis Breuning, 1968d: 232 (*Sciades*) A: HKG
subgenus *Miaenia* Pascoe, 1864a: 27 type species *Miaenia marmorea* Pascoe, 1864
Pseudocidnus Breuning, 1957f: 122 type species *Exocentrus tonsus* Bates, 1873
Miaena, Breuning, 1963l: 527 - wrong subsequent spelling
brevicollis Gressitt, 1951b: 225 A: JA (Ryukyus)
changii Kusama & Oda, 1979: 75 A: TAI
elongata Gressitt, 1951a: 532 A: HUB NP
longicollis Breuning & K. Ohbayashi, 1964: 29 A: JA (Ryukyus)
hirashimai Samuelson, 1965b: 121
maritima Tsherepanov, 1979: 82 A: FE ?NC SC
nakanei Hayashi, 1956c: 18 A: JA
subfasciata Schwarzer, 1925c: 148 A: TAI

tonsa Bates, 1873: 385 (*Exocentrus*) A: JA SC #346
fuijyamai Matsumura & Matsushita, 1933a: 108 (*Exocentrus*)
inhirsuta Pic, 1907c: 21 (*Exocentrus*)
leiopodina Matsushita, 1933b: 397 (*Exocentrus*)
subgenus *Truncatomiaenia* Breuning, 1977b: 253 type species *Nonymoides botelensis* Gressitt, 1938
Sciades Pascoe, 1864a: 30 [HN] type species *Leiopus suffusus* Pascoe, 1864 #43
botelensis Gressitt, 1951a: 531 (*Nonymoides*) A: TAI (Ludao Is., Lanyu Is.)

genus *Nobuosciades* Hasegawa, 2009: 344 type species *Exocentrus bioculatus* Matsumura & Matsushita, 1933
subgenus *Nobuosciades* Hasegawa, 2009: 344 type species *Exocentrus bioculatus* Matsumura & Matsushita, 1933
bioculatus Matsumura & Matsushita, 1933a: 108 (*Exocentrus*) A: JA (Ogasawara Isls.)
wojimana Gressitt, 1956: 158 (*Sciadella*)
lanatus N. Ohbayashi, 1976: 4 (*Miaenia*) A: JA (Ogasawara Isls.)
subgenus *Palmisciades* Hasegawa, Takeda & Karube, 2011: 110 type species *Palmisciades clinostigmai* Hasegawa, Takeda & Karube, 2011.
clinostigmai Hasegawa, Takeda & Karube, 2011: 110 A: JA (Ogasawara Isls.)

tribe Gnomini J. Thomson, 1860

genus *Imantocera* Dejean, 1835: 341 type species *Lamia plumosa* Olivier, 1797
Imantocera Gistel, 1848a: xi [unjustified emendation]
penicillata Hope, 1831: 28 (*Lamia*) A: AP BT GUI GUX HKG NP SD XIZ YUN ORR #280 #339 #344
vicina Gahan, 1894a: 47 (*Himantocera*) A: NP UP

genus *Trichognoma* Breuning, 1956g: 674 type species *Trichognoma chinense* Breuning, 1956
chinensis Breuning, 1956g: 674 A: HUB

tribe Gyaritini Breuning, 1950j

genus *Gyaritus* Pascoe, 1858: 244 type species *Gyaritus hamatus* Pascoe, 1858
subgenus *Gyaritus* Pascoe, 1858: 244 type species *Gyaritus hamatus* Pascoe, 1858 #217
Axinyllium Pascoe, 1864a: 27, 46 type species *Axinyllium varium* Pascoe, 1864 #217
Mimoenispia Pic, 1936a: 18 type species *Mimoenispia quadridentata* Pic, 1936a
auratus Breuning, 1963: 19 A: YUN ORR
lungtauensis Gressitt, 1951a: 484 (*Yimnashana*) A: GUA #217
theae Gressitt, 1951a: 485 (*Yimnashana*) A: FUJ #217

genus *Microleropsis* Gressitt, 1937d: 607 type species *Microleropsis rufimembris* Gressitt, 1937
rufimembris Gressitt, 1937d: 608 A: FUJ GUA

genus *Yimnashana* Gressitt, 1937d: 604 type species *Yimnashana denticulata* Gressitt, 1937
subgenus *Tinkhamia* Gressitt, 1937d: 605 type species *Tinkhamia hamulata* Gressitt, 1937 #217
hamulata hamulata Gressitt, 1937d: 606 (*Tinkhamia*) A: JIX #217
hamulata lantauana Gressitt, 1937d: 606 (*Tinkhamia*) A: GUA HKG #217
validicornis Gressitt, 1951a: 487 (*Tinkhamia*) A: GUA #217
subgenus *Yimnashana* Gressitt, 1937d: 604 type species *Yimnashana denticulata* Gressitt, 1937 #217
denticulata Gressitt, 1937d: 604 A: GUA

genus *Yimnashaniana* Hua, 1986a: 181 type species *Yimnashaniana jianfenglingensis* Hua, 1986
jianfenglingensis Hua, 1986a: 181 A: HAI

tribe Homonoieini J. Thomson, 1864

genus *Bumetopia* Pascoe, 1858: 252 type species *Bumetopia oscitans* Pascoe, 1858
subgenus *Bumetopia* Pascoe, 1858: 252 type species *Bumetopia oscitans* Pascoe, 1858
Brachyhomonoaea Aurivillius, 1923b: 30 type species *Brachyhomonoaea conspersa* Aurivillius, 1923
Homonoemorpha Aurivillius, 1913: 23 type species *Homonoemorpha flavovariegata* Aurivillius, 1913
Microabryna Pic, 1925b: 28 type species *Microabryna mediodentata* Pic, 1925 (= *Homonoemorpha flavovariegata* Aurivillius, 1913)
Yochostyla J. Thomson, 1868c: 151 type species *Yochostyla japonica* J. Thomson, 1868
brevicornis Makihara, 1978: 54 A: JA (Ryukyus)
lanhsuana Hayashi, 1974c: 40 A: TAI (Lanyu Is.)
lutaiana Hayashi, 1974c: 41 A: TAI (Lanyu Is.)
oscitans adachii Fujita, 2023: 26, 333 A: JA (Danjo Isls., Me-shima Is.)
oscitans heiana Hayashi, 1963b: 57 A: JA (Izu Isls.)
oscitans ishigaki Hayashi, 1966b: 71 A: JA (Ryukyus)
oscitans japonica J. Thomson, 1868c: 151 (*Yochostyla*) A: JA #732
kiushuensis Matsushita & Tamanuki, 1937: 147
oscitans okinawana Hayashi, 1963c: 12 A: JA (Ryukyus)

oscitans oscitans Pascoe, 1858: 252 A: HKG SC SHA TAI
plagiata Schwarzer, 1925b: 64
variegata Schwarzer, 1925b: 64
oscitans oshimana Breuning, 1939b: 162 A: JA (Ryukyus)
oscitans sakishimana Hayashi, 1966b: 70 A: JA (Ryukyus)
oscitans senkakuana Hayashi, 1972: 28 A: JA (Ryukyus)
oscitans yonaguni Hayashi, 1966b: 71 A: JA (Ryukyus)
stolata Matsushita, 1931a: 45 (*Tmesisternus*) A: TAI (Lanyu Is.)
yagii Hayashi, 1994: 69 A: TAI (Ludao Is.)

#732
#732
#736

genus *Notomulciber* Blackburn, 1894a: 166 type species *Notomulciber carpentariae* Blackburn, 1894
subgenus *Micromulciber* Aurivillius, 1913: 22 type species *Mulciber biguttatus* Pascoe, 1867
Kamikiria Matsushita, 1933b: 348 type species *Kamikiria plagiata* Matsushita, 1933 (= *Micromulciber quadrisignatus* Schwarzer, 1925)
gressitti Tippmann, 1955: 124 (*Kamikiria*) A: FUJ TAI
quadrisignatus Schwarzer, 1925b: 64 (*Micromulciber*) A: JA (Ryukyus) TAI
plagiatus Matsushita, 1933b: 349 (*Kamikiria*)

genus *Pseudokamikiria* Breuning, 1964a: 32 type species *Kamikiria klapperichi* Tippmann, 1955
klapperichi Tippmann, 1955: 122 (*Kamikiria*) A: FUJ

tribe Lamiini Latreille, 1825

#400 ##778

genus *Aethalodes* Gahan, 1888a: 270 type species *Aethalodes verrucosus* Gahan, 1888
verrucosus formosanus Kriesche, 1924: 285 A: TAI
verrucosus verrucosus Gahan, 1888a: 270 A: FUJ GUA GUI GUX HAI HUB JIX NO SCH ZHE ORR
armatus Nonfried, 1892a: 93 (*Trachystola*)
nodicollis Fairmaire, 1900: 640 (*Trachystola*)

#496

genus *Arctolamia* Gestro, 1888: 129 type species *Arctolamia villosa* Gestro, 1888
fasciata Gestro, 1891: 222 A: GUX YUN ORR
grisea Pic, 1927b: 35
laosica Breuning, 1965e: 46
fruhstorferi Aurivillius, 1902: 208 A: GUI GUX SCH YUN ORR
margaretae Gilmour, 1950: 537
luteomaculata Pu, 1981: 436 A: YUN
alcinoides Z. Wang, 2014: 604, 1123
sinica Bi & Chen, 2022b: 199 A: YUN ORR
strandii Breuning, 1936: 296 A: YUN
villosa Gestro, 1888: 129 A: YUN ORR

#144
#780

genus *Echinovelleda* Breuning, 1936: 284 type species *Echinovelleda chinensis* Breuning, 1936
Propedicellus G.-Q. Huang, J.-B. Huang & Liu, 2020: 518 type species *Propedicellus guoliangi* G.-Q. Huang, J.-B. Huang & Liu, 2020
chinensis chinensis Breuning, 1936: 284 A: ANH CHQ GUI HUB HUN
antiqua Gressitt, 1951a: 347
sangzhiensis Hua, 1992: 514, 523 (*Parechthistatus*)
chinensis dichromata Bi, 2018: 270 A: GUI HUN
guoliangi G.-Q. Huang, J.-B. Huang & Liu, 2020: 525 (*Propedicellus*) A: YUN
inermis Bi & Chang, 2021: 292 A: HUB HUN
mumuae Bi & Mu, 2024: 74 A: YUN
protochinensis Bi & Lin, 2024: 72 A: YUN
qiului G.-Q. Huang, J.-B. Huang & Liu, 2020: 525 (*Propedicellus*) A: GUX
yanziae Bi & Chang, 2021: 292 A: GUA

#753
#340

genus *Echthistatodes* Gressitt, 1938a: 49 type species *Echthistatodes brunneus* Gressitt, 1938
brunneus Gressitt, 1938a: 49 A: SCH
gongshanus Bi, 2016: 296 A: YUN
subobscurus Holzschuh, 1993a: 46 A: YUN

genus *Hayashiechthistatus* Miyake, 1980: 70 type species *Parechthistatus inexpectus* Hayashi, 1959
inexpectus Hayashi, 1959b: 56 (*Parechthistatus*) A: JA

genus *Eupromus* Pascoe, 1868: xii type species *Callimation sieboldi* Guérin-Méneville, 1844 (= *Lamia rubra* Dalman, 1817)
nigrovittatus Pic, 1930a: 16 A: GUA GUI GUX HUB HUN JIA JIX YUN ORR
ruber Dalman, 1817b: 167 (*Lamia*) A: FUJ GUA GUI GUX HUB HUN JA JIA JIX SC SCH TAI ZHE ORR
championi White, 1858b: 398 (*Monochamus*)
sieboldi Guérin-Méneville, 1844: 238 (*Callimation*)

#306

genus *Herophila* Mulsant, 1862: 273 type species *Dorcadion fairmairei* J. Thomson, 1857
Dorcatypus J. Thomson, 1864: 77 type species *Dorcadion fairmairei* J. Thomson, 1857
fairmairei J. Thomson, 1857d: 151 (*Dorcadion*) E: GR
tristis martinasci Contarini & Garagnani, 1983: 152 (*Dorcatypus*) E: ?GR IT (Italia : Puglia, Calabria)
tristis oblitterata Pic, 1921a: 5 ["Morea"] E: GR (Peloponnesus)
moreana Rapuzzi & Sama, 2018: 22
tristis tristis Linnaeus, 1767: 629 ["Monspeliu" - Montpellier] (*Cerambyx*) E: AL AU BH BU CR FR GR HU IT MC ME RO SB SL SZ TR
A: TR
adpersa Gmelin, 1790: 1863 ["Carniola"] (*Cerambyx*)
beieri Breuning, 1942e: 135 [Epire] (*Dorcatypus*)
bioculatus Luigioni 1927: 60 [Lazio] (*Dorcatypus*)
confirmata Chevrolat, 1882: 61 ["Oriens?"] (*Dorcatypus*)
divisa Pic, 1921a: 5 ["Marseille"]
funerea Schoch, 1878: 134
funesta Fabricius, 1787: 139 ["in Galliae Sambuco"] (*Lamia*)
gennadii Buquet, 1882: cxxxvii [Grèce] (*Lamia*)
interrupta Pic, 1921a: 5 ["Constantinople"]
obsoleta Fairmaire, 1859a: 62 [Béikos, dans le Bosphore et Constantinople] (*Morimus*)
posticalis Pic, 1921a: 5 ["France M^{er}"]
pulverulenta Scopoli, 1772: 95 ["Carniola"] (*Cerambyx*)
zajecarensis Breuning, 1948c: 58 ["Serbie: Zajecar"] (*Dorcadion*)
tristis veluchiana Breuning, 1943b: 96 [Greece: Veluchi] (*Dorcadion*) E: GR #209

genus *Lamia* Fabricius, 1775: 170 type species *Cerambyx textor* Linnaeus, 1758
Morimidus J. Thomson, 1859b: 95 type species *Cerambyx textor* Linnaeus, 1758
Pachystola Dejean, 1833: 342 type species *Cerambyx textor* Linnaeus, 1758
textor Linnaeus, 1758: 392 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU MC MD
ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: AB AR ES FE GG HEB HEI JA JIL KZ MG NC NMO SC SHN TR WS XIN
#400
nigrorugosa DeGeer, 1775: 64 (*Cerambyx*)
noctis Gronov [Gronovius], 1764: 162 [n.538] (*Cerambyx*) #328
tricarinata Cornelius, 1884: 50
unicolor P. Brown, 1776: 134 (*Cerambyx*) [HN]

genus *Lamiomimus* Kolbe, 1886: 223 type species *Lamiomimus gottschei* Kolbe, 1886
chinensis Breuning, 1936: 286 A: GUI YUN
gottschei Kolbe, 1886: 224 A: ANH FE GAN GUI GUX HEI HEN HUB HUN JIA JIL JIX LIA NC SC SCH SHA SHN SHX ZHE
adelphus Ganglbauer, 1887a: 137 (*Lamia*)

genus *Lonyarbon* Bi, 2018: 274 type species *Lonyarbon motuoensis* Bi, 2018
motuoensis Bi, 2018: 275 A: XIZ

genus *Mesechthistatus* Breuning, 1950c: 222 type species *Echthistatus binodosus* C. O. Waterhouse, 1881
binodosus binodosus C. O. Waterhouse, 1881: 431 (*Echthistatus*) A: JA
binodosus insularis Hayashi, 1955: 55 A: JA
fujisanus Hayashi, 1957b: 46 A: JA
furciferus furciferus Bates, 1884a: 237 (*Echthistatus*) A: JA
furciferus meridionalis Hayashi, 1951b: 79 (*Echthistatus*) A: JA
taniguchii Seki, 1944b: 168 (*Echthistatus*) A: JA
hayashii Yokoyama, 1969: 58

genus *Microdorcadion* Pic, 1925a: 16 type species *Microdorcadion tuberculatum* Pic, 1925a
nitidituberculatum Hua, 1992: 509, 523 (*Morimospasma*) A: HUB HUN #400 #643

genus *Mimechthistatus* Breuning, 1956i: 706 type species *Echthistatus yamahoi* Mitono, 1943
yamahoi Mitono, 1943: 578 (*Echthistatus*) A: TAI

genus *Morimospasma* Ganglbauer, 1889a: 78 type species *Morimospasma paradoxum* Ganglbauer, 1889 #643
subgenus *Morimospasma* Ganglbauer, 1889a: 78 type species *Morimospasma paradoxum* Ganglbauer, 1889
chinense chinense Breuning, 1942e: 132 (*Parechthistatus*) A: SHA #496
chinense orientale Bi, 2021: 282 A: HEN SHA
brachypterum Bi, 2021: 279 A: HUB
paradoxum forticorne Bi, 2021: 277 A: GAN SCH
paradoxum paradoxum Ganglbauer, 1889a: 80 A: GAN QIN SCH
paradoxum difforme Pic, 1934a: 12 (*Trachystola*) A: ANH CHQ SHA HUB JIX SCH #643
superciliatum asperum Bi, 2021: 284 A: SCH SHA
superciliatum superciliatum Pu, 1997: 821, 834 (*Neotrachystola*) A: CHQ HUB HUN
subgenus *Parvorama* Bi, 2021: 284 type species *Morimospasma tuberculatum* Breuning, 1939

bimaculatum Breuning, 1947a: 1 A: CHQ GUI HUB HUN #643
jiangi Xie G.-L., Zou & Wang W.-K., 2014: 447
cheni Bi, 2021: 287 A: SCH
cylindriscapum Bi, 2021: 288 A: HEN HUB SHA
dalaolingense dalaolingense Xie, Zou & Wang W.-K., 2014: 448 A: HUB
dalaolingense fasciatum Bi, 2021: 286 A: SCH
granulatum Chiang, 1981: 80 A: GAN HUB NIN SCH SHA #643
holzschuhi Bi, 2021: 286 A: GAN SHA
shennongjiaensis Zhang, Wang P., Xie & Wang W. K. 2023: 20 A: HUB
shii Wang P., Xie G.-L. & Wang W.-K., 2022a: 537 A: HUB
tuberculatum Breuning, 1939b: 147 A: ANH HUB ZHE #643 #644

genus *Morimus* Brullé, 1832: 258 type species *Lamia lugubris* Fabricius, 1793 (= *Cerambyx asper* Sulzer, 1776)

Morimus Brullé, 1832: 258 [original incorrect spelling]
asper asper Sulzer, 1776: 44 (*Cerambyx*) E: AL CR GR FR IT SP SZ
lugubris Fabricius, 1793: 283 (*Lamia*)
asper funereus Mulsant, 1862: 279 E: AL AU BEi BH BU ?CR CZ GR HU IT MA MC MD ME RO SB SK ?SL UK #354
asper ganglbaueri Reitter, 1894b: 44 E: AL BH CR GR IT ME SB
asper gazanchidisi Danilevsky, 2019: 88 ["Greece, Mt. Ossa"] E: GR
asper graecus Danilevsky, 2016a: 189 E: GR (Peloponnesus)
assamensis Breuning, 1936: 285 A: XIZ ORR
gabzdili Danilevsky, 2015: 215 E: SK UK #205
lethalis J. Thomson, 1857e: 182 A: SCH YUN ORR
morimoides White, 1858a: 266 (*Leprodera*)
quadrimaculatus Pic, 1925a: 17 (*Trachystola*)
trinotatus Pic, 1925a: 17 (*Trachystola*)
whitei Lacordaire, 1869: 298
orientalis Reitter, 1894b: 43 E: BU TR A: TR
verecundus bulgaricus Danilevsky, 2016a: 187 E: BU
verecundus murzini Danilevsky, 2019: 89 ["Golestan province, mountains southwards Gorgan"] A: IN
verecundus verecundus Faldermann, 1836: 396 (*Lamia*) E: ST UK(Crimea) A: AB AR GG IN TM TR
ficitor Bogatchev, 1949: 183

genus *Neotrachystola* Breuning, 1942e: 133 type species *Trachystola maculipennis* Fairmaire, 1900

incerta Breuning, 1942e: 134 A: CH
maculipennis Fairmaire, 1900: 639 (*Trachystola*) A: GUA SCH ORR #400
subobliterata Pic, 1925a: 17 (*Trachystola*)

genus *Parechthistatus* Breuning, 1942e: 131 type species *Echthistatus gibber* Bates, 1873

gibber daisen Miyake & Tsuyi, 1980: 76 A: JA
gibber gibber Bates, 1873: 308 (*Echthistatus*) A: JA
gibber grossus Bates, 1884a: 237 (*Echthistatus*) A: JA
gibber longicornis Hayashi, 1951b: 80 A: JA
gibber nakanei Miyake, 1980: 76 A: JA
gibber nankiensis Yokoyama, 1969: 59 A: JA
gibber pseudogrossus Miyake, 1980: 78 A: JA
gibber shibatai Miyake, 1980: 74 A: JA
gibber tanakai Miyake, 1980: 77 A: JA
gibber tsushimanus K. Ohbayashi, 1961b: 49 A: JA (Tsushima Is.) SC (Yeoseodo Is.) #162

genus *Paroriaethus* Breuning, 1936: 282 type species *Paroriaethus multispinis* Breuning, 1936

multispinis Breuning, 1936: 283 A: YUN ORR #341

tribe Mesosini Mulsant, 1839

genus *Aesopida* J. Thomson, 1864: 62 type species *Aesopida malasiaca* J. Thomson, 1864

malasiaca J. Thomson, 1864: 62 A: HAI NP SD YUN ORR
dubiosa Heller, 1926: 37

genus *Agelasta* Newman, 1842c: 288 type species *Agelasta transversa* Newman, 1842

subgenus *Dissosira* Pascoe, 1865a: 124 type species *Agelasta catenata* Pascoe, 1862a

Anthriboscylla J. Thomson, 1868c. 165 type species *Anthriboscylla mima* J. Thomson, 1868.
Pseudaemocia Breuning, 1935. 269 type species *Pseudaemocia rufa* Breuning, 1935.

cana Breuning, 1939c: 520 A: TAI
gardneri Breuning, 1938c: 204 A: NP UP
helii Yamasako & Liu, 2017: 218 A: HAI
kono amamiana Hayashi, 1962a: 13 A: JA (Ryukyus)

konoï konoï Hayashi, 1956c: 13 A: JA (Tokara Isls., Izu Isls.)
konoï kumejimana Kusama & Takakuwa, 1984: 49 A: JA (Ryukyus, Izu Isls.)
konoï kamezawai Fujita, 2023: 26 A: JA (Tokara Isls.: Taira-jima Is.)
konoï okinoerabuensis K. Ohbayashi, 1959: 34 A: JA (Ryukyus)
konoï okinawana Hayashi, 1960d: 27 A: JA (Ryukyus)
kumei Takakuwa, 1991: 52 A: TAI (Ludao Is.)
mouhotii Pascoe, 1862a: 335 A: YUN **ORR**
perplexa Pascoe, 1858: 243 A: FUJ HEN JA JIX LIA SC (Gageodo Is.) TAI ZHE
alternans Schwarzer, 1925b: 62 (*Saimia*)
formosana Pic, 1925b: 30 (*Mimocoptops*)
rufa Breuning, 1935e: 269 (*Pseudaemocia*) A: JA (Ogasawara Isls.)
sikkimensis Breuning, 1963g: 78 A: SD
szetschuanica Breuning, 1967f: 184 A: SCH
tonkinea omeishana Gressitt, 1951a: 427 A: FUJ SCH
tonkinea palminsulana Gressitt, 1940b: 127 (*Choeromorpha*) A: HAI
tonkinea tonkinea Pic, 1925f: 188 A: NP TAI **ORR**
formosana Schwarzer, 1925b: 61
yonaguni hiroyukii Fujita, 2023: 318 A: JA (Miyako Isls.: Tarama-jima Is., Minnajima Is.)
yonaguni kashiwaii Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus)
yonaguni praelongipes Kusama & Irie, 1976: 20 A: JA (Ryukyus) #732 #734
yonaguni similaris Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus) #734
semipraelongipes Kusama & Takakuwa, 1984: 358
yonaguni subkonoï Breuning, 1964f: 91 A: JA (Ryukyus)
yonaguni yonaguni Hayashi, 1962c: 5 A: JA (Ryukyus)
yunnanensis Breuning, 1954a: 10 A: YUN
subgenus *Epagelasta* Breuning, 1939c: 429 type species *Agelasta newmani* White, 1856
balteata Pascoe, 1866b: 236 A: YUN **ORR** #176
subgenus *Mesolophus* Gahan, 1894a: 56 type species *Mesolophus humeralis* Gahan, 1894
Samiomimus Pic, 1927b: 36 type species *Samiomimus marmoratus* Pic, 1927
dayremi Breuning, 1938c: 209 A: HAI **ORR** #453
humeralis Gahan, 1894a: 57 (*Mesolophus*) A: NP
marmorata Pic, 1927b: 36 (*Samiomimus*) A: FUJ SCH **ORR**
pici Breuning, 1938c: 210 A: FUJ NMO
yunnana Chiang, 1963: 69 A: YUN
subgenus *Parasaimia* Breuning, 1935e: 267 [RN] type species *Mimocoptops laosensis* Pic, 1925
Mimocoptops Pic, 1925a: 32 [HN] type species *Mimocoptops laosensis* Pic, 1925
glabrofasciata Pic, 1917f: 353 (*Mesosa*) A: YUN
hirticornis Gressitt, 1936: 102 (*Saimia*) A: TAI
subgenus *Pseudagelasta* Breuning, 1939c: 487 type species *Agelasta bifasciana* White, 1858
bifasciana White, 1858a: 273 A: HAI JIX NP SD XIZ YUN **ORR** #60 #453
bisinuata Pic, 1937b: 4 (*Mesosa*)
savioi Pic, 1937b: 4 (*Mesosa*)
birmanica Breuning, 1935e: 273 (*Paragelasta*) A: YUN **ORR**
fallaciosa Breuning, 1938c: 208 A: SD YUN

genus *Anagelasta* Pic, 1925a: 31 type species *Anagelasta apicalis* Pic, 1925
subgenus *Anagelasta* Pic, 1925a: 31 type species *Anagelasta apicalis* Pic, 1925
apicalis Pic, 1925a: 32 A: CH NP SD UP **ORR**
adspersa Schwarzer, 1931a: 68 (*Choeromorpha*)
~~**subgenus** *Mesagelasta* Breuning, 1939c: 494 type species *Anagelasta trimaculata* Breuning, 1938~~ #585
~~*nigromaculata* Breuning, 1938c: 212 A: HP~~

genus *Anancylus* J. Thomson, 1864: 61 type species *Anancylus calceatus* J. Thomson, 1864
subgenus *Paranancylus* Breuning, 1939c: 472 type species *Anancylus socius* Pascoe, 1865
albofasciatus Pic, 1925: 25 A: HAI #271
punctifasciata Gressitt, 1940b: 120 (*Mesocacia*) #271

genus *Cacia* Newman, 1842c: 290 type species *Cacia spinigera* Newman, 1842
subgenus *Corethrophora* Blanchard, 1853: 301 type species *Corethrophora semiluctuosa* Blanchard, 1853
shirupiti Kano, 1939: 31 A: TAI (Lanyu Is.)
subgenus *Ipocregyes* Pascoe, 1865a: 113 type species *Cacia newmanni*, 1857b: 102
Falsoereis Pic, 1925b: 25 type species *Falsoereis cephalotes* Pic, 1925
arisana Kano, 1933a: 281 (*Ipocregyes*) A: TAI
scopifera Mitono, 1934: 492 (*Cenodocus*)
basialboantennalis Breuning, 1958a: 6 A: BT
bootanana Breuning, 1968f: 693 A: BT

cephaloides Breuning, 1968a: 8 A: YUN **ORR**
cephalotes Pic, 1925b: 25 (*Falsoereis*) A: BT HAI SD YUN **ORR** #271
formosana Schwarzer, 1925b: 60 (*Mesosa*) A: FUJ HUB JIX TAI ZHE
lepesmei Gressitt, 1951a: 423 A: GUX SHA
nigrofasciata Gressitt, 1940b: 122 A: HAI
subcephalotes Breuning, 1968a: 9 A: HAI **ORR** #453
watantakkuni Kano, 1933a: 280 (*Ipocregyes*) A: TAI
yunnana Breuning, 1938c: 208 A: YUN
subgenus *Pericacia* Breuning, 1939c: 459 type species *Lamia cretifera* Hope, 1831
cretifera cretifera Hope, 1831: 27 (*Lamia*) A: : GUA GUI GUX HUB NP PA SCH SD SHX UP XIZ YUN #127
incensa Pascoe, 1865a: 112
macularia Gressitt, 1939a: 62
cretifera thibetana Pic, 1917h: 12 (*Mesosa*) A: GUX SCH XIZ YUN
thibetana Pic, 1925b: 27 (*Cacia*) [HN]
multirustica Chiang, 1951: 64 A: GUI

genus *Choeromorpha* Chevrolat, 1843: 613 type species *Choeromorpha pigra* Chevrolat, 1843
subgenus *Choeromorpha* Chevrolat, 1843: 613 type species *Choeromorpha pigra* Chevrolat, 1843
lineifrons Gressitt, 1951a: 429 (*Anagelasta*) A: FUJ HAI #271
subfasciata Pic, 1922b: 26 (*Coptops*) A: YUN **ORR**

genus *Clyzomedus* Pascoe, 1865a: 115 type species *Coptops nanus* Pascoe, 1859
laosensis Breuning, 1965e: 35 A: HAI **ORR** #453
pani Lin, Chen & Yamasako, 2023: 316 A: ANH BEI HEN SHA
transversefasciatus Breuning, 1938c: 212 A: UP

genus *Coptops* Audinet-Serville, 1835a: 64 type species *Coptops parallela* Audinet-Serville, 1835 (= *Lamia aedificator* Fabricius, 1793)
aedificator Fabricius, 1793: 275 (*Lamia*) A: AP KA OM PA SA ?TAI UP YE **AFR ORR** #127 #274 #280
ambulator Fabricius, 1775: 171 (*Lamia*)
bidens Wollaston, 1877: 210
fuscus Olivier, 1797: 462 (*Lamia*) [1800: 83 (*Cerambyx*)] #373
inhambanensis Bertoloni, 1876: 263 (*Phymasterna*)
parallelus Audinet-Serville, 1835a: 64
quadrisignatus Fähræus, 1872b: 30
villicus Olivier, 1797: 468 (*Lamia*) [1800: 102 (*Cerambyx*)] #373
albonotatus Pic, 1917f: 354 (*Pachyosa*) A: SCH YUN **ORR**
albosparsus Pic, 1926b: 7 (*Mutatocoptops*)
annulipes annulipes Gahan, 1894a: 54 A: YUN "North India" **ORR**
curvatosignatus Pu, 1992b: 606 A: SCH
diversesparsus Pic, 1917e: 7 (*Pachyosa*) A: YUN
nigrosparsus Pic, 1933a: 13 (*Mutatocoptops*)
japonicus Breuning, 1936: 311 A: TAI
leucosticticus leucosticticus White, 1858a: 272 A: AP GUI GUX NP SD XIZ YUN **ORR** #280
centurio Pascoe, 1869b: 205
lacertosus Pascoe, 1865a: 121
longipes Pic, 1925b: 29 (*Mutatocoptops*)
niveisparsus Fairmaire, 1904c: 145
olivaceus Breuning, 1935e: 263
petechialis Pascoe, 1865a: 119
polyspilus Pascoe, 1865a: 118
vitalisi Pic, 1926b: 7 (*Mutatocoptops*)
leucosticticus rusticus Gressitt, 1940b: 124 [RN] A: GUX HAI
polyspilus Gahan, 1900d: 351 [HN]
licheneus Pascoe, 1865a: 118 A: FUJ GUA GUX HAI HKG NP YUN **ORR**
salvazai Pic, 1925b: 29 (*Mutatocoptops*)
ocellifer Breuning, 1965: 37 A: YUN **ORR** #59
pascoei Gahan, 1894a: 55 A: GUX **ORR**
bidentatithorax Pic, 1925b: 30 (*Mutatocoptops*)
penghuensis Yamasako & Lin, 2010: 292 A: TAI (Penghu)
szechuanicus Gressitt, 1951a: 431 A: SCH
thibetanus Breuning, 1974d: 79 A: XIZ

genus *Epimesosa* Breuning, 1939c: 420 type species *Mesosa taliana* Pic, 1917
taliana Pic, 1917h: 13 (*Mesosa*) A: SCH YUN

genus *Ereis* Pascoe, 1865a: 105 [RN] type species *Eris anthriboides* Pascoe, 1857 #59
Eris Pascoe, 1857: 110 [HN] type species *Eris anthriboides* Pascoe, 1857 (not Koch, 1846, Arachnida)

subfasciata Pic, 1925b: 25 A: GUX HAI **ORR** #59

genus *Eurymesosa* Breuning, 1939a: 391 type species: *Ereis ventralis* Pascoe, 1865
ziranzhiyi Yamasako & Lin, 2016: 194 A: HUB SHA

genus *Falsomesosella* Pic, 1925b: 27 type species *Falsomesosella minor* Pic, 1925
subgenus *Falsomesosella* Pic, 1925b: 27 type species *Falsomesosella minor* Pic, 1925
Gyarancita Breuning, 1963: 9 type species *Gyarancita rondoni* Breuning, 1963 #217
albofasciata Pic, 1925b: 27 A: YUN
bhutanensis Breuning, 1968e: 859 (*Mesosella*) A: BT NP
breuningi Pic, 1944b: 14 A: CH
gardneri Breuning, 1938c: 197 A: NP SD UP YUN
affinis Breuning, 1938c: 198
annamensis Breuning, 1939c: 516 (*Mesosa*)
gracilior Bates, 1884a: 244 (*Mesosa*) A: JA
grisella White, 1858b: 401 (*Cacia*) A: HKG TAI
horishana Gressitt, 1938b: 161 A: TAI
mediofasciata Breuning, 1968f: 697 A: SD
minor Pic, 1925b: 27 A: YUN
minor Pic, 1926b: 9 (*Mesosa*)
nigronotata hakka Gressitt, 1937d: 597 A: GUA HAI ZHE **ORR** #489
[*nigronotata nigronotata* Pic, 1930: 19 – Viet-Nam]
rufovittata Breuning, 1938c: 198 A: NP UP
transversefasciata Breuning, 1938c: 198 A: UP
subalba Gressitt, 1938b: 162 A: TAI
taibaishana Lazarev, 2021b: 142 A: HEN SHA #603
truncatipennis Pic, 1944b: 13 A: HEN HUB SHA ZHE #60 #489 #603
unicolor Breuning, 1965: 44 A: TAI

genus *Golsinda* J. Thomson, 1861: 343 type species *Golsinda carolina* J. Thomson, 1861
basicornis Gahan, 1894a: 48 A: GUI HAI YUN **ORR** #59
rugicollis Gressitt, 1940b: 121 (*Mesocacia*) #59

genus *Hypocacia* Breuning, 1935e: 275 type species *Hypocacia biplagiata* Breuning, 1935
shimomurai Holzschuh, 1989b: 386 A: TAI

genus *Japanomesosa* Yamasako & N. Ohbayashi, 2007: 344 type species *Mesosa poecila* Bates, 1884a
poecila Bates, 1884a: 245 (*Mesosa*) A: JA

genus *Leptomesosa* Breuning, 1938c: 392 type species *Mesosa cephalotes* Pic, 1903
cephalotes Pic, 1903g: 121 (*Mesosa*) A: SCH SHA YUN **ORR** #225
nodosipennis Pic, 1917h: 12 (*Mesosa*)
langana Pic, 1917: 12 (*Mesosa*) A: HAI **ORR** #59

genus *Mesocacia* Heller, 1926: 32 type species *Mesocacia assamensis* Heller, 1926 (= *Ereis multimaculata* Pic, 1925)
duplicaria Holzschuh, 2006c: 484 A: NP
multimaculata Pic, 1925b: 24 (*Ereis*) A: BT GUX HAI SD YUN **ORR**
assamensis Heller, 1926: 33

genus *Mesoereis* Matsushita, 1933b: 338 type species *Mesoereis koshunensis* Matsushita, 1933
Trichomesosa Breuning, 1938: 389 type species *Ereis bifasciata* Pic, 1925 [Tonkin] #69
bifasciata Pic, 1925: 25 (*Ereis*) A: FUJ GUX HAI TAI **ORR** #69
koshunensis Matsushita, 1933b: 339 #69
kikuchii Matsushita, 1933b: 339
haryana Breuning & K. Ohbayashi, 1966b: 33 (*Mesosa*) A: JA (Ryukyus)
ohirai Breuning & Villiers, 1973: 48

genus *Mesosa* Latreille, 1829: 124 type species *Cerambyx curculionoides* Linnaeus, 1760
subgenus *Aplocnemia* Stephens, 1831: 236 type species *Cerambyx nubilus* Gmelin, 1790 (= *Lamia nebulosa* Fabricius, 1781)
Aphelocnemia Stephens, 1832: [414] [emendation, not in usage]
Haplocnemia Agassiz, 1846: 172 [unjustified emendation]
Helixoea Pascoe, 1865a: 124 type species *Agelasta rupta* Pascoe, 1862
affinis affinis Breuning, 1936: 306 A: NP BT SD
affinis nepalica Holzschuh, 2003b: 307 A: NP
andrewsi Gressitt, 1942c: 3 A: XIZ
angusta Gressitt, 1951a: 417 A: GUA

cheni Gressitt, 1951a: 418 A: HAI HUB
griseomarmorata Breuning, 1939c: 517 A: GUX
jarzabekae Danilevsky & Müller, 2016: 184 A: IN
latifasciata White, 1858b: 401 (*Cacia*) A: FUJ GAN GUA GUI GUX HAI HEB JIA JIX SCH SHX TAI ZHE **ORR #60 #271 #489**
latifasciata Matsushita, 1931a: 44
luteopubens Pic, 1917c: 7
longipennis Bates, 1873: 313 A: KO JA **#496 #497 #521**
amakusae Breuning, 1964f: 91
posticeconnexa Hayashi, 1964: 73
subobliterata Pic, 1901m: 62
nebulosa algerica Pic, 1898h: 58 N: AG TU
nebulosa nebulosa Fabricius, 1781: 218 (*Lamia*) E: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT SL LU MD ME NL NR
PL PT RO SB SK SP ST SV SZ TR UK A: AB AR GG TR **#665**
brevis Villers, 1789: 257 (*Cerambyx*)
lineatopunctata Baudi di Selve, 1889a: 193
m-nigrum Schaller, 1783: 291 (*Cerambyx*)
nubila Gmelin, 1790: 1832 (*Cerambyx*)
nebulator Turton, 1806: 306 (*Cerambyx*)
silvestrii Tippmann, 1956: 492
nigrofasciaticollis Breuning, 1968a: 5 A: GUX HKG YUN **ORR**
obscura Gahan, 1894a: 49 A: YUN **ORR #298**
tonkinensis Breuning, 1936: 306 [HN].
tonkinea Breuning, 1939c: 404 [RN].
obscuricornis obscuricornis Pic, 1894b: 44 A: AB (Talysh) IN
obscuricornis petrovi Danilevsky, 2022b: E: ST (*Dagestan*) **#661**
rupta Pascoe, 1862a: 335 (*Agelasta*) A: GUA GUX HKG YUN **ORR #400**
nhouabayi Breuning, 1965c: 44
nigrobifasciata Pic, 1925b: 30 (*Mimocoptops*)
unifasciata Pic, 1922b: 26
senilis Bates, 1884a: 245 A: FE (Kunashir) JA
sikkimensis Breuning, 1935e: 274 A: SD **ORR**
sparsenotata Pic, 1922c: 14 A: HAI **ORR #271**
maculifemorata Gressitt, 1940b: 117 **#271**
tenuefasciata Pic, 1926b: 9 A: HAI **ORR #453**
undata Fabricius, 1793: 270 (*Lamia*) A: GUX **ORR**
antennata White, 1858b: 401 (*Cacia*)
subgenus *Lissomesosa* Yamasako & N. Ohbayashi, 2007: 340 type species *Mesosa cribrata* Bates, 1884a
cribrata cribrata Bates, 1884a: 245 A: JA **#732**
cribrata kirisimana Matsushita, 1943: 576 A: JA **#732**
shikokensis K. Ohbayashi, 1963: 11
subgenus *Mesosa* Latreille, 1829: 124 type species *Cerambyx curculionoides* Linnaeus, 1760
Dendrobium Gistel, 1834: 30 [unnecessary substitute name]
bipunctata Chiang, 1951: 62 A: GUI GUX
curculionoides Linnaeus, 1760: 193 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT **KZ ?LA LT MC MD ME NR PL PT**
RO SB SK SL SP ST SV SZ TR UK A: AB AR GG IN TR **KZ #104**
nigronotata Pic, 1906h: 86 (*Haplocnemia*)
oculata Geoffroy, 1785: 78 (*Leptura*) [HN]
tokatensis Pic, 1904a: 6 (*Haplocnemia*)
japonica Bates, 1873: 312 A: FE (Sakhalin, Kurils) JA
mediofasciata Breuning, 1942a: 142 A: JA
myops Dalman, 1817b: 168 (*Lamia*) E: BY CT FI LA LT NT PL ST SV UK **KZ A: ?ANH ES FE ?GAN ?GUA ?GUI HEB HEI ?HEN**
?HUB JIL KZ LIA MG NC NMO ?QIN SC ?SCH ?SHA WS XIN ?ZHE
plotina Z. Wang, 2003: 323, 396
stictica Blanchard, 1871: 812 A: BEI GAN GUI HUB SCH SHA SHN SHX XIZ YUN ZHE
oculicollis Fairmaire, 1878: 131
rugosa Gressitt, 1951a: 416 **#329**
subgenus *Metamesosa* Breuning, 1939c: 411 type species *Mesosa basinodosa* Pic, 1925
basinodosa Pic, 1925b: 28 A: HAI YUN **#453**
nomurai Hayashi, 1964: 71 A: JA
sinica Gressitt, 1939b: 113 (*Aesopida*) A: FUJ GUX HUN ZHE
subgenus *Perimesosa* Breuning, 1939c: 409 type species *Mesosa hirsuta* Bates, 1884a
atrostigma Gressitt, 1942g: 84 A: ANH FUJ GUX SHA TAI ZHE **#60 #225**
bimaculata Breuning, 1936: 306 A: SD UP **ORR**
binigrovittata Breuning, 1942a: 143 A: FUJ TAI
binigrovittipennis Breuning, 1968f: 692 A: AP SD
chassoti Breuning, 1970c: 89 A: TAI
enodata Holzschuh, 2017c: 124 A: GUI
guttigera Holzschuh, 2017c: 125 A: GUI

hirsuta albihirsuta Kusama & Takakuwa, 1984: 11 A: JA
hirsuta brevihirsuta Makihara, 1980: 53 A: JA (Danjo Is.)
hirsuta hirsuta Bates, 1884a: 244 A: JA
harmandi Pic, 1901k: 341
nigrohumeralis Breuning, 1938c: 203
hirsuta continentalis Hayashi, 1964: 76 [= 1965: 29] A: FE NC NE SC
hirsuta konishii Hayashi, 1964: 76 [= 1965: 30] A: JA (Tsushima Is.)
hyunchaei Yamasako & Hasegawa, 2009: 290 A: BEI JIA SC #686
irrorata Gressitt, 1939b: 111 A: FUJ HEN HUB HUN JIX SCH SHA ZHE #60
medioalbofasciata Breuning, 1969a: 35 A: TAI
pictipes miyamotoi Hayashi, 1956c: 20 A: JA (Tokara Isls., Ryukyus)
pictipes nakabayashii Fujita, 2023: 26 A: JA (Miyako Isls.: Miyako-jima Is.)
pictipes pictipes Gressitt, 1937b: 323 A: JA (Ryukyus)
pictipes yayeyamai Breuning, 1955b: 61 A: JA (Ryukyus) #732
pieli Pic, 1936d: 16 A: JIX
setulosa Breuning, 1938c: 202 A: HP NP
nigromaculata Breuning, 1938c: 212 (*Anagelasta*) #585
subgenus Saimia Pascoe, 1866b: 234 [RN] type species *Samia albidorsalis* Pascoe, 1865
Samia Pascoe, 1864a: 96 [HN] type species *Samia albidorsalis* Pascoe, 1865
indica Breuning, 1935e: 265 A: UP YUN ORR
kuntzeni Matsushita, 1933b: 340 A: TAI
lata Breuning, 1956g: 677 A: "North-west India"
quadriplagiata Breuning, 1935a: 264 (*Saimia*) A: UP YUN ORR
subfasciata Gahan, 1894a: 49 A: UP YUN ORR #298
tonkinensis Breuning, 1935e: 265 (*Saimia*)
marmorata Breuning, 1943e: 47
rondoni Breuning, 1962b: 63.
variegata Breuning, 1962b: 15.
paravariegata Rondon & Breuning, 1970: 326.
yunnana Breuning, 1938c: 202 (*Saimia*) A: HAI YUN

genus Metipocregyes Breuning, 1939c: 429 type species *Mesosoma nodieri* Pic, 1933
nodieri Pic, 1933a: 14 (*Mesosoma*) A: GUX HAI YUN ORR #270 #453
variabilis Yamasako & Lin, 2018: 519 A: HAI GUX
wenhsini Yamasako & Chou, 2013: 97 (*Hypocacia*) A: TAI #270

genus Mutatocoptops Pic, 1925b: 29 type species *Mutatocoptops alboapicalis* Pic, 1925
alboapicalis Pic, 1925b: 30 A: AP YUN ORR #280
anancyloides Schwarzer, 1925b: 61 (*Coptops*) A: TAI ORR

genus Pachyosa Fairmaire, 1897a: 71 type species *Pachyosa cervinopicta* Fairmaire, 1897 #735
atronotata atronotata Kusama & Irie, 1976: 19 (*Mesosoma*) A: JA (Tokara Isls.)
atronotata yamawakii Hayashi, 1976: 11 (*Mesosoma*) A: JA
cervinopicta Fairmaire, 1897a: 71 A: JA (Ryukyus)
guanyin Yamasako & Chou, 2014b: 44 A: TAI
hirtiventris Gressitt, 1937b: 324 (*Coptops*) A: JA (Ogasawara Isls.)
itoi fukidai Fujita, 2023: 320 (*Mesosoma*) A: JA (Amami Isls.: Amami-ôshima Is.)
itoi itoi Ohbayashi, 1985: 1 (*Mesosoma*) A: JA (Ryukyus)
kojimai Hayashi, 1974c: 37 (*Coptops*) A: TAI

genus Paragolsinda Breuning, 1956g: 675 type species *Paragolsinda fruhstorferi* Breuning, 1956g #299
fruhstorferi Breuning, 1956g: 676 A: HAI ORR #271
obscura Matsushita, 1933b: 339 (*Mesoereis*) A: TAI
tonkinensis Breuning, 1938c: 197 (*Mesoereis*) A: HAI ORR

genus Paripocregyes Breuning, 1938c: 204 type species *Paripocregyes brunneomaculatus* Breuning, 1938
brunneomaculatus Breuning, 1938c: 204 A: UP ORR

genus Pseudipocregyes Pic, 1923c: 20 type species *Pseudipocregyes maculatus* Pic, 1923
albosignatus Breuning, 1974d: 74 A: CH ORR
maculatus Pic, 1923c: 20 A: YUN ORR

genus Pseudoclyzomedus Yamasako, 2009: 282 type species *Pseudoclyzomedus ohbayashii* Yamasako, 2009
hainanus Yamasako & Liu, 2019: 2 A: HAI

genus Spinipocregyes Breuning, 1949a: 6 type species *Spinipocregyes nigrescens* Breuning, 1949a

tribe Monochamini Gistel, 1848		#13 #521
genus <i>Acalolepta</i> Pascoe, 1858: 247 type species <i>Acalolepta pusio</i> Pascoe, 1858		
subgenus <i>Acalolepta</i> Pascoe, 1858: 247 type species <i>Acalolepta pusio</i> Pascoe, 1858		#89
<i>Cypriola</i> J. Thomson, 1864: 16 type species <i>Cypriola acanthocinoides</i> J. Thomson, 1864		
<i>Haplohammus</i> Bates, 1884a: 239 type species <i>Monohammus luxuriosus</i> Bates, 1873		
<i>Neanthes</i> Pascoe, 1878: 372 type species <i>Monohammus curialis</i> Pascoe, 1858 (= <i>Monochamus subluscus</i> J. Thomson, 1857)		
<i>affinis</i> Breuning, 1935d: 55 (<i>Dihammus</i>) A: NP SD ZHE		#400 #434
<i>amamiana amamiana</i> Hayashi, 1962b: 36 (<i>Cypriola</i>) A: JA (Ryukyus)		
<i>amamiana simillima</i> Breuning & K. Ohbayashi, 1966: 32 A: JA (Ryukyus)		
<i>okinawensis</i> Breuning & K. Ohbayashi, 1966: 31		
<i>aurata</i> Gahan, 1888c: 260 (<i>Monohammus</i>) A: AP NP ORR		#280
<i>basicornis</i> Gahan, 1894a: 37 (<i>Haplohammus</i>) A: GUX HUN SD YUN ORR		
<i>basiplagiata</i> Breuning, 1935c: 249 (<i>Dihammus</i>) A: YUN ORR		
<i>battonii</i> Breuning, 1980a: 16 A: NP		
<i>bifasciata</i> Westwood, 1848: 59 (<i>Monohammus</i>) A: AP HUB SD "Himalaya" ORR		
<i>kingana</i> Pic, 1921b: 6 (<i>Monohammus</i>)		
<i>perplexa</i> Gahan, 1888d: 393 (<i>Monohammus</i>)		
<i>boninensis</i> Hayashi, 1971: 16 A: JA (Ogasawara Isls.)		
<i>bretschneideri</i> Weigel, 2012: 409 A: AP NP		#390
<i>breuningii</i> Gressitt, 1951a: 399 (<i>Dihammus</i>) A: GUA		
<i>breviscapus</i> Hayashi, 1980a: 2 A: NP		
<i>cervina</i> Hope, 1831: 27 (<i>Monochamus</i>) A: AP FUJ GUA GUI GUX HAI HUB JIX NP SCH SHA XIZ YUN ZHE ORR		#280
<i>fulvicornis</i> Pascoe, 1875: 64 (<i>Monochamus</i>)		
<i>chinensis</i> Breuning, 1970f: 475 A: GUI		
<i>coreanica</i> Breuning, 1956c: 234 A: NC (Mt. Geumgangsán)		
<i>corensis</i> Breuning, 1967f: 183 A: SC (Seoul)		
<i>craspeunctifrons</i> Breuning, 1960d: 34 (<i>Cypriola</i>) A: SD		
<i>degeneroides</i> Breuning, 1948a: 8 (<i>Dihammus</i>) A: JIX		
<i>elongata</i> Breuning, 1935c: 251 (<i>Dihammus</i>) A: GUI NP SCH SD ORR		#280
<i>fasciculata</i> Hua, 2009: 192, 331 [RN] A: YUN		
<i>fasciata</i> Hua, 1992: 492, 524 [HN]		
<i>ferriei</i> Breuning, 1954d: 73 (<i>Cypriola</i>) A: FUJ JA (Ryukyus)		
<i>flocculata flocculata</i> Gressitt, 1935c: 188 (<i>Monochamus</i>) A: TAI		
<i>flocculata paucisetosa</i> Gressitt, 1938c: 154 (<i>Dihammus</i>) A: AP GUI GUX SCH SHA		#280
<i>formosana</i> Breuning, 1935c: 251 (<i>Dihammus</i>) A: TAI		
<i>fraudator fraudator</i> Bates, 1873: 309 (<i>Monohammus</i>) A: FE FUJ GUA HUN JA JIA NE SC ZHE		#400
<i>fraudator nigricornis</i> Makihara, 1977: 63 A: JA		
<i>mogii</i> Makihara, 1980: 62		
<i>fraudator satoi</i> Breuning & K. Ohbayashi, 1966: 32 A: JA (Tsushima Is.)		
<i>fraudator yakushimana</i> Yokoyama, 1971: 99 A: JA		
<i>freudei</i> Heyrovský, 1976: 184 A: NP		
<i>gardneri</i> Breuning, 1938c: 186 (<i>Dihammus</i>) A: SD		
<i>ginkgovora</i> Makihara, 1992a: 62 A: JA		
<i>griseipennis</i> J. Thomson, 1857f: 296 (<i>Monochamus</i>) A: AP BT NP SD YUN ORR		#280
<i>griseoplagiata</i> Breuning, 1935c: 250 (<i>Dihammus</i>) A: SD		
<i>grossescapa</i> Breuning, 1942a: 117 (<i>Dihammus</i>) A: TAI		
<i>hachijoensis</i> Gressitt, 1956: 113 (<i>Dihammus</i>) A: JA (Izu Isls.)		
<i>mikurensis</i> Hayashi, 1969a: 64		
<i>hainana</i> Breuning, 1959d: 149 (<i>Cypriola</i>) A: HAI		
<i>haradai</i> Hayashi, 1980a: 3 A: NP		
<i>hingstoni</i> Gilmour, 1956b: 743 (<i>Dihammus</i>) A: XIZ		
<i>holosericea</i> Breuning, 1939b: 158 (<i>Dihammus</i>) A: UT XIZ ORR		#379
<i>hunanensis</i> Breuning, 1963h: 218 A: HUN		
<i>inaequalis</i> Gardner, 1937: 8 (<i>Dihammus</i>) A: SD		
<i>iwahashii</i> Makihara, 1992a: 59 A: JA (Ryukyus)		
<i>kuniyoshii</i> Hayashi, 1963c: 11 A: JA (Ryukyus)		
<i>kusamai</i> Hayashi, 1969a: 64 A: JA SC		
<i>laeviceps</i> Breuning, 1938c: 186 (<i>Dihammus</i>) A: SD		
<i>longicollis</i> Gilmour, 1956b: 744 (<i>Dihammus</i>) A: NP		
<i>luxuriosa kawadai</i> Takakuwa, 1984: 431 A: JA (Ryukyus)		
<i>luxuriosa kuro</i> Makihara, 1977: 65 A: JA		
<i>luxuriosa luxuriosa</i> Bates, 1873: 309 (<i>Monohammus</i>) A: FE (Kunashir) JA		
<i>masatakai</i> Makihara, 2003: 356 A: JA		

nepalensis Hayashi, 1980a: 1 A: NP
ningshanensis Danilevsky, 2013h: 34 A: GUI HUB SCH SHA YUN #60
nishimurai Makihara, 1992a: 70 A: JA (Ryukyus)
nivosa White, 1858b: 409 (*Monohammus*) A: NP PA "Himalaya" **ORR**
oshimana omoro Hayashi, 1963c: 11 A: JA (Ryukyus)
oshimana oshimana Breuning, 1954d: 73 (*Cypriola*) A: JA (Tokara Isls., Ryukyus)
paracervina Breuning, 1972b: 237 A: AP **ORR** #280
permutans occidentalis Breuning, 1958h: 268 (*Cypriola*) A: SCH
permutans okinawana Gressitt, 1951b: 216 (*Dihammus*) A: JA
teragrama Gilmour, 1951: 67 (*Dihammus*)
permutans paucipunctata Gressitt, 1938b: 157 (*Dihammus*) A: JA TAI YUN
permutans permutans Pascoe, 1857b: 103 (*Monohammus*) A: ANH GUA GUI GUX HEN HKG HUB HUN JIX SCH SHA TAI ZHE **ORR**
severini Nonfried, 1892a: 94 (*Monohammus*)
vicina Pascoe, 1858: 245 (*Monohammus*)
permutans semisericea Pic, 1935b: 17 (*Dihammus*) A: AP SCH XIZ YUN **ORR** #681
mutans Breuning, 1938a: 32 (*Dihammus*) #280 #681
paraspectiosa Breuning, 1982: 19 #681
pseudospectiosa Breuning, 1965f #681
pseudosericans Breuning, 1949b: 6 A: SHG ZHE **ORR** #400
punctifrons Gahan, 1894a: 36 (*Haplohammus*) A: SD
scotti Breuning, 1936: 289 (*Dihammus*) A: SD
sejuncta hamai Hayashi, 1962b: 36 (*Cypriola*) A: JA
sejuncta izuinsulana Hayashi, 1968a: 25 A: JA (Izu Isls.)
sejuncta morii Makihara, 1980: 65 A: JA
sejuncta sejuncta Bates, 1873: 310 (*Monohammus*) A: FE (Sakhalin, Kunashir) FUJ HUB JA NC SC
fraxini Matsushita, 1933a: 328 (*Dihammus*)
fulvicornis Pascoe, 1875: 64 (*Monochamus*)
olivacea Breuning, 1944b: 471 (*Dihammus*)
sejuncta tsushima Breuning, 1960e: 35 (*Cypriola*) A: JA (Tsushima Is.)
semidegenera Hayashi, 1981a: 14 A: NP
semisericea Pic, 1935b: 17 (*Dihammus*) A: SCH
sericans Breuning, 1938a: 33 (*Dihammus*) A: NP SD UP
sericeomicans Fairmaire, 1889a: 67 (*Monochamus*) A: ANH GUA HAI JIA SCH SHA YUN ZHE **ORR**
seunghwani Danilevsky, 2013h: 32 A: FE (Falatsa Mt. near Anisimovka) JIL NC SC **SCH** #496
sikkimensis nigrina Breuning, 1975d: 344 A: AP BT #280
sikkimensis rufoantennata Breuning, 1975d: 345 A: BT NP
sikkimensis sikkimensis Breuning, 1935c: 250 (*Dihammus*) A: SD
sobria Pascoe, 1858: 246 (*Monohammus*) A: TAI **ORR**
socia Gahan, 1888a: 275 (*Haplohammus*) A: FUJ GUX JIA JIX NO
speciosa Gahan, 1888a: 275 (*Haplohammus*) A: ANH FUJ GUA GUX HAI HKG JIA JIX SCH TAI ZHE **ORR**
sublusca boehmeriavora Makihara, 1992a: 60 A: JA (Ryukyus)
sublusca maculihumera Matsushita, 1933b: 328 (*Dihammus*) A: TAI
sublusca sublusca J. Thomson, 1857f: 293 (*Monochamus*) A: FUJ GUA GUI GUX HAI HUN JIA JIX HEB HEN HUB SCH SHA SHN ZHE
ORR
curialis Pascoe, 1858: 246
subspeciosa Breuning, 1963h: 217 A: ZHE
sulphurifera Hope, 1842b: 128 (*Monochamus*) A: SD **ORR**
szechuana Gressitt, 1938c: 155 (*Dihammus*) A: SCH
tenuipes Breuning, 1939b: 158 (*Dihammus*) A: SD
ussurica Plavilstshikov, 1951: 121 (*Dihammus*) A: **CH FE KO**
vitalisi Pic, 1925a: 19 (*Monochamus*) A: FUJ GUA GUX HAI HUN JIX SCH TAI **YUN ZHE ORR** #496
ikedai Mitono, 1943: 581 (*Dihammus*)
wittmeri Breuning, 1975d: 343 A: BT
yokoyamai Hayashi, 1971: 15 A: TAI (Ludao Is., Lanyu Is.)
subgenus *Dihammus* J. Thomson, 1864: 80 type species *Monochamus longicornis* J. Thomson, 1857 (= *Monochamus australis* Boisduval, 1835) #89
Niphoammus Matsushita, 1932: 170 type species *Niphoammus korolensis* Matsushita, 1932
rusticator formosensis Breuning & K. Ohbayashi, 1966a: 11 A: TAI (Ludao Is., Lanyu Is.)
rusticator rusticator Fabricius, 1801: 294 (*Lamia*) A: TAI **ORR**
bianor Newman, 1842b: 277 (*Monohammus*)
brunnescens Breuning, 1980: 175 #586
fistulator Germar, 1824: 478 (*Lamia*) #506
musiva Pascoe, 1866b: 251 (*Monochamus*)
whiteheadi Breuning, 1970: 474 #586

genus *Agnioides* Breuning, 1956g: 671 type species *Agnioides striatopunctatus* Breuning, 1956

Paragniopsis Breuning, 1965: 59c type species *Paragniopsis ochraceomaculata* Breuning, 1965 #256
striatopunctatus Breuning, 1956g: 671 A: SD YUN ORR #256
ochraceomaculata Breuning, 1965c: 59 (*Paragniopsis*) #256

genus *Agniomorpha* Breuning, 1935e: 257 type species *Agniomorpha ochraceomaculata* Breuning, 1935
ochraceomaculata Breuning, 1935e: 257 A: GUI GUX SD ORR

genus *Agnoderus* J. Thomson, 1864: 83 type species *Agnoderus gnomoides* J. Thomson, 1864
gnomoides J. Thomson, 1864: 83 A: SD

genus *Anamera* J. Thomson, 1864: 63 type species *Anamera alboguttata* J. Thomson, 1864
gigantea gigantea Breuning, 1935d: 66 A: PA ORR
gigantea iliyashenkoi Jiroux, Garreau & Gurko, 2012: 19 A: PA

genus *Anameromorpha* Pic, 1923c: 19 type species *Anameromorpha metallica* Pic, 1923
metallica Pic, 1923c: 19 A: YUN ORR #289 #400

genus *Annamanum* Pic, 1925a: 23 type species *Annamanum vitalisi* Pic, 1925
Uraechopsis Breuning, 1935f: 76 type species *Uraecha chebana* Gahan, 1894
albiparsum Gahan, 1888b: 62 (*Monochamus*) A: FUJ GUI GUX HUN JIX
albonotatum Pic, 1925a: 22 (*Uraecha*)
albomaculatum Breuning, 1935f: 76 A: CH ORR
cardoni Breuning, 1953: 2 A: "India"
chebanum Gahan, 1894a: 41 (*Uraecha*) A: GUA GUX YUN ORR
flavimaculatum Shulin Yang & Shaoyong Yang, 2019: 50 A: GUI GUX
fuscumaculatum Breuning, 1979c: 99 A: YUN
griseolum Bates, 1884a: 240 (*Uraecha*) A: JA
humerales Pic, 1934a: 35 (*Urecha*) A: YUN ORR
indicum Breuning, 1938c: 191 A: SD
lunulatum Pic, 1934a: 34 (*Urecha*) A: GUX YUN ORR #200
fruhstorferi Breuning, 1964b: 2 #256
longzhouensis W.-K. Wang & Jiang, 2000a: 47 (*Uraecha*) #200
magnum Holzschuh, 2017c: 127 A: GUI
mediomaculatum Breuning, 1962b: 19 A: GUX ORR
mimicum Bi & Weigel, 2024: 2 A: YUN
rondoni Breuning, 1962i: 21 A: YUN ORR #496
sikkimense Breuning, 1942a: 119 A: NP SD
touzalini Breuning, 1979c: 99
sinicum Gressitt, 1951a: 387 A: FUJ JIX SCH YUN ZHE #60
strandi Breuning, 1938c: 191 A: XIZ YUN
subauratum Breuning, 1958h: 266 A: SCH
szetschuanicum Breuning, 1947a: 8 A: SCH
wenzhui Lin & Ge, 2017a: 891 A: HEN HUB SHA
yunnanum Breuning, 1947a: 8 A: YUN

genus *Anoplophora* Hope, 1839: 43 type species *Anoplophora stanleyana* Hope, 1839
Callophora J. Thomson, 1864: 76 [unnecessary replacement name]
Cyriocrates J. Thomson, 1868c: 181 type species *Oplophora horsfieldii* Hope, 1842
Falsocyriocrates Pic, 1953a: 2 type species *Cyriocrates elegans* Gahan, 1888
Melanauster J. Thomson, 1868c: 181 type species *Cerambyx chinensis* Forster, 1771
Micromelanauster Pic, 1931d: 49 type species *Monochamus bowringii* White, 1858
Mimonemophas Breuning, 1961h: 309 type species *Mimonemophas quadrifasciatus* Breuning, 1961 #111
Oplophora Hope, 1839: 42 type species *Oplophora sollii* Hope, 1839
albopicta Matsushita, 1933b: 279 (*Cyriocrates*) A: TAI
elegans Kano, 1933a: 279 (*Melanauster*) [HN]
ankangensis Chiang, 1981: 82 (*Paranamera*) A: GUX HEN HUN SHA #256 #516
beryllina Hope, 1840: 79 (*Monochamus*) A: FUJ GUA GUX HUB HUN JIX SCH SD YUN ZHE ORR
argentifera Pic, 1902i: 31 (*Melanauster*)
melanosticta White, 1858b: 407 (*Monohammus*)
subberyllina Breuning, 1964e: 47
bowringii White, 1858b: 398 (*Monohammus*) A: FUJ GUA GUX HKG HUB JIX ZHE
cheni Bi & N. Ohbayashi, 2015: 294 A: GUI YUN ORR #516
chiangi Hua & Zhang, 1991: 77 A: GUI HUN #516
chinensis chinensis Forster, 1771: 39 (*Cerambyx*) Ei: AU BE CR FR GE IT NL TR A: ANH FUJ GAN GUA GUI GUX HAI HEB HEN
HKG HUB HUN JA JIA JIL JIX LIA SC SCH SHA SHN SHX TAI TRi YUN ZHE ORR AURi NARi #56 #188 #189
abbreviata J. Thomson, 1865: 553 (*Callophora*)
afflicta J. Thomson, 1865: 553 (*Callophora*)

farinosa Houttuyn, 1766: 536 (*Cerambyx*) [HN]
luctuosa J. Thomson, 1865: 553 (*Callophora*)
perroudi Pic, 1953a: 3 (*Melanauster*)
punctator Fabricius, 1777: 230 (*Lamia*)
sepulchralis J. Thomson, 1865: 553 (*Callophora*)
sinensis Gmelin, 1793: 1863 (*Cerambyx*)
chinensis viridis R.-Y. Wang, 1991: 245, 248 A: YUN #400
coeruleoantennata Breuning, 1947b: 23 (*Melanauster*) A: SCH
davidis Fairmaire, 1886b: 355 (*Melanauster*) A: GUX SCH SHA TAI XIZ YUN **ORR**
adonis Pic, 1925a: 20 (*Melanauster*)
alboapicalis Chiang, 1951: 48
vitalisi Pic, 1936b: 16 (*Melanauster*)
decemmaculata Pu, 1999: 82 A: HEB HUN SHA SCH #225
elegans Gahan, 1888e: 450 (*Cyriocrates*) A: GUA GUI HAI HEN YUN **ORR**
albonotata Pic, 1926l: 455 (*Melanauster*)
macrospila Gahan, 1900d: 349 (*Melanauster*)
superba Pic, 1925c: 4 (*Melanauster*)
fanjingsis Sh. Yang, W. Yang & Tian, 2020: 2 A: GUI
flavomaculata Gressitt, 1935f: 385 (*Melanauster*) A: TAI
freyi Breuning, 1947b: 23 (*Melanauster*) A: SCH YUN #522
fruhstorferi Aurivillius, 1902: 209 (*Callophora*) A: GUX **ORR**
depressinotata Chiang, 1951: 50 (*Cyriocrates*)
glabripennis Motschulsky, 1854a: 48 (*Cerosterna*) Ei: AU CZ FI FR GB GE IT ME NL SK SZ TR A: ANH FE FUJ GAN GUI GUX HEB
HEI HEN HUB HUN JIA JIL JIX LIA ?NC NIN NMO SA SC SCH SHA SHN SHX TRi XIZ YUN ZHE AURi NARi **ORRi** #56
#180 #188 #189 #358 #517 #774
angustata Pic, 1925a: 21 (*Melanauster*)
laevigata J. Thomson, 1857f: 297 (*Cerosterna*)
laglasei Pic, 1953a: 3 (*Melanauster*)
luteonotata Pic, 1925a: 21 (*Melanauster*)
nankinea Pic, 1926b: 2 (*Melanauster*)
nobilis Ganglbauer, 1889a: 82 (*Melanauster*)
granata Holzschuh, 1993a: 48 A: GUX **ORR**
gressitti N. Ohbayashi & Bi, 2014: 156 A: AP XIZ **ORR**
horsfieldii horsfieldii Hope, 1842a: 61 [= 1843: 64] (*Oplophora*) A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX SC SCH SHA
YUN ZHE **ORR** #235 #707
voluptuosa J. Thomson, 1856: 529 (*Cerosterna*)
horsfieldii taiwanensis N. Ohbayashi, 2018: 40 A: TAI
huangjianbini Wang Ch.-B., & L. He, 2021: 4 A: FUJ GUX
iadina Wang Ch.-B., He L. & Huang J.-B., 2023: 166 A: YUN
imitator White, 1858b: 404 (*Cerosterna*) A: FUJ GUA GUI GUX HAI HUB HUN JIA JIX SHA ZHE
pirouletii Fairmaire, 1889a: 66 (*Melanauster*)
jianfenglingensis Hua, 1989b: 301 A: HAI
leechi Gahan, 1888b: 63 (*Melanauster*) A: HEB HEN HUB HUN JIA JIX ZHE
longehirsuta Breuning, 1968a: 23 A: GUX **ORR**
parelegans Chiang, 1981: 81
lurida Pascoe, 1856: 47 (*Monohammus*) A: GAN GUX HEB HEN HUB HUN JIA JIX SCH SHA TAI ZHE #225
macularia J. Thomson, 1865: 553 (*Callophora*) A: FUJ GUA GUX HAI HEN JA (Ryukyus) JIA NE SC SCH TAI ZHE **ORR** #525
malasiaca J. Thomson, 1865: 553 (*Callophora*) Ei: AU CR CZ GE IT NL A: CH JA NC SC TAI Tri **ORR** #188 #189
multimaculata Xie & Wang, 2015: 599 (*Mimonemophas*) A: HUB ZHE #256 #516
ogasawaraensis Makihara, 1976: 9 A: JA (Ogasawara Isls.)
oshimana oshimana Fairmaire, 1895: 390 (*Melanauster*) A: JA (Ryukyus)
oshimana tokunoshimana Samuelson, 1965b: 89 A: JA (Ryukyus)
puxian C. Wang & He, 2021a: 340 A: SCH
quadrifasciata Breuning, 1961h: 309 (*Mimonemophas*) A: GUX **ORR** #112
rubidacorpora Xie, Shi & W.-K. Wang, 2012b: 2 A: GUI
rugicollis P. Wang, Xie & W.-K. Wang, 2022b: 97 (unavailable name - holotype location not published) A: YUN **ORR**
ryukyensis Breuning & K. Ohbayashi, 1964: 15 A: JA (Ryukyus)
siderea Bi, Chen & Ohbayashi, 2020: 267 A: GUX GUA
similis Gahan, 1900d: 350 (*Melanauster*) A: ?FUJ ?GUA HAI #516
sollii Hope, 1839: 43 (*Oplophora*) A: GUX SD **ORR**
stanleyana Hope, 1839: 43 A: BT NP SD SE SW **ORR**
angustata Pic, 1934a: 11 [HN]
chapaensis Breuning, 1950i: 511
gloriosa Tippmann, 1953: 152
grisea Tippmann, 1953: 153 #587
melancholica Tippmann, 1953: 153
tonkinea Breuning, 1943c: 285 [RN]
tonkinea Pic, 1907f: 152 (*Callophora*) A: GUX **ORR**

viriantennata W.-K. Wang & Jiang, 1998c: 335 A: HUB SCH #158
wusheana Chang, 1960: 2 A: TAI
zibroides Wang Ch.-B., He L. & Huang J.-B., 2023: 173 A: HUN GUX
zonator J. Thomson, 1878: 50 (*Cyriocrates*) A: YUN ORR #400

genus *Aristobia* J. Thomson, 1868c: 178 type species *Lamia reticulator* Fabricius, 1781 (designated by Breuning, 1943: 189)
angustifrons Gahan, 1888a: 276 A: YUN ORR #400
approximator J. Thomson, 1865: 552 (*Celosterna*) A: AP NP YUN ORR #280
birmanica Gahan, 1894a: 40
freneyi Schmitt, 1992: 28 A: YUN ORR #400 #435
hispidata Saunders, 1853: 112 (*Cerosterna*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX SCH SHA TAI XIZ YUN ZHE ORR
horridula Hope, 1831: 27 (*Lamia*) A: KA NP PA SCH SD TAI YUN ORR
fasciculata L. Redtenbacher, 1844: 552 (*Cerosterna*)
reticulator Fabricius, 1781: 219 (*Lamia*) A: AP FUJ GUA GUX HAI NP SD SHA YUN ORR #280 #166 #280
clathratrix J. Thomson, 1865a: 552 (*Celosterna*)
vietnamensis Breuning, 1972: 236 A: FUJ GUA HAI HKG JIX ORR
voetii J. Thomson, 1878: 51 A: FUJ GUA GUX HAI HEN HUB JIX SHA YUN ORR
pulcherrima Nonfried, 1892a: 94

genus *Astynoscelis* Pic, 1904b: 8 type species *Astynoscelis longicornis* Pic, 1904 (= *Monohammus degener* Bates, 1873)
Saitoa Matsushita, 1937: 104 type species *Saitoa teneburosa* Matsushita, 1937 (= *Monohammus degener* Bates, 1873)
degener Bates, 1873: 310 (*Monohammus*) A: FE FUJ GAN GUA GUI GUX HEI HUB HUN JA JIA JIL JIX NC NMO SC SCH SHA SHN TAI YUN ZHE
contempta Gahan, 1888b: 62 (*Haplohammus*)
longicornis Pic, 1904b: 8
nana Ganglbauer, 1889a: 81 (*Haplohammus*)
savioi Pic, 1925a: 21 (*Orsidis*)
teneburosa Matsushita, 1937: 104 (*Saitoa*)

genus *Blepephaeopsis* Breuning, 1938c: 193 type species *Blepephaeopsis nigrosparsus* Breuning, 1938
taomeiae Hayashi, Nara & Yu, 1995: 149 (*Uraeoides*) A: TAI #512
yagii Hayashi, 1992: 150 A: TAI

genus *Blepephaeus* Pascoe, 1866b: 249 type species *Monohammus succinator* Chevrolat, 1852
Parablepephaeus Breuning, 1980c: 171 type species *Parablepephaeus lumawigi* Breuning, 1980
Perihammus Aurivillius, 1923b: 21 type species *Perihammus bifasciatus* Aurivillius, 1924 (= *Monohammus infelix* Pascoe, 1856)
arrowi Breuning, 1935d: 70 A: KA PA SD #274
fulvus Pic, 1933a: 13 (*Uraecha*) A: YUN ORR
pardalinus Breuning, 1935d: 68
indicus Breuning, 1935d: 70 A: SD XIZ ORR
infelix Pascoe, 1856: 48 (*Monohammus*) A: FUJ GUA GUX HUN JIX ?KO SCH SHA ZHE #225 #400
bifasciatus Aurivillius, 1924: 21 (*Perihammus*)
multinotatus Pic, 1925a: 18 (*Nemophas*) A: GUX ORR
nepalensis Hayashi, 1981a: 13 (*Perihammus*) A: NP PA #274
nigrofasciatus Pu, 1999: 84 A: HAI
nigrosparsus Pic, 1925b: 28 A: UP YUN ORR
nigrostigma W.-K. Wang & S.-N. Jiang, 1998a: 459, 460 A: YUN
ocellatus Gahan, 1888c: 262 (*Monochamus*) A: BT NP YUN ZHE "North India" ORR
pauloperforatus Pic, 1930b: 17 (*Epepeotes*)
wittmeri Breuning, 1975d: 342 (*Cypriepepeotes*)
puae Lin, 2011: 44 [RN] A: YUN
undulatus Pu, 1999: 79 (*Perihammus*)
stigmatosus Gahan, 1894a: 44 A: YUN ORR
laosensis Pic, 1930b: 18 (*Epepeotes*)
subannulatus Breuning, 1979c: 100 A: YUN ZHE ORR #400
subcruciatus White, 1858b: 410 (*Monohammus*) A: GUA GUX HAI HKG
succinator Chevrolat, 1852: 417 (*Monohammus*) A: AP GUA GUX HAI HKG HUN JIA JIX NP SCH SD SHA SHG TAI XIZ YUN ZHE ORR #280 #225
fleutiauxi Lameere, 1893a: 283
fuscomaculatus Breuning, 1948a: 11 (*Perihammus*)
humeralis Pic, 1925: 23
obfuscatus White, 1858b: 410
scutellaris Fairmaire, 1895: 179
sublineatus White, 1858b: 410
variegatus Gressitt, 1940b: 107 A: HAI YUN ORR
sciamai Breuning, 1962b: 19 (*Paramelanauster*)

- genus *Cereopsius* Pascoe, 1857b: 105** type species *Cereopsius exoletus* Pascoe, 1857
Etymestia Pascoe, 1866c: 228 type species *Cereopsius helena* White, 1858
Vitticereopsius Breuning, 1961c: 143 type species *Epepeotes vittipennis* Fisher, 1935
aureomaculatus Breuning, 1968a: 24 A: YUN **ORR** #400
praetorius Erichson, 1834: 268 (*Lamia*) A: TAI (Lanyu Is.) **ORR**
elpenor Pascoe, 1862: 344
shamankariyali Kano, 1939: 30
- genus *Cerosterna* Dejean, 1835: 341** type species *Lamia gladiator* Fabricius, 1801 (= *Lamia scabrator* Fabricius, 1781)
Celosterna J. Thomson, 1860: 85 type species *Celosterna gladiator* (Fabricius, 1801) (= *Lamia scabrator* Fabricius, 1781) #300
Coelosterna Gemminger, 1872: 3024 [unnecessary emendation]
Falsopriona Pic, 1925c: 3 type species *Falsopriona luteopubens* Pic, 1925
Loxotropoides Fisher, 1935: 600 type species *Loxotropoides brunnea* Fisher, 1935
Psaromaia Pascoe, 1866c: 289 type species *Psaromaia tigrina* Pascoe, 1866
Toxosterna J. Thomson, 1868c: 178 type species *Lamia spinator* Fabricius, 1798
Trichocelosterna Breuning, 1965: 45 type species *Celosterna rouyeri* Ritsema, 1906
scabrator Fabricius, 1781: 224 (*Lamia*) A: NP PA UP **ORR**
gladiator Fabricius, 1801: 284 (*Lamia*)
griseator Aurivillius, 1920: 12 (*Celosterna*)
murina Nonfried, 1894: 82 (*Aristobia*)
renei Pascoe, 1888: 501 (*Psaromaia*)
spinator Fabricius, 1798: 145 (*Lamia*)
- genus *Combe* J. Thomson, 1864: 83** type species *Monohammus brianus* White, 1858
Mimomyagrus Breuning, 1970: 88 type species *Mimomyagrus pfallneri* Breuning, 1970 #780
brianus White, 1858b: 409 (*Monohammus*) A: NP
fulguratus J. Thomson, 1864: 84
- genus *Coscinesthes* Bates, 1890: 246** type species *Coscinesthes porosus* Bates, 1890
minuta Pu, 1985b: 271 A: YUN
porosa Bates, 1890: 247 A: GUA HEN SCH SHA YUN ZHE
grossefoveata Breuning, 1958h: 262 (*Trichocoscinesthes*)
multiperforata Pic, 1920a: 2 (*Monochamus*)
salicis Gressitt, 1951a: 380 A: SCH YUN ZHE
foveata Chiang & Li, 1984: 99 (*Haplothrix*) #301
- genus *Cremnosterna* Aurivillius, 1920: 12** type species *Monohammus carissimus* Pascoe, 1857
carissima Pascoe, 1857b: 104 (*Monohammus*) A: NP XIZ YUN **ORR**
laosensis Breuning, 1965e: 47 (*Jeanvoinea*)
maculosa J. Thomson, 1865: 552 (*Celosterna*)
ocellata Nonfried, 1892c: 379 (*Celosterna*)
pardalis J. Thomson, 1865: 552 (*Celosterna*)
tessellata White, 1858b: 404 (*Celosterna*)
vittata Gilmour, 1956c: 747
plagiata White, 1858b: 403 (*Celosterna*) A: PA YUN **ORR** #274
- genus *Cribragapanthia* Pic, 1903g: 121** type species *Cribragapanthia scutellata* Pic, 1903
scutellata Pic, 1903g: 121 A: GUI GUX SCH YUN **ORR**
- genus *Cribrohammus* Breuning, 1966b: 1** type species *Cribrohammus chinensis* Breuning, 1966 #226
Pseudagapanthia Breuning, 1971b: 77 type species *Cribrohammus chinensis* Breuning, 1966
chinensis Breuning, 1966b: 2 A: YUN
fragosus Holzschuh, 1998: 48 A: SCH SHA #225
- genus *Cyanagapanthia* Breuning, 1968a: 25** type species *Cyanagapanthia bicolor* Breuning, 1968
aurescens W.-K. Wang & L.-Y. Zheng, 2002b: 79 A: YUN
bicolor Breuning, 1968a: 25 A: YUN **ORR** #400
- genus *Dolichoprosopus* Ritsema, 1881c: 149** type species *Dolichoprosopus maculatus* Ritsema, 1881
sameshimai N. Ohbayashi, 2001b: 265 A: JA
yokoyamai Gressitt, 1937b: 322 (*Monochamus*) A: JA
- genus *Euoplia* Hope, 1839: 42** type species *Euoplia polypspila* Hope, 1839
polypspila Hope, 1839: 452 A: YUN **ORR** #664
- genus *Epepeotes* Pascoe, 1866b: 249** type species *Lamia lusca* Fabricius, 1787
Diochares Pascoe, 1866c: 303 type species *Cerambyx fimbriatus* Olivier, 1797 (= *Lamia fimbriata* Olivier, 1800 = *Cerambyx desertus* Linnaeus, 1758)
#373

- Falsomonochammus* Pic, 1943b: 3 type species *Falsomonochammus diverseglabratus* Pic, 1943
Mengelotes L. S. Dillon & E. S. Dillon, 1941: 43 type species *Mengelotes ambiguus* L. S. Dillon & E. S. Dillon, 1941
[*ambigenus ambigenus* Chevrolat, 1841: 228 (*Monochammus*) **ORR**]
ambigenus formosanus Gressitt, 1951a: 361 A: TAI
himalayanus Breuning, 1950a: 1 A: NP **ORR** #390
luscus Fabricius, 1787: 139 (*Lamia*) A: HKG HP JIX SCH YUN **ORR** #348 #521
alorenensis Breuning, 1960e: 29
enganensis Gahan, 1907: 80
fumosus Pascoe, 1866c: 301
soembanicus Schwarzer, 1931a: 66
uncinatus Gahan, 1888a: 271 A: AP BT NP SD XIZ YUN "North India" **ORR** #280
lineatus Pic, 1944a: 14 (*Pseudopsacothea*)
salvazai Pic, 1925a: 18
vittatus R.-Y. Wang, 1991: 244, 248 A: SCH
- genus *Epicedia* J. Thomson, 1864: 78** type species *Lamia carcelli* Guérin-Méneville, 1833 (= *Lamia maculatrix* Perty, 1831)
maculatrix Perty, 1831: xlii (*Lamia*) A: HP
carcelli Guérin-Méneville, 1833b: 491 (*Lamia*)
pleuricosta J. Thomson, 1857e: 179 (*Leprodera*)
- genus *Erythrotes* Lazarev, 2020d: 171** type species *Erythrotes murzini* Lazarev, 2020
murzini Lazarev, 2020d: 172 A: SCH
- genus *Eutaenia* J. Thomson, 1857e: 184** type species *Ceroplesis javeti* J. Thomson, 1857 (= *Lamia trifasciella* White, 1850)
Eutaeniopsis Gahan, 1888a: 277 type species *Lamia trifasciella* White, 1850
trifasciella White, 1850: 13 (*Lamia*) A: FUJ GUA GUX HKG HUN JIX YUN **ORR**
javeti J. Thomson, 1857b: 127 (*Ceroplesis*)
trifasciata J. Thomson, 1864: 72
- genus *Falsagnia* Breuning, 1938b: 93** type species *Falsagnia obenbergeri* Breuning, 1938
obenbergeri Breuning, 1938b: 93 A: SD
- genus *Falsocylindropomus* Pic, 1927b: 35** type species *Falsocylindropomus maculosus* Pic, 1927 #400
maculosus Pic, 1927b: 35 A: GUX **ORR**
- genus *Gibbohammus* W.-K. Wang & Jiang, 1999b: 121** type species *Gibbohammus stricticollis* W.-K. Wang & Jiang, 1999
stricticollis W.-K. Wang & Jiang, 1999b: 122 A: HAI
- genus *Hainanhammus* Gressitt, 1940b: 108** type species *Hainanhammus griseopubens* Gressitt, 1940
griseopubens Gressitt, 1940b: 108 A: HAI
- genus *Haplothrix* Gahan, 1888a: 278** type species *Haplothrix simplex* Gahan, 1888
amicator Gahan, 1888c: 261 (*Monochamus*) A: AP SD #280 #280
- genus *Hechinoscema* J. Thomson, 1857e: 181** type species *Hechinoscema spinosa* J. Thomson, 1857
spinosa J. Thomson, 1857e: 182 A: SD **ORR** #280
armata White, 1858b: 405 (*Monohammus*)
- genus *Macrochenus* Guérin-Méneville, 1843: 59** type species *Cerambyx tigrinus* Olivier, 1797
Mecotagus Pascoe, 1866c: 252 type species *Cerambyx tigrinus* Olivier, 1797
assamensis Breuning, 1935d: 61 A: XIZ YUN **ORR**
guerinii White, 1858a: 274 (*Pelargoderus*) A: AP GUX NP SCH SD XIZ YUN **ORR** #60 #166
isabellinus Aurivillius, 1920: 12
tigrinus Olivier, 1797: 468 (*Lamia*) [1800: 101 (*Cerambyx*)] A: PA SD **ORR** #280 #373
birmanus J. Thomson, 1878: 49
tesselatus Guérin-Méneville, 1843: 58
tonkinensis Aurivillius, 1920: 12 A: GUA GUI GUX HAI HUB YUN **ORR**
inarmatus Gressitt, 1940b: 92 (*Psacothea*)
semijunctus Pic, 1944a: 11
- genus *Mecynippus* Bates, 1884a: 240** type species *Mecynippus pubicornis* Bates, 1884
ciliatus Gahan, 1888a: 273 (*Monohammus*) A: CHQ GUA GUX HAI HKG JIX SCH YUN **ORR** #307
delkeskampii Breuning, 1961i: 311 (*Mimotheustus*)
luteicornis Xie, Shi & W.-K. Wang, 2012a: 67 (*Mimotheustus*)
rondoni Breuning, 1964e: 50 (*Monohammus*)
pubicornis Bates, 1884a: 241 A: HUB JA KO #308
- genus *Meges* Pascoe, 1866: 272c** type species *Monohammus gravidus* Pascoe, 1858 #647

Magninia Clermont, 1932 type species *Magninia tonkinae* Clermont, 1932: 215
gravidus Pascoe, 1858: 245 (*Monohammus*) A: ANH FUJ HEN HUN SHA SHN ZHE **ORR** #60 #647
multimaculatus Pic, 1933c: 31 (*Apriona*) #647
tonkineus Clermont, 1932: 215 (*Magninia*) A: GUX HAI **ORR** #647

genus *Mimocoelosterna* Breuning, 1940b: 125 type species *Mimocoelosterna flavescens* Breuning, 1940
hainanensis Breuning, 1966g: 289 A: HAI

genus *Mimocratotragus* Pic, 1926j: 323 type species *Mimocratotragus superbus* Pic, 1926
superbus Pic, 1926j: 324 A: HUN YUN

genus *Mimognoma* Breuning, 1959d: 151 type species *Mimognoma szetschuanensis* Breuning, 1959
szetschuanensis Breuning, 1959d: 151 A: SCH

genus *Mimorsidis* Breuning, 1938a: 33 type species *Mimorsidis lemoulti* Breuning, 1938
scutellata Gressitt, 1951a: 404 A: FUJ
taiwanensis Hayashi, 1974c: 47 A: TAI
yaeyamensis Samuelson, 1965b: 96 A: JA (Ryukyus)
ishigakiana Breuning & Villiers, 1973: 49 (*Acalolepta*)

genus *Mimothestus* Pic, 1935e: 15 type species *Mimothestus annulicornis* Pic, 1935
annulicornis Pic, 1935e: 16 A: GUA GUI GUX HKG HUB YUN **ORR**
atricornis Pu, 1999: 81 A: HAI

genus *Monochamus* Dejean, 1821: 106 type species *Cerambyx sutor* Linnaeus, 1758 #521 #635
subgenus *Monochamus* Dejean, 1821: 106 type species *Cerambyx sutor* Linnaeus, 1758
Ceratades Gistel, 1834: 29 [unnecessary substitute name]
Monohammus Dejean, 1835: 340 [unjustified emendation]
abruptus Holzschuh, 2015d: 73 A: SHA
alboapicalis Pic, 1934a: 9 (*Thrysimia*) A: GUX **ORR**
strandiellus Breuning, 1935b: 153
alternatus alternatus Hope, 1842a: 61 A: ANH FUJ GUA GUI GUX HEB HEN HKG HUB HUN JIA JIX SC SCH SHN XIZ YUN ZHE
ORR
tesserula White, 1858b: 408 (*Monohammus*)
alternatus endai Makihara, 2004a: 17 A: JA TAI
basifossulatus Breuning, 1938c: 185 A: NP YUN **ORR**
bimaculatus Gahan, 1888c: 260 (*Monohammus*) A: AP GUA GUX HAI HUB HUN JIX NP PA SD TAI UP XIZ YUN ZHE **ORR** #280
ingranulatus Pic, 1925a: 20 (*Monohammus*)
binigracollis Breuning, 1965d: 51 A: GUI YUN **ORR** #400
bootangensis Breuning, 1947a: 9 A: BT
desperatus J. Thomson, 1857f: 295 A: SD
fredericus White, 1858b: 408 (*Monochammus*)
dubius Gahan, 1894a: 35 (*Monohammus*) A: FUJ GUA GUI GUX HAI NP SCH SD SHA TAI XIZ YUN #400
sintikensis Matsushita, 1939: 58
sparsenotatus Pic, 1920a: 2
foraminosus Holzschuh, 2015d: 74 A: SCH
foveatus Breuning, 1961c: 142 A: YUN
galloprovincialis cinerascens Motschulsky, 1860b: 150 (*Monochammus*) E: NT A: ES FE HEI JIL MG NMO WS
sibiricus Pic, 1908b: 5 (*Monohammus*)
galloprovincialis galloprovincialis Olivier, 1800: No. 67: 125 (*Cerambyx*) E: FR IT(Sicily) PT SP N: AG **CI** MO **MR** TU #373
parendeli Théry, 1891: xxiii (*Monohammus*)
subrufopubens Pic, 1912g: 18
galloprovincialis pistor Germar, 1818: 242 (*Lamia*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT MC MD ME NL
NT PL RO SB SK SL ST SV SZ TR UK A: KI KZ WS #357
lignator Krynicki, 1832: 158
nitidior Abeille de Perrin, 1870: 87 (*Monohammus*)
unifasciatus Pic, 1905a: 12 (*Monohammus*) ["Altaï"]
galloprovincialis tauricola Pic, 1912g: 18 A: JO SY TR #74
galloprovincialis transittivus Lazarev, 2017a: 18 A: AB AR GG ST TR
gardneri Breuning, 1938c: 185 A: SD
grandis C. O. Waterhouse, 1881: 431 A: FE (**Kunashir, Shikotan**) JA
guerryi Pic, 1903g: 121 (*Monohammus*) A: GUA GUI GUX HUB HUN SCH YUN **ORR**
granulipennis Breuning, 1938a: 52 (*Melanauster*) #309
guttulatus Gressitt, 1951a: 394 [RN] A: FE HEI HEN JIL LIA NIN NC SC #400
guttatus Blessig, 1873: 196 (*Monohammus*) [HN]
~~*hickeyi* Breuning, 1964g: 445 A: BT~~ #589
impluviatus Motschulsky, 1859a: 571 (*Monohammus*) E: CT NT A: ES FE HEI KO MG NMO SHA WS

silvicola Z. Wang, 2003: 331, 397 #400
karlitzingeri Tavakilian & Jiroux, 2015: 77 A: FUJ SCH **ORR**
izingeri Breuning, 1938c: 190 (*Melanauster*) [HN]
luteodispersus Pic, 1927b: 35 (*Monohammus*) A: FUJ **ORR**
maruokai Hayashi, 1962c: 8 A: JA (Ryukyus)
masaoi Kusama & Takakuwa, 1984: 431 A: JA (Ryukyus)
nigromaculatus Gressitt, 1942c: 2 A: SHA XIZ #225
nitens Bates, 1884a: 238 (*Monohammus*) A: FE (**Kunashir, ?Sakhalin**) JA SC
griseonotatus Pic, 1921b: 6 (*Monohammus*)
rectus Holzschuh, 2015d: 72 A: HEN SHA
saltuarius occidentalis Sláma, 2017b: 934 E: AU BH ?BY CR CT CZ GE HU IT LA LT NT PL RO SK SL UK #752
saltuarius saltuarius Gebler, 1830: 184 (*Monohammus*) E: ?CT ?NT A: ES FE KZ HEI JA JIL JIX MG NC NMO SC SHA SHN SHX ?WS
XIN ZHE #313
sartor sartor Fabricius, 1787: 137 (*Lamia*) E: AU BH BU BY CR CZ FR ~~GB~~ GE HU IT LS PL RO **SB** SK SL SZ UK
mulsantii Seidlitz, 1891a: 749 [1891b: 844] (*Monohammus*)
okenianus Gistel, 1857a: 49 (*Monohammus*)
sartor urussovii Fischer von Waldheim, 1806: 12 (*Cerambyx*) E: BY CT EN FI LA LT NR NT ST SV UK A: ES FE KZ MG NC NIN NMO
NW HEB HEI HEN JA JIL SC SHA WS XIN
quadrimaculatus Motschulsky, 1845a: 86 (*Monohammus*)
schaufusi Pic, 1912g: 18
sparsutus Fairmaire, 1889a: 67 A: ANH FUJ HEN HUB HUN JIX SCH SHA TAI YUN ZHE
subconvexicollis Breuning, 1967f: 183 A: BT
subfasciatus kumageinsularis Hayashi, 1955: 35 A: JA
subfasciatus meridianus Hayashi, 1955: 57 A: JA
subfasciatus shikokuensis Breuning, 1956a: 1 A: JA
subfasciatus subfasciatus Bates, 1873: 308 (*Monohammus*) A: FUJ JA JIX SC TAI
beloni Pic, 1901k: 341 (*Monohammus*)
fascioguttatus Gressitt, 1938b: 156
subgranulipennis Breuning, 1974h: 153 A: GUI
subtriangularis Breuning, 1972c: 416 A: AP
sutor longulus Pic, 1898c: 23 (*Monohammus*) A: ES FE HEI HEN JA JIL MG NC NMO SHN QIN XIN ZHE
sutor sutor Linnaeus, 1758: 392 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LS LT **MD** ME NL NR
NT PL RO SB SK SL SP ST SV SZ UK A: **AR** GG KZ MG WS **NARI**
atomarius DeGeer, 1775: 65 (*Cerambyx*)
heinrothi Cederhjelm, 1798: 88 (*Lamia*)
obscurior Abeille de Perrin, 1869: 42 (*Monohammus*)
pellio Germar, 1818: 244 (*Lamia*)
rosenmuelleri Cederhjelm, 1798: 89 (*Lamia*) [DA]
taiheizanensis Mitono, 1943: 580 A: TAI
talianus Pic, 1912h: 20 A: GUI XIZ YUN #400
tonkinensis Breuning, 1935c: 249 A: GUA **ORR**
subgenus *Opepharus* Pascoe, 1868: xiii type species *Opepharus signator* Pascoe, 1868 (= *Monochamus tridentatus* Chevrolat, 1833)
Lophoptera Perroud, 1855: 352 [HN] type species *Lophoptera spectabilis* Perroud, 1855
Zephyropepharus Hayashi, 1962c: 6 type species *Opepharus asiaticus* Hayashi, 1962
asiaticus Hayashi, 1962: 7 A: JA (Ryukyus)
kaszabi Heyrovský, 1955b: 260 A: TAI #602
subgenus *Tibetobia* Frivaldszky, 1892a: 118 type species *Tibetobia szechenyiana* Frivaldszky, 1892 (= *Monohammus millegranus* Bates, 1891)
millegranus Bates, 1891b: 80 (*Monohammus*) A: FUJ GUI SCH XIZ YUN
szechenyianus Frivaldszky, 1892a: 119 (*Tibetobia*)
touzalini Pic, 1920b: 198 (*Monohammus*)
genus *Myagrus* Pascoe, 1878: 372 type species *Myagrus hynesi* Pascoe, 1878
yagii Hayashi, 1994: 74 A: TAI
genus *Nanohammus* Bates, 1884a: 243 type species *Nanohammus rufescens* Bates, 1884
Microcycos Pic, 1934a: 9 type species *Microcycos annulicornis* Pic, 1934
Pararhodopis Breuning, 1935b: 174 type species *Rhodopis abberans* Gahan, 1894
Rarasanus Matsushita, 1941: 156 type species *Rarasanus subfasciatus* Matsushita, 1941
aberrans Gahan, 1894a: 59 (*Rhodopis*) A: GUX **ORR**
myrrhatus Pascoe, 1878: 374 (*Euthyastus*) A: AP #280
oshimanus Breuning & K. Ohbayashi, 1964: 15 A: JA (Ryukyus)
rufescens Bates, 1884a: 244 A: HUB JA
griseonotatus Pic, 1931c: 14
sinicus Pic, 1926c: 16 (*Orsidis*) A: FUJ GUA HKG HUN JIA JIX SCH
blairi Gressitt, 1937d: 598 (*Rhodopis*)
strandii Breuning, 1935: 173 (*Rhodopis*)
subfasciatus Matsushita, 1941: 157 (*Rarasanus*) A: TAI

taiyal Gressitt, 1951a: 628
yunnanus W.-K. Wang & Jiang, 2000b: 80 A: YUN

genus *Neodihammus* Breuning, 1935d: 60 type species *Neodihammus pici* Breuning, 1935
pici Breuning, 1935d: 60 A: SE SW

genus *Neoxenicotela* Breuning, 1947a: 10 type species *Neoxenicotela mausoni* Breuning, 1947

Maaia Gressitt, 1951a: 384 type species *Maaia terminata* Gressitt, 1951
mausoni Breuning, 1947a: 11 A: FUJ GUX HAI **ORR** #60
flavotarsus W.-K. Wang & L.-Y. Zheng, 2002a: 377, 379 (*Parapolytrechus* –wrong spelling of *Parapolytretus* Br.) #167
terminata Gressitt, 1951a: 385 (*Maaia*)

genus *Paragnia* Gahan, 1893b: 384 type species *Paragnia fulvomaculata* Gahan, 1893

fulvomaculata Gahan, 1893b: 385 A: GUI SD YUN **ORR**
aureomaculata Chiang & Li, 1984: 100 (*Stegenagapanthia*)

genus *Paraleprodera* Breuning, 1935e: 253 type species *Lamia crucifera* Fabricius, 1793

carolina Fairmaire, 1900: 641 (*Archidice*) A: FUJ **GAN** GUI HUB HUN JIA JIX SCH SHA TAI YUN ZHE **ORR** #225 #496
diophthalma diophthalma Pascoe, 1857a: 49 (*Morimus*) A: ANH FUJ GUI GUX HEB HEN HUB HUN JIA JIX **SC** SCH SHA YUN ZHE #546

bioculata Fairmaire, 1900: 641 (*Leprodera*)
diophthalma formosana Schwarzer, 1925: 58 (*Leprodera*) A: TAI
insidiosa Gahan, 1888d: 391 (*Leprodera*) A: NP **SCH** SD YUN

bimaculata W.-K. Wang & Jiang, 2000b: 80 #547
imbasalis Pic, 1925a: 18 (*Epepeotes*)
unimaculata Pic, 1925a: 19 (*Epepeotes*)

itzingeri Breuning, 1935e: 255 A: TAI
mesophthalma Bi & Lin, 2012: 6 A: XIZ
stephana White, 1858b: 406 (*Monohammus*) A: BT GUX NP SD XIZ YUN **ORR**
fasciata W.-K. Wang, 1997: 440 #76

officinata White, 1858b: 409 (*Monohammus*)
quadrinotata J. Thomson, 1865: 554 (*Archidice*)
triangularis J. Thomson, 1865: 554 (*Epicedia*) A: GUX YUN **ORR**
lecta Gahan, 1888d: 389 (*Leprodera*)

genus *Paraepepeotes* Pic, 1935: 16 type species *Paraepepeotes breuningi* Pic, 1935

Paraepepeotes Breuning, 1938c: 182 type species *Paraepepeotes breuningi* Pic, 1935
affinis Breuning, 1938c: 183 (*Paraepepeotes*) A: UP **ORR**
albomaculatus Gahan, 1888a: 272 (*Epepeotes*) A: BT "North India"
breuningi Pic, 1935b: 16 A: SCH SHA XIZ YUN **ORR** #60 #225
guttatus Guérin-Méneville, 1844: 242 (*Monohammus*) A: AP NP SCH SD "Himalaya" **ORR** #280 #280
punctulatus Westwood, 1848: 12 (*Monohammus*)
marmoratus Pic, 1925a: 19 (*Monohammus*) A: YUN **ORR**
szetschuanicus Breuning, 1969e: 188 (*Paraepepeotes*) A: SCH
westwoodi Westwood, 1848: 12 (*Monohammus*) A: SD "Himalaya"

genus *Paramelanauster* Breuning, 1936: 294 type species *Paramelanauster bimaculatus* Breuning, 1936
flavosparsus Breuning, 1936: 295 A: YUN **ORR**

genus *Parapolytretus* Breuning, 1943c: 143, 165 type species *Cycos rugosus* Matsushita, 1933 #167
Breuningia Matsushita, 1943: 576 [HN] type species *Cycos rugosus* Matsushita, 1933
rugosus Matsushita, 1933b: 335 (*Cycos*) A: TAI

genus *Pareutaenia* Breuning, 1948a: 11 type species *Pareutaenia flavostellata* Breuning, 1948
arnaudi Breuning, 1962b: 18 A: GUX **ORR**

genus *Parhaplothrix* Breuning, 1935e: 255 type species *Parhaplothrix strandi* Breuning, 1935
szetschuanica Breuning, 1935e: 256 A: GUX SCH

genus *Paruraecha* Breuning, 1935d: 64 type species *Paruraecha szetschuanica* Breuning, 1935

subgenus *Arisania* Gressitt, 1936: 106 type species *Arisania submarmorata* Gressitt, 1936
acutipennis Gressitt, 1942e: 209 (*Arisania*) A: GUA GUI SHA YUN
submarmorata Gressitt, 1936: 107 (*Arisania*) A: SHA TAI #225
subgenus *Paruraecha* Breuning, 1935d: 64 type species *Paruraecha szetschuanica* Breuning, 1935
sikkimensis Breuning, 1938c: 192 A: SD
szetschuanica Breuning, 1935d: 65 A: SCH

genus *Plepephaeus* Kusama & Takakuwa, 1984: 14 type species *Cereopsius decoloratus* Schwarzer, 1925
decoloratus Schwarzer, 1925b: 59 (*Cereopsius*) A: TAI
ishigakianus Yokoyama, 1971: 97 (*Blepephaeus*) A: JA (Ryukyus)
lutaensis Takakuwa, 1991: 55 A: TAI (Ludao Is.)
nobuoi Breuning & K. Ohbayashi, 1966: 31 (*Blepephaeus*) A: JA (Ryukyus)
okinawanus doii Fujita, 2002: 10 A: JA (Ryukyus)
okinawanus okinawanus Hayashi, 1962: 6 (*Blepephaeus*) A: JA (Ryukyus)
satoi Makihara, 2003: 358 A: JA (Ryukyus)
yayeyamai Breuning, 1955b: 60 (*Blepephaeus*) A: JA (Ryukyus)
caesius Takakuwa, 1984: 13
yonagunii Breuning & K. Ohbayashi, 1964: 27 (*Blepephaeus*) A: JA (Ryukyus)
ziczac Matsushita, 1940: 54 (*Etymentia*) A: TAI #450
formosana Matsushita, 1941: 156 (*Eutenia*)

genus *Peribasis* J. Thomson, 1864: 86 type species *Monohammus helenor* Newman, 1851
pubicollis Pascoe, 1866c: 231 A: BT ORR #264
albisparsa Ritsema, 1888c: 203

genus *Pharsalia* J. Thomson, 1864: 85 type species *Pharsalia malasiaca* J. Thomson, 1864
subgenus *Antennopharsalia* Breuning, 1944b: 330 type species *Pharsalia antennata* Gahan, 1894
antennata Gahan, 1894a: 46 A: FUJ GUX SCH SD YUN ORR #496

rondoni Breuning, 1963d: 20
tuberculifera Pic, 1903b: 22 (*Triammatus*)

subgenus *Cycos* Pascoe, 1866b: 244 type species *Monohammus subgemmatus* J. Thomson, 1857
gibbifera Guérin-Méneville, 1844: 243 (*Monohammus*) A: SD

subgemmata J. Thomson, 1857f: 294 (*Monochamus*) A: FUJ GUA GUX HAI HEN NP SCH SD XIZ YUN "Himalaya" ORR

georgia White, 1858b: 407

rondoniana Breuning, 1964: 46 (*Anoplophora*) #309

subgenus *Pharsalia* J. Thomson, 1864: 85 type species *Pharsalia malasiaca* J. Thomson, 1864

mandli Tippmann, 1955: 118 A: FUJ

pulchra pulchra Gahan, 1888a: 280 A: GUX HAI HUN ORR

albofasciata Pic, 1932b: 34

ferruginea Gahan, 1906a: 116

nigrofasciata Aurivillius, 1913: 14

thibetana Breuning, 1982: 17 A: XIZ

genus *Polytretus* Gahan, 1893b: 382 type species *Polytretus cribripennis* Gahan, 1893

cribripennis Gahan, 1893b: 383 A: SD XIZ ORR

genus *Psacotha* Gahan, 1888d: 400 type species *Monohammus hilaris* Pascoe, 1857

hilaris botelensis K. Ohbayashi & N. Ohbayashi, 1965: 4 A: TAI (Lanyu Is.)

hilaris hilaris Pascoe, 1857b: 103 (*Monohammus*) Ei: FR (Rhône-Alpes) IT A: ANH FUJ GAN GUA GUI GUX HAI HEB HEN HUB HUN #488

JA JIA JIX NE SC SCH SHA TAI YUN ZHE ORR

albomaculata Kano, 1933a: 278

flavoguttata Fairmaire, 1887a: 133 (*Diochaes*)

machidai Seki, 1935b: 292

suzukii Shiraki, 1913: 611 (*Hammoderus*)

szetschuanica Breuning, 1943c: 220

hilaris insularis Hayashi, 1960d: 25 A: JA

hilaris intermedia Breuning & K. Ohbayashi, 1966: 31 A: JA (Ryukyus)

hilaris ishigakiana K. Ohbayashi & N. Ohbayashi, 1965: 4 A: JA (Ryukyus)

iriomotensis Hayashi, 1969a: 63

hilaris macronotata Hayashi, 1956c: 20 A: JA (Tokara Isls.)

hilaris maculata Hayashi, 1962: 17 A: JA (Ryukyus)

hilaris miyakejimana Matsushita, 1937: 314 A: JA (Izu Isls.)

hilaris miyakoana K. Ohbayashi & N. Ohbayashi, 1965: 5 A: JA (Ryukyus)

hilaris teneburosa Matsushita, 1933b: 322 A: JA (Ryukyus)

hilaris yonaguniana K. Ohbayashi & N. Ohbayashi, 1965: 4 A: JA (Ryukyus)

nigrostigma W.-K. Wang, Jiang & L.-Y. Zheng, 2002: 177 A: YUN

rubra Gressitt, 1938a: 49 A: SCH

genus *Pseudechthistatus* Pic, 1917e: 6 type species *Pseudechthistatus obliquefasciatus* Pic, 1917

acutipennis Chiang, 1981: 80 A: SCH

chiangshunani Bi & Lin, 2016: 65 A: YUN ORR

glabripennis Bi & Lin, 2016: 77 A: YUN ORR

granulatus Breuning, 1942e: 133 A: ?SCH YUN

hei Xie & W.-K. Wang, 2019: 184 A: YUN

holzschuhi Bi & Lin, 2016: 69 A: YUN
obliquefasciatus Pic, 1917e: 7 A: YUN
pufujiae Bi & Lin, 2016: 73 A: YUN
rugosus Huang, 2020: 593 A: YUN
sinicus Bi & Lin, 2016: 63 A: YUN

genus *Pseudomacrochenus* Breuning, 1943c: 271 type species *Pelargoderus antennatus* Gahan, 1894
affinis Breuning, 1960e: 30 A: SD #343
albipennis Chiang, 1981: 81 A: SCH
antennatus Gahan, 1894a: 34 (*Pelargoderus*) A: FUJ HAI SCH YUN ORR
apicalis Gahan, 1900d: 348 (*Pelargoderus*)
perplexus Schwarzer, 1926a: 11 (*Pelargoderus*)
rufulosparus Fairmaire, 1902b: 268 (*Mecotagus*)
oberthueri Breuning, 1955b: 59 A: SCH
spiniollis Breuning, 1949a: 5 A: YUN ORR #382
wusuae He, Liu & Wang, 2017: 113 A: SCH

genus *Pseudomeges* Breuning, 1944b: 299 type species *Hammaticherus marmoratus* Westwood, 1848
 aureus Bi, Chen & Lin, 2022: 248 A: YUN
marmoratus Westwood, 1848: 11 (*Hammaticherus*) A: AP BT "Himalaya" XIZ #280 #647
variotti Le Mout, 1946: 136 A: GUA HAI SCH YUN XIZ ORR #647
gigas Lepesme 1947: 411 #126

genus *Pseudonemophas* Breuning, 1944b: 281 type species *Monochamus baluanus* Aurivillius, 1923
versteegii Ritsema, 1881d: 155 (*Monochamus*) A: AP FUJ HAI NP SCH SD YUN ORR #280
albescens Pic, 1920a: 2 (*Monochamus*)
glabronotatus Pic, 1934g: 34 (*Monochamus*)
siamensis Breuning, 1982: 17 (*Anoplophora*)
subuniformis Pic, 1934g: 34 (*Monochamus*)

genus *Pseudopsacothea* Pic, 1935b: 16 type species *Pseudopsacothea albonotata* Pic, 1935
albonotata albonotata Pic, 1935b: 16 A: GUA GUI GUX HAI JIX ORR #400
albonotata psacothaeoides Gressitt, 1942f: 6 (*Epepeotes*) [RN] A: HAI
tonkinensis Gressitt, 1940b: 93 (*Epepeotes*) [HN]

genus *Pseudorsidis* Breuning, 1944: 495 type species *Diochares griseomaculata* Pic, 1916
griseomaculata Pic, 1916e: 18 (*Diochares*) A: YUN

genus *Pseudotrachystola* Breuning, 1943c: 187 type species *Trachystola rugiscapus* Fairmaire, 1900
rugiscapus Fairmaire, 1900: 640 (*Trachystola*) A: ?FUJ ?SCH ZHE #400
strix Gressitt, 1939b: 109 (*Leprodera*)
yei Xiang, Xie & Wang, 2016: 121 A: HUB

genus *Pseuduraecha* Pic, 1925a: 23 type species *Pseuduraecha sulcaticeps* Pic, 1925
punctiventris Heller, 1926: 28 (*Dihammus*) A: FUJ GUX SCH
nigronotata Pic, 1935g: 178 (*Uraecha*)
sulcaticeps Pic, 1925a: 23 A: CH

genus *Rufohammus* Breuning, 1939b: 147 type species *Rufohammus rufescens* Breuning, 1939
rufescens Breuning, 1939b: 148 [1939d] A: ?GUX ORR

genus *Sarothrocera* White, 1846: 47 type species *Sarothrocera lowii* White, 1846
lowii White, 1846: 47 A: AP ORR #166

genus *Spinaristobia* Breuning, 1963e: 8 type species: *Spinaristobia rondoni* Breuning, 1963,
rondoni Breuning, 1963e: 8 A: HAI ORR #310

genus *Stegenagapanthia* Pic, 1924a: 18 type species *Stegenagapanthia albovittata* Pic, 1924
albovittata Pic, 1924a: 18 A: GUX HAI SHA ORR

genus *Sternohammus* Breuning, 1935c: 253 type species *Dihammus femoralis* Aurivillius, 1928
sericeus Breuning, 1938c: 187 (*Paradihammus*) A: SD
yunnanus W.-K. Wang & Jiang, 1998a: 462 A: YUN

genus *Sternorsidis* Breuning, 1959c: 126 type species *Sternorsidis brunnea* Breuning, 1959
brunnea Breuning, 1959c: 126 A: SD

- genus *Stratioceros* Lacordaire, 1869: 303** type species *Stratioceros princeps* Lacordaire, 1869
Cacoscapus J. Thomson, 1878: 47 type species *Cacoscapus mouhoti* J. Thomson, 1878
princeps Lacordaire, 1869: 303 A: AP YUN **ORR** #280
mouhoti J. Thomson, 1878: 48 (*Cacoscapus*)
- genus *Taeniotes* Audinet-Serville, 1835a: 90** type species *Lamia subocellata* Olivier, 1792 (= *Cerambyx farinosus* Linné, 1758)
Metoscopius Gistel, 1848a: 131 [unnecessary substitute name]
cayennensis J. Thomson, 1859c: 98 Ei: AZ **NTR**
azoricus Kolbe, 1888: 180
- genus *Thermonotus* Gahan, 1888d: 399** type species *Thermonotus nigripes* Gahan, 1888
Gibbanamera Pic, 1923c: 19 type species *Gibbanamera ruber* Pic, 1923
nigripes Gahan, 1888d: 399 A: SD YUN #400
ruber Pic, 1923c: 20 (*Gibbanamera*) A: YUN **ORR**
- genus *Trachystohamus* Pic, 1936** type species *Trachystohamus subelongatus* Pic, 1936 #689
latefasciatus Breuning, 1944b: 435 (*Monochamus*) [RN] A: GUX **ORR**
unifasciatus Breuning, 1935e: 251 [HN]
- genus *Trachystolodes* Breuning, 1943c: 188** type species *Trachystola bimaculatus* Kriesche, 1924
huangjianbini Huang, Guo & Liu, 2020: 52 A: FUJ
neltharion C. Wang & He, 2021b: 295 A: YUN
tianjialini Yu. Wang, Xie & W. Wang, 2021: 137 A: HUB
tonkinensis Breuning, 1943c: 188 A: FUJ GUA GUX HAI JIX SCH YUN **ORR**
- genus *Trichoscinestes* Breuning, 1954d: 70** type species *Trichoscinestes szetschuanica* Breuning, 1954
szetschuanica Breuning, 1954d: 71 A: SCH
- genus *Trichohammus* Breuning, 1938c: 189** type species *Trichohammus granulatus* Breuning, 1938
granulatus Breuning, 1938c: 189 A: BEI
- genus *Uraecha* J. Thomson, 1864: 84** type species *Uraecha bimaculata* J. Thomson, 1864
albovittata Breuning, 1956c: 233 A: FUJ
angusta Pascoe, 1857a: 49 (*Monohammus*) A: ANH BEI FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX SCH SHA TAI XIZ ZHE
ORR #200
- attenuata* Pic, 1925a: 23
bimaculata Matsushita, 1933b: 330 (*Orsidis*) [HN]
horishana Matsushita, 1935: 312 [RN]
bimaculata bimaculata J. Thomson, 1864: 85 A: JA NC SC
bimaculata brevicornis Makihara, 1980: 60 A: JA
chinensis Breuning, 1935d: 61 A: ANH BEI FUJ HEB HEN HUN JIA SHA ZHE #200 #225
gilva gilva Yokoyama, 1966: 56 A: JA
gilva hachijoensis Hayashi, 1969a: 64 A: JA (Izu Isls.)
guerryi Pic, 1903e: 105 A: YUN
nigromaculata Liang, Guo, W. Yang & Sh. Yang, 2023: 2 A: GUI
obliquefasciata Chiang, 1951: 54 A: GUI
oshimana Breuning, 1954d: 70 A: JA (Ryukyus)
punctata Gahan, 1888b: 63 A: FUJ GUA HAI HKG JIX YUN **ORR** #60 #200
yunnana Breuning, 1936: 296 A: GAN SCH YUN #496
perplexa Gressitt, 1942d: 3 #200
- genus *Xenicotela* Bates, 1884a: 242** type species *Xenicotela fuscata* Bates, 1884a (= *Monohammus pardalinus* Bates, 1884)
convexicollis Gressitt, 1942g: 83 (*Monohammus*) A: TAI ZHE #662
distincta Gahan, 1888d: 392 (*Monohammus*) A: GUI NP SD YUN **ORR** #741
binigracollis, Wang 1998: 599, misidentification. #741
quadrimaculata Pic, 1925a: 16 (*Trachystola*) #741
tonkinensis Pic, 1926g: 143 (*Nephelotes*)
~~*trinotata* Pic, 1925a: 17 (*Trachystola*)~~
griseomaculata Xie, Barclay & Chen, 2022: 152 A: CHQ
mucheni Xie, Barclay & W. Wang, 2023: 197 A: YUN
pardalina Bates, 1884a: 239 (*Monohammus*) A: JA SC (Mt. Seoraksan)
fuscata Bates, 1884a: 242
- genus *Xenohammus* Schwarzer, 1931b: 204** type species *Xenohammus bimaculatus* Schwarzer, 1931
albomaculatus W.-K. Wang & Jiang, 2000b: 78, 80 A: SCH

bimaculatus Schwarzer, 1931b: 204 A: FUJ GUA GUI GUX HAI JIX SCH TAI ZHE #496
filicornis Gressitt, 1935f: 383 (*Monochammus*)
flavoguttatus Pu, 1999: 83 A: HAI
griseomarmoratus Breuning, 1956c: 233 A: FUJ
nebulosus Schwarzer, 1931b: 205 A: TAI

tribe Morimonellini Lobanov, Danilevsky & Murzin, 1981

genus *Morimonella* Podaný, 1979b: 43 type species *Morimonella bednariki* Podaný, 1979
bednariki Podaný, 1979b: 43 E: ST (NW Caucasus) A: GG (Gagry env.)

tribe Morimopsini Lacordaire, 1869

genus *Aconodes* Pascoe, 1857b: 106 type species *Aconodes montanus* Pascoe, 1857

Centrura Guérin-Méneville, 1843: 61 [HN] type species *Centrura costata* Guérin-Méneville, 1843

Dioxippe J. Thomson, 1861: 355 type species *Centrura divaricata* Coquerel, 1852

Chambaganorum Pic, 1925a: 27 type species *Chambaganorum angustatum* Pic, 1925

bilobatus Breuning, 1939e: 145 (*Centrura*) A: XIZ ORR #742

breuningi Gouverneur, 2015: 88 A: BT

submontanus Breuning, 1975d: 345 [HN]

cheni Bi, 2023: 88 A: YUN

euphorbiae Holzschuh, 2003b: 309 A: NP

gongshanus Bi, 2023: 85 A: YUN

haojiani Bi, 2023: 84 A: XIZ

latefasciatus Holzschuh, 1984a: 153 A: NP XIZ #742

lima Holzschuh, 1989a: 173 A: BT

macrotuberculatus Bi, 2023: 82 A: XIZ

montanus Pascoe, 1857b: 107 A: NP SD #378

multituberculatus Breuning, 1947a: 6 (*Centrura*) A: BT

nepalensis Heyrovský, 1976: 183 A: NP XIZ #742

ohbayashii Bi, 2023: 88 A: YUN

pedongensis Breuning, 1956g: 667 A: SD

piniphilus Holzschuh, 2003b: 309 A: BT

shihongliangi Bi, 2023: 87 A: YUN

sikkimensis Breuning, 1940b: 118 (*Centrura*) A: SD

submontanus Breuning, 1949a: 1, 4 (*Centrura*) A: YUN ORR #742

tibetanus Bi, 2023: 77 A: XIZ

truncatus Breuning, 1939b: 144 (*Centrura*) A: SD

yaojing Bi, 2023: 86 A: YUN

genus *Dolophrades* Bates, 1884a: 237 type species *Dolophrades terrenus* Bates, 1884a

Dorcadiohammus Pic, 1934a: 8 type species *Dorcadiohammus punctatus* Pic, 1934 (= *Cereopsius annulicornis* Schwarzer, 1925)

annulicornis Schwarzer, 1925b: 59 (*Cereopsius*) A: TAI

punctatus Pic, 1933a: 8 (*Dorcadiohammus*)

subdenudatus Gressitt, 1938b: 153

mustanganus Holzschuh, 2003b: 308 A: NP

terrenus Bates, 1884a: 238 A: JA

genus *Falsotrachystola* Breuning, 1950c: 218 type species *Trachystola asidiformis* Pic, 1916

asidiformis Pic, 1916i: 326 (*Trachystola*) A: YUN

dongi G.-Q. Huang, 2019: 50 - A: YUN

torquata Holzschuh, 2007: 250 A: YUN ORR #645

xui Wang Y., He, Wang P., & Wang W. 2023 A: GUI GUX

genus *Laoechinophorus* Gouverneur, 2016: 26 type species *Laoechinophorus unifasciatus* Gouverneur, 2016

yunnanus Yamasako, Vives & Liu, 2021: 96 A: YUN

genus *Morimidius* Breuning, 1939b: 156 type species *Morimidius flavosparsus* Breuning, 1939

flavosparsus Breuning, 1939b: 156 A: YUN ORR #590

shihongliangi Bi, 2020: 360 A: XIZ

genus *Mimodorcadion* Breuning, 1942a: 115 type species *Mimodorcadion griseum* Breuning, 1942 (= *Dorcadion indicum* Guérin-Méneville, 1844)

indicum Guérin-Méneville, 1844: 241 (*Dorcadion*) A: "India"

griseum Breuning, 1942a: 115

genus *Morimopsis* J. Thomson, 1857e: 182 type species *Morimopsis lacrymans* J. Thomson, 1857

amiri Bi, 2020: 356 A: YUN
assamensis Breuning, 1966d: 14 A: AP
cheni Bi, 2020: 357 A: XIZ
dalihodi Holzschuh, 2003b: 308 A: NP
dembickyi Weigel, 2018: 510 A: AP
dongdongi Bi, 2020: 353 A: XIZ
glabripennis Holzschuh, 2003b: 308 A: BT
granulipennis Breuning, 1966b: 1 A: SD
hartmanni Weigel, 2018: 513 A: NP
holzschuhi Weigel, 2018: 512 A: NP
lacrymans J. Thomson, 1857e: 183 A: NP SD #258
mussardi Breuning, 1966d: 14 A: AP
schmidti Weigel, 2018: 511 A: NP
svachai Bi, 2020: 358 A: YUN
truncatipennis Breuning, 1940d: 410 A: "North India", SD XIZ #590
unicolor Breuning, 1975d: 347 A: BT XIZ #590

genus *Petromorphus* Bi, 2016: 299 type species: *Petromorphus yunnanus* Bi, 2016
yunnanus australis Bi, 2016: 300 A: YUN
yunnanus yunnanus Bi, 2016: 299 A: YUN

genus *Pseudhepomidion* Breuning, 1936: 283 type species *Pseudhepomidion assamense* Breuning, 1936
Morimopsidius Breuning, 1948a: 4 type species *Morimopsidius triangularis* Breuning, 1948
albomaculatum Bi, 2020: 363, 364 A: XIZ
longipenne Bi, 2020: 362, 364 A: XIZ
triangulare Breuning, 1948a: 5 (*Morimopsidius*) A: BT SD
hiekei Breuning, 1964e: 445 (*Monochamus*) #258

genus *Sinodorcadion* Gressitt, 1939b: 107 type species *Sinodorcadion punctulatum* Gressitt, 1939
chinense Xie & W.-K. Wang, 2020: 292 A: HUB
chizhouense P. Wang, Xie & W. Wang, 2022c: 386 A: ANH
jiangi Xie, Shi & W.-K. Wang, 2013: 584 A: ZHE
liyanae C. Wang & He, 2021c: 139 A: GUI
magnispinicolle Xie, Shi & W.-K. Wang, 2013: 585 A: ZHE
punctulatum Gressitt, 1939b: 108 A: ZHE
punctuscapum Xie, Shi & W.-K. Wang, 2013: 587 A: ZHE
zenghuaae Xie & W.-K. Wang, 2020: 293 A: GUX

genus *Sinomimovelleda* Chiang, 1963: 66 type species *Sinomimovelleda dentihumeralis* Chiang, 1963
dentihumeralis Chiang, 1963: 66 A: SCH

tribe Nyctimeniini Gressitt, 1951

genus *Nyctimenius* Gressitt, 1951a: 629 [RN] type species *Nyctimene argiloides* J. Thomson, 1857 (= *Saperda varicornis* Fabricius, 1801)
Nyctimene J. Thomson, 1857f: 314 [HN] type species *Nyctimene agriloides* J. Thomson, 1857 (= *Saperda varicornis* Fabricius, 1801)
chiangi G.-Q. Huang, L. Chen & Liu, 2014: 437 A: YUN
tristis Fabricius, 1793: 314 (*Saperda*) A: HAI NP SD YUN ORR
lineatus Fabricius, 1801: 326 (*Saperda*)
testaceovittatus Pic, 1926g: 144 (*Nyctimene*)
vittatus Pascoe, 1866c: 330 (*Nyctimene*)

tribe Parmenini Mulsant, 1839

genus *Deucalion* Wollaston, 1854: 430 type species *Deucalion oceanicus* Wollaston, 1854
oceanicus Wollaston, 1854: 433 N: MR SG

genus *Lepromoris* Pascoe, 1864c: 278 [RN] type species *Leprosoma asperatum* J. Thomson, 1860 (= *Lamia gibba* Brullé, 1839)
Leprosoma J. Thomson, 1860: 23 [HN] type species *Leprosoma asperatum* J. Thomson, 1860 (= *Lamia gibba* Brullé, 1839)
gibba Brullé, 1839: 62 (*Lamia*) N: CI
asperata J. Thomson, 1860: 23 (*Leprosoma*)
pedestris Bory de Saint Vincent, 1803: 366 (*Lamia*) [HN]

genus *Paradeucalion* Breuning, 1950b: 153 type species *Deucalion desertarum* Wollaston, 1854
desertarum Wollaston, 1854: 430 (*Deucalion*) N: MR (Desertas Is.)
maderense Krátký & Aguiar, 2019: 3 N: MR

genus *Parmena* Dejean, 1821: 108 type species *Lamia unifasciata* Rossi, 1790

subgenus *Parmena* Dejean, 1821: 108 type species *Lamia unifasciata* Rossi, 1790

aurora Danilevsky, 1980: 852 **A: AB IN** #581

balteus Linnaeus, 1767: 1067 (*Cerambyx*) **E: BE FR IT SZ**

balteata Fabricius, 1793: 262 (*Cerambyx*) – wrong subsequent spelling

fasciata Villers, 1789: 239 (*Cerambyx*)

gauthieri Stöcklein, 1940: 341

batumiensis Danilevsky, 2023: 33 **A: GG** #581

bialookii Danilevsky, 2017b: 21 **A: TR**

europaea Danilevsky, 2017: 1 [“Ukraine, Yareski (49°50'N, 33°54'E) in Poltava Region”] **E: MD RO UK**

istanbulensis Danilevsky & Hizal, 2017: **E: TR A: TR** #500

lodosi Özdikmen & Tezcan, 2020a: 198 **A: TR**

mergallii Sama, 1984: 218 **E: AN FR SP**

pontocircassica Danilevsky & Miroshnikov, 1985: 289 **E: ST UK(Crimea) A: AB AR GG IN TR**

striatopunctata Sama, 1994f: 554 **A: TR** #171 #581

[*samai* Özdikmen, 2021f: 1440] - unavailable name #581

[*sericata* Sama, 1996c: 114] - unavailable name #581

unifasciata Rossi, 1790: 147 (*Lamia*) **E: AL BH CR FR GR IT MC ME SB SL SZ** #64

subgenus *Pilosoparmena* Lazarev, 2024

balearica balearica Vives, 1998: 28 **E: SP (Mallorca)**

balearica minoricensis Vives, 1998: 30 **E: SP (Minorca)**

bicineta Küster, 1849: 69 **E: AL BH CR ME**

breuningii Vives, 1979: 156 [Sierra de Maria (Almeria)] **E: SP** #463

cruciata Pic, 1912c: 4 **E: SP**

schrammi Pic, 1945b: 7

lukati Sama, 1994a: 12 **A: TR**

mutilloides Sabbadini & Pesarini, 1992: 27 **A: TR**

novaki Sama, 1997a: 98 **E: GR**

pilosa pilosa Brullé, 1832: 260 **E: AL BH CR GR IT SB SL ?UK**

hirsuta Küster, 1846a: 95

pilosa inclusa Mulsant, 1862: 242 **E: FR IT MA N: LB**

dahlia Mulsant, 1862: 245

pubescens Dalman, 1817b: 176 (*Lamia*) **E: IT SP N: AG LB MO TU** #778

algorica Laporte, 1840: 485 #778

minuta Pic, 1891b: 29

slamai Sama, 1986: 23 **E: GR (Crete, Rodos, Lesbos) TR**

soldatii Cocquempot, 2020: 124 **N: TU**

solieri Mulsant, 1839: 119 [Marseille] **E: FR IT SP**

lanzai Sama, 1985b: 76 [Poraggia Grande, Corsica] #245

pilosa Solier, 1835: 100 [HN] [Marseille, Montredon]

subpubescens Hellrigl, 1971: 445 **E: IT**

genus *Plectrura* Motschulsky, 1845b: 370 type species *Plectrura spinicauda* Motschulsky, 1845

subgenus *Phlyctidola* Bates, 1884a: 236 type species *Phlyctidola metallica* Bates, 1884

metallica metallica Bates, 1884a: 236 (*Phlyctidola*) **A: FE HUB JA NC NE** #63

mandshurica Jakobson, 1899: 43

sachalinica Jakobson, 1899: 44

metallica yoshihiro Takakuwa, 1984: 12 **A: JA**

genus *Xylotoles* Newman, 1840: 12 type species *Xylotoles lentus* Newman, 1840 (*Saperda grisea* Fabricius, 1775) #386

griseus Fabricius, 1775: 186 (*Saperda*) **Ei: GBi AUR** #386

tribe Petrognathini Blanchard, 1845

genus *Falsimalmus* Breuning, 1956: 453 type species *Falsimalmus niger* Breuning, 1956 #492

niger Breuning, 1956j: 359 **A: YUN**

genus *Ioesse* J. Thomson, 1864: 68 type species *Ioesse sanguinolenta* J. Thomson, 1864

Macrocelosterna Pic, 1925c: 3 type species *Macrocelosterna rubra* Pic, 1924

rubra Pic, 1925c: 3 (*Macrocelosterna*) 68 **A: HAI YUN ORR**

genus *Ithocritus* Lacordaire, 1872: 447 type species *Monohammus ruber* Hope, 1839

multimaculatus Pic, 1934g: 35 **A: GUX ORR**

fascicollis Breuning, 1935b: 171

ruber Hope, 1839: 43 (*Monohammus*) **A: NP SD YUN ORR** #311

similis Bi & Lin, 2020: 455 **A: YUN**

genus *Pseudapriona* Breuning, 1936: 304 type species *Pseudapriona flavoantennata* Breuning, 1936
Parajoesse Breuning, 1982a: 21 type species *Parajoesse nagaensis* Breuning, 1982: 21
flavoantennata Breuning, 1936: 304 **A:** AP XIZ **ORR**
medogensis Chiang & Chen, 1992, 69 (*Joesse*)
nagaensis Breuning, 1982a: 21 (*Parajoesse*)
niger Pu, 1988: 300, 303 (*Ithocritus*)

#280

tribe Phrynetini J. Thomson, 1864

genus *Calothyrsa* J. Thomson, 1868c: 168 type species *Phryneta margaritifera* Westwood, 1848
margaritifera Westwood, 1848: 11 (*Phryneta*) **A:** NP YUN "Himalaya"

genus *Phryneta* Dejean, 1835: 341 type species *Lamia marmorea* Olivier, 1797
Inesida J. Thomson, 1860: 86 type species *Lamia leprosa* Fabricius, 1775
leprosa Fabricius, 1775: 178 (*Lamia*) **Ei:** FR MA **Ai:** TR **AFR**
brunicornis Guérin-Méneville, 1844: 239 (*Lamia*)

#189

tribe Phytoeciini Mulsant, 1839

genus *Conizonia* Fairmaire, 1864a: 176 type species *Saperda vittigera* Fabricius, 1801 (= *Saperda detrita* Fabricius, 1793)
subgenus *Conizonia* Fairmaire, 1864a: 176 type species *Saperda vittigera* Fabricius, 1801 (= *Saperda detrita* Fabricius, 1793)
allardi allardi Fairmaire, 1866a: 68 **N:** AG

?elegantula Fairmaire, 1871: 402
leprieuri Pic, 1892g: 104 [1892o: lii]
allardi guyi Sama, 2005a: 37 **N:** MO
aresteni Pic, 1951: 11 **N:** MO
detrita Fabricius, 1793: 308 (*Saperda*) **N:** AG MO TU
maculosa Mulsant, 1839: 201 (*Phytoecia*)
vittigera Fabricius, 1801: 318 (*Saperda*)
guerini Breme, 1840: 277 (*Saperda*) **N:** AG TU
glauca Erichson, 1841: 189 (*Saperda*)
luteopubens Pic, 1918d: 17
lineata Pic, 1918d: 11
mounai Sama, 2005a: 40 **N:** MO
simia Sama, 2005a: 38 **N:** AG
warnieri P. H. Lucas, 1847: pl. 43 (*Phytoecia*) **N:** AG MO TU
aumontiana P. H. Lucas, 1851b: xli (*Phytoecia*)
bicoloricornis Pic, 1942a: 1
cinerea Guérin-Méneville, 1841: 9 (*Saperda*) [HN]
coquerelii Fairmaire, 1873: 353
?elegantula Fairmaire, 1871: 402
fuscicornis Heyden, 1863: 130 (*Phytoecia*)
henoni Pic, 1891b: 49
heterogyna Fairmaire, 1871: 402
inlateralis Pic, 1942d: 3
invittata Pic, 1942a: 1 [DA]
mimeuri Pic, 1950d: 93
poweli Pic, 1941a: 13
pygidialis Pic, 1911a: 9
vittithorax Pic, 1900e: 16

#107

#107

genus *Conizonioides* Özdikmen, 2015a: 50 type species *Conizonia kalashiani* Danilevsky, 1992b
annularis Holzschuh, 1984a: 160 (*Conizonia*) **A:** TR
anulifera Löbl & Smetana, 2013: 41 [unjustified emendation]
georgiana Navrátil & Rozsival, 2016: 1 (*Coptosia*) **A:** GG (Gori env.)
kalashiani Danilevsky, 1992b: 113 (*Conizonia*) ["Mt. Arailer near Egvard"] **A:** AR

#728

genus *Eurycoptosia* Reitter, 1913b: 666 type species *Phytoecia bodoani* Pic, 1912
bodoani Pic, 1912a: 10 (*Phytoecia*) **A:** AB (Talysh) IN

genus *Iranocoptosia* Villiers, 1967: 340 type species *Iranocoptosia balachowskyi* Villiers, 1967 (= *Phytoecia fausti* Ganglbauer, 1886)
fausti Ganglbauer, 1886c: 521 (*Phytoecia*) **A:** IN TM (Kopetgag)
balachowskyi Villiers, 1967: 340

genus *Kabylophytoecia* Sama, 2005d: 149 [RN] type species *Phytoecia cirteensis* P. H. Lucas, 1842
Tala Sama, 2005a: 18 [HN] type species *Phytoecia cirteensis* P. H. Lucas, 1842
cirteensis P. H. Lucas, 1842: 187 (*Phytoecia*) **N:** AG TU

genus *Linda* J. Thomson, 1864: 122 type species *Amphionycha femorata* Chevrolat, 1852

subgenus *Dasyllinda* J. Thomson, 1868c: 184 type species *Dasyllinda scopigera* J. Thomson, 1868 (= *Saperda testacea* Saunders, 1839)

apicalis apicalis Pic, 1906d: 17 A: GUI SCH XIZ YUN
gibboscollis Pic, 1915c: 12
nigriventris Heller, 1923b: 74
subcincta Pic, 1924a: 19

apicalis yunnanana Breuning, 1978b: 7 A: GUI SCH XIZ YUN
yunnanica Breuning, 1979a: 46 [RN]

fasciculata Pic, 1902i: 32 A: SCH SHA YUN
vitalisi Vuillet, 1912: 300 (*Dasyllinda*)

scopigera J. Thomson, 1868c: 185 (*Dasyllinda*) A: AP NP SD XIZ YUN **ORR** #280
rubripennis Pic, 1923a: 14
testacea Saunders, 1839: 179 (*Saperda*) [HN]

subgenus *Linda* J. Thomson, 1864: 122 type species *Amphionycha femorata* Chevrolat, 1852
Miocris Fairmaire, 1902a: 245 type species *Miocris nigroscutata* Fairmaire, 1902
[*annamensis annamensis* Breuning, 1954g: 556 **ORR** (Annam)]
annamensis yunnanensis Breuning, 1960f: 147 A: YUN
annulicornis Matsushita, 1933b: 424 A: FUJ GUI GUX TAI YUN #400
subannulata Breuning, 1966b: 19 [RN]
subannulicornis Breuning & K. Ohbayashi, 1964b: 30 [HN] (not *subannulicornis* Breuning, 1956)
atricornis Pic, 1924a: 19 A: FUJ ?GAN GUA GUI GUX ?HEB HEN HUB HUN JIA JIX ?NIN ?NMO SCH SHA YUN ZHE
bimaculicollis Breuning, 1954g: 558 A: XIZ **ORR**
femorata Chevrolat, 1852: 418 (*Amphionycha*) A: FUJ GUA GUI GUX HEN HUB HUN JIA JIX SCH SHA TAI YUN
melanoptera Fairmaire, 1895: 187 (*Amphionycha*)
fraterna Chevrolat, 1852: 419 (*Amphionycha*) A: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX SCH SHN TAI YUN ZHE
luteonotata Pic, 1907c: 24
pratti Pic, 1902a: 3
seminigra Fairmaire, 1887a: 134
subtestacea Pic, 1906d: 17

frontalis Pu, 1988: 304 A: XIZ #523
gracilicornis Pic, 1907c: 24 A: SCH YUN
macilenta Gressitt, 1947: 551 A: SCH SHA #225
major Gressitt, 1942b: 8 A: ANH FUJ GUI SHA #225
nigroscutata ampliata Pu, 1993: 361 A: GUI SCH #400
nigroscutata nigroscutata Fairmaire, 1902a: 245 (*Miocris*) A: GUI HUB HUN SCH XIZ YUN **ORR**
rubescens Hope, 1831: 28 (*Saperda*) A: AP BT NP SD #280 #523
bisbimaculata Pic, 1930d: 59 (*Miocris*)
fulva Fairmaire, 1895: 188

semiatra Holzschuh, 2003b: 315 A: NP
semivittata Fairmaire, 1887a: 134 (*Oberea*) A: SCH YUN #400
subtestaceicolor Pic, 1916e: 17 (*Oberea*)
tricostata Gressitt, 1947: 554

signaticornis Schwarzer, 1925c: 154 A: TAI
stolata Pesarini & Sabbadini, 1997: 127 A: SCH
subannulicornis Breuning, 1956c: 236 A: FUJ
subatricornis Lin & X.-K. Yang, 2012: 3 A: BEI CHQ FUJ HEB NIN SCH SHA #60
zayuensis Pu, 1981: 428 A: XIZ

genus *Mallosia* Mulsant, 1862: 399 type species *Saperda graeca* Sturm, 1843

subgenus *Eumallosia* Danilevsky, 1990: 364 type species *Mallosia herminae* Reitter, 1890 #517
Anatolomallis Özdikmen & Aytar, 2012a: 658 – unavailable name – wrong original spelling.
Anatolomallosia Özdikmen & Aytar, 2012a: 659 type species *Mallosia nonnigra* Özdikmen & Aytar, 2012a
Submallosia Özdikmen & Aytar, 2012a: 659 type species *Mallosia jakovlevi* Semenov, 1895

armeniaca Pic, 1897a: 188 A: AR IN TR
caucasica Pic, 1898o: 168
haiastanica Danilevsky, 2007b: 3
brevipes Pic, 1897a: 188 A: AR IN TR
cribratofasciata K. Daniel, 1904a: 309
costata Pic, 1898m: 124 [Kurdistan] A: IN TR
gobustanica Danilevsky, 1990: 366 A: AB (Maraza env.)
herminae Reitter, 1890c: 241 A: AB (Nakhichevan) IN
imperatrix imperatrix Abeille de Perrin, 1885: cxl [Bloudan (Antiliban)] A: IN IQ LE SY TR #182
robusta Pic, 1901e: 19 [Syria]
imperatrix tauricola K. Daniel, 1904a: 308 A: TR #67
jakovlevi Semenov, 1895: 204 (*Phytoecia*) A: IN
iranica K. Daniel & J. Daniel, 1898a: 79
kurdistanica Breuning, 1970b: 30 [Kurdistan] A: IN
nonnigra Özdikmen & Aytar, 2012a: 656 A: TR
tamashaczi Sama & Székely, 2010: 896 A: IN

subgenus Mallosia Mulsant, 1862: 399 type species *Saperda graeca* Sturm, 1843
graeca Sturm, 1843: 356 (*Saperda*) E: GR
cardoriensis Pic, 1900o: 109
tomentosa Sturm, 1843: 355 (*Dorcadion*)

subgenus Semnosia K. Daniel, 1904a: 304 type species *Saperda scovitzii* Faldermann, 1837
Eusemosia Özdikmen & Aytar, 2012a: 659 type species *Saperda mirabilis* Faldermann, 1837 #517
baiocchii Sama, 2000a: 94 (*Semnosia*) A: SY
galinae Danilevsky, 1990: 364 A: AB GG (Vashlovan) #12
interrupta capulcu Koçak & Kemal, 2013: 2 [“Hakkari”] A: TR
interrupta interrupta Pic, 1905b: 28 [“Kurdistan”] A: IN TR
mirabilis devexula Holzschuh, 1989a: 176 [“Hakkari”] A: TR
mirabilis mirabilis Faldermann, 1837: 283 (*Saperda*) A: IN IQ TR
bitlisiensis Pic, 1902k: 42 [“Bitlis”]
delagrangei Pic, 1902k: 42 [“Monts Amanus”]
ganglbaueri Kraatz, 1884b: 233 [“Malatia”]
kotschy Hampe, 1852b: 314 (*Phytoecia*) [Kurdistan]
multimaculata Pic, 1902k: 42 [“Malatia”]
scovitzii Faldermann, 1837: 284 (*Saperda*) A: AB AR GG ?IN TR
atricornis Pic, 1915e: 10
semilimbata Pic, 1900g: 14
tristis Reitter, 1888a: 134 A: AB IN
angelicae Reitter, 1890c: 242
lederi Pic, 1908e: 14

genus Mallosiola Semenov, 1895: 205 type species *Mallosiola regina* Heyden, 1887
regina Heyden, 1887b: 319 (*Mallosia*) A: TD
lopatini Heyrovský, 1969a: 34 (*Mallosia*)

genus Micromallosia Pic, 1900g: 15 type species *Micromallosia theresae* Pic, 1900
heinzorum Holzschuh, 1991a: 27 (*Mallosia*) A: TR
heydeni Ganglbauer, 1888a: 76 (*Phytoecia*) A: TR
theresae Pic, 1900g: 15 A: TR

genus Mimocoptosia Breuning & Villiers, 1972: 37 type species *Mimocoptosia iraniensis* Breuning & Villiers, 1972 (= *Phytoecia*
luteovittigera Pic, 1906)
luteovittigera Pic, 1906a: 4 (*Phytoecia*) A: IN TR
iraniensis Breuning & Villiers, 1972: 37

genus Nupserha Chevrolat, 1858: 358 [RN] type species *Saperda fricator* Dalman, 1817
Sphenura Dejean 1835:350 [HN] type species *Saperda fricator* Dalman, 1817
acuta Holzschuh, 1986b: 152 A: SD
ambigua Lameere, 1893a: 286 A: YUN ORR #523
annulata annulata J. Thomson, 1857c: 147 (*Stibara*) A: BT NP PA SD
subannulicornis Pic, 1916d: 7 (*Oberea*)
annulata mustangensis Holzschuh, 1990: 194 A: NP
atriceps Breuning, 1948e: 121 A: GUI GUX SD UP ORR
basipilosa Holzschuh, 1986b: 148 A: NP SD
bicolor J. Thomson, 1857c: 147 (*Stibara*) A: AP UP ORR #280
brevior Pic, 1908f: 18 (*Oberea*) A: YUN
cauta Holzschuh, 1986b: 150 A: NP
clypealis clypealis Fairmaire, 1895: 188 (*Oberea*) A: GUI HKG TAI YUN ZHE ORR #400 #489
bisbinotaticollis Pic, 1917h: 13 (*Oberea*)
clypealis formosana Breuning, 1960c: 19 A: TAI
dubia Gahan, 1894a: 93 A: AP FUJ GUX HAI NP PA SD TAI UP YUN ORR #523
fricator fricator Dalman, 1817b: 183 (*Saperda*) A: ?AP FUJ GUX HAI ?NP ?SD TAI ORR #624
bipartipennis Pic, 1943b: 3 (*Stibara*)
haddeni Gressitt, 1940d: 419
inopinata Gilmour, 1965: 482
lineatipes Pic, 1928b: 22
producta Schwarzer, 1931b: 212
rufopicea Schwarzer, 1930: 127

fumigera Holzschuh, 2021b: 576 A: NP
fuscopicalis Breuning, 1949a: 15 A: NP SD ORR #280
fuscodorsalis W.-K. Wang & Jiang, 2002b: 126 A: SD YUN
infantula Ganglbauer, 1889a: 83 (*Oberea*) A: FUJ GAN GUA GUI GUX HEB HUB HUN JIX SCH SHA YUN ZHE
bisbinotata Pic, 1928b: 23 (*Oberea*)
subvelutina Gressitt, 1937d: 619
infuscata Breuning, 1960c: 31 A: XIZ

lateralis Holzschuh, 2021b: 574 A: NP #624
lenita Pascoe, 1867b: 410 (*Glenea*) A: NP PA SD UP **ORR** #523
annamensis Pic, 1939a: 18
nigromaculata Pic, 1926c: 18
longipennis Pic, 1926c: 18 A: XIZ
malabarensis Pic, 1939a: 17 A: UP **ORR**
marginella binhensis Pic, 1926c: 18 A: FUJ HUN **ORR**
marginella marginella Bates, 1873: 390 (*Oberea*) A: FE FUJ GUA GUI GUX HEN HUB HUN JA JIA JIL JIX MG NC SC SHA SHN TAI
ZHE
alexandrovi Plavilstshikov, 1915c: 109 (*Oberea*) #729
infrequens Cherepanov, 1996: 136 #544
minor Pic, 1939a: 17 A: FUJ GUX YUN **ORR**
multimaculata Pic, 1939a: 16 A: YUN **ORR**
nigriceps Gahan, 1894a: 90 A: AP NP YUN **ORR** #166
nigricollis Breuning, 1960c: 13 A: "North India"
nigrohumeralis Pic, 1927k: 200 A: YUN **ORR**
nitidior Pic, 1939a: 18 A: HP **ORR** #366
pallidipennis flavipennis Breuning, 1950a: 16 A: BT JIX NP SD XIZ #391 #400
pallidipennis pallidipennis L. Redtenbacher, 1844: 552 (*Phytoecia*) A: BT JIX KA NP SD UP XIZ **ORR**
pseudinfantula Breuning, 1948e: 119 A: GUX
quadrioculata Thunberg, 1787: 57 (*Saperda*) A: NP GUX HAI YUN "North India" **ORR**
carinata J. Thomson, 1857c: 146 (*Stibara*)
corrugata Gressitt, 1940b: 211
costata Wiedemann, 1923: 112 (*Saperda*)
notaticeps Pic, 1926c: 17
rotundicollis Breuning, 1950d: 263 A: BT KA NP PA SD #274
schmidi arunensis Holzschuh, 1990: 195 A: NP
schmidi darjeelingensis Holzschuh, 1990: 195 A: SD
schmidi schmidi Breuning, 1966d: 16 A: AP NP SD
schmidi tambaensis Holzschuh, 1990: 195 A: NP
sericans Bates, 1884a: 260 (*Oberea*) A: FE (Kunashir) JA
spinifera spinifera Gressitt, 1948b: 63 A: BT CHQ GUI SCH SD #168 #400
subabbreviata Pic, 1916e: 16 (*Oberea*) A: SCH YUN
szetschuanica Breuning, 1947d: 148 A: SCH
taliana Pic, 1916e: 16 (*Oberea*) A: GUI GUX XIZ YUN **ORR** #400
brevilineata Pic, 1928b: 23 (*Oberea*)
lemoulti Pic, 1916e: 18 (*Oberea*)
pseudomarginella Breuning, 1947d: 148
tatsienhui Breuning, 1948e: 120 A: SCH
testaceipes Pic, 1926c: 18 A: FUJ GUA GUI GUX HAI HUB HUN JIA JIX SCH SHN
batesi Gressitt, 1937d: 618
thibetana Breuning, 1948e: 120 A: SCH XIZ
ustulata ustulata Erichson, 1834: 270 (*Saperda*) A: GUX **ORR**
cosmopolita J. Thomson, 1857c: 146 (*Stibara*)
grandis Pic, 1939a: 17
seminigra Breuning, 1960c: 48
variabilis Gahan, 1894a: 92 A: GUX HKG YUN **ORR** #400
apicalis Aurivillius, 1926: 21 (*Stibara*) [HN]
apicalis Pic, 1925f: 188 (*Stibara*) #523
latetestacea Pic, 1942d: 16 (*Stibara*) #523
ventralis Gahan, 1894a: 91 A: HUN SD XIZ YUN **ORR**
pseudoventralis Breuning, 1950d: 263
yunnana Breuning, 1960c: 36 A: YUN
yunnanensis Breuning, 1960c: 19 A: YUN

genus *Oberea* Dejean, 1835: 351 type species *Cerambyx linearis* Linnaeus, 1760 #9 #523
subgenus *Amaurostoma* J. Müller, 1906: 223 type species *Cerambyx erythrocephalus* Schrank, 1776
donceeli Pic, 1907c: 23 A: ES FE GAN HEB MG NIN NMO SHA SHX XIN
obscuripennis Pic, 1939b: 3
erythrocephala amanica Holzschuh, 1993a: 50 (*Adana, Nurdaği geçidi*) A: SY TR #53
erythrocephala bicolor Reiche, 1878a: cxlix (*Lusitania*) E: PT SP (Andalusía) N: MO
maroccana Pic, 1914b: 11
reichei Plavilstshikov, 1927a: 64 [unnecessary RN]
erythrocephala calvescens G. Müller, 1948: 15 E: IT
erythrocephala erythrocephala Schrank, 1776: 67 (*Cerambyx*) E: AN AU BH BU BY CR CT CZ FR GE GR HU IT LS LT MA MC MD ME
PL PT RO SB SK SL SP ST SZ TR UK A: AB AR GG IN ?KI KZ LE SY TR WS #752
anatolica Pic, 1901d: 19 (*Konia*)

cincta Gebler, 1830: 186 (**Loktevsk**) (*Saperda*)
erivanica Pic, 1917a: 11
hungarica Pic, 1914b: 11
insidiosa Mulsant, 1862: 396 (**Dalmatia**)
luteicollis Gebler, 1833: 303 (**Loktevsk**) (*Saperda*)
melitana Reiche, 1878a: cxlix (**Malta**)
montandoni Pic, 1914b: 11 (**Roumania**)
planeti Pic, 1945b: 5 (**France**)
richteri Bau, 1888: 425 (**Berlin**)
schurmanni Heyrovský, 1962a: 42 (**Antitoros**) #53
sinuatesignata Pic, 1945b: 7 (**Caucase**)
theophilei Pic, 1914b: 11 (**Armenie**)
erythrocephala rubricollis Özdikmen & Tezcan, 2020d: 447 **A: TR** (Mersin, Erdemli, Güzeloluk)
euphorbiae Germar, 1813: 131 (*Saperda*) **E: AU BU CR CT CZ GR HU IT KZ MD ME PL RO SB SK ST SZ ?TR UK** **A: AB AR KZ WS**
#564
imitans G. Müller, 1948: 76
intermedia Breuning, 1947c: 59 [HN]
histrionis Pic, 1917a: 11 **E: AU CZ HU MD PL RO SK BY bUK** #91 #752
moravica Kratochvíl, 1989: 1
ressli Demelt, 1963: 150 **A: TR** #201
ruficeps muchei Breuning, 1981a: 26 **A: TD** (Gissar Ridge, Anzob Pass)
ruficeps ruficeps Fischer von Waldheim, 1842: 18 **A: KI KZ TD UZ WS XIN**
semirufa Kraatz, 1882a: 115
taygetana Pic, 1901d: 27 **E: AL GR** #236
subgenus Oberea Dejean, 1835 351 type species *Cerambyx linearis* Linnaeus, 1760
Isosceles Newman, 1842d: 318 type species *Isosceles macilenta* Newman, 1842
acuta Gressitt, 1951a: 629 **A: SCH YUN** #592
angustata Pic, 1923b: 11 **A: FUJ ORR** #400
obscuripennis Breuning, 1967c: 40
atroantennalis Breuning, 1960b: 39 [= 1962f: 190] **A: FUJ NP** #400
atropunctata Pic, 1916e: 17 (Yunnan) **A: SCH YUN**
bicallosicollis Pic, 1933f: 7 **A: SCH**
bicoloricornis Pic, 1915c: 13 **A: XIZ** #201
binotaticollis binotaticollis Pic, 1915c: 13 **A: TAI** #465
griseopennis Schwarzer, 1925c: 154
binotaticollis chinensis Breuning, 1982a: 29 **A: SCH**
binotaticollis ichangensis Breuning, 1969e: 670 **A: HUB**
birmanica Gahan, 1894a: 96 **A: GUX SCH YUN ORR**
lajoyei Pic, 1919b: 12
bisbipunctata bisbipunctata Pic, 1916e: 17 **?A: GUA GUI GUX NE SCH ZHE ORR** #592
bisbipunctulata Breuning, 1960b: 34 [= 1962f: 191] **A: SD**
bivittata bivittata Aurivillius, 1911: 40– Indonesia
bivittata medioplagiata Breuning, 1960b: 51 [= 1962f: 158] **A: NP SD YUN ORR**
bootangensis Breuning, 1960b: 55 [= 1962f: 177] **A: SD NP**
breviantennalis Kurihara & N. Ohbayashi, 2006: 257 **A: TAI**
brevithorax Gressitt, 1936: 108 **A: FUJ HAI TAI ZHE ORR** #184
inepta Gressitt, 1939b: 122
clara Pascoe, 1866b: 265 **A: YUN ORR**
armata Gahan, 1894a: 95
fingeriventris W.-K. Wang, Y.-Z. Le & S.-N. Jian, 2002: 75
conica W.-K. Wang, Y.-Z. Le & Jiang, 2002: 74 **A: YUN**
consentanea Pascoe, 1867b: 426 **A: BT NP SD ORR** #523
inbrevicollis Pic, 1928d: 16
posticata Pic, 1926b: 10 [HN]
rufopyga Pic, 1926b: 10
coreana Pic, 1912h: 21 **A: SC** #424 #525
coreensis Gressitt, 1951a: 633 **A: FE NC SC** #525
coxalis Gressitt, 1940a: 14 [RN] **A: GUA**
discipennis Gressitt, 1939a: 100 [HN]
curialis Pascoe, 1866b: 264 **A: CH ORR**
brevicollis Pascoe, 1867b: 420
nonfriedi Pic, 1923a: 14
curticornis Danilevsky, 2023: 463 **A: FE**
curtilineata Pic, 1916i: 326 **A: YUN**
depressa Gebler, 1825: 51 (*Saperda*) **A: ES FE FUJ KZ MG NC NE SC SHA WS XIN**
altaica Gebler, 1830: 187 (*Saperda*)
amurica Suvorov, 1913: 78
rosinae Pic, 1904d: 18

rufomaculata Kôno & Tamanuki, 1926: 278, 293
transbaicalica Suvorov, 1913: 78
distinctipennis Pic, 1902a: 2 A: FUJ GUA HAI SCH XIZ **ORR**
lateriventris Gressitt, 1939a: 101
subparallela Pic, 1928b: 23
thibetana Pic, 1916e: 16
diversimembris Pic, 1923b: 11 A: XIZ ZHE **ORR**
diversipes Pic, 1919b: 11 A: CHQ FUJ GUA GUI HAI HEN HUN SCH SHA XIZ YUN **ORR** #145
brevicollis Fairmaire, 1895: 190 [HN]
fairmairei Aurivillius, 1923a: 532 [RN] #145
dubia Danilevsky, 2023: 461 A: FE
elongatipennis Pic, 1940: 11 A: GUI
ferruginea Thunberg, 1787: 57 (*Saperda*) A: FUJ GAN GUA GUX HUB HUN NP SD SHA YUN #400
atricornis Fabricius, 1793: 308 (*Saperda*)
elongata Olivier, 1800: 19 (*Saperda*) #373
maculiventris Pic, 1923a: 15 [HN]
notativentris Pic, 1924d: 30 [RN]
prolixa Pascoe, 1867b: 424
semiargentata Pic, 1923a: 15
flavescens Breuning, 1947d: 146 A: SCH SHA #184 #225
flavipennis Kurihara & N. Ohbayashi, 2007: 199 A: TAI
formosana Pic, 1911d: 20 A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX NP SCH SHA TAI ZHE **ORR** #60
formososylvia Kurihara & N. Ohbayashi, 2007: 207 A: TAI
fuscipennis Chevrolat, 1852: 419 (*Isosceles*) A: FUJ GUA GUI GUX HAI HEB HUB HUN JA JIA JIX SCH SHA SHG XIZ YUN ZHE
ORR #145 #225
cephalotes Breuning, 1947d: 147
fulveola Bates, 1873: 390
hanoiensis Pic, 1923: 12 #145
holoxantha Fairmaire, 1888a: 35
pieli Pic, 1924: 19
rosi Gressitt, 1940b: 214
rufotestacea Pic, 1923b: 12
sinensis Pic, 1902: 2.
theryi Pic, 1902a: 2
unicolor Breuning, 1956c: 236 #523
fusciventris Fairmaire, 1895: 189 A: SE SW **ORR**
gracillima gracillima Pascoe, 1867b: 422 A: ANH AP FUJ GUA GUI GUX HAI HEN HUB HUN JA JIA JIX LIA NP NMO SC SCH SHN
ORR
angustatissima Pic, 1908f: 17
horiensis Matsushita, 1931a: 47
langana Pic, 1902l: 35
michikoi Yokoyama, 1971: 101
nigriventris Bates, 1873: 389 #9
subannulipes Pic, 1913a: 19
grossepunctata Breuning, 1947d: 145 A: SHN YUN
hebecens Bates, 1873: 389 A: JA JIA
herzi Ganglbauer, 1887c: 23 A: BEI FE HEB JIA JIL ?NC QIN SC SHN
teranishii K. Ohbayashi, 1936b: 17 ["Ikuecho, Osaka" (Japan) – wrong label]
heudei Pic, 1936a: 23 A: SHG
heyrovskyyi Pic, 1927e: 10 A: FE ?NC NE SC
himalayana Breuning, 1972c: 420 A: NP UP **ORR**
holatripennoides Löbl & Smetana, 2010: 59 A: BEI #400
holatripennis Breuning, 1982a: 29 [HN]
humeralis Gressitt, 1939a: 103 A: FUJ GUA HUN JIX NE **ORR**
inclusa Pascoe, 1858: 261 A: FUJ GUA GUX HEN HUB JIA JIX NMO SCH ZHE
discipennis Fairmaire, 1889a: 68
incompleta Fairmaire, 1897e: 255 A: SCH
infrangrescens Breuning, 1960b: 36 A: HEI NIN SC (Jindo Is.) JA #63 #400
infratestacea Pic, 1936a: 24 A: CHQ FUJ JIX SHG **ORR** #145
isigakiana Matsushita, 1941: 158 A: JA (Ryukyus)
japonica Thunberg, 1787: 57 (*Saperda*) A: FUJ GUA GUX HAI HEB HEN HUB HUN JA JIA JIL JIX LIA NIN SCH SHA SHN ZHE
japonica Bates, 1873: 388 [HN]
niponensis Bates, 1884a: 260 [RN]
komiya Kurihara & N. Ohbayashi, 2006: 261 A: TAI
kostini Danilevsky, 1988b: 35 E: CT (Udmurtia) A: ES KZ WS #394
lacana Pic, 1923a: 16 A: SD YUN **ORR**
lama Gressitt, 1942c: 5 A: XIZ **ORR**
laosensis Breuning, 1963b: 52 A: YUN **ORR**

latipennis Gressitt, 1939a: 104 A: GUA JIX **ORR** #400
leucothrix Toyoshima, 1982: 33 A: JA
licenti Pic, 1939b: 3 [Chine: Fei hien] A: BEI FE NC SC ZHE #652
chinensis Tsherepanov, 1985: 147 [RN]
scutellaris Fairmaire, 1888b: 147 [HN]
scutellaroides Breuning, 1947c: 58 [RN] #63 #400
linearis Linnaeus, 1760: 191 (*Cerambyx*) E: AL AU BE BH BU ?BY CR CT CZ DE EN FR GE GR HU IT LA LS LT LU MD ME NL NR
PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR GG **IN** TR #133 #752
cylindricollis Gray, 1832: 119 (*Saperda*)
fulvipes Geoffroy, 1785: 79 (*Leptura*)
limbata Mulsant, 1839: 197
parallela Scopoli, 1763: 47 (*Leptura*)
regularis Poda von Neuhaus, 1761: 38 (*Leptura*)
lutea lutea Thunberg, 1787: 57 (*Saperda*) A: SD **ORR**
maculicollis P. H. Lucas, 1842: 187 E: SP N: AG MO #487
mauritanica P. H. Lucas, 1842: 187
medioobliterata Pic, 1945b: 7
semijuncta Pic, 1945b: 7
mixta Bates, 1873: 389 A: JA ZHE
morio Kraatz, 1879c: 117 A: ES FE MG NC NE QIN SC #400
pictibasis Reitter, 1902b: 186
nigriceps White, 1844: 425 (*Saperda*) A: ANH GUI HAI HKG **ORR** #400
binhana Pic, 1923b: 12
notata Pic, 1936a: 24 A: ANH FUJ GUA **GUX** GUI HUN JIA JIX SCH SHG **TAI** ZHE #400 #592
shimomurai Kurihara & N. Ohbayashi, 2007: 209
oculata Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT **KZ** LA LS LT LU MC
MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: MO A: AB AR ES FE GG HEI HUB IN IQ JIL KZ LIA MG ?NC
NMO SC SHA SHN SY TR WS XIN #63
borysthena Mokrzecki, 1900: 294
inoculata Heyden, 1892a: 81
quadrimaculata Donisthorpe, 1913: 158
tomensis Kiseleva, 1927: 131
okinawana Kusakabe, 1992: 40 A: JA (Ryukyus)
pedemontana Chevrolat, 1856b: 436 E: AU BH BU CR HU IT **ME** RO **SB** SL SZ ?A: TR #564
?koniensis Breuning, 1960b: 39
melanura Gredler, 1857: 151
posticata Gahan, 1894a: 94 A: AP HAI NP SD TAI **ORR** #280 #400
pseudoposticata Breuning, 1960b: 53 A: NP **ORR**
pupillata Gyllenhal, 1817: 185 (*Saperda*) E: AU BE BH BY CR CT CZ EN FR GE GR HU IT LA LS LT MC MD **ME** NT PL RO SL SK SP
ST SZ UK
alsatica Pic, 1915e: 10
luteonotata Pic, 1918d: 5
cognata Lentz, 1857: 145
pupillatoides Breuning, 1947d: 145 A: SHA #201
reductesignata Pic, 1916e: 17 A: FUJ HUB TAI **ORR**
kiotensis Pic, 1916e: 17
rubroantennalis Lin & Ge, 2017b: 920 A: SCH SHA #201
ruficornis Breuning, 1956c: 235 A: CHQ FUJ GUI GUX HUN SCH ZHE **ORR**
pseudoformosana Li, Cuccodoro & Chen, 2014: 57 #517
rufiniventris Breuning, 1968a: 41 A: GUX **ORR**
rufosternalis Breuning, 1960b: 42 [= 1961b: 95] A: SCH SHA YUN #225
savioi Pic, 1924a: 19 A: JIA SHG ZHE
shibatai Hayashi, 1962: 40 A: JA (Ryukyus)
shirahatai K. Ohbayashi, 1956b: 762 A: JA
shirakii Hayashi, 1963c: 16 A: JA (Ryukyus)
simplex Gressitt, 1942g: 91 A: ANH CE NE SHG
sobosana K. Ohbayashi, 1956b: 761 A: JA
strigicollis Gressitt, 1942g: 92 A: JIX
subelongatipennis Breuning, 1955b: 77 A: GUI
subsericea Breuning, 1960b: 42 [= 1962f: 180] A: GUI YUN
sylvia Pascoe, 1858: 261 A: NE #184
taiwana Matsushita, 1933b: 423 A: TAI
taihokuensis Breuning, 1960b: 51 [= 1962f: 168] #184
tatsienlui Breuning, 1947d: 145 A: SCH
tienmuana Gressitt, 1939b: 124 A: SHA ZHE #462
toi Gressitt, 1939b: 106 A: GUA JIX #184
tsuyukii Kurihara & N. Ohbayashi, 2007: 206 A: SC TAI #63
umebayashii K. Ohbayashi, 1964: 24 A: JA (Ryukyus)

uninotaticollis Pic, 1939d: 16 A: FUJ GUX JIX SHA YUN ZHE **ORR** #225 #523
unipunctata Gressitt, 1939b: 125
vittata Blessig, 1873: 223 A: ES FE JA (Tsushima Is.) MG NC NE SC SHA #225 #525
longissima Pic, 1905a: 15
walkeri Gahan, 1894d: 487 A: FUJ GUA GUI GUX HAI HEN HKG JIX SCH SD SHA YUN ZHE **ORR** #225
atroanalis Fairmaire, 1895: 189
bicoloritarsis Pic, 1923b: 11
changi Gressitt, 1942c: 5
robustior Pic, 1923b: 12
wiskotti Z. Wang, 2003: 347, 397 A: JIL
yaoshana Gressitt, 1942g: 93 A: GUI GUX
yasuhikoi Kusakabe, 2001: 17 A: JA
yunnana Pic, 1926b: 10 A: GUA YUN **ORR**
yunnanensis Breuning, 1947d: 147 A: GUX HAI YUN **ORR**

genus *Obereopsis* Chevrolat, 1855: 289 type species *Obereopsis obscuritarsis* Chevrolat, 1855
Paroberea Kolbe, 1893: 79 type species *Paroberea fuscipes* Kolbe, 1893 (= *Obereopsis obscuritarsis* Chevrolat, 1855)
annulicornis Breuning, 1957d: 107 A: BT NP "North India"
aterrima Breuning, 1949a: 17 A: BT "India"
atritarsis Pic, 1920c: 3 (*Oberea*) A: XIZ
atrosternalis Breuning, 1957: 104 A: NP SD
bicoloripes Pic, 1916e: 16 (*Oberea*) A: TAI
bimaculicollis Breuning, 1949a: 20 A: "India"
[bipuncticollis bipuncticollis Breuning, 1949a: 4, 19 – Burma]
bipuncticollis bootanana Breuning, 1957d: 89 A: SD #343
bootangensis Breuning, 1970f: 488 A: SD
borchmanni Breuning, 1959c: 131 A: "North India"
darjeelingensis Breuning & Heyrovský, 1964: 30 A: SD
flavicornis Fairmaire, 1889a: 69 (*Oberea*) A: JIX
flavodiscalis bhutanensis Breuning, 1975d: 362 A: BT
flavodiscalis flavodiscalis Breuning, 1982a: 29 A: SD
infranigra Breuning, 1962f: 181 (*Oberea*) A: NP
kankauensis Schwarzer, 1925c: 153 (*Oberea*) A: FUJ SCH TAI
tetragigma Gressitt, 1951a: 601 (*Oberea*)
limbata L. Redtenbacher, 1844: 553 (*Phytoecia*) A: KA NP UP #391
himalayana Breuning, 1972c: 420
lineaticeps Pic, 1911d: 21 (*Oberea*) A: TAI ZHE
fainanensis Pic, 1912h: 21 (*Oberea*)
longipes Breuning, 1957d: 109 A: SD NP
luteicornis Breuning, 1957d: 105 A: SD NP "India"
maculithorax Matsushita, 1933b: 421 (*Oberea*) A: SCH TAI
pulla Matsushita, 1933b: 421 (*Oberea*)
modica Gahan, 1894a: 97 (*Oberea*) A: NP GUX JIA SHG "North India" **ORR** #400
binhensis Pic, 1926b: 29 (*Oberea*)
diversicornis Pic, 1923a: 15 (*Oberea*)
pallidicornis Gahan, 1894a: 98 (*Oberea*)
rufonoticeps Pic, 1923c: 21 (*Oberea*)
semisericea Pic, 1923a: 15 (*Oberea*)
nepalensis Breuning, 1975d: 362 A: NP
nigriceps nigriceps Breuning, 1957d: 81 A: SD
nigripes Breuning, 1957: 83 A: YUN **ORR**
obscura nigroabdominalis Breuning, 1972c: 420 A: NP SD UP
obscura obscura Breuning, 1957d: 57 A: AP #166
paratricollis Breuning, 1967b: 36 A: AP
pedongensis Breuning, 1960f: 148 A: SD
pseudannulicornis Breuning, 1982a: 29 A: SD
quadrinotaticollis lachungi Breuning, 1982a: 28 A: SD
[quadrinotaticollis quadrinotaticollis Breuning, 1949a: 4, 18 **ORR** (Burma)]
[rubetra rubetra Pascoe, 1858: 261 (*Oberea*) – Malaysia, Indonesia]
insularis Fisher, 1937: 198 (*Oberea*)
rubetra sikkimana Breuning, 1982a: 29 (*Oberea*) A: SD
rufescens Breuning, 1960f: 148 A: SD
sericea Gahan, 1894a: 96 (*Oberea*) A: AP SD #343
sericeoides Holzschuh, 2006c: 488 A: BT NP SD
signaticornis Matsushita, 1933b: 423 (*Oberea*) A: TAI
sikkimensis Breuning, 1957d: 108 A: NP SD UP #391
subteratra Breuning, 1957d: 75 A: SD "North India"

trinotaticollis Breuning, 1967b: 36 A: NP **ORR**
truncata Breuning, 1957d: 109 A: SD #343
varieantennalis Breuning, 1982a: 28 A: SD

genus *Oxytia* Mulsant, 1862: 398 type species *Phytoecia languida* Ménétriés, 1839
Coptosia Fairmaire, 1865: 177 type species *Phytoecia languida* Ménétriés, 1839 #206
argentata *argentata* Ménétriés, 1832: 227 (*Saperda*) E: UK A: AB AR GG IN TR
argentata languida Ménétriés, 1839: 42 (*Phytoecia*) A: CY IN IQ IS JO LE SY TR
duponchelii Brullé, 1832: 260 (*Saperda*) E: AL BU MC GR
atomaria Frivaldszky von Frivald, 1837: 178 (*Saperda*)
vestita Küster, 1848b: 82 (*Phytoecia*)

genus *Paramallosia* Fuchs, 1955b: 273 type species *Paramallosia afghanica* Fuchs, 1955
afghanica Fuchs, 1955b: 274 A: AF TM (Kopetdag)

genus *Paraserixia* Breuning, 1954g: 442 type species *Paraserixia flava* Breuning, 1954
flava Breuning, 1954g: 442 A: SD

genus *Pardaloberea* Pic, 1926b: 9 type species *Pardaloberea curvaticeps* Pic, 1926
curvaticeps Pic, 1926b: 10 A: YUN **ORR**

genus *Phytoecia* Dejean, 1835: 351 type species *Cerambyx cylindricus* Linnaeus, 1758
subgenus *Barbarina* Sama, 2010: 49 type species *Phytoecia behen* Sama & Rejzek, 1999 #517
behen Sama & Rejzek, 1999: 330 A: TR
chehiresis Breuning, 1943b: 103 (*Conizonia*) A: TR
nausicae Rejzek & Kakiopoulos, 2004: 405 E: GR
nepheloides Sama, 1997a: 100 A: SY
subgenus *Cardoria* Mulsant, 1862: 436 type species *Saperda scutellata* Fabricius, 1793 #790
scutellata Fabricius, 1793: 317 (*Saperda*) E: AU CT CZ GE GR HU MD RO SB SK ST UK A: AB AR GG IN TR WS #140
obscuricolor Pic, 1952d: 691

subgenus *Cinctophytoecia* Breuning, 1947d: 143 type species *Phytoecia cinctipennis* Mannerheim, 1849
albosuturalis Breuning, 1947d: 143 A: BEI GAN HEB NIN #400
approximata Pu, 1992b: 613, 621 A: YUN
cinctipennis Mannerheim, 1849: 242 A: BEI ES FE HEB MG NC NIN NMO SC SHA #225 #400 #525
coreensis Breuning, 1955e: 658
guilleti callosicollis Pic, 1933e: 7 A: SCH YUN #400
guilleti guilleti Pic, 1906a: 4 A: SCH YUN
obscurithorax Pic, 1922b: 27
kukunorensis Breuning, 1943b: 102 A: QIN
punctipennis Breuning, 1947d: 143 A: ZHE #400
sareptana Ganglbauer, 1888e: 376 A: ~~ES~~ FE HUB KO
densepubens Pic, 1939b: 3
testaceolimbata Pic, 1933e: 7 A: SCH YUN

subgenus *Coptosiella* Kasatkin, 2015a: 127 type species *Phytoecia antoniae* Reitter, 1889 #790
antoniae Reitter, 1889a: 42 A: AB AR GG IN TM TR
uniformis Pic, 1933d: 11 (*Coptosia*)

subgenus *Fulgophytoecia* Pic, 1900h: 16 type species *Phytoecia circumdata* Kraatz, 1882
Pseudallosia Breuning, 1967a: 1 type species *Pseudomallosia parterufipennis* Breuning, 1967
circumdata Kraatz, 1882c: 337 A: AF KI KZ UZ TD
parterufipennis Breuning, 1967a: 2 (*Pseudomallosia*)
sellata Ganglbauer, 1887e: 296
pilosicollis Holzschuh, 1981: 107 A: KZ UZ
valentinae Skrylnik, 2010: 258 A: AF

subgenus *Helladia* Fairmaire, 1864a: 176 type species *Saperda flavescens* Brullé, 1832
adelpha Ganglbauer, 1886c: 522 A: AR (Byurakan) CY SY TR
diversepubens Pic, 1952d: 691
alziari Sama, 1992b: 306 (*Helladia*) E: GR A: CY IS JO LE SY TR
ariannae Pesarini & Sabbadini, 2011: 51 A: TR
demeltiana Lazarev, 2016d: 14 [RN] A: TR
demelti Sama, 2003: 73 (*Helladia*) [HN]
fatima fatima Ganglbauer, 1884: 570 [“Persien”] A: AB IN SY TR
fatima nigroapicalis Breuning, 1944a: 16 [“de l’Irak: Bagdad”] A: IQ IN
fatima ninives Sama, 1994b: 33 [“Irak, Mossul”, “NE Irak, Kurdistan, Rawandiz”] A: IQ TR #517
flavescens Brullé, 1832: 262 (*Saperda*) E: AL GR MC
fumigata Küster, 1848b: 81
humeralis caneri Özdikmen & Turgut, 2015: 384 A: TR #55

humeralis humeralis Walzl, 1838: 471 (*Saperda*) E: GR (Rodos) TR A: AB CY GG IN IQ IS LE SY TR #22 #517
frontalis Chevrolat, 1882: 63
scapularis Chevrolat, 1882: 63
humeralis scapulata Mulsant, 1851b: 194 [1852: 54] A: SY TR
mersinensis Pic, 1900p: 140
humeralis vashlovianica Danilevsky, 2023: 506 A: AB GG IN #312
insignata Chevrolat, 1854: 485 A: IS JO LE SY
bethaniensis T. Pic, 1900b: 67
millefolii Adams, 1817: 311 (*Saperda*) E: BU GR ST ?TR UK A: AB AR GG IN TR
azurea Steven, 1817: 190 (*Saperda*)
excelsa Stierlin, 1876: 479
orbicollis Reiche & Sauley, 1858: 15 ["Naplouze"] A: IS JO LE SY
damascena Pic, 1899b: 210
edessensis Reitter, 1898e: 358 [Urfa = Edessa]
scapipicta Reitter, 1898e: 358 [Akbes]
schmiedeknechti Pic, 1899b: 209
paulusi bludanica Sama, 2000a: 99 A: SY
paulusi paulusi Holzschuh, 1971: 67 A: LE
pontica Ganglbauer, 1884: 574 A: IS JO SY TR
praetextata nigricollis Pic, 1891h: 102 A: SY TR
praetextata praetextata Steven, 1817: 184 (*Saperda*) E: BU RO ?ST (N Caucasus) TR UK (Crimea) A: AB AR ?GG IN TR #83
implagiata Reitter, 1898b: 126
pretiosa Faldermann, 1837: 298 E: ?ST (Derbent) A: AB AR GG IN ?LE TR #182 #192
subgenus *Helladioides* Özdikmen, 2024e: 3126 type species *Musaria testaceovittata* Pic, 1934
armeniaca Frivaldszky, 1878b: 10 [=1879a: 318; =1879b: 62] A: AB AR GG IS JO LE SY TR #182 #517
carnea Heyden, 1879a: 319 [=1879b: 63]
diademata Faldermann, 1837: 297 A: AB AR GG IN TR
dorud Sama, Rapuzzi & Rejzek, 2007: 160 (*Helladia*) A: IN (Lorestan, Dorud)
euimperialis Faizi & Danilevsky, 2020: 592 A: IN
ferrugata Ganglbauer, 1884: 574 A: IS JO LE SY TR #182
dilaticollis T. Pic, 1900b: 67
imperialis Sama & Rejzek, 2001: 239 A: IN (Azarbaygan-e-Garbi, Serou, 37°39'N, 44°45'E)
plasoni Ganglbauer, 1884: 571 A: AB AR IN TM TR
testaceovittata natali Lobanov, 1994a: 105 ["(Caucasus Major), 14 km W Kilyazi"] A: AB #396
testaceovittata testaceovittata Pic, 1934c: 18 (*Musaria*) ["Ins. Kojun, Lac Urmia"] [= Pic, 1949c: 61] A: IN
iranica Villiers, 1960b: 99 (*Helladia*)
subgenus *Kalashania* Danilevsky, 2010a: 43 type species *Phytoecia erivanica* Reitter, 1899
erivanica Reitter, 1899: 161 [RN] A: AB AR GG IN TR
nigritarsis Pic, 1895b: 40 [HN] ["Wan"]
rosinae Pic, 1900c: 7
pici Reitter, 1892: 64 A: AB AR GG IN IQ TR #181
truncatipennis Pic, 1919a: 22 A: IN
subgenus *Metacoptosia* Özdikmen, 2024e: 3403 type species *Phytoecia albovittigera* Heyden, 1863
albovittigera Heyden, 1863: 130 E: BU GR MC TR A: TR
languida Fairmaire, 1865: 177 (*Coptosia*) [HN]
reichei Kraatz, 1876c: 287 (*Coptosia*)
semiannulicornis Pic, 1936c: 4 (*Coptosia*)
vittigera Fairmaire, 1868a: pl. 54, fig. 256 (*Coptosia*)
brunnerae Sama, 2000a: 98 (*Coptosia*) A: JO LE SY #591
demelti Breuning, 1973b: 143 (*Conizonia*) A: TR
gianassoii Sama, 2007a: 97 (*Coptosia*) A: IN
minuta Pic, 1891a: 2 A: TR
kurda Jakobson, 1924c: 239 [RN]
ardinensis Pic, 1901b: 13 (*Coptosia*)
schuberti Fuchs, 1965: 110 (*Conizonia*) A: TR
schuleae Özdikmen & Koçak, 2022: 622 A: TR
tauricola Breuning, 1943b: 104 (*Conizonia*) A: TR
urartica Kasatkin, 2015b: 43 A: AR IN IQ TR
subgenus *Metallidia* Kasatkin, 2012: 143 type species *Phytoecia alinae* Kasatkin, 2012
alinae Kasatkin, 2012: 143 A: TR
lisae Rapuzzi & Sama, 2018: 26 A: CY
subgenus *Musaria* J. Thomson, 1864: 120 type species *Leptura affinis* Harrer, 1784
affinis affinis Harrer, 1784: 209 (*Leptura*) [NP] E: AL AU BH BU BY CR CT CZ FR GE GR HU IT KZ MC MD PL RO SB SK SL SP ST
SZ UK A: KZ
bipunctata Piller & Mitterpacher, 1783: 36 (*Cerambyx*) [HN]
compacta Pic, 1890b: 120 [HN]
haemorrhoidalis Fabricius, 1793: 453 (*Saperda*)
janus Frölich, 1793: 154 (*Saperda*)

milliati Pic, 1945b: 7 ["Massif Chartreuse"]
mutata Pic, 1892a: 4 [RN]
nigrina Pic, 1891b: 38
nigritarsis Schoenherr, 1817a: 435 (*Saperda*)
oculata Scopoli, 1763: 47 (*Leptura*) [NO]
subaurata Pic, 1889b: 68
affinis altaica Suvorov, 1913: 79 (*Musaria*) A: ES KZ WS
affinis boeberi Ganglbauer, 1884: 559 [RN] ["Caucasus, Türkei"] E: ST A: AB AR GG IN TR
flavipes Gyllenhal, 1817: 436 (*Saperda*) - nota -"Caucaso" [HN]
melichari Pic, 1914b: 10
persathensis Pic, 1895b: 40
affinis ciscaucasica Danilevsky, 2023: 515 E: ST (planes from Dagestan to Stavropol) #777
affinis m-notata Pic, 1911e: 185 ["Caucase occidentale"] E: ST (mountains from Dagestan to Teberda) #517
melichari Pic, 1952d: 693 ["Im hohen Nordkaukasus"]
teberdensis Pic, 1952d: 693
affinis nigrohirta G. Müller, 1948: 76 E: IT
affinis nigropubescens G. Müller, 1948: 76 ["la razza caucasica"] E: ST (NW Caucasus) A: ?AR GG ?IN TR
affinis trimaculatoollis Özdikmen & Tezcan, 2020g: 517 A: TR
affinis tuerki Ganglbauer, 1884: 575 ["Brussa in Kleinasien"] E: BU TR A: SY TR #83
affinis volgensis Kraatz, 1883: 276 ["Wolga"] E: ST (SE Russia)
anatolica Fuchs & Breuning, 1971: 75 A: TR
argus Frölich, 1793: 155 (*Saperda*) E: AU BH BU CR CT CZ GR HU IT MD RO SK SL ST UK
astarte astarte Ganglbauer, 1886c: 523 A: SY (north) TR (south-east)
astarte lederi Pic, 1899d: 391 E: ST A: AB AR GG IN TR #194
astarte perrini Pic, 1892l: clxxxvi [1892d: 44] A: LE SY (Bloudan) #552
abeillei Pic, 1934d: 134 (*Musaria*)
cephalotes Küster, 1846b: 61 E: CR SL GR IT
faldermanni Faldermann, 1837: 296 E: ST UK A: AB AR GG IN KZ TR
blessigi Morawitz, 1863: 172
pubicollis Pic, 1917g: 10 (*Musaria*)
rosti Pic, 1900h: 16 (*Musaria*)
griseicornis Pic, 1892l: clxxxvii [1892d: 44] A: TR
kurdistana Ganglbauer, 1884: 572 A: AB AR GG IN IQ TR
caucasica Pic, 1897g: 262 (*Musaria*)
innoticeps Pic, 1931c: 10
korbi Pic, 1898p: 334
luristanica Pic, 1917g: 9 (*Musaria*)
plyushchi Danilevsky & Skrylnik, 2021: 18 A: IN
puncticollis krupitskyi Danilevsky, 2014h: 687 [Hakkâri prov., Agaçdibi, 37°30'02"N, 43°46'49"E.] A: JO TR #517 #591
puncticollis persica Ganglbauer, 1884: 572 ["Perse"] A: IN #517
diversicollis Pic, 1917g: 9 (*Musaria*) ["Perse"]
puncticollis puncticollis Faldermann, 1837: 291 E: ST A: AB AR GG IN IQ TR
aladaghensis Reitter, 1906a: 37 ["Ala-Dagh in Persien"]
gamborensis Pic, 1917g: 9 (*Musaria*) ["Caucase : Gambor"]
mardiniensis Heyden, 1894: 87
trimaculata Pic, 1917g: 9 (*Musaria*) ["Monts Taurus"]
turcica Pic, 1952b: 4 (*Musaria*) [Turquie]
puncticollis stygia Ganglbauer, 1884: 572 [Schaku am Caspischen Meere] A: IN TM
puncticollis vladyslavi Lazarev & Skrylnik, 2022: 1521 A: JO
rubropunctata Goeze, 1777: 507 (*Leptura*) E: FR IT SP GE #648
jourdani Mulsant, 1839: 202
nigrescens Pic, 1891b: 38
obscurior Pic, 1896c: 142
punctata Geoffroy, 1785: 80 (*Leptura*)
punctulata Gmelin, 1790: 1877 (*Leptura*)
tirellii Luigioni, 1913: 168 E: GR IT
wachanrui Mulsant, 1851a: 127 E: GR (Rodas) ST A: IN IS JO LE SY TR #771
alboscuteolata Chevrolat, 1854: 485
berytensis Pic, 1952d: 696
binodosa Chevrolat, 1882: 61
bisulcata Chevrolat, 1882: 61
breuningi Pic, 1952d: 696
coyei Pic, 1952d: 695
haasi Pic, 1952d: 696
innoticeps Pic, 1952d: 696 [HN]
irregularisignata Pic, 1952d: 696
jekeli Pic, 1917g: 10 (*Musaria*)
jezabel Reiche & Saulcy, 1858: 13
marsabana Pic, 1952d: 696
microquadrisignata Pic, 1952d: 696

obscuricornis Pic, 1897a: 189
pallidithorax Pic, 1898b: 24 (*Musaria*)
rufomaculata Pic, 1917g: 9
syriaca Chevrolat, 1854: 484
trinotatithorax Pic, 1952d: 696
tripunctata Chevrolat, 1882: 61

subgenus *Neomusaria* Plavilstshikov, 1928: 123 type species *Saperda balcanica* Frivaldszky von Frivald, 1835
adusta Reitter, 1889a: 43 A: TR
alepensis Pic, 1931c: 2 A: SY #143
aligamgami H.Özdikmen & G.Özdikmen, 2016: 494 A: TR #110
balcanica **balcanica** Frivaldszky von Frivald, 1835: 268 (*Saperda*) E: BU GR TR A: IN IQ TR #109 #517
subvitticollis Breuning, 1951a: 92 [Amasia] #109
balcanica skoupyi Danilevsky, 2021a: 8 A: IN
cercii Özdikmen & Koçak, 2023b: 1791 A: TR (Karaman)
dantchenkoi Danilevsky, 2008a: 7 A: AR
furkani H.Özdikmen & G.Özdikmen, 2016: 495 A: TR
inapicalis Pic, 1905f: 107 A: SY TR
latepubens Pic, 1926d: 6 (*Helladia*)
kazaryani Danilevsky, 2020b: 196 A: AR TR
longicornis Pesarini & Sabbadini, 2009: 27 A: TR
merkli Ganglbauer, 1884: 560 A: SY TR
mesopotamica barbarae Rapuzzi, 2021: 554 A: TR
mesopotamica mesopotamica Breuning, 1948d: 91 A: IN IQ SY
pauliraputii Sama, 1993d: 295 (*Neomusaria*) A: TR
salvicola Holzschuh, 1989a: 176 A: TR
shokhini Kasatkin, 2010: 61 A: TR #517
suvorowi Pic, 1905c: 38 A: TR
suvorowi König, 1906: 26
waltli Sama, 1991: 127 [RN] A: IS JO LE SY TR
modesta Waltl, 1838: 471 (*Saperda*) [HN]

subgenus *Obereina* Ganglbauer, 1886c: 524 type species *Phytoecia rubricollis* P. H. Lucas, 1847 (= *Saperda melanocephala* Fabricius, 1787) #259
Rubrophytoecia Breuning, 1943b: 103 type species *Saperda melanocephala* Fabricius, 1787
melanocephala Fabricius, 1787: 148 (*Saperda*) E: IT N: AG LB MO TU
lineaticollis Levrat, 1859: 35
rubricollis P. H. Lucas, 1847: 505, pl. 43

subgenus *Danilevskya* Lazarev, 2024 type species *Saperda molybdaena* Dalman, 1817
badenkoi Danilevsky, 1988a: 16 A: KZ (Narunkol env.)
molybdaena Dalman, 1817b: 186 (*Saperda*) E: AU BU CZ FR GE GR HU IT ?KZ PT RO SB SK SP ST ?SZ UK A: ?AB ?AR ES ?GG IN #115
KZ TM TR WS N: AG MO TU
longitarsis Reitter, 1911: 271
tenuilinea Fairmaire, 1876: 98 N: AG MO TU
mateui Breuning, 1951a: 365
uncinata W. Redtenbacher, 1842: 25 (*Saperda*) E: AL AU BH BU CR ?CT CZ FR GE HU MD PL RO SB SK SL ST UK A: ?TM TR #11 #583
glabricollis Roubal, 1934b: 140

subgenus *Opsilia* Mulsant, 1862: 387, 431 type species *Phytoecia flavicans* Mulsant, 1851 (= *Leptura coerulea* Scopoli, 1763)
aspericollis Holzschuh, 1981: 106 A: KZ (Karatau Ridge)
brevicornis Kasatkin, 2013: 265 A: AF
bucharica Breuning, 1943b: 101 A: AF TD (Isfara env.)
breuningi Dahlgren, 1988: 114
chinensis Breuning, 1943: 102 A: HEB
coerulea coerulea Scopoli, 1763: 49 (*Leptura*) E: AL AU BE BH BU ?BY ~~CH~~ CR CT CZ FR GE GR HU IT KZ ?LA LS LT LU MC #104 #556
MD ME NL PL PT RO SB SK SL SP ST SZ TR UK N: AG MO TU A: AB AR ES GG IN IQ IS JO KI KZ LE NE TD TR SY UZ WS

[*caerulea*, alternative spelling]
aeruginosa O. F. Müller, 1776: 95 (*Leptura*)
aeruginosa Mulsant, 1839: 210 [HN]
chlorizans Chevrolat, 1860c: 303
cobaltina Chevrolat, 1860b: 270
echii Chevrolat, 1860c: 302
estrelana Pic, 1930c: 6 (*Opsilia*)
flavescens Mulsant, 1843: 284 [HN]
flavicans Mulsant, 1851a: 137 [RN]
grisescens Chevrolat, 1860b: 269
incerta Mulsant, 1862: 433 (*Opsilia*)

nigrita Nedelkow, 1905a: 204
obscura Brisout de Barneville, 1863: 116
subcoerulea Geoffroy, 1785: 77 (*Leptura*)
tienschanica Fuchs, 1965: 111
trilineata Schoenherr, 1817a: 433 (*Saperda*)
virescens Fabricius, 1782: 499 (*Saperda*) [Morée]
viridiuscula Goeze, 1777: 506 (*Leptura*)
coerulescens cretensis Breuning, 1947c: 60 E: GR
prasina kotaika Miroshnikov, 2009b: 244 A: AR TR
prasina prasina Reitter, 1911b: 270 A: AB (Talysh) IN ?TM #591
irakensis Breuning, 1967h: 435 - "Irak, Sultan-Bulagh" [Iran, Hamadan province, 52 km NW Hamadan city, Soltân Bolâghî] #591
schurmanni Fuchs, 1971: 159 E: MC
transcaspica Fuchs, 1955a: 228 A: KZ TM UZ #517
varentzowi Semenov, 1896: 257 E: ST A: AB AR GG IN KI KZ TD TM UZ
immundula Reitter, 1911b: 270
subgenus *Paracoptosia* Danilevsky, 2017f: 1137 type species *Saperda compacta* Ménétris, 1832 #206
bithynensis Ganglbauer, 1884: 573 A: IN LE TR #464 #591
amasina Pic, 1949c: 60 (*Coptosia*)
conjuncta Pic, 1901b: 13 (*Coptosia*) [DA]
latevittata Breuning, 1963a: 10 (*Conizonia*)
limbata Pic, 1949c: 61 (*Coptosia*) [DA]
piciana Jakobson, 1924: 239 [RN]
trilinea Pic, 1892s: cxii
trilineata Pic, 1892s: cxii [= 1893d: 419]
compacta Ménétris, 1832: 228 (*Saperda*) A: AB AR GG IN TR #591
rufobrunnea Heyden, 1894: 88 (*Conizonia*)
ganglbaueri Pic, 1936c: 3 (*Coptosia*) A: CY IS JO LE SY TR
sancta Reiche, 1877b: cxxxvi A: IS JO LE SY #191
nigrosuturata Bytinski-Salz, 1956: 221 (*Coptosia*)
tauricola Breuning, 1943b: 104 (*Conizonia*) A: TR
urartica Kasatkin, 2015b: 43 A: AR IN IQ TR #771
subgenus *Parobereina* Danilevsky, 2018e: 131 type species *Phytoecia vittipennis* Reiche, 1877
forticornis forticornis Breuning, 1947b: 22 A: KA PA
forticornis povolnyi Heyrovský, 1971: 82 A: AF
heinzi Lazarev, 2019a: 123 A: PA
kashanica Danilevsky, 2020b: 197 A: IN
magnanii Sama, Rapuzzi & Rejzek, 2007: 174 (*Blepisanis*) A: IN
nigrofemorata Breuning, 1947b: 23 A: KA
nivea Kraatz, 1882a: 116 A: KI KZ TD UZ
ochraceipennis Kraatz, 1882c: 337 A: AF KI KZ TD UZ #517
pallidipennis Plavilstshikov, 1926c: 340 [HN]
plavilstshikovi Lazarev, 2019f: 1335 [RN] #459
pashtunica Lazarev, 2019a: 122 A: AF
remaudierei Villiers, 1967: 341 (*Blepisanis*) A: IN
repetekensis Semenov, 1935a: 279 A: TM
tatyanae Skrylnik, 2010: 260 A: AF
tekensis Semenov, 1896: 258 A: AF IN TM
vittipennis leuthneri Ganglbauer, 1886c: 523 A: IS SY TR
akbesiana Pic, 1900j: 20
inhumeralis Pic, 1900c: 7 (*Obereina*)
samai Özdikmen & Turgut, 2008c: 572
vittipennis pallidior Pic, 1901o: 67 (*Obereina*) A: TR
tokatensis Pic, 1933d: 11 #793
vittipennis pravei Plavilstshikov, 1926a: 8 [= 1926c: 339] A: AB AR GG IN TM TR
vittipennis vittipennis Reiche, 1877c: cxli E: AL BU GR SB A: ?LE TR #213
volkovitshi Danilevsky, 2010e: 24 A: TR
subgenus *Phytoecia* Dejean, 1835: 351 type species *Cerambyx cylindricus* Linnaeus, 1758
Hoplotoma Perez Arcas, 1874: 151 type species *Phytoecia malachitica* P. H. Lucas, 1847
acridula Holzschuh, 1981: 105 A: KI TD UZ
aenigmatica Sama, Rapuzzi & Rejzek, 2007: 166 A: IN TR #584
algerica Desbrochers des Loges, 1870: 126 N: AG MO
nigritarsis Chevrolat, 1882: 62
rufotibialis Pic, 1926d: 6
ambrusi Faizi & Danilevsky, 2020: 593 A: IN #487
annulicornis Reiche, 1878a: cli N: AG MO
annulipes Mulsant & Rey, 1863: 165 A: TR
asiatica asiatica Pic, 1891h: 102 A: TR
achilleae Holzschuh, 1971: 68

asiatica sublineata Holzschuh, 1984a: 159 A: AB AR TR #676
atripes Pic, 1922a: 8 A: BEI #400
bangi Pic, 1897a: 189 A: AR GG IN TR #517
bialookii Danilevsky, 2010e: 22 A: TR
bodemeyeri Reitter, 1913b: 665 A: IN TR #591
brunneicollis Pu, 1992b: 613 A: SCH
caerulea bacqueti Brullé, 1832: 262 (*Saperda*) [Peloponnes: Modon env.] E: GR A: TR #154
caerulea bethseba Reiche & Saulcy, 1858: 17 [*"Palestine?"] N: EG A: IN IQ IS JO LE SY TR #209 #676
caerulea caerulea Scopoli, 1772: 102 (*Leptura*) E: AL AU BH BU ~~BY~~ CR ?CT CZ GR HU IT KZ ?LA MC MD ME PT RO SB SK SL SP
ST ?SZ TR UK A: AB AR GG IN KZ SY TD TM TR UZ WS #115 #104 #752
[*coerulea*, alternative spelling; original spelling: *caerulea*]
coelestis Townson, 1797: 469 (*Saperda*)
flavimana Creutzer, 1796: 15 (*Saperda*)
gilvimana Ménétrés, 1832: 227 (*Saperda*)
rufimana Schrank, 1789: 77 (*Saperda*)
viridis Gronov [Gronovius], 1764: 163 [n. 546] (*Cerambyx*) #193
caerulea viridipes Rapuzzi & Sama, 2018: 24 A: TR #794
coeruleipennis Breuning, 1947b: 22 A: KA
coeruleomicans Breuning, 1947b: 22 A: JA
croceipes Reiche & Saulcy, 1858: 17 [RN] A: AB AR CY GG IQ IN IS LE SY TR
annulifera T.Pic, 1900b: 67
longicollis Costa, 1875: 27
macilenta Mulsant & Wachanru, 1863: 421 [RN]
puncticollis Mulsant & Wachanru, 1852: 175 [HN]
cylindrica Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS LT LU
MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: AB AR ES FE GG IN KZ TR WS XIN #11
cinerea DeGeer, 1775: 75 (*Cerambyx*)
fuliginosa Scopoli, 1786: 49 (*Leptura*)
grandis Pic, 1891a: 2 [DA]
kaemmereri Schatzmayr, 1928: 47
silphoides Schrank, 1781a: 145 (*Cerambyx*)
simplonica Stierlin, 1878a: 438
verna O. F. Müller, 1776: 94 (*Leptura*)
drurei Pic, 1909: 153 A: IQ
erythrocnema P. H. Lucas, 1847: pl. 43 E: FR PT SP N: AG MO TU
grenieri Fairmaire, 1861: xi
brevis Chevrolat, 1882: 62
cosettae Iablokoff-Khinzorian, 1953: 61
ferrea Ganglbauer, 1887c: 22 A: BEI ES FE HEB HEI HUB GAN GUA MG NE NMO SHA SHX ?WS ZHE #400
analis Mannerheim, 1849: 244 [HN]
atropygidialis Pic, 1939b: 3
mannerheimi Breuning, 1951a: 368 [RN]
nikitini Hayashi, 1957: 40
flavipes Fabricius, 1801: 329 (*Saperda*) N: MO
gamzeae Özdikmen, 2017a: 23 A: TR #110
gaubilii Mulsant, 1851a: 129 N: AG ?MO TN #487
gabilloti Pic, 1891b: 39
griseipes Pic, 1890f: cxi
impunctata Pic, 1895b: 64
innotata Pic, 1898a: 14
peregrina Reiche, 1877b: cxxxv
separata Pic, 1895b: 70
geniculata geniculata Mulsant, 1862: 420 A: CY IN IQ IS JO LE SY TR
ingeniculata T. Pic, 1900b: 67
nazarena Reiche, 1877b: cxxxvi
palaestina Pic, 1930c: 3
geniculata orientalis Kraatz, 1871a: 272 [RN] E: BU GR TR
donatellae Rapuzzi & Sama, 2010b: 187
fuscicornis Mulsant & Rey, 1863: 168 [HN]
gougeleti Fairmaire, 1880: 251 N: MO
griseola Breuning, 1951a: 359 [RN] A: HP
grisea Breuning, 1947b: 21 [HN]
icterica Schaller, 1783: 292 (*Cerambyx*) E: AL AU BH BU CR CT CZ FR GE GR HU IT KZ LU MC MD ME PL PT RO SB SK SL SP ST
SZ TR UK N: MO A: ?GG KZ WS (Kemerovo, Kurgan Region) #11 #487
ephippium Fabricius, 1793: 317 (*Saperda*)
ragusana Küster, 1844: 55 (*Oberea*) [DA]
subannulipes Pic, 1915: 11
kabateki Sama, 1997a: 104 A: SY
kartalensis Danilevsky, 2010e: 21 A: TR

lahoulensis Breuning, 1951a: 359 A: KA
malachitica P. H. Lucas, 1847: pl. 43 E: IT PT SP N: AG MO TU
bolivari Perez Arcas, 1874: 149
hispanica Breuning, 1951a: 364 [*hispancia*] - wrong original spelling (misprint), see correct spelling in the Index, p. 458]
parvula Breuning, 1960a: 23
manicata Reiche & Saulcy, 1858: 17 A: IS LE SY TR
marki Danilevsky, 2008a: 11 A: AR
martinae Danilevsky & Hodek, 2021: 19 A: IN
mongolorum Namkhaidorz, 1979: 584 A: MG
napolovi Danilevsky, 2012c: 4 A: IS
nigricornis Fabricius, 1782: 499 (*Saperda*) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT **KZ** LA LT LU MC MD ME NT
PL RO SB SK SL SP ST SV SZ TR UK A: AB AR ES FE GG **KZ** IN TR WS #517
canaliculata Fröhlich, 1793: 144 (*Saperda*)
caroni Mulsant & Godart, 1876: 419
julii Mulsant, 1862: 429
melanocera Gmelin, 1790: 1838 (*Cerambyx*)
solidaginis Bach, 1856: 39
tristriga Reitter, 1913a: 70
pubescens Pic, 1895b: 64 E: BH BU CR GR MC **SL** ST TR A: AB AR GG IN IS JO LE SY TR #83 #182
glaphyra K. Daniel, 1906b: 177
pustulata adulta Ganglbauer, 1884: 572 A: IN (“Astrabad”) #291
adnexa Pic, 1947a: 1 (“Asterabad”) #550
pustulata cihanae Özdikmen, 2017b: 54 [Konya] A: **SY** TR
pustulata murina Marseul, 1870: 384 [“Sarepta”] E: KZ ST UK A: KZ KI UZ
pulla Ganglbauer, 1886a: 130
gibbicollis Reitter, 1893a: 114
kryzhanovskii Kostin, 1973: 230
pustulata pilipennis Reitter, 1895c: 161 A: AB AR IN TR #397
vexans Reitter, 1895c: 162
pustulata pustulata Schrank, 1776: 66 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT **?KZ** LA LT MC MD ME PL PT RO
SB SK SL SP SZ ST **TR** UK A: AB AR GG KI KZ LE TD TR UZ #464
brevenotata Pic, 1936c: 4
lineola Fabricius, 1781: 235 (*Saperda*)
macedonica Pic, 1929b: 9
obscuripes Pic, 1895b: 65
posegana Piller & Mitterpacher, 1783: 67 (*Cerambyx*)
vulnerata Schaller, 1783: 293 (*Cerambyx*)
pustulata taurica Danilevsky, 2023: 535 E: UK
rabatensis Sama, 1992a: 41 E: SP N: MO
rufipes latior Pic, 1895b: 66 A: SY TR
rufipes rufipes Olivier, 1800: 25 [France: “Var”] (*Saperda*) E: BH BU CR **CT** FR GR (Crete) IT **KZ** PT SL SP ST ?SZ ?UK N: AG MO A:
ES GG ?JIL IN KI KZ ?LIA ?NMO ?SHX TD TM TR UZ WS #115 #373 #400 #467
coeca Küster, 1848a: 85 (*Oberea*)
femoralis Mulsant, 1862: 416 [l’Algérie]
ledereri Mulsant, 1851a: 132
ludovici Pic, 1891e: 133 [1891m: cxxxv] [“Sarepta”]
schreiberi Ganglbauer, 1884: 561 #303
sibirica Gebler, 1833: 304 (*Saperda*)
umbellatarum Gistel, 1831: 303 (*Saperda*)
rufiventris Gautier des Cottes, 1870a: 104 A: ANH ES FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX MG NC NMO SC
SHA SHN SHX TAI ZHE **ORR**
abdominalis Chevrolat, 1882: 62
atrimembris Pic, 1915f: 14
hakutorana Z. Wang, 2003: 365, 397
pieli Pic, 1952d: 699
punctigera Blessig, 1873: 226
tonkinea Pic, 1902l: 34
tristigma Pic, 1897a: 190
ventralis Bates, 1873: 388
rufovittipennis Breuning, 1972c: 419 A: UP
rungsi Antoine, 1953: 221 N: MO
sikkimensis Pic, 1907f: 152 A: KA NP SD
kashmirica Breuning, 1943b: 101
reductevittata Breuning, 1943b: 101
stenostoloides Breuning, 1943b: 101 A: ES FE HEI LIA NMO #198
subannularis Pic, 1901b: 14 A: TR
vaulogeri Pic, 1892k: 314 N: AG
virgula centaureae Sama, Rapuzzi & Rejzek, 2007: 163 A: IN TR #517 #584 #721
virgula grisea Pic, 1891o: 139 E: ST UK A: KZ #721

virgula kugitanga Danilevsky, 2023: 542 A: TM #721
virgula montis Danilevsky, 2023: 541 A: KI #721
virgula punctum Ménétériés, 1832: 227 (*Saperda*) E: ST A: AR AB GG #721
virgula russica Danilevsky, 2023: 539 E: BY CT KZ LA LT ST UK A: ES KZ ?TD UZ WS #721
virgula virgula Charpentier, 1825: 225 (*Saperda*) E: AL AU BH BU CR CZ FR GE GR HU IT MC ME PL PT RO SB SK SL SP SZ TR A: #517 #721
 CY IN IS JO LE SY TR XIN
bravardi Pic, 1947a: 1
cyclops Küster, 1848a: 88
major Pic, 1901b: 14
vulneris eremita Sama, 1999a: 53 E: IT
vulneris vulneris Aurivillius, 1923a: 566 [RN] E: BH CR FR IT MC SL
vulnerata Mulsant, 1851a: 131 [HN]
staudingeri Pic, 1947a: 1
paganettii Breuning, 1944: 16
subgenus *Pseudoblepisanis* Breuning, 1950a: 31 type species *Saperda analis* Fabricius, 1781
arabica Rapuzzi & al Dhafer, 2024: 210 A: SA
subgenus *Pseudocoptosia* Pic, 1900h: 16 type species *Phytoecia eylandti* Semenov, 1891
cinerascens Kraatz, 1882c: 337 A: AF IN KI KZ TD TM UZ
sokolowi Semenov, 1895: 206, 209
eylandti Semenov, 1891: 380 A: AF KI KZ TM TD UZ
glasunowi Semenov, 1895: 207, 210
kubani Holzschuh, 1991c: 56 #729
subgenus *Pseudomusaria* Pic, 1900h: 16 type species *Phytoecia farinosa* Ganglbauer, 1886
farinosa Ganglbauer, 1886c: 522 A: IN TM
mucida Semenov, 1893: 506

genus *Pilemia* Fairmaire, 1864a: 175 type species *Phytoecia tigrina* Mulsant, 1851
subgenus *Pilemia* Fairmaire, 1864a: 175 type species *Phytoecia tigrina* Mulsant, 1851
angusterufonotata Pic, 1952a: 2 E: AL GR #236
inarmata Holzschuh, 1984b: 168
annulata annulata Hampe, 1852b: 315 (*Phytoecia*) A: AB AR IN TR
annulata wawerkana Reitter, 1905b: 240 A: TR ["Akbes"]
angorensis Pic, 1952a: 2
breverufonotata Pic, 1952a: 2 A: TR
maculifera Holzschuh, 1984b: 170
griseomaculata Pic, 1891h: 102 A: LE SY TR #464
laterufonotata Pic, 1952a: 2
halperini Holzschuh, 1999: 51 (*Phytoecia*) A: JO IS #591
samii Özdikmen & Turgut, 2010: 97 A: TR
serriventris Holzschuh, 1984b: 169 E: BU
smatanai Holzschuh, 2003: 240 A: TR
tigrina podillica Zamoroka, Ruicănescu & Mancu, 2024: 21 (*Phytoecia*) E: MD RO UK ?ST UK A: ?AR TR #772
tigrina tigrina Mulsant, 1851a: 134 (*Phytoecia*) E: BU HU RO SB #313 #583 #772
anchusae Fuss, 1852b: 138
vagecarinata Pic, 1952a: 3 A: SY TR #241
subgenus *Pseudopilemia* Kasatkin, 2018: 157 type species *Saperda hirsutula* Frölich, 1793
arida Lazarev, 2023b: 67 IS JO LE SY TR
ghobarii Danilevsky, 2018b: 589 (*Phytoecia*) A: IN
hirsutula hirsutula Frölich, 1793: 141 (*Saperda*) ["Oesterreich"] E: AL BH BU CR GR HU IT KZ MC MD ME RO SB SK SL ST UK A: #702 #777
~~AB AR GG IN IS JO LE KZ SY TR WS~~
androsensis Breuning, 1963a: 10 (*Oxyilia*) - Grèce : Ile d'Andros
atomaria Townson, 1797: 470 (*Saperda*) - Hungary
tournieri Pic, 1952a: 2 (*Phytoecia*) - Sicile
hirsutula holosericea Faldermann, 1837: 287 (*Saperda*) -["Transcaucasia"] A: AB AR GG IN TR #702
buglanica D.Marklund & S.Marklund, 2014: 276 (*Phytoecia*) - Bingöl #241
evae D.Marklund & S.Marklund, 2014: 274 (*Phytoecia*) - Bingöl #241
ciliciae Breuning, 1951a: 406 (*Phytoecia*)
obsoleta Ganglbauer, 1889d: 487 - "Transcaucasien, Pontus".
hirsutula karadutensis Lazarev, 2023b: 77 A: TR (Adiyaman)
hirsutula kostali Skočepa, 2022: 14 (*Phytoecia*) A: IN
hirsutula richardi Lazarev, 2023b: 78 A: IN (Lorestan)
homoiesthes Ganglbauer, 1888d: 197 A: IN TM #702
konyaensis Danilevsky, 2010e: 20 A: TR
kruszelnickii Szczepański & Karpiński, 2017: 142 (*Phytoecia*) E: GR
moreana Breuning, 1943b: 102 (*Phytoecia*) E: GR #183
hladilorum Holzschuh, 2006a: 274
holtzi Pic, 1952a: 3

genus *Pteromallosia* Pic, 1900h: 16 type species *Phytoecia albolineata* Hampe, 1852
albolineata Hampe, 1852b: 314 (*Phytoecia*) A: AB AR GG IN ?LE TR #182
fulvolineata Reitter, 1891a: 33 (*Phytoecia*)

genus *Pygoptosia* Reitter, 1895a: 86 type species *Phytoecia speciosa* Frivaldszky, 1884
darzerkensis Rapuzzi, 2021: 557 A: TR #471 #584
eugeniae Ganglbauer, 1884: 568 (*Phytoecia*) A: IN ?TR #471 #584
speciosa Frivaldszky, 1884: 5 (*Phytoecia*) A: IN LE SY TR
lineolata Reitter, 1895a: 86 (*Phytoecia*)
pictipennis Pic, 1909: 106 (*Phytoecia*)

genus *Semiangusta* Pic, 1893d: 421 type species *Conizonia delagrangei* Pic, 1891
ambrusi Danilevsky, 2012m: 934 A: IN
delagrangei Pic, 1891a: 2 (*Conizonia*) A: TR
brevior Pic, 1897a: 188 (*Phytoecia*)
brevis, Plavilstshikov, 1927a: 65 (wrong spelling – unavailable name)
katarinae Holzschuh, 1974a: 99 (*Phytoecia*) A: TR
rebecca Sama & Rejzek, 2002: 106 A: IN

tribe Pogonocherini Mulsant, 1839 #778

genus *Parmenopsis* Ganglbauer, 1882: 693 type species *Parmena caucasica* Leder, 1880
caucasica Leder, 1880: 484 (*Parmena*) E: ST A: GG TR

genus *Pogonocherus* Dejean, 1821: 107 type species *Cerambyx hispidus* Linnaeus, 1758
subgenus *Pityphilus* Mulsant, 1862: 302 type species *Cerambyx ovatus* Goeze, 1777 #778
decoratus Fairmaire, 1855: 320 E: AL AU BE BH BU BY CR CT CZ DE EN FR FI GE GR HU IT LA LT MD ME NL NR NT PL SB SK
SL SP ST SV SZ TR UK A: KZ TR WS #133
ehdenensis Sama & Rapuzzi, 2000: 18 A: LE
fasciculatus fasciculatus DeGeer, 1775: 71 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LS
LT LU MA MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ UK N: MR A: AB AR ES FE GG HEI JA KZ MG ?NC NE SC TR
WS XIX #400

costatus Motschulsky, 1859a: 234
pullus Matsushita, 1931b: 376
setifer O. F. Müller, 1776: 92 (*Cerambyx*)
fasciculatus hondoensis K. Ohbayashi, 1963: 12 A: JA
inermicollis Reitter, 1894e: 247 E: ST A: GG TR
ovatooides Rapuzzi & Sama, 2014a: 9 E: IT
ovatus Goeze, 1777: 474 (*Cerambyx*) [NP] E: AL AU BE BH CR CZ FR GE GR HU IT LA LU NL PL RO SK SL SP SZ #472 #752
multipunctatus Georg, 1857: 64
ovalis Gmelin, 1790: 1863 (*Cerambyx*)
schlumbergeri Dufour, 1851: 351
scutellaris Mulsant, 1846: [11]
subovatus Mulsant, 1839: 155
ressli Holzschuh, 1977a: 132 A: AB IN
sturarii Sama & Schurmann, 1982: 66 E: SP
zubovi Danilevsky, 2015c: 588 E: UK (Crimea)

subgenus *Pogonocherus* Dejean, 1821: 107 type species *Cerambyx hispidus* Linnaeus, 1758
Eupogonocherus Linsley, 1935: 97 type species *Cerambyx hispidus* Linnaeus, 1758
Pogonocerus Gistel, 1848a: 131 [unjustified emendation]
Pogonochoerus Gemminger, 1873: 3116 [unjustified emendation]
Strophinus Gistel, 1856: 376 type species *Cerambyx hispidus* Linnaeus, 1758
anatolicus K. Daniel & J. Daniel, 1898a: 76 (*Pogonochoerus*) E: GR (Rodos) A: CY LE SY TR #553
barbarae Rapuzzi & Sama, 2012a: 678 A: SY TR #143
caroli Mulsant, 1862: 313 E: FR GB SP SV SZ
griseus Pic, 1889b: 67 [“départemant du Var”]
cedri Peyerimhoff, 1917: 318 (*Pogonochoerus*) N: AG
creticus Kratochvíl, 1985a: 1 E: GR (Crete)
dimidiatus Blessig, 1873: 208 A: FE GAN HEI JA JIL NC SC SCH SHA #225 #521
bicristatus Kraatz, 1879c: 114
seminiveus Bates, 1873: 382
tristriculus Kraatz, 1879c: 115
eugeniae eugeniae Ganglbauer, 1891: 131 (*Pogonochoerus*) E: AL AU BH CR CZ GR IT RO ?TR A: ?TR #314
pici Plavilstshikov, 1929e: 34 (unavailable name).
eugeniae taygetanus Pic, 1903a: 8 (*Pogonochoerus*) E: GR (Peloponnisos)
hispidulus Piller & Mitterpacher, 1783: 35 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT
LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK N: MR A: AB AR GG IN KZ (north-east) TR
bickhardti Pic, 1927e: 1 (*Pogonochoerus*)

bidentatus C. G. Thomson, 1866: 85
hispidus Linnaeus, 1758: 391 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK N: AG ?MO TU A: AB AR GG IN TR
dentatus Geoffroy, 1785: 76 (*Cerambyx*)
pilosus Fabricius, 1787: 134 (*Cerambyx*)
rufescens Pic, 1917a: 6 (*Pogonochaerus*)
marcoi Sama, 1993b: 29 E: IT
neuhausi J. Müller, 1916: 98 (*Pogonochaerus*) E: BH CR GR IT N: AG MO TU
icosiensis Peyerimhoff, 1918b: 143 (*Pogonochaerus*)
paradimidiatus Lazarev, 2021a: 57 A: GAN SCH
pepa Verdugo & Torres-Méndez, 2010: 110 E: SP N: MO
perroudi brevipilosus Holzschuh, 1993a: 50 E: GR (Crete)
perroudi perroudi Mulsant, 1839: 158 E: AL BH BU CR FR GR IT SL SP ST TR UK N: AG EG MO TU A: GG CY IS LE TR
vaulogeri Pic, 1927e: 1 (*Pogonochaerus*)
pesarinii Sama, 1993c: 21 N: MO
plasoni Ganglbauer, 1884: 526 (*Pogonochaerus*) E: BH CR GR
sieversi Ganglbauer, 1887b: 139 (*Pogonochaerus*) ?E: ?UK A: AR GG TR
caucasicus Ganglbauer, 1891: 132 [HN] (*Pogonochaerus*)
kuksha Plavilstshikov, 1924: 225 (*Pogonochaerus*)
slamai Danilevsky, 2015c: 590 A: CY
subgenus *Trichorondonia* Breuning, 1965c: 60 type species *Trichorondonia hybolasioides* Breuning, 1965
Neopogonocherus Lazarev, 2021a: 6 type species *Pogonochaerus pillosipes* Pic, 1907 #566
hybolasioides Breuning, 1965c: 60 A: GUX ORR
pillosipes Pic, 1907c: 21 (*Pogonochaerus*) A: CH "Chine orientale" #566
pillosipes Pic, 1907c: 21 (*Pogonochaerus*) [incorrect original spelling]

tribe Prosopocerini J. Thomson, 1864

genus *Prosopocera* Blanchard, 1845: 160 type species *Lamia fronticornis* Fabricius, 1781 (= *Cerambyx bipunctatus* Drury, 1773)
subgenus *Alphitopola* J. Thomson, 1857f: 299 type species *Aphitopola lactea* J. Thomson, 1857
Anybostetha Quedenfeldt, 1888: 201 type species *Anybostetha saperdoides* Quedenfeldt, 1888
Hodoeporus J. Thomson, 1858: 188 type species not specified
Galactesthes Fairmaire, 1897b: 152 type species *Galactesthes nivosus* Fairmaire, 1897
Lepesmia Breuning, 1956g: 672 type species *Lepesmia rufula* Breuning, 1956
Parachariesthoides Breuning, 1976e: 1033 type species *Parachariesthoides allaeri* Breuning, 1976
Pseuderemon Breuning, 1966i: 181 type species *Pseuderemon bifuscomaculipennis* Breuning, 1966
Scapochariesthoides Breuning, 1974k: 111 type species *Scapochariesthoides macrophthalma* Breuning, 1974
Zalatida Fähræus, 1872b: 33 type species *Zalatida paykullii* Fähræus, 1872
unicolor Gahan, 1898: 52 (*Alphitopola*) A: SA AFR
albescens Breuning, 1938e: 110
parvula Breuning, 1934: 90
patriziana Breuning, 1934: 89
subgenus *Dalterus* Fairmaire, 1892a: 125 type species *Dalterus auberti* Fairmaire, 1892
Timoreticus Peringuey, 1896: 181 type species *Monohammus degeeri* Fähræus, 1872
dejeani Gahan, 1890d: 315 A: SA YE AFR #774

tribe Pteropliini J. Thomson, 1860

genus *Abryna* Newman, 1842c: 289 type species *Abryna coenosa* Newman, 1842
coenosa coenosa Newman, 1842c: 289 A: SE SW TAI ORR
subuniformis Pic, 1925a: 30
obscura Schwarzer, 1925b: 65 A: JA TAI
oshimensis Breuning, 1955b: 64 (*Palimna*)
superba Pic, 1932d: 24
uniformis Breuning & K. Ohbayashi, 1966b: 32
regispetri Paiva, 1860: 5 A: YUN ORR
genus *Albana* Mulsant, 1846: [13] type species *Albana m-griseum* Mulsant, 1846
m-griseum Mulsant, 1846: [13] E: FR SP
accentifera Fairmaire, 1856a: 543 (*Pogonocherus*)
[grisea] Mulsant, 1846: [13] unused original spelling

~~**genus *Alidus* Gahan, 1893a: 258** type species *Alidus biplagiatus* Gahan, 1893
biplagiatus Gahan, 1893a: 258 A: GUA NP YUN ORR~~

genus *Alidus* Gahan, 1893a: 258 type species *Alidus biplagiatus* Gahan, 1893
Paramispila Breuning, 1959: 75 type species *Aphelocnemia bispecularis* White, 1858
bispecularis White, 1858b: 401 (*Aplocnemía*) A: GUA NP YUN ORR
biplagiatus Gahan, 1893a: 258 #400

genus *Anaches* Pascoe, 1865a: 160 type species *Sthenias dorsalis* Pascoe, 1858
albaninus Gressitt, 1942g: 85 (*Pterolophia*) A: ANH ANH FUJ GAN GUX ?HEB ?HEI HEN HUB HUN JIA JIX SCH SHA ZHE #225 #542
cylindricus Gressitt, 1939b: 114 (*Sthenias*) A: FUJ HUN ZHE #542
dorsalis Pascoe, 1858: 251 (*Sthenias*) A: CHQ FUJ GUI GUX HP KA NP SCH SD YUN ZHE ORR #60 #533
albonotata Pic, 1932c: 25 (*Anaches*)
m-signatus Lin & Weigel, 2022: 124 A: GUX HUN ZHE
medioalbus Breuning, 1956c: 234 (*Paramesosella*) A: FUJ #542 #650
murzini Lazarev, 2020g: 57 (*Sthenias*) A: SCH #542 #623 #650
semicylindricus Hayashi, 1974c: 45 (*Sthenias*) A: GUI TAI #168 #650
wenhsini Holzschuh & Y.-L. Lin, 2013: 152 A: TAI
yitingi Holzschuh & Y.-L. Lin, 2013: 154 A: TAI

genus *Cyphoscyla* J. Thomson, 1868a: 65 type species *Cyphoscyla lacordairei* J. Thomson, 1868
Hoabinhia Pic, 1934a: 11 type species *Hoabinhia multituberculata* Pic, 1934a
lacordairei J. Thomson, 1868: 66 A: YUN ORR
multituberculata Pic, 1934a: 12

genus *Desisa* Pascoe, 1865a: 163 type species *Praonetha subfasciata* Pascoe, 1862
subgenus *Desisa* Pascoe, 1865a: 163 type species *Praonetha subfasciata* Pascoe, 1862
Mesopenthea Schwarzer, 1925b: 67 type species *Mesopenthea variabilis* Schwarzer, 1925
chinensis Breuning, 1938c: 373 A: CH
dispersa Pic, 1944a: 10 (*Mesosella*) A: YUN
kuraruana Matsushita, 1935: 312 (*Mesosella*) A: TAI
subfasciata Pascoe, 1862a: 348 (*Praonetha*) A: GUA GUX HAI HEN HKG HUB JIA NP UP YUN ZHE ORR #127 #390
infasciata Pic, 1944a: 10 (*Mesosella*)
latefasciata Pic, 1924b: 79 (*Mesosella*)
major Pic, 1925b: 28 (*Mesosella*)
rufa Pic, 1936a: 17 (*Falsomesosella*)
variabilis Schwarzer, 1925b: 67 (*Mesopenthea*) A: TAI
yunnana Breuning, 1974d: 72 (*Mesoereis*) A: YUN #69
subgenus *Cylindrostyrax* Aurivillius, 1911: 212 type species *Cylindrostyrax apomecynoides* Aurivillius, 1911 (= *Desisa lunulata* Pascoe, 1866)
quadriplagiata Breuning, 1938c: 372 A: NP PA ORR #75
takasagoana Matsushita, 1933b: 364 A: FUJ GUA HAI TAI

genus *Egesina* Pascoe, 1864a: 49 type species *Egesina rigida* Pascoe, 1864
subgenus *Callegesina* Breuning, 1943a: 34 type species *Egesina vitticollis* Breuning, 1943
anfracta Gressitt, 1940b: 155 (*Enispia*) A: HAI
subgenus *Cuphisia* Pascoe, 1866b: 229 type species *Cuphisia callosa* Pascoe, 1866
cleroides Gahan, 1890a: 63 (*Enispia*) A: NP "North India" ORR
digitata Pesarini & Sabbadini, 2000: 62 A: SCH
guerryi Pic, 1926c: 12 (*Enispia*) A: CH
salicivora Holzschuh, 2007: 253 A: YUN
subfasciata Pic, 1926b: 2 (*Gyaritus*) A: GUI ORR #400
tarsata Holzschuh, 2007: 252 A: YUN
subgenus *Callienispia* Fisher, 1925: 210 type species *Callienispia elegans* Fisher, 1925
Larica Breuning, 1938c: 388 type species *Egesina cleroides* Breuning, 1938 [HN] (= *Egesina pascoei* Breuning, 1961)
anterufipennis Breuning, 1958a: 16 A: NP SD
subgenus *Egesina* Pascoe, 1864a: 49 type species *Egesina rigida* Pascoe, 1864
Neogesina Fisher, 1925: 215 type species *Neogesina ornata* Fisher, 1925
Platyzeargyra Fisher, 1925: 213 type species *Platyzeargyra bakeri* Fisher, 1925
albofasciata Hayashi, 1974c: 46 A: TAI
albolineata Breuning, 1942c: 132 A: YUN ORR
amoenua Holzschuh & Y.-L. Lin, 2013: 155 A: TAI
basirufa Breuning & Heyrovský, 1961: 142 A: SD
bhutanensis Breuning, 1975d: 338 (*Similosodus*) A: BT
diffusa Holzschuh, 2007: 255 A: YUN
generosa Holzschuh, 2003b: 310 A: NP
lacertosa Holzschuh, 2007: 256 A: GUI
lanigera Holzschuh, 2007: 259 A: GUI
nomurai Hayashi, 1994: 70 A: TAI
parteaalboantennata Breuning, 1965d: 30 A: YUN #400
picina Holzschuh, 2007: 258 A: SHA
setosa Gressitt, 1937d: 603 (*Enispia*) A: JIX
umbrina Holzschuh, 2007: 260 A: GUI SHA #400
subgenus *Nijimaia* Matsushita, 1933b: 386 type species *Nijimaia bifasciana* Matsushita, 1933

Baeckmanella Shabliovsky, 1936: 186 type species *Baeckmanella iljinskyi* Shabliovsky, 1936 (= *Niijimaia bifasciana* Matsushita, 1933)
— *Pseudenisipia* Breuning, 1938c: 388 type species *Pseudenisipia albomarmorata* Breuning, 1938c #642
bifasciana bifasciana Matsushita, 1933a: 387 (*Niijimaia*) A: CH FE JA NC SC
coreana Breuning, 1950e: 266
iljinskyi Shabliovsky, 1936: 187 (*Baeckmanella*)
bifasciana tsushimae Breuning & K. Ohbayashi, 1964: 27 A: JA (Tsushima Is.)
flavoapicalis Hayashi, 1971: 14 A: JA (Ryukyus)
flavopicta Breuning & Heyrovský, 1961: 144 A: NP SD
formosana Schwarzer, 1925b: 68 (*Enispia*) A: TAI
fujiwarai Toyoshima, 1999: 32 A: JA
fuscolaterimaculata Hayashi, 1971: 13 A: TAI
picea Hayashi, 1962: 16 A: JA (Ryukyus)
shibatai Hayashi, 1962: 15 A: JA (Tokara Isls., Ryukyus)
sikkimensis Breuning, 1940b: 145 A: SD

genus *Gibbomesosella* Pic, 1932b: 34 type species *Mesosella nodulosa* Pic, 1932
nodulosa Pic, 1932b: 33 (*Mesosella*) A: GUX **ORR**
taiwana Yamasako & Chou, 2018: 69 A: TAI

genus *Lychrosimorphus* Pic, 1925a: 26 type species *Lychrosimorphus vittatus* Pic, 1925
juglandis Viktora, 2023a: 410 A: YUN

genus *Macropraonetha* Breuning, 1961j: 542 type species *Desisa pterolophioides* Gressitt, 1942
pterolophioides Gressitt, 1942a: 6 (*Desisa*) A: FUJ GUI GUX HUN #400

genus *Marmylaris* Pascoe, 1866a: 88 type species *Hathlia buckleyi* Pascoe, 1857
buckleyi Pascoe, 1857b: 107 (*Hathlia*) A: NP SD **ORR**
truncatipennis Breuning, 1940b: 140 A: NP SD

genus *Mesosella* Bates, 1884a: 246 type species *Mesosella simiola* Bates, 1884
kumei Takakuwa, 1984: 12 A: JA
simiola Bates, 1884a: 246 A: JA

genus *Mimectatosia* Breuning, 1959e: 173 type species *Mimectatosia compacta* Breuning, 1959
compacta Breuning, 1959e: 173 A: SD

genus *Mispila* Pascoe, 1864a: 58 type species *Mispila venosa* Pascoe, 1864
subgenus *Dryusa* Pascoe, 1864a: 58 type species *Dryusa flexuosa* Pascoe, 1864
sonthianae Breuning, 1963: 59 A: GUX **ORR**
subgenus *Mispila* Pascoe, 1864a: 58 type species *Mispila venosa* Pascoe, 1864
Diatylus Lacordaire, 1872: 552 type species *Diatylus zonarius* Lacordaire, 1872 (= *Mispila curvilinea* Pascoe, 1869)

coomani Pic, 1934 (*Alidus*) A: HKG **ORR** #745
curvilinea Pascoe, 1869b: 206 A: AP GUX SD YUN **ORR** #280 #755
multilineata Pic, 1925a: 24 (*Alidus*)
— *zonaria* Lacordaire, 1872: 365
khamvengae Breuning, 1963k: 57 A: GUX **ORR** #400
tonkenea Pic, 1925a: 25 (*Alidus*) A: YUN **ORR** #695
punctifrons Breuning, 1938c: 381
tenuevittata Pic, 1930b: 19 (*Sodus*) A: GUX HAI YUN **ORR** #695
sonthianae Breuning, 1963k: 59
tholana Gressitt, 1940b: 157 (*Enispia*) A: HAI YUN
subgenus *Trichomispila* Breuning, 1939a: 71 type species *Trichomispila picta* Breuning, 1939
pedongensis Breuning, 1968f: 704 A: SD

genus *Nipholophia* Gressitt, 1951a: 458 type species *Nipholophia chujoi* Gressitt, 1951
chujoi Gressitt, 1951a: 458 A: TAI

genus *Niphona* Mulsant, 1839: 169 type species *Niphona picticornis* Mulsant, 1839
subgenus *Hamatoniphona* Pic, 1936e: 31 type species *Camptocnema longicornis* Pic, 1926
longicornis Pic, 1926b: 8 (*Camptocnema*) A: HUN SCH YUN XIZ **ORR**
lateralba Breuning, 1938c: 241
tibetana Gressitt, 1951a: 457
subgenus *Niphona* Mulsant, 1839: 169 type species *Niphona picticornis* Mulsant, 1839
Aelara J. Thomson, 1864: 54 type species *Niphona regisfernandi* Paiva, 1860
Camptocnema J. Thomson, 1864: 54 type species *Niphona lateralis* White, 1858
Falsoniphona Pic, 1925b: 26 type species *Falsoniphona lutea* Pic, 1925
Ocheutes J. Thomson, 1864: 54 type species *Ocheutes scopulifera* J. Thomson, 1864

albofasciata Breuning, 1938c: 238 A: HEB
appendiculata Gerstaecker, 1871: 78 A: SA
belligerans Pesarini & Sabbadini, 1997: 114 A: GUX
cantonensis Gressitt, 1939a: 71 A: GUA HAI HKG #400
chinensis Breuning, 1938c: 240 A: CH
excisa Pascoe, 1862a: 337 A: HAI **ORR**
falaizei Breuning, 1962b: 67 A: YUN **ORR**
fasciculata Pic, 1917e: 7 (*Ocheutes*) A: XIZ YUN **ORR**
furcata Bates, 1873: 314 (*Aelara*) A: HEN HUB JA JIA JIX SC TAI ZHE
fuscatrix Fabricius, 1793: 291 (*Lamia*) A: HP KA NP PA SD **ORR** #280
cylindracea White, 1858a: 268
spiniacollis Bates, 1891a: 22 (*Ocheutes*)
hookeri Gahan, 1900d: 351 A: FUJ GUA GUX HAI HKG HUN SCH SD XIZ YUN **ORR**
indica Breuning, 1938c: 239 A: AE AF IN OM PA **ORR**
assimilis Breuning, 1938c: 239 [Britisch Indien: Punjab, Chichowatni]
grisea Breuning, 1938c: 241
lateraliplagiata Breuning, 1943: 49 A: YUN **ORR**
longesignata Pic, 1936e: 31 A: GUX YUN **ORR**
lutea Pic, 1925b: 27 (*Falsoniphona*) A: HKG **ORR**
obliquata Breuning, 1938c: 240 A: CH
obscura Breuning, 1938c: 241 A: NP "India or."
parallela White, 1858a: 267 (*Nyphona*) A: FUJ GUA GUI GUX HAI HKG JIX NP TAI "North India" **ORR**
malaccensis Breuning, 1938c: 240
minor Lameere, 1893a: 284 (*Aelara*)
minuta Pic, 1926b: 8
picticornis Mulsant, 1839: 169 E: AL BH BU CR FR GR IT MA ME SP N: AG **EG LB** MO TU A: CY IS JO LE SY TR
plagiata White, 1858a: 267 A: YUN **ORR**
pluricristata Pesarini & Sabbadini, 2000: 60 A: SCH
similis Breuning, 1938c: 238 A: YE **AFR**
stoetznerei Breuning, 1938a: 57 A: SCH
stramentosa Breuning, 1938a: 57 A: PA "Punjab"
subgrisea Breuning, 1973c: 654 A: PA
tibialis Gahan, 1893a: 257 A: HP **ORR** #366
variegata Breuning, 1938c: 239 A: UP
yanoi reducta Gressitt, 1940b: 144 A: HAI
yanoi yanoi Matsushita, 1934a: 240 A: JA (Ryukyus) TAI
subgenus *Spinoniphona* Hua, 1989a: 74 type species *Niphona longzhouensis* Hua, 1989
longzhouensis Hua, 1989a: 74 A: GUX

genus *Niphosoma* Breuning, 1943a: 29 type species *Niphosoma compactum* Breuning, 1943
sikkimense Breuning, 1957g: 276 A: SD

genus *Paradiexia* Heller, 1923a: 43 type species *Paradiexia pellita* Heller, 1923
pellita Heller, 1923a: 44 A: "India" **ORR**

genus *Paramesosella* Breuning, 1940b: 143 type species *Paramesosella fasciculata* Breuning, 1940
alboplagiata Breuning, 1948b: 3 A: SD #343
fasciculata Breuning, 1940: 143 A: YUN **ORR**
stheniformis Breuning, 1940b: 143 A: NP UP
sthenioides Breuning, 1938c: 374 (*Desisa*) A: KA

genus *Paramispilopsis* Breuning, 1947a: 36 type species *Paramispilopsis indica* Breuning, 1947
indica Breuning, 1947a: 37 A: SD #343

genus *Paranaches* Breuning, 1959b: 70 type species *Anaches simplex* Pic, 1928
simplex Pic, 1928b: 20 (*Anaches*) A: NP

genus *Paraniphona* Breuning, 1970e: 371 type species *Paraniphona nipponoides* Breuning, 1970
rotundipennis Breuning, 1974h: 151 A: **SHA** #606

genus *Pseudolophia* Breuning, 1938c: 368 type species *Pseudolophia uniformis* Breuning, 1938
melanura Pascoe, 1857b: 106 (*Pterolophia*) A: NP TAI YUN **ORR**
moensii Ritsema, 1881a: 15 (*Praonetha*)
montana Pascoe, 1865a: 165 (*Praonetha*)
quadraticollis Pascoe, 1865a: 168 (*Praonetha*)
uniformis Breuning, 1938c: 368 A: SD

genus *Pseudomiccolamia* Pic, 1916e: 14 type species *Pseudomiccolamia pulchra* Pic, 1916
pulchra Pic, 1916e: 14 A: YUN

genus *Pseudoparmena* Breuning, 1956c: 235 type species *Pseudoparmena borchmanni* Breuning, 1956
borchmanni Breuning, 1956c: 235 A: FUJ

genus *Pterolamia* Breuning, 1942a: 128 type species *Pterolamia strandi* Breuning, 1942
strandi Breuning, 1942a: 129 A: HAI

genus *Pterolophia* Newman, 1842f: 370 [NP] type species *Mesosa bigibbera* Newman, 1842

subgenus *Ale* Pascoe, 1864a: 96 type species *Ale agraria* Pascoe, 1864

albovittata Breuning, 1938c: 250 A: FUJ

bicostata Breuning, 1943a: 26 A: YUN

bilatevittata Breuning, 1942a: 127 A: FUJ

brunnea Breuning, 1938c: 308 A: YUN **ORR**

camela Pic, 1926a: 30 A: HAI **ORR**

chekiangensis Gressitt, 1942g: 87 A: FUJ GUA HEN ZHE **ORR**

#400

cylindricollis Gressitt, 1942a: 4 A: XIZ

gibbosipennis gibbosipennis Pic, 1926a: 32 A: TAI

crispipennis Matsushita, 1931c: 403

gibbosipennis iriomotei Breuning & K. Ohbayashi, 1966: 33 A: JA (Ryukyus)

gibbosipennis kuniyoshii Hayashi, 1968c: 17 A: JA (Ryukyus)

gibbosipennis subcrispipennis Breuning & K. Ohbayashi, 1964: 16 A: JA

jugosa carinissima Takakuwa, 1984: 12A: JA [Tsushima Is]

jugosa jugosa Bates, 1873: 315 (*Praonetha*) A: FE (Sakhalin, Kunashir) JA NC (Mt. Geumgangsan)

lineatipennis Breuning, 1974j: 371 A: TAI

luzonica Breuning, 1938c A: JAi (Ryukyus) **ORR**

#451

nitidomaculata Pic, 1944a: 13 (*Ropica*) A: CH

ochreomaculata Breuning, 1940b: 140 A: SD

postscutellaris Breuning, 1967b: 30 A: AP

sikkimensis Breuning, 1938c: 329 A: SD

sinensis Fairmaire, 1900: 642 (*Praonetha*) A: FUJ JIX SCH

#400

sulcatithorax Pic, 1926a: 31 A: SCH YUN

humero gibbosa Pic, 1926a: 31

subgenus *Arabopraonetha* Téocchi, 1992: 302 type species *Pterolophia arabica* Téocchi, 1992

arabica Téocchi, 1992: 302 A: SA YE

subgenus *Armatopraonetha* Breuning, 1961j: 539 type species *Pterolophia armata* Gahan, 1894

bifasciata Breuning, 1968d: 227 A: SD

subgenus *Curtolophia* Breuning, 1974h: 165 type species *Pterolophia curticornis* Breuning, 1974

curticornis Breuning, 1974h: 165 A: SD

subgenus *Gibbopraonetha* Breuning, 1961j: 541 type species *Pterolophia quadrigibbosa* Pic, 1926

quadrigibbosa Pic, 1926a: 32 A: YUN

quadrigibbosipennis Breuning, 1968e: 857 A: SCH

subgenus *Hylobrotus* Lacordaire, 1872: 538 type species *Hylobrotus ploemi* Lacordaire, 1872

annulata Chevrolat, 1845a [1845b]: 99 (*Coptops*) A: FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIX ?NC NP SC SCH

SD SHA TAI YUN ZHE **ORR**

#390

annulicornis Pic, 1925e: 138

bowringii Pascoe, 1865a: 170 (*Praonetha*)

lacosa Pic, 1926b: 3

scutellata Schwarzer, 1925b: 66

discalis Gressitt, 1951a: 468 A: GUA GUX HAI **ORR**

formosana Schwarzer, 1925b: 66 A: JA (Ryukyus) TAI

humerosopunctata Breuning, 1938c: 320 A: UP

latefascia Schwarzer, 1925b: 65 A: JA (Ryukyus) TAI

fainanensis Pic, 1926a: 32

horii Breuning & K. Ohbayashi, 1967: 3

yayeyamai Breuning, 1961a: 9

lateralis Gahan, 1894a: 65 A: TAI YUN **ORR**

moupinensis Breuning, 1973c: 657 A: SCH

obscuroides Breuning, 1938c: 274 A: BT SD

oculata Breuning, 1938c: 271 A: NP UP

postfasciculata Pic, 1934b: 11 A: GUA HAI HKG NP SD UP YUN **ORR**

arctofasciata Gressitt, 1940b: 147

gerardiniae Breuning, 1938c: 272

subfasciculata Breuning, 1938c: 291

subunicolor Breuning, 1965: 44 A: TAI
szetschuanensis Breuning, 1973c: 658 A: SCH
tibialis Breuning, 1938c: 275 A: NP SD
trilineicollis Gressitt, 1951a: 475 A: FUJ GUA HUN JIX
tuberculator Fabricius, 1781 (*Lamia*) A: AP **AFR ORR** #166
yunnanensis Breuning, 1974i: 237 A: YUN
subgenus *Lychrosis* Pascoe, 1866a: 89 type species *Mycerinus luctuosus* Pascoe, 1863
caballina Gressitt, 1951a: 476 (*Lychrosis*) A: FUJ GUA GUX HUN YUN
caballina Chiang, 1951: 74 [HN]
gressitti Hubweber, 2010: 61 A: HAI
fasciata Gressitt, 1940b: 152 (*Lychrosis*) [HN]
humerosa J. Thomson, 1865: 550 (*Mycerinus*) A: GUI UP YUN **ORR** #400
albonotata Pic, 1918a: 10 (*Lychrosis*)
mimica Gressitt, 1942g: 88 (*Lychrosis*) A: FUJ GUA JIX ZHE
obscuricolor Breuning, 1943a: 29 A: YUN
varipennis J. Thomson, 1865: 550 (*Mycerinus*) A: "North India"
zebrina Pascoe, 1858: 252 (*Hathlia*) A: FUJ GUA GUX HAI HUB HUN JIX NP SD TAI
subgenus *Mimoron* Pic, 1925a: 27 type species *Mimoron phungi* Pic, 1934
brevegibbosa Pic, 1926a: 32 A: HAI HKG NP SD UP **ORR**
gardneri Schwarzer, 1931a: 71 (*Cenodocus*)
dalbergicola Gressitt, 1951a: 467 A: FUJ HEB #400
pedongensis Breuning, 1968f: 705 A: NP SD
phungi Pic, 1925a: 28 A: NP YUN **ORR**
ropicooides Breuning, 1968e: 857 A: SD #343
subgenus *Ovalopraonetha* Breuning, 1961j: 541 type species *Pterolophia ovalis* Breuning, 1938
kanoi Hayashi, 1966a: 7 A: TAI
subgenus *Paramimoron* Breuning, 1961j: 539 type species *Pterolophia albolateralis* Breuning, 1938
rondoniana Breuning, 1963k: 54 A: SCH **ORR** #400
subropicooides Breuning, 1968e: 857 A: GUI
subgenus *Pseudale* Schwarzer, 1925b: 67 type species *Pseudale fasciata* Schwarzer, 1925
adachii Hayashi, 1983: 41 (*Pseudale*) A: JA (Tsushima Is.) #438 #522
dorsotubercularis Hayashi, 1984: 33 (*Pseudale*) A: TAI
fasciata Schwarzer, 1925b: 67 (*Pseudale*) A: TAI
izumikurana Hayashi, 1971: 13 (*Pseudale*) A: JA (Izu Isls.)
jiriensis Danilevsky, 1996b: 21 A: SC
coreana M. Hasegawa & Lee, 2000: 198
koshikijimana Makihara, 2006: 10 (*Pseudale*) A: JA
kyushuensis Takakuwa, 1988: 103 A: JA
obovata Hayashi, 1971: 12 (*Pseudale*) A: JA (Ryukyus)
oshimana Breuning, 1955b: 64 A: JA (Ryukyus)
nobuoi Breuning & K. Ohbayashi, 1964: 17 (*Ropica*)
suginoi Makihara, 1986a: 9 A: TAI
subgenus *Pterolophia* Newman, 1842f: 370 [NP] type species *Mesosa bigibbera* Newman, 1842
Acroptycha Quedenfeldt, 1888: 209 type species *Acroptycha spinifera* Quedenfeldt, 1888
Alyattes J. Thomson, 1864: 48 type species *Alyattes guineensis* J. Thomson, 1864
Cormia Pascoe, 1864c: 281 type species *Cormia ingrata* Pascoe, 1864
Eurycotyle Blesig, 1873: 210 type species *Eurycotyle maacki* Blesig, 1873
Incamelomorpha Pic, 1926b: 4 type species *Pterolophia dependis* Pic, 1926
Praonetha Dejean, 1835: 344 [NO] type species *Lamia crassipes* Wiedemann, 1823
Praonetha Pascoe, 1862a: 348 [HN, RN] type species *Prioneta albosignata* Blanchard, 1853
Prioneta Blanchard, 1853: 292 [RN] type species *Prioneta albosignata* Blanchard, 1853
Prionetopsis J. Thomson, 1864: 49 type species *Prionetopsis balteata* J. Thomson, 1864 (= *Lamia inaequalis* Fabricius, 1801)
Theticus J. Thomson, 1858: 190 type species *Theticus biarcuatus* J. Thomson, 1858
albonigra Gressitt, 1940b: 146 A: HAI
alboplagiata Gahan, 1894a: 70 A: YUN **ORR**
albomaculipennis Breuning, 1962d: 51
bifasciculata Breuning, 1940d: 422
flavovittata Breuning, 1938a: 47
alternata Gressitt, 1938a: 51 A: SCH
angusta angusta Bates, 1873: 317 (*Praonetha*) A: JA #523
angusta multinotata Pic, 1931c: 1 A: ES FE MG NC NE SC SHA #225 #237
burakowskii Heyrovský, 1973a: 117
mandshurica Breuning, 1938a: 46
selengensis Lyamtzeva, 1979: 79
ussuriensis Plavilstshikov, 1954: 473
apicefusca Breuning, 1938c: 319 A: AF PA SD "North-West India" #280
arcuata Breuning, 1938c: 306 A: GUI
baiensis Pic, 1926a: 30 A: FUJ **ORR**

bigibbera Newman, 1842d: 323 (*Mesosa*) A: JA (Ogasawara Isls.) TAI **ORR**
binodosa Bates, 1866a: 350 (*Praonetha*)
camura Newman, 1842f: 371
saipana K. Ohbayashi, 1941b: 225
bimaculaticeps Pic, 1926b: 3 A: CH
bituberata Breuning, 1938c: 328 A: SD
bituberculata Breuning, 1938c: 270 A: SD
bottangensis Breuning, 1968e: 854 A: BT
brahma Holzschuh, 2006c: 486 A: NP
carinata Gahan, 1894a: 72 A: NP
carinipennis Gressitt, 1942e: 210 A: GUA
castaneivora K. Ohbayashi & Hayashi, 1962: 33 A: JA SC (Jejudo Is.) **#525**
caudata caudata Bates, 1873: 315 (*Praonetha*) A: JA SC TAI
caudata curtippennis Makihara, 1980: 59 A: JA
chinensis Breuning, 1982: 14 A: CH
consularis Pascoe, 1866b: 240 (*Praonetha*) A: BT GUA GUI GUX HAI YUN SD **ORR** **#344**
cervina Gressitt, 1939a: 74
crisulata Fairmaire, 1896b: 391 (*Praonetha*)
notaticeps Pic, 1934b: 12
ochreomaculipennis Breuning, 1968e: 852
crassipes Wiedemann, 1823: 111 (*Lamia*) A: GUAi **ORR**
iliaca Pascoe, 1865a: 178 (*Praonetha*)
imbuta Newman, 1842: 381
dalbergiae Breuning, 1938c: 268 A: UP
densefasciculata Breuning, 1938c: 269 A: BT "Himalaya" **ORR**
elegans Breuning, 1938c: 321 A: FUJ **ORR**
elongata Pic, 1934b: 12 A: CH
elongatissima Breuning, 1938c: 255 A: "North India"
externemaculata Breuning, 1938c: 292 A: SCH
fuchsi Breuning, 1970a: 9 A: TAI
fukiena Gressitt, 1940c: 189 A: FUJ
fulvescens Breuning, 1938c: 324 A: UP
granulata Motschulsky, 1866: 174 (*Pogonocherus*) A: ANH FUJ GAN GUI GUX **HEB** HEI HUB JA JIA JIL JIX LIA NC NIN SC SCH TAI
ZHE **#400**
rigida Bates, 1873: 316 (*Praonetha*) **#596**
granulosa Breuning, 1938c: 294 A: SD
holzschuhi Breuning, 1975d: 335 A: PA
hongkongensis Gressitt, 1942e: 211 A: HKG
indica Breuning, 1938c: 328 A: "India"
indra Holzschuh, 2012: 218 A: NP
inexpectata Breuning, 1938c: 255 A: UP
kaleea inflexa Gressitt, 1940a: 11 A: FUJ GUA SCH TAI
kaleea kaleea Bates, 1866a: 351 (*Praonetha*) A: GUI HAI JA (Ryukyus) TAI
subleiopodina Breuning & K. Ohbayashi, 1964: 16
kiangsina Gressitt, 1937d: 601 A: FUJ JIX SCH
krishna Holzschuh, 2006c: 487 A: NP
kubokii Hayashi, 1976: 20 A: JA (Ryukyus) TAI
kusamai Hasegawa & Makihara, 1999: 28 A: JA (Ogasawara Isls.)
lama Breuning, 1943a: 20 A: XIZ
lateralba Schwarzer, 1925b: 68 (*Albana*) A: TAI
leiopodina Bates, 1873: 317 (*Praonetha*) A: FUJ JA JIX
subangusta Matsushita, 1933b: 362
ligata Pascoe, 1862a: 350 (*Praonetha*) A: SD
apicalis Schwarzer, 1924: 238
lunigera Aurivillius, 1913: 25 A: AP NP **ORR** **#280**
maacki Blessig, 1873: 211 (*Eurycotyle*) A: BEI FE **HEB** JIX NC NE SC SHA SHG SHN ZHE **#225 #400**
chahara Gressitt, 1940c: 188
latenotata Pic, 1927i: 153 (*Sybra*)
marmorata Breuning, 1938c: 322 A: SD
matsushitai Breuning, 1938c: 289 A: TAI
multifasciculata Pic, 1926a: 30 A: YUN **ORR**
nigricans Breuning, 1938c: 323 A: SD
nigrobiarcuata Breuning, 1938a: 45 A: UP
nigrofasciculata Breuning, 1938c: 295 A: YUN **ORR**
nigroplagiata Breuning, 1938c: 320 A: UP
nigrovirgulata Breuning, 1939b: 196 A: NP SD
obscura Schwarzer, 1925b: 66 A: TAI

schwarzeri Mitono, 1944: 161
obscurata Breuning, 1938c: 269 A: NP SD "Himalaya"
occidentalis Schwarzer, 1931a: 72 A: AP UP #280
omeishana Gressitt, 1945a: 128 A: SCH
pedongana Breuning, 1968d: 228 A: SD
penicillata Pascoe, 1862a: 349 (*Praonetha*) A: YUN **ORR**
tonkinea Pic, 1926b: 3
persimilis Gahan, 1894a: 71 A: FUJ GUA HKG HP HUB NP SD UP YUN **ORR**
subexternefasciata Pic, 1926a: 29
persimiloides Breuning, 1968e: 854 A: SCH
postalbofasciata Breuning, 1962b: 23 A: YUN **ORR**
postfuscomaculata Breuning, 1973c: 655 A: CH **ORR**
pseudobscurioides Breuning, 1938c: 318 A: SD
pseudocolata Breuning, 1938c: 265 A: NP UP #390
pseudocolatoides Breuning, 1968d: 227 A: SD
pseudotincta Breuning, 1938c: 295 A: SD
quadrifasciata Gahan, 1894a: 71 A: NP
quadrivittata Breuning, 1938c: 319 A: UP
reduplicata Gressitt, 1951a: 471 A: HUB TAI
~~*rigida* Bates, 1873: 316 (*Praonetha*) A: ANH GAN GUI GUX HEB HEI HUB JIA JIL JIX NIN SCH TAI ZHE #596~~
rubricornis Gressitt, 1951a: 472 A: FUJ HUN
rufobrunnea Breuning, 1938c: 267 A: SD
salebrosa Breuning, 1938: 289 A: YUN **ORR**
serrata Gressitt, 1939a: 52 A: SCH SHA #225
serricornis Gressitt, 1937d: 599 [RN] A: FUJ HEB HUB JIX ZHE
rigida Gahan, 1894d: 485 [HN]
shiva Holzschuh, 2006c: 486 A: NP
sikkimana Breuning, 1973c: 657 A: SD
spenicornis Breuning, 1938c: 256 A: "India"
sthenioides grossepunctipennis Breuning, 1969f: 660 A: BT SD
sthenioides sthenioides Breuning, 1938c: 309 A: SD
subbicarinata Breuning, 1968e: 853 A: SD
subbitubericollis Breuning, 1968a: 2 [RN] A: YUN **ORR**
subtubericollis Breuning, 1965e: 48 [HN]
subtubericollis Breuning & Heyrovský, 1964: 27 A: SD YUN #400
suisapana Gressitt, 1951a: 473 A: HUB
szetschuanica Breuning, 1973c: 656 A: SCH
tenebrica Breuning, 1938c: 324 A: HP
thibetana Pic, 1926a: 32 A: XIZ
touzalini Breuning, 1973c: 655 A: SD
transversefasciata Breuning, 1938c: 252 A: FUJ SD UP YUN **ORR**
transverseplagiata Breuning, 1938c: 275 A: NP UP
tsurugiana Matsushita, 1935: 541 (*Desisa*) A: JA
japonica Breuning, 1939b: 195
tubericollis Breuning, 1938a: 46 A: SD
variantennalis Breuning, 1970a: 10 A: TAI
wittmeri Breuning, 1975d: 337 A: BT PA #274
yunnana Breuning, 1968e: 855 A: YUN
yunnanica Hubweber, 2010: 61 A: YUN
yunnanensis Breuning, 1982: 14
zonata Bates, 1873: 315 (*Praonetha*) A: JA TAI #525
subgenus Sociopraonetha Breuning, 1961j: 542 type species *Pterolophia nigrocincta* Gahan, 1894
nigrocincta Gahan, 1894a: 69 A: BT
atrofasciata Pic, 1925e: 138 (*Stesilea*)
socia Gahan, 1894a: 70
quadratiplagiata Breuning, 1938a: 44 A: NP

genus Prosoplus Blanchard, 1853: 290 type species *Prosoplus sinuatofasciatus* Blanchard, 1853 #597
Micracantha Montrouzier 1861 : 271 type species *Micracantha australis* Montrouzier, 1861
Prosacanthus Fauvel, 1862: 163 type species *Prosacanthus Chevrolati* Fauvel, 1862
bankii Fabricius, 1775: 176 (*Lamia*) A: GUA HAI JA (Ogasawara Isls.) TAI **AUR ORR**
dentata Olivier, 1797: 469 (*Lamia*)
desjardinsii Fairmaire, 1889b: xcvi (*Micracantha*)
hollandicus Boisduval, 1835: 491 (*Acanthocinus*)
insularis Pascoe, 1859: 39 (*Niphona*)
iratus Pascoe, 1862b: 464 (*Niphona*)
madecassa Künckel, 1890: pl. 50, fig. 5 (*Micracantha*)

miscellus Pascoe, 1863b: 529 (*Niphona*)
musivus Pascoe, 1864a: 65 (*Aegomomus*)
nutans Sharp, 1878: 209 (*Micracantha*)
obliquata Fairmaire, 1896b: 386 (*Micracantha*)
spinipes Olivier, 1800: N° 67, 103 (*Cerambyx*)
spinipes Fabricius, 1801: 282 (*Lamia*) [HN]
torosus Pascoe, 1864b: 223 (*Niphona*)
uchiyamai Matsushita, 1935: 120 (*Rhytiphora*)
vaulogeri Pic, 1925a: 28 (*Zaera*)
metallicus Pic, 1935g: 178 A: YUN AU
salomonum Breuning, 1938c: 357 (*Rhytiphora*)

genus *Similosodus* McKeown, 1945: 292 [RN] type species *Sodus verticalis* Pascoe, 1865
subgenus *Similosodus* McKeown, 1945: 292 [RN] type species *Sodus verticalis* Pascoe, 1865
Sodus Pascoe, 1864a: 96 [HN] type species *Sodus verticalis* Pascoe, 1865

~~*bhutanensis* Breuning, 1975d: 338 A: BT~~

chinensis Gressitt, 1951a: 483 A: FUJ
taiwanus Hayashi, 1966a: 8 A: TAI
torui Holzschuh, 1989b: 388 A: TAI

genus *Sthenias* Dejean, 1835: 344 type species *Lamia grisator* Fabricius, 1787 #523

subgenus *Albosthenias* Breuning, 1961j: 538 type species *Sthenias albicollis* Gahan, 1860

partalbicollis Breuning, 1968a: 17 A: GUI YUN ORR #60

subgenus *Sthenias* Dejean, 1835: 344 type species *Lamia grisator* Fabricius, 1787

Anomamomus Fähræus, 1872c: 194 [RN] type species *Sthenias leucaspis* Fähræus, 1872 (= *Lamia leucaspis* Fabricius, 1801)

Chalarus Fähræus, 1872b: 45 [HN] type species *Sthenias leucaspis* Fähræus, 1872 (= *Lamia leucaspis* Fabricius, 1801)

Thysanodes Newman, 1842c: 292 type species *Thysanodes jucunda* Newman, 1842

franciscanus J. Thomson, 1865: 550 A: FUJ GUX HUN SD YUN ORR

gahani Pic, 1912d: 19 (*Anaches*) A: YUN

gracilicornis Gressitt, 1937d: 602 A: FUJ GUA GUX HAI HUN JIX XIZ YUN #60

gracilis Breuning, 1938c: 370 A: AP "India or." #280

grisator Fabricius, 1787: 136 A: AP PA UP ORR #280

longeantennatus Breuning, 1938c: 369 A: NP ORR

pascoei Ritsema, 1888b: 272 A: YUN "North India" ORR

persimilis Breuning, 1938c: 368 A: SD UP #377

pictus Breuning, 1938c: 369 A: YUN ORR

nigrosignatus Breuning, 1965e: 41 (*Paramesosella*)

pseudodorsalis Breuning, 1938c: 369 A: BT NP SD XIZ ORR

tonkineus Pic, 1925b: 26 A: CH ORR

yunnanus Breuning, 1938c: 370 A: YUN

genus *Trichoniphona* Breuning, 1968e: 860 type species *Trichoniphona albomarmorata* Breuning, 1968

albomarmorata Breuning, 1968e: 860 A: SD

genus *Xynenon* Pascoe, 1865a: 159 type species *Sthenias bondii* Pascoe, 1859

Falsoxynenon Pic, 1925a: 26 type species *Falsoxynenon convexum* Pic, 1925 (= *Sthenias bondii* Pascoe, 1859)

bondii Pascoe, 1859: 48 (*Sthenias*) A: SD

convexum Pic, 1925a: 26 (*Falsoxynenon*)

tribe Saperdini Mulsant, 1839 #523

genus *Blamada* Lin & Holzschuh, 2013: 95 type species *Blamada rubripronota* Lin & Holzschuh, 2013

rubripronota Lin & Holzschuh, 2013: 97 A: GUX ORR

genus *Cagosima* J. Thomson, 1864: 116 type species *Cagosima sanguinolenta* J. Thomson, 1864

sanguinolenta J. Thomson, 1864: 116 A: FE ?GUX JA

kiushiuensis K. Ohbayashi, 1956a: 8

oshimaensis Kano, 1933a: 287

genus *Callundine* J. Thomson, 1879: lvi type species *Callundine lacordairei* J. Thomson, 1879

Pseudosaperda Pic, 1903g: 121 type species *Pseudosaperda goliath* Pic, 1903

lacordairei J. Thomson, 1879: lvii A: BT "India" SCH YUN

goliath Pic, 1903g: 121 (*Pseudosaperda*)

genus *Dystomorphus* Pic, 1926c: 11 type species *Dystomorphus notatus* Pic, 1926

diversus Holzschuh & Lin, 2017: 273 A: HEN SCH

esakii Hayashi, 1974c: 59 A: TAI

nigrosignatus Pu, Y. Wang & Li, 1998: 82, 83 A: GAN

niisatoi Holzschuh & Lin, 2017: 281 - A: YUN

notatus Pic, 1926c: 12 A: ?GAN ?QIN YUN #203
piceae Holzschuh, 2003: 238 A: HEN HUB SCH SHA YUN #203
sichuanensis C.-K. Yu, 1994: 388 A: SCH

genus *Entelopes* Guérin-Méneville, 1844: 245 type species *Entelopes glaucus* Guérin-Méneville, 1844
subgenus *Aspineoentelops* Hua, 1990: 343 type species *Entelopes longzhouensis* Hua, 1990
longzhouensis Hua, 1990: 343 A: GUX

genus *Epiglenea* Bates, 1884a: 259 type species *Epiglenea comes* Bates, 1884a
comes comes Bates, 1884a: 259 A: FUJ GUA GUI GUX HEN HUN JA JIX NC SC SCH SHA ZHE YUN ORR
comes formosana Schwarzer, 1925c: 153 (*Daphisia*) A: TAI
comes szetschuanica Breuning, 1967c: 40 (*Phytoecia*) A: SCH

genus *Eumecocera* Solsky, 1871a: 391 type species *Saperda impustulata* Motschulsky, 1860
anomala Bates, 1884a: 259 (*Stenostola*) A: JA
morii Makihara, 2002: 342
argyrosticta Bates, 1884a: 258 (*Stenostola*) A: JA
japonica Tamanuki, 1927: 124 (*Paraglenea*)
callosicollis Breuning, 1943b: 100 (*Stenostola*) A: FE HEI JIL LIA NC SC #400
gleneoides Gressitt, 1935c: 177 (*Phytoecia*) A: JA
impustulata Motschulsky, 1860b: 151 (*Saperda*) A: ES FE HEB HEI JA (Tsushima Is.) LIA MG NC NMO SC WS #400
acuminata Fischer von Waldheim, 1842: 26 (*Phytoecia*) [NO]
impunctata Motschulsky, 1875: 151 (*Saperda*)
minamii Makihara, 1984: 17 A: JA
trivittata Breuning, 1947d: 143 (*Stenostola*) A: JA
brunnescens Breuning, 1947d: 144 (*Stenostola*)
unicolor Kano, 1933a: 290 (*Stenostola*) A: JA JIL #400 #525
atrofusca Hayashi, 1960: 12
univittata Breuning, 1947d: 144 (*Stenostola*)

genus *Eutetrappa* Bates, 1884a: 256 type species *Saperda carinata* Blessig, 1873 (= *Saperda sedecimpunctata* Motschulsky, 1860)
bicostata Hayashi, 1994: 75 A: TAI
chlorotica Pu & Jin, 1991: 192, 197 A: SCH YUN #179
chrysochloris chrysoargyrea Bates, 1884a: 256 A: JA
chrysochloris chrysochloris Bates, 1879b: 467 (*Glenea*) A: FE JA
breuningi Pic, 1952: 13
piciella Breuning, 1956b: 17
podanyi Pic, 1953a: 9 [RN]
cinnabarina Pu, 1986: 202 A: GAN HEB HEN HUB SHA SHN #179
complexa Pu & Jin, 1991: 192, 197 A: GAN SHA #179
elegans Hayashi, 1966a: 9 A: TAI YUN #179
flavoguttata Pu & Jin, 1991: 190, 196 A: XIZ ORR #179
gui Lin & X.-K. Yang, 2017: 191 A: HAI #179
laosensis Breuning, 1964d: 62 A: YUN ORR
lini Chou, Chung & Lin, 2010: 313 A: TAI
metallescens Motschulsky, 1860b: 150 (*Saperda*) A: ~~ES~~ FE HEB HEI JIL LIA NC SC SHA
ocelota Bates, 1873: 387 (*Glenea*) A: FE (Kunashir) JA SC ?TAI #179 #517
maculithorax Pic, 1900i: 19
parastigma Lin & X.-K. Yang, 2017: 162 A: CHQ HEN HUB SHA
sedecimpunctata australis Takakuwa & Hirokawa, 1998: 303 A: JA
sedecimpunctata sedecimpunctata Motschulsky, 1860b: 151 (*Saperda*) A: ES FE HEI HEB ?HUB JA JIL LIA NC SC SHA #179
carinata Blessig, 1873: 219 (*Saperda*)
duodecimpunctata Motschulsky, 1860b: 151 (*Saperda*) [HN]
motschulskyi Plavilstshikov, 1915b: 80 (*Saperda*) [RN]
rosinae Pic, 1904d: 17 (*Saperda*)
sulphurata Matsumura, 1906: 141 n° 698, pl. 52, fig. 13 (*Saperda*) [HN]
variicornis Bates, 1884a: 256
shaanxiana Lin & X.-K. Yang, 2017: 182 A: GAN HUB SHA
shiqianensis Pu & Jin, 1991: 190, 196 A: FUJ GUI #179
stigma Pu & Jin, 1991: 191, 196 A: GUI GUX #179
tianmushana Lin & Bi, 2017: 185 A: ZHE
velutinofasciata Pic, 1939b: 2 A: BEI HEB HEI LIA NMO SHA SHX #179
nigromaculata W.-K. Wang & Jiang, 2002c: 145 (*Paraglenea*)
weni G.-Q. Huang & Lin, 2016: 590 A: GUI

genus *Glenea* Newman, 1842c: 301 type species *Saperda novemguttata* Guérin-Méneville, 1831, designated by J. Thomson, 1879: 1.
subgenus *Accolona* Strand, 1942: 392 [RN] type species *Accola citrina*, 1894 (= *Glenea astathiformis* Breuning, 1958)

Accola Jordan, 1894b: 503 [HN] type species *Accola citrina* Jordan, 1894 (= *Glenea astathiformis* Breuning, 1958) #400
astathiformis Breuning, 1958j: 888 [RN] A: NP SD YUN **ORR**
citrina Jordan, 1894b: 503 (*Accola*) [HN]
subgenus *Acutoglenea* Breuning, 1958j: 838 type species *Saperda acuta* Fabricius, 1801
langana Pic, 1903f: 107 A: GUX YUN **ORR**
atrolateralis Pic, 1926c: 24
nigromarginella W.-K. Wang & Jiang, 2002b
subgenus *Aridoglenea* Breuning, 1958j: 869 type species *Glenea arida* J. Thomson, 1865 #280
cancellata J. Thomson, 1865: 565 A: AP SD YUN **ORR**
favrei Pic, 1943d: 7
flavorubra Gressitt, 1940b: 205 A: HAI **ORR**
invitticollis Breuning, 1956b: 99
meiyingae Holzschuh, 2009b: 423 A: NP SD YUN **ORR**
shuteae Lin & X.-K. Yang, 2011a: 40 A: YUN
vaga J. Thomson, 1865: 565 A: NP SD UP YUN **ORR**
subgenus *Citrinoglenea* Breuning, 1958j: 885 type species *Glenea citrina* J. Thomson, 1865 #222
Laoglenea Breuning, 1968a: 37 type species *Glenea (Laoglenea) anterufipennis* Breuning, 1968
citrina J. Thomson, 1865: 566 A: YUN **ORR**
anthyllis Pascoe, 1866b: 262
gardneriana Breuning, 1958j: 887 [RN] A: YUN **ORR**
bifasciata Gardner, 1830: 164 [HN]
subgenus *Formosoglenea* Breuning, 1969a: 36 type species *Glenea ochreomaculata* Breuning, 1969
ochreomaculata Breuning, 1969a: 35 A: TAI
subgenus *Glenea* Newman, 1842c: 301 type species *Saperda novemguttata* Guérin-Méneville, 1831 **designated by J. Thomson, 1879: 1 (new name for *Sphenura* Laporte, 1840 (nec Lichtenstein, 1820, Aves).**
Cryllis Pascoe, 1867b: 363 type species *Cryllis chytoides* Pascoe, 1867
Hapochoron Gistel, 1848a: x [RN]
Hemilocallia Ramírez Hernández, Santos-Silva & Nascimento, 2019: 90, 92 type species *Hemilocallia grishami* Ramírez Hernández, Santos-Silva & Nascimento, 2019
Sphenura Dejean, 1835: 350 [HN] type species *Saperda novemguttata* Guérin-Méneville, 1831
acutoides Schwarzer, 1925c: 151 A: GUX TAI
albosignata Pic, 1943d: 7
[*aeolis aeolis* J. Thomson, 1879: 19 – Burma]
aeolis laosica Breuning, 1963b: 49 A: YUN **ORR**
afghana Breuning, 1971a: 44 A: AF PA #274
annulicornis Schwarzer, 1925c: 149 A: TAI
nijimai Matsushita, 1938a: 94
atricilla Pesarini & Sabbadini, 1997: 120 A: FUJ
atricornis apicespinosa Breuning, 1956h: 763 A: GUX **ORR**
[*atricornis atricornis* Pic, 1943: 11 – Tonkin]
[*bedoci bedoci* Pic, 1926: 22 – Tonkin]
bedoci mussardi Breuning, 1967b: 35 A: AP
beesoni Heller, 1926: 46 A: KA PA SD UP **ORR** #246
bidiscovittata Breuning, 1969e: 190 A: SCH
bimaculatithorax Pic, 1946a: 16 A: YUN **ORR**
capriciosa J. Thomson, 1857c: 142 A: BT NP
centroguttata Fairmaire, 1897d: 232 A: FUJ GAN GUA GUX HEN JA SCH SHA TAI XIZ YUN #60
issikii Mitono, 1934: 490
chalybeata J. Thomson, 1861: 57 A: SD
inapicalis Pic, 1926c: 20
luteoapicalis Pic, 1926c: 20
medijuncta Pic, 1946a: 10
changchini Lin & W. Lin, 2011: 13 A: YUN **ORR**
chlorospila chlorospila Gahan, 1897: 488 A: JA (Ryukyus)
chlorospila hachijonis Matsumura & Matsushita, 1933a: 110 A: JA
hayashii K. Ohbayashi, 1963: 12 [RN]
humero-lineata Hayashi, 1956c: 19 [HN]
izuinsularis Umeya & Fujimura, 1954: 13
chlorospila okinawensis Makihara, 1988: 151 A: JA (Ryukyus)
chrysomaculata Schwarzer, 1925c: 152 A: GUI GUX TAI #168
bremeri Kano, 1928: 267
chujoi Mitono, 1937: 149 A: GUA GUI HUB TAI #400
citrinopubens Pic, 1926c: 20 A: GUI GUX HUB SCH YUN
coomani Pic, 1926c: 21 A: HAI YUN **ORR**
humerosa Gressitt, 1940b: 206
crucicollis Breuning, 1956h: 671 A: "India"
crucifera Gahan, 1889: 222 A: BT
diana diana J. Thomson, 1865: 561 A: YUN **ORR**

theresae Pic, 1943c: 15
didymoides Breuning, 1956b: 166 A: SD #343
discofasciata Breuning, 1983: 61 A: JA
diverselineata diverselineata Pic, 1926c: 23 A: YUN **ORR**
diverselineatoides Breuning, 1968a: 34
diversenotata Schwarzer, 1925c: 152 A: FUJ GUX HAI TAI **ORR** #136
neohumerosa Lin & X.-K. Yang, 2011b: 62 #136
horishana Matsushita, 1933b: 412
flava Jordan, 1895: 270 A: BT GUX HUB SD YUN **ORR** #229 #344
atroapicalis Pic, 1926c: 21
binhensis Breuning, 1956h: 683
flavosignata Breuning, 1956h: 736 A: YUN **ORR**
formosana Schwarzer, 1925c: 150 A: TAI
fortii Pesarini & Sabbadini, 1997: 121 A: FUJ
glabronotata Pesarini & Sabbadini, 1997: 122 A: SCH
glechomoides Breuning, 1982: 27 A: SD
hauseri Pic, 1933a: 15 A: HUN SCH SHA YUN #225
leopardina Gressitt, 1942d: 4
hieroglyphica Pesarini & Sabbadini, 1997: 123 A: YUN
hwasiana Gressitt, 1945a: 133 A: SCH YUN
indecora Holzschuh, 2021b: 573 A: NP ?SD
indiana J. Thomson, 1857c: 141 (*Stibara*) A: BT NP SD **ORR** #523
inlineata Pic, 1943d: 6 A: TAI
iriei heikichii Makihara, 1982a: 45 A: JA (Ryukyus)
iriei iriei Hayashi, 1971: 17 A: JA (Ryukyus)
iwasakii Kano, 1933b: 139 A: JA (Ryukyus) TAI
stolata Matsumura & Matsushita, 1933b: 413
jeanvoinei Pic, 1927c: 19 A: YUN **ORR**
jini Lin & Dai, 2012: 6 A: XIZ
kusamai Makihara, 1988: 151 A: JA (Ryukyus)
lacteomaculata Schwarzer, 1925c: 151 A: TAI #136
lecta Gahan, 1889: 219 A: BT **ORR**
leucomaculata Breuning, 1968a: 33 A: GUX **ORR**
licenti Pic, 1939b: 3 A: GAN HUB NIN SCH SHA
lineata ihai Hayashi, 1960d: 29 A: JA (Ryukyus)
okinawana K. Ohbayashi & N. Ohbayashi, 1965: 5
lineata lineata Gahan, 1897: 483 A: JA
lineosa Aurivillius, 1923a: 499
lineata ryukyensis Breuning & K. Ohbayashi, 1964: 29 A: JA (Ryukyus)
lineata sauteri Schwarzer, 1925c: 150 A: GUA TAI YUN
synknensis Breuning & K. Ohbayashi, 1964b: 29
linwenhsini Lin, 2013: 109 A: GUI
luteicollis Gressitt, 1935c: 190 A: TAI
[luteicolle Gressitt, 1935c: 190 – original spelling]
luteosignata Pic, 1943c: 15 A: YUN
magdelainei Pic, 1943c: 14 A: YUN **ORR**
masakii Makihara, 1978: 60 A: JA (Ryukyus)
[maunieri maunieri Pic, 1926c: 22 – Vietnam]
maunieri horiensis Breuning, 1953: 21 A: TAI
mitonoana Gressitt, 1951a: 576 [RN] A: TAI
ornata Mitono, 1934: 491 [HN]
mouhoti J. Thomson, 1865: 567 A: HKG YUN **ORR**
albodiversa Pic, 1946a: 10
cochinchinensis Breuning, 1956b: 174
multiinterrupta Pic, 1947: 14 A: YUN **ORR**
nanshanchiana Hayashi, 1978a: 89 A: TAI
nigerrima Breuning, 1953: 26 A: SD
obliqua Gressitt, 1939b: 119 A: ANH FUJ HEN HUB SHA ZHE **ORR** #60
roubali Heyrovský, 1939b: 68
octoguttata Breuning, 1956h: 685 A: HUB
omeiensis Chiang, 1963: 68 A: SCH SHA #225
ornata Gahan, 1889: 223 A: SD #343
pallidipes Pic, 1926c: 23 A: GUI GUX YUN **ORR** #60
papiliomaculata Pu, 1992b: 608 A: YUN
paraornata Lin, 2013: 113 A: HAI YUN **ORR**
pici pici Aurivillius, 1920: 17 A: GUX YUN **ORR**

rufotibialis Pic, 1947b: 14
sexmaculata Pic, 1947b: 14
pici schmidi Breuning, 1965a: 16 A: AP
pieliana nigra Gressitt, 1940c: 194 A: FUJ GUA GUX HAI JIX #60
pieliana pieliana Gressitt, 1939b: 120 A: FUJ HUB JIX ZHE
tiennuschana Heyrovský, 1939b: 69
plagiata Gardner, 1930: 163 A: BT **ORR**
posticata Gahan, 1894a: 97 A: YUN **ORR**
vitalisi Pic, 1926c: 20
problematica Lin & X.-K. Yang, 2009: 171 A: GAN QIN YUN **ORR**
pseudocaninia Lin & Montreuil, 2009: 166 A: YUN **ORR**
pseudoluctuosa Breuning, 1953: 22 A: SD #343
pseudoscalaris miwai Mitono, 1943: 585 A: TAI
pseudoscalaris pseudoscalaris Fairmaire, 1895: 186 A: GUA GUI GUX **ORR**
gressitti Breuning, 1956h: 725
monticola Gressitt, 1951a: 576 [HN]
pulchella Pascoe, 1858: 260 A: SD **ORR** #280
vesta Pascoe, 1866: 260
~~*vestalis* Heller, 1934: 284~~ #596
pulchra Aurivillius, 1926: 111 A: GUI GUX NP SD XIZ YUN **ORR** #523
pulchella J. Thomson, 1860: 58 [HN]
quadriguttata Pic, 1926c: 22 A: GUX YUN **ORR** #136
quatuordecimmaculata Hope, 1831: 28 (*Saperda*) A: BT NP PA UP **ORR** #274
argus J. Thomson, 1857c: 145
relicta formosensis Breuning, 1960d: 15 A: TAI
relicta izuinsulana Fujita, 1980: 16 A: JA (Izu Isls.)
relicta relicta Pascoe, 1858: 258 A: ANH FE FUJ GUA GUI GUX HAI HUB HUN JA JIA JIX SC SCH SHA ZHE **ORR**
rufipes Gressitt, 1939a: 94 A: FUJ GUA GUX HAI HKG HUN **ORR** #400
atropubens Pic, 1943c: 16
sanctaemariae J. Thomson, 1857c: 141 (*Stibara*) A: BT **ORR**
saperdiformis Breuning, 1953: 25 A: AP
semiluctuosa Fairmaire, 1902b: 269 (*Sphenura*) A: SCH YUN
reitteri Pic, 1943c: 14
siamensis Gahan, 1897: 481 A: HAI YUN **ORR**
sikkimensis Breuning, 1982: 26 A: SD
silhetica Plavilstshikov, 1927a: 63 [RN] A: FUJ GUA HAI SCH TAI **ORR**
assimilis Gahan, 1897: 494 [HN]
subabbreviata Breuning, 1956h: 791 [RN] A: TAI
abbreviata Gressitt, 1951a: 573 [HN]
subalcyone Breuning, 1964: 20 A: YUN **ORR**
subregularis Pic, 1943c: 14 A: GUA GUX TAI **ORR**
tenuivittata Gressitt, 1951a: 579
subsimilis Gahan, 1897: 479 A: YUN **ORR**
subviridescens Breuning, 1963e: 11 A: YUN **ORR**
suensoni Heyrovský, 1939b: 70 A: ZHE
pieli Pic, 1943c: 14
sulphurea J. Thomson, 1865: 566 A: ?CH SD **ORR**
sulphuroides Breuning, 1982: 27 A: SCH #400
suturata Gressitt, 1939a: 95 A: ANH FUJ GUA HUB HUN
tatsienlui Breuning, 1956h: 678 A: SCH #400
t-notata Gahan, 1889: 223 A: GUX HUB NP SCH **ORR**
tonkinea Aurivillius, 1925: 19 A: GUX HAI **ORR** #400
torquatella Aurivillius, 1923a: 505 [RN] A: YUN **ORR**
torquata Gahan, 1907: 104 [HN]
virens bastiana Breuning, 1956h: 700 A: NP SD #343
[virens virens Aurivillius, 1925: 19 **ORR** #521
viridescens Pic, 1927b: 36 A: GUX YUN **ORR**
weigeli Lin & Liu, 2012: 114 A: YUN
wenhsini Lin, 2013: 107 A: GUI
zalinensis Gahan, 1897: 478 A: BT **ORR**
subgenus *Lobungiglenea* Lin & Tavakilian, 2014: 161 type species *Glenea judsoni* Lin & Tavakilian, 2014
judsoni Lin & Tavakilian, 2014: 162 A: ?TAI
subgenus *Rubroglenea* Breuning, 1956b: 109 type species *Colobothea rubricollis* Hope, 1842 #523
nigrorubricollis Lin et X.-K. Yang, 2009: 11 A: GUA
subgenus *Stiroglenea* Aurivillius, 1920: 30 type species *Lamia cantor* Fabricius, 1787
cantor cantor Fabricius, 1787: 142 (*Lamia*) A: GUA GUI GUX HAI HKG JIX SD YUN **ORR**
cantator Fabricius, 1801: 304 (*Lamia*)

luzonica Aurivillius, 1926: 112
quadrinotata Guérin-Méneville, 1843: (*Saperda*) A: YUN **ORR** #176
multilineata Pic, 1926c: 19
nigrolineata Gahan, 1894a: 88
pilota J. Thomson, 1861: 58 A: AP KA NP PA SD UP #127 #274 #280

genus *Glenida* Gahan, 1888b: 65 type species *Glenida suffusa* Gahan, 1888
cyaneipennis cyaneipennis Gahan, 1888: 66 A: BT GUA GUX HAI JIX
cyaneipennis ikedai Mitono, 1939: 147 A: TAI
cyaneofasciata Breuning, 1952: 116 A: SD
suffusa Gahan, 1888b: 66 A: FUJ GUX JIX SCH TAI

genus *Heteroglenea* Gahan, 1897: 490 type species *Glenea nigromaculata* J. Thomson, 1865
bastiensis Breuning, 1956h: 769 (*Glenea*) A: SD **ORR**
fissilis Breuning, 1953: 20 (*Glenea*) A: YUN XIZ **ORR**
gemella Lin & X.-K. Yang, 2009: 17 A: NP
glechoma Pascoe, 1867b: 409 (*Glenea*) A: JA (Ryukyus) TAI (Lanyu Is.) **AUR ORR** #523
fuscovirgata Fairmaire, 1883a: 53 (*Glenea*)
gualcanalana Breuning, 1958g: 315 (*Glenea*)
hamabovola Hayashi, 1978a: 91 (*Glenea*)
palawana Breuning, 1956h: 879 (*Glenea*)
mediodiscoprolongata Breuning, 1965: 43 (*Glenea*) A: YUN **ORR**
mimoluctuosa Breuning, 1968a: 34 (*Glenea*)
nigromaculata J. Thomson, 1865: 566 (*Glenea*) A: GUX YUN **ORR**
amelia Gahan, 1889: 224 (*Glenea*)
hamifera Heller, 1926: 49 (*Daphisia*)
vicinalis Lin & X.-K. Yang, 2009: 18 A: NP **ORR**

genus *Malloderma* Lacordaire, 1872: 842 type species *Malloderma pascoei* Lacordaire, 1872
kuegleri Holzschuh, 2010: 223 A: YUN **ORR**
pascoei Lacordaire, 1872: 842 A: BT
tonkineum Pic, 1932h: 151
pulchrum Pic, 1926a: 29 (*Paraglenea*) A: GUX **ORR**

genus *Mandibularia* Pic, 1925a: 24 type species *Mandibularia nigriceps* Pic, 1925
nigriceps Pic, 1925a: 24 A: XIZ **ORR**

genus *Menesia* Mulsant, 1856: 157 type species *Menesia perrisi* Mulsant, 1856 (= *Saperda bipunctata* Zubkov, 1829)
Daphisia Pascoe, 1867b: 363 type species *Daphisia pulchella* Pascoe, 1867
akemiae Makihara, 1992b: 78 A: JA
albifrons Heyden, 1886c: 276 A: ES FE ?NC **NO** SC WS
bipunctata Zubkov, 1829: 167 (*Saperda*) E: AU BH BY CR CT CZ EN FR GE HU IT KZ LA LS LT NT PL RO SB SK SL ST SZ UK A:
KZ WS
biguttata W. Redtenbacher, 1842: 26 (*Saperda*)
perrisi Mulsant, 1856: 158
quadripustulata Mulsant, 1862: 343
trimaculata Lentz, 1857: 145 (*Saperda*)
flavotecta Heyden, 1886c: 276 A: ANH FE JIL JA LIA ?NC SC SHA SHN #225 #400
tokioensis Kobayashi & Seki, 1935: 42
immaculipennis Breuning, 1954g: 410 [RN] A: SCH
immaculata Gressitt, 1945a: 132 [HN]
matsudai Hayashi, 1985: 135 A: TAI
octoguttata Breuning, 1954g: 411 A: SCH
sulphurata Gebler, 1825: 52 (*Saperda*) E: ?CT ?ST A: ES FE **GAN** HEB HEN HUB JA JIL KZ MG NC SC SCH SHA SHN SHX TAI WS
#124 #211 #496
nigrocincta Pic, 1915e: 10
semivittata Pic, 1915e: 10
yusai Gressitt, 1935b: 176 (*Praolia*)
vitiphaga Holzschuh, 2003: 237 A: SHA

genus *Mimocagosima* Breuning, 1968a: 32 type species *Mimocagosima ochreipennis* Breuning, 1968
humeralis Gressitt, 1951a: 561 (*Mandibularia*) A: FUJ GUA GUX YUN #60
ochreipennis Breuning, 1968a: 32 A: SHA YUN **ORR** #225

genus *Neoserixia* Schwarzer, 1925c: 148 type species *Neoserixia pulchra* Schwarzer, 1925 #523
subgenus *Neopraolia* Matsushita, 1933b: 406 type species *Neopraolia delicata* Matsushita, 1933
delicata Matsushita, 1933b: 407 (*Neopraolia*) A: TAI

infasciata Gressitt, 1935e: 289 #400
longicollis Gressitt, 1935e: 287 #476
schwarzeri Gressitt, 1935e #476
subgenus Neoserixia Schwarzer, 1925c: 148 type species *Neoserixia pulchra* Schwarzer, 1925
pulchra continentalis Gressitt, 1939a: 91 A: GUA HAI YUN **ORR** #400
pulchra pulchra Schwarzer, 1925c: 148 A: TAI #400

genus Neoxantha Pascoe, 1856: 45 type species *Neoxantha amicta* Pascoe, 1856
amicta Pascoe, 1856: 45 A: FUJ GUX HUB HUN JIA JIX ZHE
immaculata Pic, 1893g: lxxxvii

genus Niponostenostola K. Ohbayashi, 1958d: 64 type species *Stenostola niponensis* Pic, 1901
gressitti Lin & Ge, 2017b: 922 (*Niponstenostola*) A: SHA #201
nigra Gressitt, 1951a: 552 (*Saperda*) [HN]
lineata Gressitt, 1951a: 609 (*Stenostola*) A: SHA #201
niponensis konoii Kano, 1933b: 140 (*Stenostola*) A: JA
jezoana Matsushita, 1933b: 427 (*Stenostola*)
niponensis niponensis Pic, 1901c: 12 (*Stenostola*) A: JA
chichibuensis Kano, 1933a: 289 (*Stenostola*)
niponensis pterocaryai Hayashi, 1960c: 11 (*Eumecocera*) A: JA

genus Ossonis Pascoe, 1867b: 363, 417 type species *Ossonis clytomima* Pascoe, 1867
indica Breuning, 1954g: 429, 432 A: BT #344

genus Paradystus Aurivillius, 1923a: 184 [RN] type species *Dystus notator* Pascoe, 1867
Dystus Pascoe, 1867: 416 [HN] type species *Dystus notator* Pascoe, 1867
infrarufus Breuning, 1954: 458, 460 A: YUN **ORR**

genus Paraglenea Bates, 1866a: 352 type species *Glenea fortunei* Saunders, 1853
atropurpurea Gressitt, 1951a: 567 A: FUJ GUX
fortunei Saunders, 1853: 112 (*Glenea*) A: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JA JIA JIL JIX SC SCH SHA TAI YUN ZHE
ORR
bisbinotata Pic, 1915f: 14 (*Glenea*)
chloromelas J. Thomson, 1879: 21 (*Glenea*)
fasciata Pic, 1915f: 14 (*Glenea*)
innotata Pic, 1915f: 14 (*Glenea*)
innoticollis Pic, 1936d: 17
notatipennis Pic, 1914a: 7 (*Glenea*)
prescutellaris Pic, 1953b: 2
pubescens Pic, 1914a: 7 (*Glenea*)
savioi Pic, 1923c: 21 (*Glenea*)
szetchwana Heller, 1926: 48
jianfenglingensis Hua, 1985: 87 A: HAI
soluta Ganglbauer, 1887c: 22 (*Glenea*) A: BEI HEB HEN HUB SCH SHA ZHE #201
cinereonigra Pesarini & Sabbadini, 1997: 126
swinhoei swinhoei Bates, 1866a: 352 A: TAI
virides Pu & Jin, 1991: 191, 196 (*Eutetrappa*) A: SCH #179 #400

genus Paramenesia Breuning, 1952: 139 type species *Paraglenea theaphia* Bates, 1884a
kasugensis Seki & Kobayashi, 1935: 225 (*Glenea*) A: JA TAI
subcarinata Gressitt, 1951a: 557 (*Menesia*) A: GUA HUB **SHA** #496
theaphia Bates, 1884a: 257 (*Paraglenea*) A: FE (Kunashir) JA

genus Parastenostola Breuning, 1952: 200 type species *Saperda brunnipes* Gahan, 1888
brunnipes Gahan, 1888b: 65 (*Saperda*) A: FUJ HUN JIX
quadricolor Gressitt, 1951a: 561
nigroantennata nigroantennata Lin & X.-K. Yang, 2008: 12 A: GUI GUX HAI #60
nigroantennata taiwanensis Lin & X.-K. Yang, 2008: 15 A: TAI

genus Pareutetrappa Breuning, 1952: 135 type species *Paraglenea eximia* Bates, 1884a
eximia Bates, 1884a: 257 (*Paraglenea*) A: JA NC (Mt. Guemgangsan) #63 #525
magnifica caeruleithoracica Takakuwa, 1984: 14 A: JA (Ryukyus)
magnifica magnifica Schwarzer, 1925c: 148 (*Saperda*) A: TAI
olivacea Breuning, 1952: 138 A: YUN #400
simulans Bates, 1873: 388 (*Phytoecia*) A: HEN JA TAI
daisenensis Matsushita, 1933a: 109 (*Glenea*)
sylvia Gressitt, 1951a: 569 (*Paraglenea*) A: FUJ **ORR**

postjuncta Pic, 1952c: 13 (*Paraglenea*)
weixiensis Pu, 1992b: 609 A: YUN

#400

genus *Praolia* Bates, 1884a: 261 type species *Praolia citrinipes* Bates, 1884a
citrinipes atripennis Pic, 1923c: 20 (*Serixia*) A: TAI
griseipennis Gressitt, 1938b: 169 (*Serixia*)
citrinipes citrinipes Bates, 1884a: 261 A: JA SC
citrinipes ishigakiana N. Ohbayashi, 1970: 3 (*Serixia*) A: JA (Ryukyus)
iriomoteana N. Ohbayashi, 1970: 3 (*Serixia*)
citrinipes takeuchii Ohmoto, 1990: 31 A: JA (Ryukyus)
citrinipes umui Kusama & Takakuwa, 1984: 14 A: JA (Ryukyus)
hayashii Hayashi, 1974c: 60 (*Serixia*) A: TAI
mizutanii Niisato, 1989: 10 A: JA (Ryukyus)
yakushimana Hayashi, 1976: 22 A: JA

genus *Saperda* Fabricius, 1775: 184 type species *Cerambyx carcharias* Linnaeus, 1758

subgenus *Compsidia* Mulsant, 1839: 182 type species *Cerambyx populneus* Linnaeus, 1758

bacillicornis Pesarini & Sabbadini, 1997: 116 A: GAN QIN
bilineatocollis Pic, 1924a: 19 [“Chang-Hai”] A: FE GAN HEB HEN HUB JIA QIN SCH SHA SHG
gilanensis Shapovalov, 2013: 141 (*Compsidia*) A: IN
mariangelae Pesarini & Sabbadini, 2015: 53 A: SCH
populnea balsamifera Motschulsky, 1860b: 151 (*Compsidia*) A: ES MG ?NMO
innotatipennis Pic, 1910a: 2 [Siberie]
populnea lapponica Wallin, Kvamme & Bergsten, 2017: 129 E: FI NR NT SV A: ?WS
populnea populnea Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT
LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: MO A: AB AF ANH AR ES FE FUJ GAN GG GUA HEB
HEI HEN HUB IN JA JIA JIL KI KZ LIA NC NIN NMO QIN SC SHA SHN SHX TD TR UZ WS XIN XIZ NAR #487
betulina Geoffroy, 1785: 78 (*Leptura*)
bilineata Scopoli, 1772: 102 (*Leptura*)
decempunctata DeGeer, 1775: 78 (*Cerambyx*)
populi Duméril, 1860: 607
salicis Zetterstedt, 1818: 258

quercus ocellata Abeille de Perrin, 1895: ccxxix A: IS JO SY TR

quercus quercus Charpentier, 1825: 224 E: AL BH SB BU GR TR RO HU

#11

viridipennis Gressitt, 1951a: 554 A: SHA

#400

subgenus *Eusaperda* Danilevsky, 2023 type species *Cerambyx scalaris* Linnaeus, 1758

maculosa Ménétré, 1832: 226 A: AB IN

perforata Pallas, 1773: 723 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IR IT KZ LA LT MD NR NT PL RO SK
SP ST SV SZ TR UK N: AG A: AB AF AR ES FE GG HEI IN JA KZ MG NE TR WS XIN #89 #257 #481 #841 #867

albella Reitter, 1913b: 665

algerica Pic, 1903a: 8

decempunctata Goeze, 1777: 506 (*Leptura*)

duodecimpunctata Brahm, 1790: 176 (*Cerambyx*)

pallidipes Pic, 1904b: 9

rudolphi Cederhjelm, 1798: 92

seydlii Frölich, 1793: 135

scalaris hieroglyphica Pallas, 1773: 723 (*Cerambyx*) E: CT NT ST A: ES FE HEI JIL KZ LIA MG NC SC SHN WS XIN #669

varia Gmelin, 1790: 1875 (*Leptura*)

variegata Goeze, 1777: 506 (*Leptura*)

coerulescentialbotomentosa Blessig, 1873: 218

scalaris scalaris Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU
MD ME NE NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: AB AR GG KZ TR N: AG

algeriensis Breuning, 1952: 176

estellae Mulsant, 1839: 188

fenestrata Reineck, 1919: 72

niethammeri Podaný, 1963: 72

xantha Demelt, 1960: 182

subgenus *Nietzscheana* Zubov, 2014: 695 type species *Nietzscheana plutenkoi* Zubov, 2014

#459

alberti Plavilstshikov, 1915b: 80 [RN] A: ES FE GUA HEB JA JIL KZ MG NC SC WS

decempunctata Gebler, 1830: 186 [HN]

plutenkoi Zubov, 2014: 696 A: FE

#459

subgenus *Lopezcolonia* Alonso-Zarazaga, 1998: 131 [RN] type species *Saperda tremula* Fabricius, 1775 (= *Leptura octopunctata* Scopoli, 1772)

Argalia Mulsant, 1862: 381 [HN] type species *Saperda tremula* Fabricius, 1775 (= *Leptura octopunctata* Scopoli, 1772)

hosokawai Hasegawa, 2017: 189 A: JA SC

internescalaris Pic, 1934g: 36 A: SCH

interrupta Gebler, 1825: 52 A: BEI ES FE FUJ HEN JIL LIA MG NC NIN WS

#400

laterimaculata Motschulsky, 1860b: 151

jansonis Z. Wang, 2003: 382, 397 #400
kojimai Makihara & Nakamura, 1985: 18 A: TAI
octomaculata Blessig, 1873: 221 A: ES FE JA MG NC SC SHN
octopunctata Scopoli, 1772: 101 (*Leptura*) E: AL AU BE BH BU ?BY CR CT CZ FR GE GR HU IT LT MD PL RO SB SK SL SP ST SZ
 UK A: AB AR GG TR IN
magnini Dayrem, 1928b: 77
sexpunctata Reitter, 1909: 57
tiliae Schrank, 1798: 667
tremula Fabricius, 1775: 186
ohbayashii Podaný, 1963c: 62 [RN] A: JA
breuningi K. Ohbayashi, 1957: 14 [HN]
pallidipennis Gressitt, 1951a: 553 A: SHA
punctata Linnaeus, 1767: 1067 (*Cerambyx*) E: AL AN AU BH BU ?BY CR ~~CF~~ CZ ?EN FR GE GR HU IT KZ LA ?LT MA MC MD ME ~~NT~~
 PL RO SB SK SL SP ST SZ TR UK N: AG A: AB AR CY GG IN TR WS
gallica Pic, 1918d: 5
subobliterata Pic, 1910c: 13 A: FE HEI JA JIL LIA ?NC SC
mandschukuoensis Breuning, 1943b: 104
harbinensis Chiang, 1983: 60, 66 [unnecessary RN]
subscalaris Breuning, 1952: 179 A: YUN
tetrastigma Bates, 1879b: 466 A: JA NC SC TAI
jezoana Matshushita, 1933: 405 (*Cagosima*)
subgenus *Saperda* Fabricius, 1775: 184 type species *Cerambyx carcharias* Linnaeus, 1758
Amilia Mulsant, 1862: 376 type species *Saperda phoca* Frölich, 1793 (= *Saperda similis* Laicharting, 1784)
Anaerea Mulsant, 1839: 184 type species *Cerambyx carcharias* Linnaeus, 1758
carcharias Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU MC
 MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: AB AR ES FE GAN GG GUI HEI HUB HUN JIA JIL KZ MG NC-
 (Heohangryeong) SCH SHA TR WS XIN
grisescens Mulsant, 1839: 184 (*Anaerea*)
oppermanni Hummel, 1827: 13
villosa Gmelin, 1790: 1837 (*Cerambyx*)
similis Laicharting, 1784: 31 E: AL AU BE BH BU BY CR CT CZ EN FI FR GE HU IT KZ LA LT MC NR NT PL RO SB SK SL SP ST SV
 SZ UK A: ES FE KI KZ MG XIN TD UZ WS
albopubens Pic, 1925d: 11
phoca Frölich, 1793: 139
simulans Gahan, 1888b: 64 A: HUN JIA JIL JIX SCH SHA #400

genus *Saperdoglenea* Breuning, 1964: 22 type species *Saperdoglenea gleneoides* Breuning, 1964 #400
hunanensis Hua, 1992: 519, 523 A: GUA GUI HUN #523

genus *Savang* Breuning, 1963b: 51 type species *Savang vatthanai* Breuning, 1963
sulphuratus Pesarini & Sabbadini, 1997: 117 A: SCH

genus *Serixia* Pascoe, 1856: 45 type species *Serixia apicalis* Pascoe, 1856
subgenus *Serixia* Pascoe, 1856: 45 type species *Serixia apicalis* Pascoe, 1856
Iole Pascoe, 1858: 254 [HN] type species *Iole prolata* Pascoe, 1858
Iolea Pascoe, 1862a: 353 [RN]
albopleura Gressitt, 1935e: 291 A: TAI
arescens Breuning, 1965c: 52 A: GUX **ORR**
bootangana Breuning, 1958e: 213 A: BT SD
botelensis Kano, 1933a: 288 A: TAI (Lanyu Is.)
chinensis Breuning, 1948e: 121 A: GUI
formosana Breuning, 1960d: 13 A: TAI
juisuiensis Hayashi, 1974c: 61 A: TAI
kisana Matsushita, 1937: 105 (*Neopraolea*) A: TAI
subsericea Gressitt, 1938b: 170
prolata prolata Pascoe, 1858: 254 (*Iole*) A: HAI HKG **ORR** #400
abbreviata Gressitt, 1940b: 200
tonkinea Pic, 1922c: 14
pubescens Gressitt, 1940b: 201 A: HAI YUN
sedata gigantea Breuning, 1950c: 217 A: GUX
sedata sedata Pascoe, 1862a: 354 A: GUX HAI HKG YUN **ORR**
signaticornis Schwarzer, 1925c: 149 A: TAI
sinica Gressitt, 1937d: 616 A: JIX
testaceicollis Kano, 1933a: 287 A: TAI

genus *Spinoberea* Breuning, 1954g: 528 type species *Oberea subspinoso* Pic, 1922
cephalotes Gressitt, 1942b: 7 (*Nupserha*) A: SCH
subspinoso Pic, 1922e: 28 (*Oberea*) A: SCH YUN **ORR**

rufopubens Gressitt, 1942b: 8 (*Nupserha*)

genus *Stenostola* Dejean, 1835: 350 type species *Saperda nigripes* Fabricius, 1793 (= *Cerambyx ferreus* Schrank, 1776)

alboscuteolata Kraatz, 1862: 124 E: GR

atra Gressitt, 1951a: 608 A: SHA

basisuturalis Gressitt, 1935g: 573 A: SCH SHA

dubia Laicharting, 1784: 52 (*Saperda*) E: AU BE BH CR CT CZ DE EN FI FR GE HU IR IT LA LS LU MD NL NR NT PL RO SB SL SK

SP ST ~~SL~~ SV SZ UK A: AB AR GG

#478 #752

tiliae Küster, 1846b: 59

ferrea ferrea Schrank, 1776: 66 (*Cerambyx*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT LU MD NR PL RO SB

SK SL SP ST SZ UK A: AB AR GG TR

#696

nigripes Fabricius, 1793: 310 (*Saperda*)

plumbea Bonelli, 1812: 180 (*Saperda*)

ferrea maculipennis Holzschuh, 1982b: 155 E: ST UK

ivanovi Danilevsky, 2014f: 662 A: FE SC

nigerrima Breuning, 1947b: 21 (*Phytoecia*) A: JA

pallida Gressitt, 1951a: 610 A: SHA

genus *Stibara* Hope, 1840: 79 type species *Stibara tetraspilota* Hope, 1840

nigrovittata Breuning, 1954g: 467 A: "India"

rufina Pascoe, 1858: 259 A: GUX YUN **ORR**

— *dichroma* J. Thomson, 1865: 560

#597

grisescens Pic, 1928b: 22

laosensis Pic, 1925a: 32

obsolata J. Thomson, 1860: 60

tetraspilota Hope, 1840: 79 A: AP HP KA NP SD PA **ORR**

#280 #366 #367

tricolor Fabricius, 1793: 309 (*Saperda*) A: GUX YUN **ORR**

#400

beloni Pic, 1907c: 22

multipunctata Pic, 1925f: 188

pallidior Pic, 1943b: 4

genus *Thermistis* Pascoe, 1867b: 438 type species *Lamia croceocincta* Saunders, 1839

cheni Lin & Chou, 2012: 49 A: SCH YUN

conjunctesignata Rondon & Breuning, 1971: 546 A: YUN **ORR**

croceocincta Saunders, 1839: 178 (*Lamia*) A: ANH FUJ GUA GUI GUX HAI HKG HUB HUN JIX SCH SHA YUN ZHE **ORR**

hainanensis Lin & X.-K. Yang, 2012: 32 A: HAI

kaiyuni Chou & Kurihara, 2012: 45 A: TAI

nigromacula Hua, 1992: 521, 523 A: GUX HUN YUN **ORR**

#440

rubromaculata Pu, 1984: 61 A: GUI GUX **ORR**

#440

sagittifera Pesarini & Sabbadini, 2000: 65 A: SCH

sulphureonotata Pu, 1984: 61 A: GUX **ORR**

#517

taiwanensis Nara & S.-K. Yu, 1992: 132 A: TAI

xanthomelas Holzschuh, 2007: 263 A: FUJ GUI GUX HAI YUN **ORR**

genus *Thyestilla* Aurivillius, 1923a: 491 [RN] type species *Thyestes pubescens* J. Thomson, 1864 (= *Saperda gebleri* Faldermann, 1835)

Thyestes J. Thomson, 1864: 116 [HN] type species *Thyestes pubescens* J. Thomson, 1864 (= *Saperda gebleri* Faldermann, 1835)

coerulea Breuning, 1943b: 100 A: SCH

gebleri Faldermann, 1835: 434 (*Saperda*) A: ANH ~~ES~~ FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX LIA NC NMO

QIN SC SCH SHA SHX ?TAI ZHE

curtipennis Pic, 1952b: 5 (*Phytoecia*)

funebri Gahan, 1888b: 67 (*Thyestes*)

infernalis Pic, 1904e: 17 (*Phytoecia*)

kadowakii Fujimura, 1962: 211

lepesmei Gilmour, 1950: 554

nigrinus Plavilstshikov, 1915c: 109

pubescens J. Thomson, 1864: 116 (*Thyestes*)

tribe Tetrocini Portevin, 1927

genus *Lenotetrops* Danilevsky, 2012g: 5 type species *Lenotetrops ivanovae* Danilevsky, 2012g

ivanovae Danilevsky, 2012g: 6 A: AF

genus *Paratetrops* Lazarev, 2024: 29 type species *Tetrops warnckeii* Holzschuh, 1977a

warnckeii Holzschuh, 1977a: 133 (*Tetrops*) A: TR

genus *Tetrops* Kirby, 1826 (in Kirby & Spence 1826: 498) type species *Leptura praeusta* Linnaeus, 1758

Anaetia Dejean, 1835: 350 type species *Leptura praeusta* Linnaeus, 1758

Polyopsia Mulsant, 1839: 190 type species *Leptura praeusta* Linnaeus, 1758

subgenus *Mimosophronica* Breuning, 1943a: 53 type species *Mimosophronica strandiella* Breuning, 1943 (= *Tetrops formosus* Baeckmann, 1903) #228

bicoloricornis bicoloricornis Kostin, 1973: 207, 208 A: KI (Sary-Chelek Lake)

bicoloricornis ferganensis Danilevsky, 2018a: 280 A: KI UZ

bicoloricornis nigricornis Danilevsky, 2018a: 279 A: KI (about 30km S Sary-Chelek Lake)

bicoloricornis oshensis Danilevsky, 2018a: 280 A: KI (Osh env.)

brunneicornis Pu, 1985a: 102 A: XIN

elaeagni elaeagni Plavilstshikov, 1954: 474 [Urda] E: ST (Astrakan Reg.: Dosang) KZ

elaeagni plavilstshikovi Kostin, 1973: 206, 209 A: KZ XIN

elaeagni shapovalovi Danilevsky, 2018a: 266 A: KZ TM UZ

formosus bivittulatus Jankowski, 1934: 112 A: KZ (Almaty env.)

formosus formosus Baeckmann, 1903b: 311 A: KI KZ

formosus songaricus Kostin, 1973: 206 A: KZ (Dzhungarsky Alatau)

formosus strandiellus Breuning, 1943a: 53 (*Mimosophronica*) [“Kuldsha”] A: XIN #146

hauseri hauseri Reitter, 1897c: 225 [“Thian-Schan (Musart)”] A: XIN

hauseri kostini Özdikmen & Turgut, 2008e: 625 [RN] A: KZ (Bayankol env.)

niger Kostin, 1973: 207 [HN]

subgenus *Tetrops* Kirby, 1826 (in Kirby & Spence 1826: 498) type species *Leptura praeusta* Linnaeus, 1758 #228

gilvipes adlbaueri Lazarev, 2012: 951 E: CZ GE HU PL SK ?SV UK #205 #639

gilvipes efetovi Lazarev, 2012: 949 E: UK (Crimea)

gilvipes gilvipes Faldermann, 1837: 290 (*Anaetia*) E: ST A: AB AR GG TR

gilvipes mikati Sláma, 2019b: 210 E: SK

gilvipes murzini Lazarev, 2012: 950 A: AB IN TM

gilvipes niger Kraatz, 1859: 57 E: IT FR SZ #205

muehlfeldi Mulsant, 1862: 348 (*Polyopsia*)

mongolicus Murzin, 1977: 301 A: ES MG

praeustus algiricus Chobaut, 1894b: cclxxvi [1894a: 32] N: AG

praeustus anatolicus Özdikmen & Turgut, 2008e: 627 (Konya, Antalya, Osmaniye) A: TR SY

praeustus angorensis Pic, 1918d: 11 A: LE SY TR #182 #550

praeustus praeustus Linnaeus, 1758: 399 (*Leptura*) E: ~~AL~~-AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT ~~KZ~~ LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL ~~SL~~-SP ST SV SZ TR UK A: AB AR ES GG IR KZ MG SY TR WS #464

inapicalis Pic, 1891b: 37

peterkai Skořepa, 2020: 565 #511 #767

pilosus Geoffroy, 1785: 78 (*Leptura*) [HN]

praetermitus Sláma, 2020: 572 #511

~~—~~ *praecestus* Dufour, 1843: 101 (*Saperda*) #543

ustulatus Hagenbach, 1822: 11 (*Saperda*)

praeustus skrylnyki Lazarev, Gubin & Pak, 2024: 13 E: AL #609

rosarum Tsherepanov, 1975a: 34 A: FE HEI

starkii aquilus Danilevsky, 2012m: 937, 939 E: ST (Krasnodar env.)

starkii starkii Chevrolat, 1859a: 541 E: AU BE BH BU ?BY CR CT CZ DE EN FR GB GE GR HU IR IT ?LA LT MD NL NR PL RO SB SK SL SP ST SV SZ UK A: AB TR [Zonguldak] #41 #104 #752

mesmini Pic, 1928c: 6

vicinus Pic, 1928c: 6

tribe Tragocephalini J. Thomson, 1857h

genus *Chariesthes* Chevrolat, 1858: 312 type species *Chariesthes multinotata* Chevrolat, 1858

subgenus *Sokothes* Adlbauer, 2002: 20 type species *Chariesthes socotraensis* Adlbauer, 2002

socotraensis Adlbauer, 2002: 20 A: YE (Suqutra)

genus *Kerochariesthes* Téocchi, 1990b: 19 type species *Pseudochariesthes variegata* Breuning, 1939

Cherochariesthes, Löbl & Smetana, 2010: 333 (misspelling)

holzschuhi Téocchi, 1992: 300 (*Freapomecyna*) A: SA YE

holzschuhi Teocchi, 1990a: 11 (*Freapomecyna*) (unavailable name - conditional proposal)

genus *Dinocephalus* Peringuey, 1899: 323 type species *Dinocephalus ornatus* Peringuey, 1899

heissi Holzschuh, 1992a: 296 A: SA

tribe Xenoleini Lacordaire, 1872

genus *Hirtaeschopalea* Pic, 1925a: 22 type species *Hirtaeschopalea albolineata* Pic, 1925

Jezohammus Matsushita, 1933b: 347 type species *Jezohammus nubilus* Matsushita, 1933

albolineata Pic, 1925a: 22 A: SHA YUN ORR #400

fasciculata Breuning, 1938c: 226 A: FUJ GUA ORR

obliqua Gressitt, 1940a: 9 (*Xenolea*)

nubila Matsushita, 1933b: 347 (*Jezohammus*) A: JA SC

genus *Xenolea* J. Thomson, 1864: 91 type species *Xenolea collaris* J. Thomson, 1864
Aeschopalaea Pascoe, 1864a: 10 type species *Aeschopalaea agraria* Pascoe, 1864 (= *Xenolea collaris* J. Thomson, 1864)
asiatica Pic, 1925c: 16 (*Aeschopalaea*) A: GUA GUX HAI HEN HKG HUB JA JIX NP SC SCH TAI UP YUN ZHE **ORR #127**
[*collaris collaris* J. Thomson, 1864: 91 **AUR ORR**]
agraria Pascoe, 1864a: 24 (*Aeschopalaea*)
grisella Pascoe, 1864a: 25 (*Aeschopalaea*)
laticollis Pascoe, 1864a: 25 (*Aeschopalaea*)
collaris formosana Breuning, 1965h: 177 A: TAI

tribe Xylorhizini Lacordaire, 1872

genus *Cyrtogrammus* Gressitt, 1939a: 67 type species *Cyrtogrammus lateripictus* Gressitt, 1939
laosicus Breuning, 1968a: 11 A: HAI **ORR** #441
lateripictus Gressitt, 1939a: 67 A: GUA GUX HAI YUN **ORR** #60 #400

genus *Kuatuniana* Hua, 2002: 212 [RN] type species *Kuatunia subasperata* Gressitt, 1951
Kuatunia Gressitt, 1951a: 437 [HN] type species *Kuatunia subasperata* Gressitt, 1951
subasperata Gressitt, 1951a: 438 (*Kuatunia*) A: FUJ

genus *Microxylorhiza* Hayashi, 1974c: 38 type species *Microxylorhiza matsudai* Hayashi, 1974
matsudai Hayashi, 1974c: 39 A: TAI

genus *Parathylactus* Breuning & de Jong, 1941: 65 type species *Thylactus dorsalis* Gahan, 1890
dorsalis Gahan, 1890a: 58 (*Thylactus*) A: NP

genus *Thylactus* Pascoe, 1866b: 242 type species *Thylactus angularis* Pascoe, 1866
analisis Franz, 1954: 95 A: GUA GUI GUX HAI HEN HUN JIX SCH **AURi** #400 #441
chinensis Kriesche, 1924: 289 A: GUA SCH TAI **ORR** #199
angustatus Pic, 1925a: 24
densepunctatus Chiang & Li, 1984: 100 A: GUA HAI YUN **ORR** #60 #441
dentipennis W.-K. Wang & Jiang, 1998a: 462 A: XIZ YUN #441
pulawskii Hua, 1986c: 211 A: GUX HAI **ORR** #400 #441
sikkimensis Breuning, 1938c: 224 A: NP SD #84
simulans Gahan, 1890a: 58 A: AP GUI HEN HKG HUN JIX NP SD YUN ZHE **ORR** #84 #280
uniformis Pic, 1934a: 10 A: GUI "South China" #400

genus *Xylorhiza* Dejean, 1835: 344 type species *Lamia adusta* Wiedemann, 1819
adusta Wiedemann, 1819: 182 (*Lamia*) A: AP FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX NP PA SCH SD YUN ZHE **ORR #280**
venosa Laporte, 1840: 476
pilosipennis Breuning, 1943a: 16 A: FUG GUA GUX HAI HKG HUN YUN **ORR** #400 #523
erectepilosa Tippmann, 1951: 309

subfamily Agapanthiinae Mulsant, 1839

#761

tribe Agapanthiini Mulsant, 1839

genus *Agapanthia* Audinet-Serville, 1835a: 35 type species *Cerambyx cardui* Linnaeus, 1767
subgenus *Agapafghania* Danilevsky, 2023: 574 type species *Agapanthia nigriventris* Waterhouse, 1889
nigriventris C. O. Waterhouse, 1889: 130 A: AF TM
subgenus *Agapanthia* Audinet-Serville, 1835a: 35 type species *Cerambyx cardui* Linnaeus, 1767
Eucrius Gistel, 1856: 376 type species *Cerambyx cardui* Linnaeus, 1767
Segmentaria Gistel, 1848a: viii [unnecessary substitute name]
bohémica Sláma, 2017a: 62 E: CZ
cardui Linnaeus, 1767: 632 (*Cerambyx*) E: AL AU BE BH BU CR CT CZ FR GE GR HU IT KZ MC ME NL PL PT RO SB SK SL SP ST
SZ TR UK A: KZ #360 #485
consobrina Chevrolat, 1840: 17
grossa Pic, 1891g: 63
marginalis Mulsant, 1839: 179
nigroaenea Mulsant, 1839: 179
pannonica Kratochvíl, 1985a: 3
peragalli Mulsant, 1862: 364
suturalis Fabricius, 1787: 149 (*Saperda*) E: FR GR (Dodecanissos) IT MA PT SP N: AG CI EG LB MO TU A: AB AR GG CY IN IS IQ JO
LE SY TR #485
annulata Fabricius, 1793: 314 (*Saperda*)
ruficornis Pic, 1918d: 5
rufofemorialis Pic, 1946a: 8
subacutalis Chevrolat, 1882: 63
velox Gistel, 1857b: 560
subgenus *Agapanthoplia* Pesarini & Sabbadini, 2004b: 122 type species *Agapanthia coeruleipennis* Frivaldszky, 1878 #778

coeruleipennis Frivaldszky, 1878b: 9 A: IN SY TR
brevis Pic, 1891a: 1

subgenus *Amurobia* Pesarini & Sabbadini, 2004b: 128 type species *Agapanthia amurensis* Kraatz, 1879 #778
amurensis Kraatz, 1879c: 115 A: BEI ES FE FUJ HEB HEI HEN HUB HUN JIA JIL JIX MG NC NIN NMO SC SCH SHA SHN XIN ZHE
melanolopha Fairmaire, 1900: 643
plicatipennis Pic, 1915e: 8
semicyanea Pic, 1915e: 8

japonica Kano, 1933a: 286 A: JA
pilicornis laushanensis Breuning, 1965g: 92 A: HEN SHN #525
pilicornis pilicornis Fabricius, 1787: 148 (*Saperda*) A: ES FE HUB JIA JIL JIX MG NC NMO SC SCH SHA SHN ZHE
fasciculosa Motschulsky, 1861b: 41
yiershiensis Z. Wang, 2003: 266, 396

yagii Hayashi, 1982b: 147 A: JA

subgenus *Chionosticta* Pesarini & Sabbadini, 2004b: 122 type species *Agapanthia niveisparsa* Holzschuh, 1981 #778
niveisparsa Holzschuh, 1981: 103 A: PA

subgenus *Drosotrichia* Pesarini & Sabbadini, 2004b: 126 type species *Saperda annularis* Olivier, 1800 #778
annularis Olivier, 1800: 11 (*Saperda*) E: PT SP N: AG EG LB MO TU #373

subgenus *Epopetes* Gistel, 1857a: 93 [1857b: 605] type species *Lamia asphodeli* Latreille, 1804 #778
Agapanthiella Pesarini & Sabbadini, 2004b: 126 type species *Cerambyx villosoviridescens* DeGeer, 1775 #778

altaica Plavilstshikov, 1933d: 113 A: WS
alternans alternans Fischer von Waldheim, 1842: 26 A: ES KZ MG NC (Cheongjin) NMO SC (Mt. Odaesan) WS XIN #63
coeruleonigra Reitter, 1898c: 132
ganglbaueri Semenov, 1893: 503
transbaicalica Suvorov, 1913: 80

alternans eualternans Danilevsky, 2017c: 29 E: ST (Orenburg env.)
alternans paralternans Danilevsky, 2017c: 26 A: KZ
alternans songarica Kostin, 1973: 225 A: KZ (Dzhungarsky Alatau)
songarica Kostin, 1978: 605 [HN]
alternans tarbagataica Kostin, 1978: 605 A: KZ (Tarbagatai)
angelicae Reitter, 1898c: 131 A: IN TM
hauseri Reitter, 1902b: 185
jacobsoni Plavilstshikov, 1915d: 122
laticornis Pic, 1898q: 179
subnuda Reitter, 1905a: 93

asphodeli asphodeli Latreille, 1804: 282 (*Lamia*) (environs de Bordeaux) E: AL BH BU FR GR IT MA MC MD PT RO SP ST SZ UK A: #484 #632 #724
?AB ?AR ?GG ?KZ SY TR
delagrangei Pic, 1894e: 75 ["Akbès"]
insularis Gautier des Cottes, 1870b: 263
mimica Pic, 1927e: 1
reyi Mulsant & Godart, 1870: 27 #724
spencii Gyllenhal, 1817: 187 (*Saperda*)

asphodeli cretica Bernhauer, 1978: 70 E: GR (Crete)
probsti Holzschuh, 1984c: 370 (Crete)

asphodeli fadli Sama & Rapuzzi, 2006: 186 N: EG
asphodeli lopadusae Rapuzzi & Sparacio, 2017: 958 [Lampedusa Is.] E: IT
asphodeli nicosiensis Pic, 1927e: 1 A: CY
asphodeli renatae Steiner & Schmid, 2013 E: GR (Peloponnese)
balcanica Sláma, 2019b: 208 (Attica)

asphodeli zappii Sama, 1987: 62 N: AG LB MO TU #484
auliensis Pic, 1907b: 12 A: KZ UZ
amabilis Holzschuh, 1981: 104

boeberi boeberi Fischer von Waldheim, 1806: 16 (*Saperda*) ["Sarepta"] E: KZ ST UK A: AB AR GG IN KZ TR WS #634 #691 #711
decora Krynicki, 1834: 170 (*Saperda*) [Tauria]

boeberi michaeli Sláma, 1986: 469 E: GR (Crete+Peloponnes) #711
boeberi chorumensis Lazarev, 2023e: 1797 A: TR (Chorum)

boeberi cynarae Germar, 1817: 222 (*Saperda*) [Italy] E: BH BU CR CZ ?FR ?GE GR HU IT MC ?MD ME SB SL ?SP RO SK TR UK #691
boeberi diversicornis Pic, 1927e: 1 (Albania) E: AL GR MC #711
boeberi selengensis Danilevsky, 2021b: 501 A: ES (Selenga River)
boeberi slamai Lazarev, 2023c: 752 E: GR (Peloponnese) #711

dahli alaiensis Kratochvíl, 1985b: 68 A: KI UZ TD
dahli alexandris Pic, 1901q: 82 A: KI KZ #249
dahli calculensis Lazarev, 2013d: 128 A: KZ
dahli dahli C. F. W. Richter, 1820: pl. 12 (*Saperda*) E: AL AU BE BH BU ?BY CR CT CZ FR GE GR HU KZ MC MD ME PL RO SB SK #115 #551 #752
SL SP ST ?SZ UK A: GG KZ
gyllenhali Ganglbauer, 1883a: 190
nigricornis Fabricius, 1793: 314 (*Saperda*) [HN]

dahli efimovi Danilevsky, 2021b: 500 A: WS
dahli golestanica Lazarev, Plewa & Jaworski, 2016: 232 A: IN

dahli iliensis Danilevsky, 2018d: 181 A: KZ ?XIN
dahli ismailovae Lazarev, 2013c: 446 E: ST (Dagestan) A: AB
dahli kindermanni Pic, 1905a: 13 A: TR #762
amicula Holzschuh, 1989a: 176
dahli kuleshovi Danilevsky, 2018d: 179 A: WS (Tomsk Region)
dahli lateralis Ganglbauer, 1884: 541 E: TR A: TR #763
bilateralis Pic, 1927e: 1 [“Turkestan“ - wrong record]
orientalis Pic, 1901q: 83 [DA]
dahli lenkorana Lazarev, Plewa & Jaworski, 2016: 234 A: AB (Talysh) ?IN
dahli lepsyensis Danilevsky, 2018d: 179 A: KZ (Lepsy River) ?XIN
dahli malmerendii Sama, 1981: 504 E: FR (Corse) IT
dahli muellneri Reitter, 1898c: 133 A: KI UZ ?XIN #249
dahli mutinensium Sama & Rapuzzi, 2010: 179 A: LE #249
dahli nitidipennis Holzschuh, 1984c: 371 A: AB GG #249
dahli persica Semenov, 1893: 505 A: IN #249
?theryi Pic, 1908b: 6
dahli pustulifera Pic, 1905a: 12 A: JO IS LE SY #182 #763
dahli rubenyani Lazarev, 2013c: 443 A: AB AR IN
dahli salviae Holzschuh, 1975a: 88 A: IN [“Elburz, Südseite, 10 km nördlich Karadj”] #763
dahli schurmanni Sama, 1979b: 505 [Macedonia: Ohrid; Greece: Kastoria] E: AL BU GR MC #82 #763
dahli sicula Ganglbauer, 1884: 541 E: IT (Sicilia)
dahli subsimplicicornis Sama & Rapuzzi, 2010: 180 A: LE #763
dahli transcaspica Pic, 1900g: 14 A: IN TM #249
dahli ustinovii Danilevsky, 2013h: 35 A: ?AF TD (Pamir) #137
dahli walteri Reitter, 1898c: 132 A: AB AR GG IN TR #249 #797
erivanica Pic, 1900e: 14
danilevskii Lazarev, 2013b: 235 A: KZ (Syr Darya River near Chardara)
daurica daurica Ganglbauer, 1884: 544 A: ES FE HEI HUB JA JIL LIA MG NC NMO SC SHA XIN #225
melancholica Suvorov, 1913: 79
daurica sakaii Hayashi, 1982b: 149 A: JA
detrita Kraatz, 1882c: 336 A: AF KI KZ TD UZ #345
bucharica Pic, 1901b: 13
paki Rapuzzi, 2012: 958 (Afghanistan)
griseocaudata Kasatkin, 2020c: 234 A: AB
obydovi Danilevsky, 2000c: 292 [“Taukum desert near Kolshengel village”] A: KZ
papaverina Kasatkin, 2020c: 233 A: TR
parauliensis Danilevsky, 2017c: 24 A: KZ, UZ
perovskiensis chulakkurgana Danilevsky, 2021b: 500 A: KZ
perovskiensis perovskiensis Danilevsky, 2021b: 499 A: KZ
schmidti Holzschuh, 1975a: 89 A: TR
shovkuni Shapovalov, 2009: 16 A: KZ
simplicicornis Reitter, 1898c: 133 A: ?IN TR (Mardin)
subflavida Pic, 1903j: 163 A: TR
turanica Plavilstshikov, 1929c: 131 A: KI KZ UZ XIN
uxoria Sláma, 2017a: 64 E: GR
verecunda Chevrolat, 1882: 63 A: TR #784
= *simplicicornis*, Önalp, 1989: 205
villosoviridescens gazanchidisi Lazarev, 2021: 31 A: BU GR #783
villosoviridescens giresunica Lazarev, 2024d: 489 A: TR
villosoviridescens helianthi Plavilstshikov, 1935: 250 E: ST A: AB AR GG #783
lopatini Kaziutshitz, 1988: 583
mesmini Pic, 1927e: 7
villosoviridescens hodeki Danilevsky, 2018d: 181 A: IN #783
villosoviridescens lederi Ganglbauer, 1884: 542 A: AB #633 #783
villosoviridescens markusi Rapuzzi, Sama & Kotán, 2013: 583 E: AL GR #117 #783
villosoviridescens murzini Lazarev, 2024d: 480 A: AR
villosoviridescens shankhizai Lazarev, 2024d: 491 A: TR (Denizli)
villosoviridescens subnigra Pic, 1890b: 119 - “Georgie”; E: ST A: GG #783
subacuta Pic, 1909: 106 - “Caucase”.
subchalybaea Reitter, 1898c: 134 - “Kaukasus und Turkestan: Taschkend” #633
villosoviridescens syunika Lazarev, 2024d: 480 A: AB AR
villosoviridescens villosoviridescens DeGeer, 1775: 76 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR
IT KZ LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: ES KZ MG ~~FR~~-WS #783
acutipennis Mulsant, 1862: 357
angusticollis Gyllenhal;l, 1817: 189 (*Saperda*)
latreillei [“latreille”] Fischer von Waldheim, 1805 [?1806]: 17 (*Saperda*)
lineatocollis Donovan, 1797: 71 (*Cerambyx*)

nicaeensis Chevrolat, 1881: xcvi
pyrenaica C. Brisout de Barneville, 1863: 117
viridescens Gmelin, 1790: 1864 (*Cerambyx*)

subgenus *Homoblephara* Pesarini & Sabbadini, 2004b: 128 type species *Saperda maculicornis* Gyllenhal, 1817 #778
fallax Holzschuh, 1974a: 95 A: TR
korostelevi Danilevsky, 1985: 385 [= 1987: 620] A: AB AR IN TR
maculicornis davidi Sláma, 1986: 465 E: IT
maculicornis maculicornis Gyllenhal, 1817, app.: 189 (*Saperda*) E: BH BU CR CT GR HU KZ MC MD ME RO SK SL ST TR UK A: KZ TR WS #83 #583
trivittata Gebler, 1830: 188 (*Saperda*)
martinae Danilevsky & Navrátil, 2018: 299 A: IN
orbachi Sama, 1993e: 471 A: IS

subgenus *Mirabilinia* Kasatkin, 2020c: 248 type species: *Agapanthia hirsuticornis* Holzschuh, 1975.
hirsuticornis Holzschuh, 1975a: 86 [Mazandaran] A: IN
subgenus *Smaragdula* Pesarini & Sabbadini, 2004b: 128 type species *Saperda violacea* Fabricius, 1775 #778
amitina Holzschuh, 1989a: 174 A: IN ["Iran, Zentralprovinz, 35 km NW Ghazvin"] ?TR #583
chalybea Faldermann, 1837: 303 A: AB AR GG IN TR #517
chvalkovskyi Hodek, 2021b: 1164 A: GG
frivaldszkyi Ganglbauer, 1884: 546 E: BU RO A: IS IN IQ JO SY TR
gemella Holzschuh, 1989a: 175 A: CY
grosseri Hodek, 2021a: 88 A: TR
incerta Plavilstshikov, 1930: 12 A: KI TD UZ #574
intermedia Ganglbauer, 1884: 543 E: AU BY CT CZ DE EN FR GE GR HU IT KZ LA LU MD ME NL NT PL RO SB SK SP ST SZ UK A: GG KZ WS #357 #480
izzilloi Rapuzzi, Sama & Kotán, 2013: 582 E: GR
kadleci Hodek, 2021a: 92 A: TR
lais Reiche & Saulcy, 1858: 21 A: IS JO LE SY TR #74 #182
lazuli Vartanis, 2023e: 1730 E: GR (Corfu Is.)
mardinensis Rapuzzi, 2021: 549 A: TR
mikhaili Hodek, 2021b: 1161 A: AR
naciyae Rapuzzi & Sama, 2012a: 676 A: TR
osmanlis Reiche & Saulcy, 1858: 19 ["Constantinople"] E: BU GR HU ME RO SB SK TR A: TR
ozdikmeni Rapuzzi & Sama, 2012a: 673 A: TR
persicola Reitter, 1894d: 146 ["Astrabad, Araxesthal"] A: AB AR GG IN TM TR #574
violaceipennis Pic, 1904b: 9
pesarinii Sama & Rapuzzi, 2010: 177 E: TR A: SY TR #500
petranyi Kotán, 2014: 64 A: IN
posti Hodek & Tichý, 2021: 30 A: TR
psoraleae Sama & Rapuzzi, 2010: 176 A: LE IS #574
rapuzzii Hodek & Tichý, 2021: 32 A: TR
talassica Kostin, 1973: 223 A: KI KZ
violacea Fabricius, 1775: 187 (*Saperda*) E: AL AU BE BH BU CT CR CZ FR GE GR HU IT LU MC MD ME NT PL PT RO SB SK SL SP ST SZ TR UK A: AB AR ES GG KZ TR WS #104 #752
chalybaea Mulsant, 1839: 177 [HN]
caerulea Schoenherr, 1817a: 437 (*Saperda*)
cyanea Herbst, 1784: 95 (*Saperda*)
janthina Gmelin, 1790: 1842 (*Cerambyx*)
micans Fuessly, 1775: 13 (*Cerambyx*)
smaragdina Krynicki, 1832: 161 (*Saperda*)
viti Rapuzzi & Sama, 2012a: 675 E: CR HU RO SB SK UK #325 #648

subgenus *Stichodera* Pesarini & Sabbadini, 2004b: 126 type species *Saperda irrorata* Fabricius, 1787 #778
irrorata Fabricius, 1787: 147 (*Saperda*) E: FR (Corse) IT PT SP N: AG MO TU
granulosa Chevrolat, 1881: xcvi
integra Chevrolat, 1882: 64
pubiventris Mulsant, 1862: 352
rorida Gmelin, 1790: 1838 (*Cerambyx*)
soror Kraatz, 1882c: 336 A: AF KI KZ TD UZ #326 #345
subgenus *Synthapsia* Pesarini & Sabbadini, 2004b: 121 type species *Saperda kirbyi* Gyllenhal, 1817 #778
kirbyi kirbyi Gyllenhal, 1817: 186 (*Saperda*) E: CT CZ FR HU IT KZ MD RO SK SP ST UK
latipennis Mulsant, 1862: 352
kirbyi samai Rapuzzi & Parisi, 2022: 86 A: AB AR GG IN IQ IS SY TM TR
kirbyi zavadskyi Fairmaire, 1866b: 275 ["Kisilgye-Aole" (?Kizilkaya, Burdur prov.), "aussi à Constantinople"] E: AL BH BU CR GR MC ME SB TR A: TR #531
valandovensis Sláma, 2015c: 1127

genus *Agapanthiola* Ganglbauer, 1900: 139 type species *Agapanthia euterpe* Ganglbauer, 1900 (= *Saperda leucaspis* Steven, 1817)
Calamobiorphus Pic, 1904a: 6 type species *Saperda leucaspis* Steven, 1817
leucaspis Steven, 1817: 184 (*Saperda*) E: AU BH BU CR CT CZ GR HU KZ MC MD ME RO SB SK ST TR UK A: AB AR GG ES IN KI

KZ MG TD TR UZ WS
cyanella Dalman, 1817b: 190 (*Saperda*)
euterpe Ganglbauer, 1900: 139 (*Agapanthia*)
pectoralis Eschscholtz, 1818: 482 (*Saperda*)
sinae Dahlgren, 1986: 75 (*Agapanthia*) A: XIN

genus *Aulaconotus* J. Thomson, 1864: 99 type species *Aulaconotus pachypezoides* J. Thomson, 1864
atronotatus Pic, 1927b: 36 A: FUJ GUA GUI GUX HAI HUN JIX SCH YUN **ORR**
varius Gressitt, 1942b: 5
gracilicornis Makihara & A. Saito, 1985b: 14 A: TAI
grammopterus Breuning, 1940b: 186 A: NP **ORR**
incorrugatus Gressitt, 1939b: 117 A: ZHE
pachypezoides J. Thomson, 1864: 99 A: FUJ GUA GUI HUB HUN JA JIA JIX SCH TAI ZHE
breviscaposus Heller, 1923b: 73 (*Phelipara*)
semiaulaconotus Hayashi, 1974c: 43 (*Pothyne*) A: TAI
szetschuanus Breuning, 1968f: 709 A: SCH

genus *Calamobius* Guérin-Méneville, 1847: xviii type species *Saperda gracilis* Creutzer, 1799 (= *Saperda filum* Rossi, 1790)
filum Rossi, 1790: 152 (*Saperda*) E: AL AU **BE** BH BU CR CZ FR GE GR HU IT MA MC MD ME NL PL PT RO SB SK SL SP ST SZ TR
UK N: AG **LB** MO TU A: AB AR CY GG IN **IQ** IS JO LE SY TR **#65**
decoloripes Pic, 1945b: 7
gracilis Creutzer, 1799: 124 (*Saperda*)
hirtus Fabricius, 1793: 317 (*Saperda*)
magnini Pic, 1931c: 10
marginellus Fabricius, 1801: 332 (*Saperda*)
tenuis Blanco Fernández, 1859: 411 (*Saperda*)

genus *Cleptomtopus* J. Thomson, 1864: 95 type species *Cleptomtopus terrestris* J. Thomson, 1864
Acroama Jordan, 1894b: 501 type species *Acroama armata* Jordan, 1894
Anapophrena Pic, 1925a: 28 type species *Anapophrena luteonotata* Pic, 1925
Apophrena Pascoe, 1866c: 323 type species *Apophrena filifera* Pascoe, 1866
Itohigea Matsushita, 1938b: 102 type species *Itohigea bimaculata* Matsushita, 1938 (= *Smermus bimaculatus* Bates, 1873)
Metopoplectus Gressitt, 1936: 104 type species *Metopoplectus taiwanensis* Gressitt, 1936
Mimocleptomtopus Pic, 1934g: 36 type species *Mimocleptomtopus undulatus* Pic, 1934
Smermus Lacordaire, 1872: 692 type species *Smermus mniszehi* Lacordaire, 1872
annulaticornis Mitono, 1944: 252 A: HAI
aureovittatus Breuning, 1947a: 63 A: BT
bhutanensis Breuning, 1975d: 342 A: BT
bimaculatus Bates, 1873: 383 (*Smermus*) A: JA
bimaculatus Matsushita, 1938b: 102 (*Itohigea*) [HN]
fuscospinatus Breuning, 1947a: 63 A: SD
indecorus Holzschuh, 2012: 413 A: NP
indistinctus Breuning, 1940b: 206 A: NP SD
luteonotatus Pic, 1925: 29 A: YUN **ORR** **#708**
mimolivaceus Breuning, 1972a: 50 [RN] A: SD
aureomaculata Hüdelpohl, 1990: 454 (*Antennopothyne*)
parolivaceus Breuning, 1972c: 416 [HN]
minor Gressitt, 1937a: 93 (*Metopoplectus*) A: ZHE
mniszehi Lacordaire, 1872: 696 (*Smermus*) A: NP SD
rufovittatus Breuning, 1966a: 109
motuoensis W.-K. Wang & Jiang, 1999a: 14 A: XIZ
olivaceus Breuning, 1942a: 172 A: NP **ORR**
orientalis Mitono, 1934: 492 A: TAI
parolivaceus Breuning, 1966b: 13 A: NP SD
pseudolivaceus Breuning, 1975d: 341 A: BT
quadrilineatus Pic, 1924d: 24 (*Pothyne*) A: SD **ORR**
flavopictus Breuning, 1940b: 206
schmidi Breuning, 1971b: 77 A: AP
grossepunctatus Breuning, 1967b: 32 [HN]
mussardi Breuning, 1977a: 60
sikkimensis Breuning, 1972c: 416 A: SD
similaris Gressitt, 1945a: 129 (*Metopoplectus*) A: SCH
similis Gahan, 1894a: 81 (*Smermus*) A: HUN **ORR**
subteraureus Breuning, 1967b: 33 A: SD
taiwanensis Gressitt, 1936: 105 (*Metopoplectus*) A: TAI

genus *Coreocalamobius* Hasegawa, Han & Oh, 2014: 50 type species *Coreocalamobius parantennatus* Hasegawa, Han & Oh, 2014
parantennatus Hasegawa, Han & Oh, 2014: 50 A: ~~2JA (Tsushima Is.)~~ FE SC **#517 #690**

genus *Eucomatocera* White, 1846: 49 type species *Eucomatocera vittata* White, 1846
minuta Pu, 1988: 303 A: XIZ
vittata White, 1846: 49 A: NP SD TAI YUN **ORR**

genus *Hippocephala* Aurivillius, 1920: 25 type species *Hippocephala suturalis* Aurivillius, 1920
subgenus *Hippocephala* Aurivillius, 1920: 25 type species *Hippocephala suturalis* Aurivillius, 1920
albosuturalis Breuning, 1954c: 16 A: FUJ HUN
dimorpha Gressitt, 1937d: 612 A: FUJ GUX JIX SCH ZHE
guangdongensis Hua, 1991: 348 A: GUA
proxima Breuning, 1940b: 195 A: SD
suturalis Aurivillius, 1920: 25 A: FUJ JIX
subgenus *Mimosmermus* Breuning, 1966a: 104 type species *Hippocephala fuscostriata* Breuning, 1966
argentistriata Holzschuh, 2006c: 485 A: NP
fuscolineata Breuning, 1947a: 64 A: BT

genus *Hyllisia* Pascoe, 1864c: 285 type species *Hyllisia stenideoides* Pascoe, 1864
Falsanandra Pic, 1924a: 17 type species *Falsanandra albocincta* Pic, 1924
subgenus *Hyllisia* Pascoe, 1864c: 285 type species *Hyllisia stenideoides* Pascoe, 1864
albolateralis Breuning, 1950d: 259 A: UP
asirica Rapuzzi & al Dhafer, 2024: 195 A: SA
chinensis Breuning, 1948b: 35 A: GUX JIX
flava Breuning, 1950d: 259 A: UP
indica Breuning, 1947a: 62 A: HP
lineata Gahan, 1894a: 79 A: NP
ruficolor Pic, 1934b: 15 (*Hippopsis*) A: FUJ **ORR**
rufipes Pic, 1934d: 133 (*Hippopsis*) A: YUN
saigonensis Pic, 1933b: 30 (*Pothyne*) A: YUN **ORR**
strandii Breuning, 1940b: 198 A: HKG
taihokensis Matsushita, 1933b: 385 (*Pothyne*) A: JA (Ryukyus) TAI
oshimana Breuning, 1955b: 73
subvittipennis Breuning & K. Ohbayashi, 1966b: 34 (*Pothyne*)

genus *Neoludwigia* Sama, 2008: 235 [RN] type species *Agapanthia lixoides* P. H. Lucas, 1847
Ludwigia Pic, 1891b: 47 [HN] type species *Agapanthia lixoides* P. H. Lucas, 1847
lixoides P. H. Lucas, 1847: pl. 42 (*Agapanthia*) N: AG TU
insuturalis Pic, 1934c: 22 (*Ludwigia*)

genus *Parahyllisia* Breuning, 1942a: 170 type species *Parahyllisia annamensis* Breuning, 1942
hainanensis Breuning, 1966a: 81 A: HAI

genus *Phelipara* Pascoe, 1866c: 322 type species *Phelipara marmorata* Pascoe, 1866
subgenus *Phelipara* Pascoe, 1866c: 322 type species *Phelipara marmorata* Pascoe, 1866
Diaxenopsis Breuning, 1939b: 202 type species *Diaxenopsis apomecynodes* Breuning, 1939
Falsopothyne Pic, 1932c: 24 type species *Falsopothyne pilosa* Pic, 1932
Oncideropsis Aurivillius, 1922c: 165 type species *Oncideropsis nebulosa* Aurivillius, 1922
Paraphelipara Breuning, 1940b: 204 type species *Paraphelipara indica* Breuning, 1940
affinis Breuning, 1940b: 204 A: NP SD
indica Breuning, 1940b: 204 (*Paraphelipara*) A: NP "North India"
marmorata Pascoe, 1866c: 322 A: YUN **ORR**
radovskyi Hua, 1987: 90 A: GUX

genus *Pothyne* J. Thomson, 1864: 97 type species *Pothyne variegata* J. Thomson, 1864
Neopothyne Matsushita, 1931a: 46 type species *Neopothyne variegata* Matsushita, 1931
accaciae Gardner, 1930: 160 A: UP "North India"
flavescens Breuning, 1940b: 186
albolineata Matsushita, 1933b: 383 A: TAI
alboosternalis Breuning, 1982a: 12 A: YUN
annulata annulata Breuning, 1942a: 167 A: HAI JA TAI
annulata ishigakiana Takakuwa & Kusama, 1979: 7 A: JA (Ryukyus)
annulata nobuoi Breuning & K. Ohbayashi, 1964: 17 A: JA
annulata yonaguniensis Hayashi, 1976: 17 A: JA (Ryukyus)
miyakoensis Hayashi, 1976: 19
chocolata Gressitt, 1939a: 88 A: GUA HAI HUN JIX TAI ZHE
combreti Gardner, 1930: 160 A: UP
convexifrons Gardner, 1930: 161 A: UP
distincta Breuning, 1950d: 256 A: NP SD

fasciata Gressitt, 1951a: 539 A: HUB
formosana chocolatoides Breuning & K. Ohbayashi, 1966: 34 A: JA (Ryukyus)
formosana formosana Schwarzer, 1925c: 146 A: GUA TAI
formosana haterumaensis Takakuwa, 1984: 12 A: JA (Ryukyus)
formosana liturata Matsushita, 1933b: 384 A: JA (Ryukyus)
formosana nanshanchina Takakuwa & Kusama, 1979: 10 A: TAI
fusiscapa Gressitt, 1940b: 194 A: HAI HUB
imasakai Hayashi, 1976: 18 A: JA (Ryukyus)
indica Breuning, 1940b: 188 A: NP **ORR**
indistincta Breuning, 1940b: 187 A: "India"
laeviscapa Breuning, 1950i: 535 A: FUJ
lanhsuensis Hayashi, 1978b: 108 A: TAI (Lanyu Is.)
lateralba Gressitt, 1937d: 611 A: GUX JIX
albolateralis Breuning, 1942a: 166
lineolata Gressitt, 1940b: 195 A: HAI YUN
macrophthalma Breuning, 1940b: 187 A: NP SD
obliquetruncata Gressitt, 1939a: 89 A: FUJ GUA GUX HAI HUN JIX
pauloplicata Breuning, 1934: 14 A: YUN **ORR** #400
polyplacata Hua & She, 1987: 55 A: FUJ GUA GUX HAI JIX ZHE
proxima Breuning, 1940b: 186 A: "North India"
rugifrons Gressitt, 1940b: 196 A: FUJ GUA HAI HUN JIX YUN ZHE
septemvittipennis Breuning, 1962d: 61 A: YUN **ORR**
seriata Gressitt, 1940b: 197 A: HAI
sikkimana Breuning, 1968f: 709 A: SD
sikkimensis Breuning, 1940b: 189 A: NP SD **ORR**
nepalensis Hayashi, 1979: 93
silacea Pascoe, 1871: 278 A: HAI TAI ZHE
sinensis Pic, 1926k: 394 A: YUN
suturella Breuning, 1942a: 167 A: GUI HUN NO
thibetana Breuning, 1950i: 535 A: XIZ
variegata hayashii Breuning, 1953: 19 A: JA (Tokara Isls., Ryukyus)
variegata okinoerabua Takakuwa & Kusama, 1979: 4 A: JA (Ryukyus)
variegata ryukyua Yokoyama, 1974: 279 [RN] A: JA (Ryukyus)
albolateralis Yokoyama, 1971: 95 [HN]
okinawana Takakuwa & Kusama, 1979: 3
variegata variegata J. Thomson, 1864: 97 A: HKG HUN NP SD TAI YUN **ORR** #400
niveosparsa Pic, 1908f: 16
variegata Matsushita, 1931a: 46 (*Neopothyne*) [HN]
variegata yayeyamana Breuning & K. Ohbayashi, 1966b: 34 A: JA (Ryukyus)
virginalis Takakuwa & Kusama, 1979: 4 A: TAI

genus *Pseudocalamobius* Kraatz, 1879c: 116 type species *Calamobius japonicus* Bates, 1873
bhutanensis Breuning, 1975d: 340 A: BT
burmanensis Breuning, 1949a: 12 A: NP **ORR**
filiformis Fairmaire, 1888b: 146 A: FUJ HAI HEB HUB HUN SHA ZHE #225
japonicus Bates, 1873: 383 (*Calamobius*) A: JA
leptissimus Gressitt, 1936: 103 A: FUJ GUA TAI
luteonotatus Pic, 1908f: 17 A: NP YUN **ORR**
mediomaculatus Breuning, 1940b: 202
montanus Hayashi, 1959b: 58 A: JA
niisatoi Hasegawa, 1987: 514 A: TAI
obscuriscapus Breuning, 1975d: 339 A: NP
okinawanus Samuelson, 1965b: 125 A: JA (Ryukyus)
piceus Gressitt, 1951a: 543 A: GUA
proximus Breuning, 1940b: 203 A: NP SD
pubescens Hasegawa, 1987: 517 A: TAI
rufescens Breuning, 1940b: 202 A: NP SD **ORR**
rufipennis Gressitt, 1942d: 4 A: GUI SHA XIZ #400
szetschuanicus Breuning, 1947a: 64 A: SCH
moupinensis Breuning, 1967f: 188
taiwanensis Matsushita, 1931c: 404 A: TAI
talianus Pic, 1916e: 15 A: YUN ZHE #400
truncatus Breuning, 1940b: 203 A: NP SD ?XIZ #400
tsushima Breuning, 1961c: 156 A: FE FUJ HUB JA (Tsushima Is.) JIX NC SC ZHE #278 #525
yunnanus Breuning, 1942a: 172 A: YUN

genus *Pseudohyllisia* Breuning, 1942a: 171 type species *Pseudohyllisia madurensis* Breuning, 1942
laosensis Breuning, 1965d: 45 A: HUN **ORR**

#392

genus *Tetraglenes* Newman, 1842c: 300 type species *Tetraglenes insignis* Newman, 1842
bacillarius Lameere, 1893a: 285 A: CH **ORR**
hirticornis Fabricius, 1798: 148 (*Saperda*) A: FUJ GUA GUI GUX HAI NP SD YUN ZHE **ORR**
sublineatus Gressitt, 1935g: 572
tonkineus Pic, 1919b: 11 (*Dorcasta*)
insignis Newman, 1842c: 300 A: PA UP **ORR**

genus *Theophilea* Pic, 1895b: 39 type species *Theophilea cylindricollis* Pic, 1895
cylindricollis Pic, 1895b: 39 A: AB AR GG TR
erzurumensis Önalp, 1974: 174 (*Agapanthia*)
subcylindricollis Hladil, 1988: 1 E: **AL** AU BU CT CZ HU KZ MD RO SB SK ST UK A: KZ **TR** WS

#388 #467 #583

genus *Trichopothyne* Breuning, 1942a: 168 type species *Trichopothyne strandiella* Breuning, 1942
hindostani Breuning, 1950d: 258 A: UP

family Cerambycidae, nomina dubia
Lamia aspera Roemer, 1789: 46 [pl. 5] E: IT